

# The Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List

Scott Pakin <[scott+cls1@pakin.org](mailto:scott+cls1@pakin.org)>\*

30 November 2015

## Abstract

This document lists 14032 symbols and the corresponding L<sup>A</sup>T<sub>E</sub>X commands that produce them. Some of these symbols are guaranteed to be available in every L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> system; others require fonts and packages that may not accompany a given distribution and that therefore need to be installed. All of the fonts and packages used to prepare this document—as well as this document itself—are freely available from the Comprehensive T<sub>E</sub>X Archive Network (<http://www.ctan.org/>).

## Contents

<b>Contents</b>	<b>1</b>
<b>1 Introduction</b>	<b>12</b>
1.1 Document Usage	12
1.2 Frequently Requested Symbols	12
<b>2 Body-text symbols</b>	<b>14</b>
Table 1: L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Escapable “Special” Characters	14
Table 2: Predefined L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Text-mode Commands	14
Table 3: L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Commands Defined to Work in Both Math and Text Mode	15
Table 4: $\mathcal{AMS}$ Commands Defined to Work in Both Math and Text Mode	15
Table 5: Non-ASCII Letters (Excluding Accented Letters)	15
Table 6: <code>textgreek</code> Upright Greek Letters	16
Table 7: Letters Used to Typeset African Languages	16
Table 8: Letters Used to Typeset Vietnamese	16
Table 9: Punctuation Marks Not Found in OT1	17
Table 10: <code>pifont</code> Decorative Punctuation Marks	17
Table 11: <code>tipa</code> Phonetic Symbols	17
Table 12: <code>tipx</code> Phonetic Symbols	18
Table 13: <code>wsuipa</code> Phonetic Symbols	19
Table 14: <code>wasysym</code> Phonetic Symbols	20
Table 15: <code>phonetic</code> Phonetic Symbols	20
Table 16: <code>t4phonet</code> Phonetic Symbols	20
Table 17: <code>semtrans</code> Transliteration Symbols	20
Table 18: Text-mode Accents	21
Table 19: <code>tipa</code> Text-mode Accents	21
Table 20: <code>extraipa</code> Text-mode Accents	23
Table 21: <code>wsuipa</code> Text-mode Accents	23
Table 22: <code>phonetic</code> Text-mode Accents	23
Table 23: <code>metre</code> Text-mode Accents	24

---

\*The original version of this document was written by David Carlisle, with several additional tables provided by Alexander Holt. See Section 10.8 on page 242 for more information about who did what.

Table 24:	t4phonet Text-mode Accents . . . . .	24
Table 25:	arcs Text-mode Accents . . . . .	24
Table 26:	semtrans Accents . . . . .	24
Table 27:	ogonek Accents . . . . .	24
Table 28:	combelow Accents . . . . .	25
Table 29:	wsuipa Diacritics . . . . .	25
Table 30:	textcomp Diacritics . . . . .	25
Table 31:	marvosym Diacritics . . . . .	25
Table 32:	textcomp Currency Symbols . . . . .	26
Table 33:	marvosym Currency Symbols . . . . .	26
Table 34:	fontawesome Currency Symbols . . . . .	26
Table 35:	wasysym Currency Symbols . . . . .	26
Table 36:	Q <sub>A</sub> 2e Currency Symbols . . . . .	26
Table 37:	teubner Currency Symbols . . . . .	27
Table 38:	tfruppee Currency Symbols . . . . .	27
Table 39:	eurosym Euro Signs . . . . .	27
Table 40:	fourier Euro Signs . . . . .	27
Table 41:	textcomp Legal Symbols . . . . .	27
Table 42:	fontawesome Legal Symbols . . . . .	27
Table 43:	cclicenses Creative Commons License Icons . . . . .	28
Table 44:	ccicons Creative Commons License Icons . . . . .	28
Table 45:	textcomp Old-style Numerals . . . . .	28
Table 46:	Miscellaneous textcomp Symbols . . . . .	28
Table 47:	Miscellaneous wasysym Text-mode Symbols . . . . .	28
<b>3</b>	<b>Mathematical symbols</b>	<b>30</b>
Table 48:	Math-Mode Versions of Text Symbols . . . . .	30
Table 49:	cmll Unary Operators . . . . .	30
Table 50:	Binary Operators . . . . .	31
Table 51:	$\mathcal{AMS}$ Binary Operators . . . . .	31
Table 52:	stmaryrd Binary Operators . . . . .	32
Table 53:	wasysym Binary Operators . . . . .	32
Table 54:	txfonts/pxfonts Binary Operators . . . . .	32
Table 55:	mathabx Binary Operators . . . . .	33
Table 56:	MnSymbol Binary Operators . . . . .	33
Table 57:	fdsymbol Binary Operators . . . . .	34
Table 58:	boisik Binary Operators . . . . .	35
Table 59:	stix Binary Operators . . . . .	36
Table 60:	mathdesign Binary Operators . . . . .	37
Table 61:	cmll Binary Operators . . . . .	37
Table 62:	shuffle Binary Operators . . . . .	37
Table 63:	ulsy Geometric Binary Operators . . . . .	37
Table 64:	mathabx Geometric Binary Operators . . . . .	37
Table 65:	MnSymbol Geometric Binary Operators . . . . .	38
Table 66:	fdsymbol Geometric Binary Operators . . . . .	38
Table 67:	boisik Geometric Binary Operators . . . . .	39
Table 68:	stix Geometric Binary Operators . . . . .	40
Table 69:	stix Small Integrals . . . . .	40
Table 70:	stix Small Integrals with Explicit Slant . . . . .	41
Table 71:	Variable-sized Math Operators . . . . .	41
Table 72:	$\mathcal{AMS}$ Variable-sized Math Operators . . . . .	42
Table 73:	stmaryrd Variable-sized Math Operators . . . . .	42
Table 74:	wasysym Variable-sized Math Operators . . . . .	42
Table 75:	mathabx Variable-sized Math Operators . . . . .	42

Table 76:	txfonts/pxfonts Variable-sized Math Operators . . . . .	43
Table 77:	esint Variable-sized Math Operators . . . . .	45
Table 78:	bigints Variable-sized Math Operators . . . . .	45
Table 79:	MnSymbol Variable-sized Math Operators . . . . .	46
Table 80:	fdsymbol Variable-sized Math Operators . . . . .	47
Table 81:	boisik Variable-sized Math Operators . . . . .	48
Table 82:	stix Variable-sized Math Operators . . . . .	48
Table 83:	stix Integrals with Explicit Slant . . . . .	49
Table 84:	mathdesign Variable-sized Math Operators . . . . .	51
Table 85:	prodint Variable-sized Math Operators . . . . .	51
Table 86:	cmll Large Math Operators . . . . .	51
Table 87:	Binary Relations . . . . .	51
Table 88:	$\mathcal{AMS}$ Binary Relations . . . . .	52
Table 89:	$\mathcal{AMS}$ Negated Binary Relations . . . . .	52
Table 90:	stmaryrd Binary Relations . . . . .	52
Table 91:	wasysym Binary Relations . . . . .	52
Table 92:	txfonts/pxfonts Binary Relations . . . . .	53
Table 93:	txfonts/pxfonts Negated Binary Relations . . . . .	53
Table 94:	mathabx Binary Relations . . . . .	53
Table 95:	mathabx Negated Binary Relations . . . . .	54
Table 96:	MnSymbol Binary Relations . . . . .	54
Table 97:	MnSymbol Negated Binary Relations . . . . .	55
Table 98:	fdsymbol Binary Relations . . . . .	57
Table 99:	fdsymbol Negated Binary Relations . . . . .	58
Table 100:	boisik Binary Relations . . . . .	59
Table 101:	boisik Negated Binary Relations . . . . .	60
Table 102:	stix Binary Relations . . . . .	60
Table 103:	stix Negated Binary Relations . . . . .	62
Table 104:	mathtools Binary Relations . . . . .	62
Table 105:	turnstile Binary Relations . . . . .	62
Table 106:	trsym Binary Relations . . . . .	63
Table 107:	trfsigns Binary Relations . . . . .	64
Table 108:	cmll Binary Relations . . . . .	64
Table 109:	colonequals Binary Relations . . . . .	64
Table 110:	fourier Binary Relations . . . . .	64
Table 111:	Subset and Superset Relations . . . . .	64
Table 112:	$\mathcal{AMS}$ Subset and Superset Relations . . . . .	64
Table 113:	stmaryrd Subset and Superset Relations . . . . .	65
Table 114:	wasysym Subset and Superset Relations . . . . .	65
Table 115:	txfonts/pxfonts Subset and Superset Relations . . . . .	65
Table 116:	mathabx Subset and Superset Relations . . . . .	65
Table 117:	MnSymbol Subset and Superset Relations . . . . .	65
Table 118:	fdsymbol Subset and Superset Relations . . . . .	66
Table 119:	boisik Subset and Superset Relations . . . . .	66
Table 120:	stix Subset and Superset Relations . . . . .	66
Table 121:	Inequalities . . . . .	67
Table 122:	$\mathcal{AMS}$ Inequalities . . . . .	67
Table 123:	wasysym Inequalities . . . . .	67
Table 124:	txfonts/pxfonts Inequalities . . . . .	67
Table 125:	mathabx Inequalities . . . . .	68
Table 126:	MnSymbol Inequalities . . . . .	69
Table 127:	fdsymbol Inequalities . . . . .	70
Table 128:	boisik Inequalities . . . . .	71
Table 129:	stix Inequalities . . . . .	71

Table 130:	<i>AMS</i> Triangle Relations . . . . .	72
Table 131:	stmaryrd Triangle Relations . . . . .	72
Table 132:	mathabx Triangle Relations . . . . .	73
Table 133:	MnSymbol Triangle Relations . . . . .	73
Table 134:	fdsymbol Triangle Relations . . . . .	74
Table 135:	boisik Triangle Relations . . . . .	74
Table 136:	stix Triangle Relations . . . . .	74
Table 137:	Arrows . . . . .	75
Table 138:	Harpoons . . . . .	75
Table 139:	textcomp Text-mode Arrows . . . . .	75
Table 140:	<i>AMS</i> Arrows . . . . .	75
Table 141:	<i>AMS</i> Negated Arrows . . . . .	75
Table 142:	<i>AMS</i> Harpoons . . . . .	76
Table 143:	stmaryrd Arrows . . . . .	76
Table 144:	txfonts/pxfonts Arrows . . . . .	76
Table 145:	mathabx Arrows . . . . .	76
Table 146:	mathabx Negated Arrows . . . . .	76
Table 147:	mathabx Harpoons . . . . .	77
Table 148:	MnSymbol Arrows . . . . .	77
Table 149:	MnSymbol Negated Arrows . . . . .	79
Table 150:	MnSymbol Harpoons . . . . .	80
Table 151:	MnSymbol Negated Harpoons . . . . .	81
Table 152:	fdsymbol Arrows . . . . .	81
Table 153:	fdsymbol Negated Arrows . . . . .	83
Table 154:	fdsymbol Harpoons . . . . .	85
Table 155:	fdsymbol Negated Harpoons . . . . .	85
Table 156:	boisik Arrows . . . . .	86
Table 157:	boisik Negated Arrows . . . . .	87
Table 158:	boisik Harpoons . . . . .	87
Table 159:	stix Arrows . . . . .	87
Table 160:	stix Negated Arrows . . . . .	90
Table 161:	stix Harpoons . . . . .	90
Table 162:	harpoon Extensible Harpoons . . . . .	91
Table 163:	chemarrow Arrows . . . . .	91
Table 164:	fge Arrows . . . . .	91
Table 165:	MnSymbol Spoons . . . . .	91
Table 166:	MnSymbol Pitchforks . . . . .	92
Table 167:	MnSymbol Smiles and Frowns . . . . .	92
Table 168:	fdsymbol Spoons . . . . .	93
Table 169:	fdsymbol Pitchforks . . . . .	93
Table 170:	fdsymbol Smiles and Frowns . . . . .	93
Table 171:	ulsy Contradiction Symbols . . . . .	93
Table 172:	Extension Characters . . . . .	94
Table 173:	stmaryrd Extension Characters . . . . .	94
Table 174:	txfonts/pxfonts Extension Characters . . . . .	94
Table 175:	mathabx Extension Characters . . . . .	94
Table 176:	stix Extension Characters . . . . .	94
Table 177:	Log-like Symbols . . . . .	94
Table 178:	<i>AMS</i> Log-like Symbols . . . . .	95
Table 179:	Q <sup>A</sup> 2e Number Sets . . . . .	95
Table 180:	Greek Letters . . . . .	96
Table 181:	<i>AMS</i> Greek Letters . . . . .	96
Table 182:	txfonts/pxfonts Upright Greek Letters . . . . .	97
Table 183:	upgreek Upright Greek Letters . . . . .	97

Table 184:	fourier Variant Greek Letters . . . . .	97
Table 185:	txfonts/pxfonts Variant Latin Letters . . . . .	98
Table 186:	boisik Variant Greek Letters . . . . .	98
Table 187:	boisik Variant Latin Letters . . . . .	98
Table 188:	stix Variant Greek Letters . . . . .	98
Table 189:	stix Transformed Greek Letters . . . . .	98
Table 190:	$\mathcal{AMS}$ Hebrew Letters . . . . .	98
Table 191:	MnSymbol Hebrew Letters . . . . .	98
Table 192:	fdsymbol Hebrew Letters . . . . .	98
Table 193:	boisik Hebrew Letters . . . . .	99
Table 194:	stix Hebrew Letters . . . . .	99
Table 195:	Letter-like Symbols . . . . .	99
Table 196:	$\mathcal{AMS}$ Letter-like Symbols . . . . .	99
Table 197:	txfonts/pxfonts Letter-like Symbols . . . . .	99
Table 198:	mathabx Letter-like Symbols . . . . .	99
Table 199:	MnSymbol Letter-like Symbols . . . . .	99
Table 200:	fdsymbol Letter-like Symbols . . . . .	100
Table 201:	boisik Letter-like Symbols . . . . .	100
Table 202:	stix Letter-like Symbols . . . . .	100
Table 203:	trfsigns Letter-like Symbols . . . . .	100
Table 204:	mathdesign Letter-like Symbols . . . . .	100
Table 205:	fge Letter-like Symbols . . . . .	101
Table 206:	fourier Letter-like Symbols . . . . .	101
Table 207:	cmll Letter-like Symbols . . . . .	101
Table 208:	$\mathcal{AMS}$ Delimiters . . . . .	101
Table 209:	stmaryrd Delimiters . . . . .	101
Table 210:	mathabx Delimiters . . . . .	101
Table 211:	boisik Delimiters . . . . .	101
Table 212:	stix Delimiters . . . . .	102
Table 213:	nath Delimiters . . . . .	102
Table 214:	Variable-sized Delimiters . . . . .	102
Table 215:	Large, Variable-sized Delimiters . . . . .	103
Table 216:	$\mathcal{AMS}$ Variable-sized Delimiters . . . . .	103
Table 217:	stmaryrd Variable-sized Delimiters . . . . .	103
Table 218:	mathabx Variable-sized Delimiters . . . . .	103
Table 219:	MnSymbol Variable-sized Delimiters . . . . .	104
Table 220:	fdsymbol Variable-sized Delimiters . . . . .	105
Table 221:	stix Variable-sized Delimiters . . . . .	106
Table 222:	mathdesign Variable-sized Delimiters . . . . .	107
Table 223:	nath Variable-sized Delimiters (Double) . . . . .	108
Table 224:	nath Variable-sized Delimiters (Triple) . . . . .	108
Table 225:	fourier Variable-sized Delimiters . . . . .	108
Table 226:	textcomp Text-mode Delimiters . . . . .	109
Table 227:	metre Text-mode Delimiters . . . . .	109
Table 228:	Math-mode Accents . . . . .	109
Table 229:	$\mathcal{AMS}$ Math-mode Accents . . . . .	109
Table 230:	MnSymbol Math-mode Accents . . . . .	110
Table 231:	fdsymbol Math-mode Accents . . . . .	110
Table 232:	boisik Math-mode Accents . . . . .	110
Table 233:	stix Math-mode Accents . . . . .	110
Table 234:	fge Math-mode Accents . . . . .	110
Table 235:	yhmath Math-mode Accents . . . . .	111
Table 236:	Extensible Accents . . . . .	111
Table 237:	overrightarrow Extensible Accents . . . . .	111

Table 238:	yhmath Extensible Accents . . . . .	112
Table 239:	$\mathcal{AMS}$ Extensible Accents . . . . .	112
Table 240:	MnSymbol Extensible Accents . . . . .	112
Table 241:	fdsymbol Extensible Accents . . . . .	112
Table 242:	stix Extensible Accents . . . . .	113
Table 243:	mathtools Extensible Accents . . . . .	113
Table 244:	mathabx Extensible Accents . . . . .	113
Table 245:	fourier Extensible Accents . . . . .	114
Table 246:	esvect Extensible Accents . . . . .	114
Table 247:	abraces Extensible Accents . . . . .	114
Table 248:	undertilde Extensible Accents . . . . .	114
Table 249:	ushort Extensible Accents . . . . .	115
Table 250:	mdwmath Extensible Accents . . . . .	115
Table 251:	actuarialangle Extensible Accents . . . . .	115
Table 252:	$\mathcal{AMS}$ Extensible Arrows . . . . .	115
Table 253:	mathtools Extensible Arrows . . . . .	115
Table 254:	chemarr Extensible Arrows . . . . .	115
Table 255:	chemarrow Extensible Arrows . . . . .	116
Table 256:	extarrows Extensible Arrows . . . . .	116
Table 257:	extpfeil Extensible Arrows . . . . .	116
Table 258:	DotArrow Extensible Arrows . . . . .	116
Table 259:	trfsigns Extensible Transform Symbols . . . . .	117
Table 260:	holtpolt Non-commutative Division Symbols . . . . .	117
Table 261:	Dots . . . . .	117
Table 262:	$\mathcal{AMS}$ Dots . . . . .	117
Table 263:	wasysym Dots . . . . .	117
Table 264:	MnSymbol Dots . . . . .	118
Table 265:	fdsymbol Dots . . . . .	118
Table 266:	stix Dots . . . . .	118
Table 267:	mathdots Dots . . . . .	118
Table 268:	yhmath Dots . . . . .	119
Table 269:	teubner Dots . . . . .	119
Table 270:	begriff Begriffsschrift Symbols . . . . .	119
Table 271:	frege Begriffsschrift Symbols . . . . .	119
Table 272:	mathcomp Math Symbols . . . . .	119
Table 273:	marvosym Math Symbols . . . . .	120
Table 274:	marvosym Digits . . . . .	120
Table 275:	fge Digits . . . . .	120
Table 276:	dozenal Base-12 Digits . . . . .	120
Table 277:	mathabx Mayan Digits . . . . .	120
Table 278:	stix Infinities . . . . .	120
Table 279:	stix Primes . . . . .	120
Table 280:	stix Empty Sets . . . . .	121
Table 281:	$\mathcal{AMS}$ Angles . . . . .	121
Table 282:	MnSymbol Angles . . . . .	121
Table 283:	fdsymbol Angles . . . . .	121
Table 284:	boisik Angles . . . . .	121
Table 285:	stix Angles . . . . .	121
Table 286:	Miscellaneous L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Math Symbols . . . . .	122
Table 287:	Miscellaneous $\mathcal{AMS}$ Math Symbols . . . . .	122
Table 288:	Miscellaneous wasysym Math Symbols . . . . .	122
Table 289:	Miscellaneous txfonts/pxfonts Math Symbols . . . . .	122
Table 290:	Miscellaneous mathabx Math Symbols . . . . .	122
Table 291:	Miscellaneous MnSymbol Math Symbols . . . . .	123

Table 292:	Miscellaneous Internal MnSymbol Math Symbols . . . . .	123
Table 293:	Miscellaneous fdsymbol Math Symbols . . . . .	123
Table 294:	Miscellaneous boisik Math Symbols . . . . .	123
Table 295:	Miscellaneous stix Math Symbols . . . . .	124
Table 296:	Miscellaneous textcomp Text-mode Math Symbols . . . . .	124
Table 297:	Miscellaneous fge Math Symbols . . . . .	124
Table 298:	Miscellaneous mathdesign Math Symbols . . . . .	125
Table 299:	Math Alphabets . . . . .	126
<b>4</b>	<b>Science and technology symbols</b>	<b>128</b>
Table 300:	gensymb Symbols Defined to Work in Both Math and Text Mode . . . . .	128
Table 301:	wasysym Electrical and Physical Symbols . . . . .	128
Table 302:	ifsym Pulse Diagram Symbols . . . . .	128
Table 303:	ar Aspect Ratio Symbol . . . . .	128
Table 304:	textcomp Text-mode Science and Engineering Symbols . . . . .	128
Table 305:	steinmetz Extensible Phasor Symbol . . . . .	129
Table 306:	wasysym Astronomical Symbols . . . . .	129
Table 307:	marvosym Astronomical Symbols . . . . .	129
Table 308:	fontawesome Astronomical Symbols . . . . .	129
Table 309:	mathabx Astronomical Symbols . . . . .	130
Table 310:	stix Astronomical Symbols . . . . .	130
Table 311:	starfont Astronomical Symbols . . . . .	131
Table 312:	wasysym APL Symbols . . . . .	131
Table 313:	stix APL Symbols . . . . .	132
Table 314:	apl APL Symbols . . . . .	132
Table 315:	marvosym Computer Hardware Symbols . . . . .	132
Table 316:	keystroke Computer Keys . . . . .	132
Table 317:	ascii Control Characters (CP437) . . . . .	133
Table 318:	logic Logic Gates . . . . .	133
Table 319:	marvosym Communication Symbols . . . . .	134
Table 320:	marvosym Engineering Symbols . . . . .	134
Table 321:	wasysym Biological Symbols . . . . .	134
Table 322:	stix Biological Symbols . . . . .	134
Table 323:	marvosym Biological Symbols . . . . .	134
Table 324:	fontawesome Biological Symbols . . . . .	134
Table 325:	marvosym Safety-related Symbols . . . . .	134
Table 326:	feyn Feynman Diagram Symbols . . . . .	135
Table 327:	svrsymbols Physics Ideograms . . . . .	135
<b>5</b>	<b>Dingbats</b>	<b>136</b>
Table 328:	bbding Arrows . . . . .	136
Table 329:	pifont Arrows . . . . .	136
Table 330:	adfsymbols Arrows . . . . .	137
Table 331:	adorn Arrows . . . . .	137
Table 332:	arev Arrows . . . . .	137
Table 333:	fontawesome Arrows . . . . .	137
Table 334:	fontawesome Chevrons . . . . .	138
Table 335:	marvosym Scissors . . . . .	138
Table 336:	bbding Scissors . . . . .	138
Table 337:	pifont Scissors . . . . .	138
Table 338:	dingbat Pencils . . . . .	138
Table 339:	arev Pencils . . . . .	138
Table 340:	fontawesome Pencils . . . . .	138
Table 341:	bbding Pencils and Nibs . . . . .	138

Table 342:	pifont Pencils and Nibs . . . . .	139
Table 343:	dingbat Fists . . . . .	139
Table 344:	bbding Fists . . . . .	139
Table 345:	pifont Fists . . . . .	139
Table 346:	fourier Fists . . . . .	139
Table 347:	arev Fists . . . . .	139
Table 348:	fontawesome Fists . . . . .	139
Table 349:	bbding Crosses and Pluses . . . . .	140
Table 350:	pifont Crosses and Pluses . . . . .	140
Table 351:	adfsymbols Crosses and Pluses . . . . .	140
Table 352:	arev Crosses . . . . .	140
Table 353:	bbding Xs and Check Marks . . . . .	140
Table 354:	pifont Xs and Check Marks . . . . .	140
Table 355:	wasysym Xs and Check Marks . . . . .	140
Table 356:	marvosym Xs and Check Marks . . . . .	140
Table 357:	arev Xs and Check Marks . . . . .	141
Table 358:	fontawesome Xs and Check Marks . . . . .	141
Table 359:	pifont Circled Numerals . . . . .	141
Table 360:	wasysym Stars . . . . .	141
Table 361:	bbding Stars, Flowers, and Similar Shapes . . . . .	142
Table 362:	pifont Stars, Flowers, and Similar Shapes . . . . .	142
Table 363:	adfsymbols Stars, Flowers, and Similar Shapes . . . . .	142
Table 364:	adorn Stars . . . . .	142
Table 365:	fontawesome Stars . . . . .	143
Table 366:	fourier Fleurons and Flowers . . . . .	143
Table 367:	adorn Fleurons and Flowers . . . . .	143
Table 368:	wasysym Geometric Shapes . . . . .	143
Table 369:	MnSymbol Geometric Shapes . . . . .	144
Table 370:	fdsymbol Geometric Shapes . . . . .	144
Table 371:	boisik Geometric Shapes . . . . .	144
Table 372:	stix Geometric Shapes . . . . .	145
Table 373:	ifsym Geometric Shapes . . . . .	146
Table 374:	bbding Geometric Shapes . . . . .	147
Table 375:	pifont Geometric Shapes . . . . .	147
Table 376:	universa Geometric Shapes . . . . .	147
Table 377:	adfsymbols Geometric Shapes . . . . .	147
Table 378:	fontawesome Geometric Shapes . . . . .	148
Table 379:	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Playing-Card Suits . . . . .	148
Table 380:	txfonts/pxfonts Playing-Card Suits . . . . .	148
Table 381:	MnSymbol Playing-Card Suits . . . . .	148
Table 382:	fdsymbol Playing-Card Suits . . . . .	148
Table 383:	boisik Playing-Card Suits . . . . .	148
Table 384:	stix Playing-Card Suits . . . . .	148
Table 385:	arev Playing-Card Suits . . . . .	148
Table 386:	adorn Flourishes . . . . .	149
Table 387:	Miscellaneous dingbat Dingbats . . . . .	149
Table 388:	Miscellaneous bbding Dingbats . . . . .	149
Table 389:	Miscellaneous pifont Dingbats . . . . .	149
Table 390:	Miscellaneous adorn Dingbats . . . . .	149



<b>6</b>	<b>Ancient languages</b>	<b>150</b>
Table 391:	phaistos Symbols from the Phaistos Disk . . . . .	150
Table 392:	protosem Proto-Semitic Characters . . . . .	150
Table 393:	hieroglf Hieroglyphics . . . . .	151
Table 394:	linearA Linear A Script . . . . .	151
Table 395:	linearb Linear B Basic and Optional Letters . . . . .	154
Table 396:	linearb Linear B Numerals . . . . .	154
Table 397:	linearb Linear B Weights and Measures . . . . .	154
Table 398:	linearb Linear B Ideograms . . . . .	155
Table 399:	linearb Unidentified Linear B Symbols . . . . .	155
Table 400:	cypriot Cypriot Letters . . . . .	155
Table 401:	sarabian South Arabian Letters . . . . .	156
Table 402:	teubner Archaic Greek Letters and Greek Numerals . . . . .	156
Table 403:	boisik Archaic Greek Letters and Greek Numerals . . . . .	156
Table 404:	epiolmec Epi-Olmec Script . . . . .	157
Table 405:	epiolmec Epi-Olmec Numerals . . . . .	158
<b>7</b>	<b>Musical symbols</b>	<b>159</b>
Table 406:	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Musical Symbols . . . . .	159
Table 407:	textcomp Musical Symbols . . . . .	159
Table 408:	wasysym Musical Symbols . . . . .	159
Table 409:	MnSymbol Musical Symbols . . . . .	159
Table 410:	fdsymbol Musical Symbols . . . . .	159
Table 411:	boisik Musical Symbols . . . . .	159
Table 412:	stix Musical Symbols . . . . .	159
Table 413:	arev Musical Symbols . . . . .	159
Table 414:	MusiX <sub>T</sub> E <sub>X</sub> Musical Symbols . . . . .	160
Table 415:	MusiX <sub>T</sub> E <sub>X</sub> Alternative Clefs . . . . .	161
Table 416:	harmony Musical Symbols . . . . .	161
Table 417:	harmony Musical Accents . . . . .	161
Table 418:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Single Notes . . . . .	162
Table 419:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Beamed Notes . . . . .	163
Table 420:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Clefs . . . . .	163
Table 421:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Time Signatures . . . . .	163
Table 422:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Accidentals . . . . .	163
Table 423:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Rests . . . . .	164
Table 424:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Dynamics Letters . . . . .	164
Table 425:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Dynamics Symbols . . . . .	164
Table 426:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Articulations . . . . .	164
Table 427:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Scripts . . . . .	164
Table 428:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Accordion Notation . . . . .	164
Table 429:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Named Time Signatures . . . . .	165
Table 430:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Named Scripts . . . . .	165
Table 431:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Named Rests . . . . .	166
Table 432:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Named Pedals . . . . .	166
Table 433:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Named Flags . . . . .	167
Table 434:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Named Custodes . . . . .	167
Table 435:	<i>lily</i> ℄ <i>ly</i> <i>pbs</i> Named Clefs . . . . .	168

Table 436:	<i>lily&amp;lypbs</i> Named Noteheads . . . . .	169
Table 437:	<i>lily&amp;lypbs</i> Named Accordion Symbols . . . . .	174
Table 438:	<i>lily&amp;lypbs</i> Named Accidentals . . . . .	174
Table 439:	<i>lily&amp;lypbs</i> Named Arrowheads . . . . .	175
Table 440:	<i>lily&amp;lypbs</i> Named Alphanumerics and Punctuation . . . . .	175
Table 441:	Miscellaneous <i>lily&amp;lypbs</i> Named Musical Symbols . . . . .	176
<b>8</b>	<b>Other symbols</b>	<b>177</b>
Table 442:	<i>textcomp</i> Genealogical Symbols . . . . .	177
Table 443:	<i>wasysym</i> General Symbols . . . . .	177
Table 444:	<i>manfnt</i> Dangerous Bend Symbols . . . . .	177
Table 445:	Miscellaneous <i>manfnt</i> Symbols . . . . .	177
Table 446:	<i>marvosym</i> Media Control Symbols . . . . .	178
Table 447:	<i>marvosym</i> Laundry Symbols . . . . .	178
Table 448:	<i>marvosym</i> Information Symbols . . . . .	178
Table 449:	Other <i>marvosym</i> Symbols . . . . .	178
Table 450:	Miscellaneous <i>universa</i> Symbols . . . . .	178
Table 451:	Miscellaneous <i>fourier</i> Symbols . . . . .	178
Table 452:	<i>ifsym</i> Weather Symbols . . . . .	179
Table 453:	<i>ifsym</i> Alpine Symbols . . . . .	179
Table 454:	<i>ifsym</i> Clocks . . . . .	179
Table 455:	Other <i>ifsym</i> Symbols . . . . .	179
Table 456:	<i>clock</i> Clocks . . . . .	180
Table 457:	<i>epsdice</i> Dice . . . . .	180
Table 458:	<i>hhcount</i> Dice . . . . .	180
Table 459:	<i>stix</i> Dice . . . . .	180
Table 460:	<i>bullcncr</i> Tally Markers . . . . .	181
Table 461:	<i>hhcount</i> Tally Markers . . . . .	181
Table 462:	<i>dozenal</i> Tally Markers . . . . .	181
Table 463:	<i>skull</i> Symbols . . . . .	182
Table 464:	Non-Mathematical <i>mathabx</i> Symbols . . . . .	182
Table 465:	<i>skak</i> Chess Informator Symbols . . . . .	182
Table 466:	<i>skak</i> Chess Pieces and Chessboard Squares . . . . .	183
Table 467:	<i>igo</i> Go Symbols . . . . .	183
Table 468:	<i>go</i> Go Symbols . . . . .	184
Table 469:	<i>metre</i> Metrical Symbols . . . . .	184
Table 470:	<i>metre</i> Small and Large Metrical Symbols . . . . .	184
Table 471:	<i>teubner</i> Metrical Symbols . . . . .	185
Table 472:	<i>dictsym</i> Dictionary Symbols . . . . .	185
Table 473:	<i>simpsons</i> Characters from <i>The Simpsons</i> . . . . .	185
Table 474:	<i>pmbxdraw</i> Box-Drawing Symbols . . . . .	186
Table 475:	<i>staves</i> Magical Staves . . . . .	186
Table 476:	<i>pigpen</i> Cipher Symbols . . . . .	187
Table 477:	$\mathbb{A}_2e$ Phases of the Moon . . . . .	187
Table 478:	$\mathbb{A}_2e$ Recycling Symbols . . . . .	188
Table 479:	<i>marvosym</i> Recycling Symbols . . . . .	188
Table 480:	<i>recycle</i> Recycling Symbols . . . . .	188
Table 481:	Other $\mathbb{A}_2e$ Symbols . . . . .	188
Table 482:	<i>soyombo</i> Soyombo Symbols . . . . .	189
Table 483:	<i>knitting</i> Knitting Symbols . . . . .	189
Table 484:	<i>CountriesOfEurope</i> Country Maps . . . . .	190
Table 485:	Miscellaneous <i>arev</i> Symbols . . . . .	192

Table 486:	<code>cookingsymbols</code> Cooking Symbols . . . . .	192
Table 487:	<code>tikzsymbols</code> Cooking Symbols . . . . .	192
Table 488:	<code>tikzsymbols</code> Emoticons . . . . .	192
Table 489:	<code>tikzsymbols</code> 3D Emoticons . . . . .	193
Table 490:	<code>tikzsymbols</code> Trees . . . . .	193
Table 491:	Miscellaneous <code>tikzsymbols</code> Symbols . . . . .	193
Table 492:	Miscellaneous <code>bclogo</code> Symbols . . . . .	193
Table 493:	<code>fontawesome</code> Web-Related Icons . . . . .	195
Table 494:	<code>rubikcube</code> Rubik’s Cube Rotations . . . . .	199
<b>9</b>	<b>Fonts with minimal L<sup>A</sup>T<sub>E</sub>X support</b>	<b>200</b>
Table 495:	<code>hands</code> Fists . . . . .	200
Table 496:	<code>greenpoint</code> Recycling Symbols . . . . .	200
Table 497:	<code>nkarta</code> Map Symbols . . . . .	200
Table 498:	<code>moonphase</code> Astronomical Symbols . . . . .	202
Table 499:	<code>astrosym</code> Astronomical Symbols . . . . .	202
Table 500:	<code>webomints</code> Decorative Borders . . . . .	205
Table 501:	<code>umranda</code> Decorative Borders . . . . .	206
Table 502:	<code>umrandb</code> Decorative Borders . . . . .	207
Table 503:	<code>dingbat</code> Decorative Borders . . . . .	209
Table 504:	<code>knot</code> Celtic Knots . . . . .	209
Table 505:	<code>dancers</code> Dancing Men . . . . .	213
Table 506:	<code>semaphor</code> Semaphore Alphabet . . . . .	216
Table 507:	<code>cryst</code> Crystallography Symbols . . . . .	218
Table 508:	<code>dice</code> Dice . . . . .	219
Table 509:	<code>magic</code> Trading Card Symbols . . . . .	220
Table 510:	<code>bartel-chess-fonts</code> Chess Pieces and Chessboard Squares . . . . .	220
<b>10</b>	<b>Additional Information</b>	<b>222</b>
10.1	Symbol Name Clashes . . . . .	222
10.2	Resizing symbols . . . . .	222
10.3	Where can I find the symbol for ...? . . . . .	225
10.4	Math-mode spacing . . . . .	235
10.5	Bold mathematical symbols . . . . .	236
10.6	ASCII and Latin 1 quick reference . . . . .	236
10.7	Unicode characters . . . . .	240
10.8	About this document . . . . .	242
10.9	Copyright and license . . . . .	244
	<b>References</b>	<b>245</b>
	<b>Index</b>	<b>246</b>

# 1 Introduction

Welcome to the Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List! This document strives to be your primary source of L<sup>A</sup>T<sub>E</sub>X symbol information: font samples, L<sup>A</sup>T<sub>E</sub>X commands, packages, usage details, caveats—everything needed to put thousands of different symbols at your disposal. All of the fonts covered herein meet the following criteria:

1. They are freely available from the Comprehensive T<sub>E</sub>X Archive Network (<http://www.ctan.org/>).
2. All of their symbols have L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> bindings. That is, a user should be able to access a symbol by name (e.g., `\bigtriangleup`).

As of version 12 of the Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List, that second restriction has been relaxed with the inclusion of Section 9, which showcases fonts that provide, at a minimum, either T<sub>E</sub>X font-metric files (`.tfm`) or the METAFONT sources (`.mf`) that produce those font-metric files. Some of the Section 9 fonts do include L<sup>A</sup>T<sub>E</sub>X font-definition files (`.fd`). However, what sets the fonts in Section 9 apart from the fonts in rest of the document is that they lack a L<sup>A</sup>T<sub>E</sub>X style file (`.sty`) that individually names each of the glyphs.

The restrictions listed above are not particularly limiting criteria; the Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List contains samples of 14032 symbols—quite a large number. Some of these symbols are guaranteed to be available in every L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> system; others require fonts and packages that may not accompany a given distribution and that therefore need to be installed. See <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=instpackages+wherefiles> for help with installing new fonts and packages.

## 1.1 Document Usage

Each section of this document contains a number of font tables. Each table shows a set of symbols, with the corresponding L<sup>A</sup>T<sub>E</sub>X command to the right of each symbol. A table’s caption indicates what package needs to be loaded in order to access that table’s symbols. For example, the symbols in Table 45, “textcomp Old-Style Numerals”, are made available by putting “`\usepackage{textcomp}`” in your document’s preamble. “ $\mathcal{AMS}$ ” means to use the  $\mathcal{AMS}$  packages, viz. `amssymb` and/or `amsmath`. Notes below a table provide additional information about some or all the symbols in that table.

One note that appears a few times in this document, particularly in Section 2, indicates that certain symbols do not exist in the OT1 font encoding (Donald Knuth’s original, 7-bit font encoding, which is the default font encoding for L<sup>A</sup>T<sub>E</sub>X) and that you should use `fontenc` to select a different encoding, such as T1 (a common 8-bit font encoding). That means that you should put “`\usepackage[⟨encoding⟩]{fontenc}`” in your document’s preamble, where `⟨encoding⟩` is, e.g., T1 or LY1. To limit the change in font encoding to the current group, use “`\fontencoding{⟨encoding⟩}\selectfont`”.

Section 10 contains some additional information about the symbols in this document. It discusses how certain mathematical symbols can vary in height, shows which symbol names are not unique across packages, gives examples of how to create new symbols out of existing symbols, explains how symbols are spaced in math mode, compares various schemes for boldfacing symbols, presents L<sup>A</sup>T<sub>E</sub>X ASCII and Latin 1 tables, shows how to input and output Unicode characters, and provides some information about this document itself. The Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List ends with an index of all the symbols in the document and various additional useful terms.

## 1.2 Frequently Requested Symbols

There are a number of symbols that are requested over and over again on `comp.text.tex`. If you’re looking for such a symbol the following list will help you find it quickly.

_, as in “Spaces_are_significant.” . . . . .	14	©, ®, and ™ . . . . .	27
ī, î, ï, ĳ, ĩ, etc. (versus ī, î, ï, ĳ, and ĩ) . . . . .	21	%o . . . . .	28
¢ . . . . .	26	ℒ . . . . .	43
€ . . . . .	26	∴ . . . . .	52

$:=$ and $::=$ .....	53	$\mathbb{N}$ , $\mathbb{Z}$ , $\mathbb{R}$ , etc. ....	126
$\lesssim$ and $\gtrsim$ .....	67	$\varepsilon$ .....	126
$\therefore$ .....	118	$f$ .....	228
$^\circ$ , as in “180 $^\circ$ ” or “15 $^\circ$ C” .....	124	$\acute{a}$ , $\grave{e}$ , etc. (i.e., several accents per character) .....	230
$\mathcal{L}$ , $\mathcal{F}$ , etc. ....	126	$<$ , $>$ , and $ $ (instead of $\grave{\imath}$ , $\grave{\iota}$ , and $—$ ) .....	238
		$\hat{\ } and \tilde{\ } (or \sim)$ .....	238

## 2 Body-text symbols

This section lists symbols that are intended for use in running text, such as punctuation marks, accents, ligatures, and currency symbols.

TABLE 1: L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Escapable “Special” Characters

\$ \ \$    % \ %    - \\_ \*    } \}    & \&    # \#    { \{

\* The `underscore` package redefines “\_” to produce an underscore in text mode (i.e., it makes it unnecessary to escape the underscore character).

TABLE 2: Predefined L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Text-mode Commands

^		<code>\textasciicircum*</code>	<		<code>\textless</code>
~		<code>\textasciitilde*</code>	a	à	<code>\textordfeminine</code>
*	*	<code>\textasteriskcentered</code>	o	ó	<code>\textordmasculine</code>
\		<code>\textbackslash</code>	¶	¶	<code>\textparagraph†</code>
		<code>\textbar</code>	.	.	<code>\textperiodcentered</code>
		<code>\textbardbl</code>	% <sub>000</sub>	% <sub>000</sub>	<code>\textpertenthousand</code>
○	○	<code>\textbigcircle</code>	% <sub>00</sub>	% <sub>00</sub>	<code>\textperthousand</code>
{		<code>\textbraceleft†</code>	¿		<code>\textquestiondown</code>
}		<code>\textbraceright†</code>	“		<code>\textquotedblleft</code>
•	•	<code>\textbullet</code>	”		<code>\textquotedblright</code>
©	©	<code>\textcopyright†</code>	‘		<code>\textquoteleft</code>
†	†	<code>\textdagger†</code>	,		<code>\textquoteright</code>
‡	‡	<code>\textdaggerdbl†</code>	®	®	<code>\textregistered</code>
\$	\$	<code>\textdollar†</code>	§	§	<code>\textsection†</code>
...		<code>\textellipsis†</code>	£	£	<code>\textsterling†</code>
—		<code>\textemdash</code>	™	™	<code>\texttrademark</code>
-		<code>\textendash</code>	-		<code>\textunderscore†</code>
¡		<code>\textexclamdown</code>	ˆ		<code>\textvisiblespace</code>
>		<code>\textgreater</code>			

The first symbol column represents the—sometimes “faked”—symbol that L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> provides by default. The second symbol column represents the symbol as redefined by `textcomp` (if `textcomp` redefines it). The `textcomp` package is generally required to typeset Table 2’s symbols in italic, and some symbols additionally require the T1 font encoding for italic.

\* `\^{}` and `\~{}` can be used instead of `\textasciicircum` and `\textasciitilde`. See the discussion of “~” on page 238.

† It’s generally preferable to use the corresponding symbol from Table 3 on the following page because the symbols in that table work properly in both text mode and math mode.

TABLE 3:  $\text{\LaTeX} 2_{\varepsilon}$  Commands Defined to Work in Both Math and Text Mode

{	\{	-	\_	‡	‡	\ddag	£	\pounds
}	\}	©	©	\copyright	...	\dots	§	\S
\$	\\$	†	†	\dag	¶	\P		

The first symbol column represents the—sometimes “faked”—symbol that  $\text{\LaTeX} 2_{\varepsilon}$  provides by default. The second symbol column represents the symbol as redefined by `textcomp` (if `textcomp` redefines it). The `textcomp` package is generally required to typeset Table 3’s symbols in italic, and some symbols additionally require the T1 font encoding for italic.

TABLE 4:  $\mathcal{AMS}$  Commands Defined to Work in Both Math and Text Mode

✓	\checkmark	®	\circledR	✠	\maltese
---	------------	---	-----------	---	----------

TABLE 5: Non-ASCII Letters (Excluding Accented Letters)

å	\aa	Ð	\DH*	Ł	\L	ø	\o	ß	\ss
Å	\AA	đ	\dh*	ł	\l	Ø	\O	Š	\SS
Æ	\AE	Đ	\DJ*	Ń	\NG*	Œ	\OE	Þ	\TH*
æ	\ae	đ	\dj*	ń	\ng*	œ	\oe	þ	\th*

\* Not available in the OT1 font encoding. Use the `fontenc` package to select an alternate font encoding, such as T1.

TABLE 6: `textgreek` Upright Greek Letters

$\alpha$	<code>\textalpha</code>	$\eta$	<code>\texteta</code>	$\nu$	<code>\textnu</code>	$\tau$	<code>\texttau</code>
$\beta$	<code>\textbeta</code>	$\theta$	<code>\texttheta</code>	$\xi$	<code>\textxi</code>	$\upsilon$	<code>\textupsilon</code>
$\gamma$	<code>\textgamma</code>	$\iota$	<code>\textiota</code>	$\omicron$	<code>\textomikron</code>	$\phi$	<code>\textphi</code>
$\delta$	<code>\textdelta</code>	$\kappa$	<code>\textkappa</code>	$\pi$	<code>\textpi</code>	$\chi$	<code>\textchi</code>
$\epsilon$	<code>\textepsilon</code>	$\lambda$	<code>\textlambda</code>	$\rho$	<code>\textrho</code>	$\psi$	<code>\textpsi</code>
$\zeta$	<code>\textzeta</code>	$\mu$	<code>\textmu*</code>	$\sigma$	<code>\textsigma</code>	$\omega$	<code>\textomega</code>
A	<code>\textAlpha</code>	H	<code>\textEta</code>	N	<code>\textNu</code>	T	<code>\textTau</code>
B	<code>\textBeta</code>	$\Theta$	<code>\textTheta</code>	$\Xi$	<code>\textXi</code>	$\Upsilon$	<code>\textUpsilon</code>
$\Gamma$	<code>\textGamma</code>	I	<code>\textIota</code>	$\omicron$	<code>\textOmicron</code>	$\Phi$	<code>\textPhi</code>
$\Delta$	<code>\textDelta</code>	K	<code>\textKappa</code>	$\Pi$	<code>\textPi</code>	X	<code>\textChi</code>
E	<code>\textEpsilon</code>	$\Lambda$	<code>\textLambda</code>	P	<code>\textRho</code>	$\Psi$	<code>\textPsi</code>
Z	<code>\textZeta</code>	M	<code>\textMu</code>	$\Sigma$	<code>\textSigma</code>	$\Omega$	<code>\textOmega</code>

\* Synonyms for `\textmu` include `\textmicro` and `\textmugreek`.

`textgreek` tries to use a Greek font that matches the body text. As a result, the glyphs may appear slightly different from the above.

Unlike `upgreek` (Table 183 on page 97), `textgreek` works in text mode.

The symbols in this table are intended to be used sporadically throughout a document (e.g., in phrases such as “ $\beta$ -decay”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 7: Letters Used to Typeset African Languages

$\mathcal{D}$	<code>\B{D}</code>	$\mathcal{C}$	<code>\m{c}</code>	f	<code>\m{f}</code>	k	<code>\m{k}</code>	t	<code>\M{t}</code>	$\mathcal{Z}$	<code>\m{Z}</code>
d	<code>\B{d}</code>	$\mathcal{D}$	<code>\m{D}</code>	F	<code>\m{F}</code>	N	<code>\m{N}</code>	T	<code>\M{T}</code>	$\mathcal{E}$	<code>\T{E}</code>
H	<code>\B{H}</code>	d	<code>\M{d}</code>	G	<code>\m{G}</code>	n	<code>\m{n}</code>	t	<code>\m{t}</code>	$\mathcal{E}$	<code>\T{e}</code>
h	<code>\B{h}</code>	$\mathcal{D}$	<code>\M{D}</code>	g	<code>\m{g}</code>	o	<code>\m{o}</code>	T	<code>\m{T}</code>	$\mathcal{O}$	<code>\T{O}</code>
t	<code>\B{t}</code>	d	<code>\m{d}</code>	I	<code>\m{I}</code>	O	<code>\m{O}</code>	u	<code>\m{u}</code> *	$\mathcal{O}$	<code>\T{o}</code>
T	<code>\B{T}</code>	$\mathcal{E}$	<code>\m{E}</code>	i	<code>\m{i}</code>	P	<code>\m{P}</code>	U	<code>\m{U}</code> *		
b	<code>\m{b}</code>	$\mathcal{E}$	<code>\m{e}</code>	J	<code>\m{J}</code>	p	<code>\m{p}</code>	Y	<code>\m{Y}</code>		
$\mathcal{B}$	<code>\m{B}</code>	$\mathcal{E}$	<code>\M{E}</code>	j	<code>\m{j}</code>	s	<code>\m{s}</code>	y	<code>\m{y}</code>		
$\mathcal{C}$	<code>\m{C}</code>	$\mathcal{E}$	<code>\M{e}</code>	K	<code>\m{K}</code>	S	<code>\m{S}</code>	z	<code>\m{z}</code>		

These characters all need the T4 font encoding, which is provided by the `fc` package.

\* `\m{v}` and `\m{V}` are synonyms for `\m{u}` and `\m{U}`.

TABLE 8: Letters Used to Typeset Vietnamese

$\mathcal{O}$	<code>\OHORN</code>	$\mathcal{o}$	<code>\ohorn</code>	$\mathcal{U}$	<code>\UHORN</code>	$\mathcal{u}$	<code>\uhorn</code>
---------------	---------------------	---------------	---------------------	---------------	---------------------	---------------	---------------------

These characters all need the T5 font encoding, which is provided by the `vntex` package.



TABLE 9: Punctuation Marks Not Found in OT1

«	<code>\guillemotleft</code>	<	<code>\guilsinglleft</code>	„	<code>\quotedblbase</code>	"	<code>\textquotedbl</code>
»	<code>\guillemotright</code>	>	<code>\guilsinglright</code>	,	<code>\quotesinglbase</code>		

To get these symbols, use the `fontenc` package to select an alternate font encoding, such as T1.

TABLE 10: pifont Decorative Punctuation Marks

•	<code>\ding{123}</code>	“	<code>\ding{125}</code>	¶	<code>\ding{161}</code>	•	<code>\ding{163}</code>
•	<code>\ding{124}</code>	”	<code>\ding{126}</code>	¶	<code>\ding{162}</code>		

TABLE 11: tipa Phonetic Symbols

$\varkappa$	<code>\textbabygamma</code>	?	<code>\textglotstop</code>	$\eta$	<code>\textrightailn</code>
$\text{b}$	<code>\textbarb</code>	·	<code>\texthalflength</code>	$\text{r}$	<code>\textrightailr</code>
$\text{e}$	<code>\textbarc</code>	$\text{b}$	<code>\texthardsign</code>	$\text{s}$	<code>\textrightails</code>
$\text{d}$	<code>\textbard</code>	ˆ	<code>\texthooktop</code>	$\text{t}$	<code>\textrightailt</code>
$\text{j}$	<code>\textbardotlessj</code>	$\text{b}$	<code>\texthtb</code>	$\text{z}$	<code>\textrightailz</code>
$\text{g}$	<code>\textbarg</code>	$\text{f}$	<code>\texthtbardotlessj</code>	$\text{c}$	<code>\textrighthook</code>
$\text{z}$	<code>\textbarglotstop</code>	$\text{c}$	<code>\texthtc</code>	$\text{A}$	<code>\texttsca</code>
$\text{i}$	<code>\textbari</code>	$\text{d}$	<code>\texthtd</code>	$\text{B}$	<code>\texttscb</code>
$\text{l}$	<code>\textbarl</code>	$\text{g}$	<code>\texthtg</code>	$\text{E}$	<code>\texttsce</code>
$\text{o}$	<code>\textbaro</code>	$\text{h}$	<code>\texthth</code>	$\text{G}$	<code>\texttscg</code>
$\text{f}$	<code>\textbarrevglotstop</code>	$\text{h}$	<code>\texththeng</code>	$\text{H}$	<code>\texttsch</code>
$\text{u}$	<code>\textbaru</code>	$\text{k}$	<code>\texthtk</code>	$\text{ə}$	<code>\texttschwa</code>
$\text{t}$	<code>\textbeltl</code>	$\text{p}$	<code>\texthtp</code>	$\text{I}$	<code>\texttsci</code>
$\text{\beta}$	<code>\textbeta</code>	$\text{q}$	<code>\texthtq</code>	$\text{J}$	<code>\texttscj</code>
$\text{\textcircled{O}}$	<code>\textbullseye</code>	$\text{q}$	<code>\texthttrtaild</code>	$\text{L}$	<code>\texttscl</code>
$\text{'}$	<code>\textceltpal</code>	$\text{G}$	<code>\texthtscg</code>	$\text{N}$	<code>\texttscn</code>
$\text{\chi}$	<code>\textchi</code>	$\text{t}$	<code>\texthtt</code>	$\text{\textcircled{E}}$	<code>\texttscoelig</code>
$\text{\textepsilon}$	<code>\textcloseepsilon</code>	$\text{lv}$	<code>\texthvlig</code>	$\text{\Omega}$	<code>\texttsomega</code>
$\text{\textomega}$	<code>\textcloseomega</code>	$\text{b}$	<code>\textinvglotstop</code>	$\text{R}$	<code>\texttscr</code>
$\text{\textepsilon}$	<code>\textcloserevepsilon</code>	$\text{B}$	<code>\textinvscr</code>	$\text{a}$	<code>\texttscripta</code>
$\text{z}$	<code>\textcommatailz</code>	$\text{i}$	<code>\texttiota</code>	$\text{g}$	<code>\texttscriptg</code>
$\text{^}$	<code>\textcorner</code>	$\text{\lambda}$	<code>\texttlambda</code>	$\text{v}$	<code>\texttscriptv</code>
$\text{b}$	<code>\textcrb</code>	$\text{:}$	<code>\textlengthmark</code>	$\text{U}$	<code>\texttscu</code>
$\text{d}$	<code>\textcrd</code>	$\text{t}$	<code>\texttlhookt</code>	$\text{Y}$	<code>\texttscy</code>
$\text{g}$	<code>\textcrg</code>	$\text{l}$	<code>\texttlhtlongi</code>	$\text{,}$	<code>\texttsecstress</code>
$\text{h}$	<code>\textcrh</code>	$\text{v}$	<code>\texttlhtlongy</code>	$\text{b}$	<code>\texttsoftsign</code>
$\text{\text\$}$	<code>\textcrinvglotstop</code>	$\text{r}$	<code>\texttlonglegr</code>	$\text{[}$	<code>\texttstretchc</code>
$\text{\textlambda}$	<code>\textcrlambda</code>	$\text{<}$	<code>\texttlptr</code>	$\text{\textcircled{t}}$	<code>\textttctclig</code>
$\text{2}$	<code>\textcrtwo</code>	$\text{\eta}$	<code>\texttltailm</code>	$\text{f}$	<code>\texttteshlig</code>
$\text{c}$	<code>\textctc</code>	$\text{j}$	<code>\texttltailn</code>	$\text{\textcircled{d}}$	<code>\textttheta</code>

(continued on next page)

(continued from previous page)

d	\textctd	†	\textltilde	þ	\textthorn
dz	\textctdctzlig	‡	\textlyoghlig		\texttoneletterstem
f	\textctesh	J	\textObardotlessj	ts	\texttslig
j	\textctj	‡	\textOlyoghlig	e	\textturna
n	\textctn	ω	\textomega	æ	\textturncelig
t	\textctt	⋈	\textopencorner	u	\textturnh
tc	\textcttctclig	o	\textopeno	ɣ	\textturnk
z	\textctz	⋈	\textpalhook	l	\textturnlongleg
dz	\textdctzlig	φ	\textphi	u	\textturnm
f	\textdoublebaresh		\textpipe	uq	\textturnmrleg
‡	\textdoublebarpipe	ˊ	\textprimstress	r	\textturnr
≠	\textdoublebarslash	ʔ	\textraiseglotstop	ɹ	\textturnrrtail
	\textdoublepipe	l	\textraisevibyi	ɒ	\textturnscripta
	\textdoublevertline	ɣ	\texttramshorns	ɹ	\textturnt
↓	\textdownstep	ˊ	\textrevapostrophe	Λ	\textturnv
ɔ̥	\textdyoghlig	ə	\textreve	Ⓜ	\textturnw
dz	\textdzlig	ɜ	\textrelepsilon	ɹ	\textturny
ε	\textepsilon	ɿ	\textrevglotstop	u	\textupsilon
f	\textesh	ɿ	\textrevyogh	↑	\textupstep
r	\textfishhookr	ʔ	\textrhookrelepsilon		\textvertline
g	\textg	ʔ	\textrhookschwa	ɹ	\textvibyi
γ	\textgamma	ˊ	\textrhoticity	u	\textvibyy
↘	\textglobfall	>	\textrptr	p	\textwynn
↗	\textglobrise	d	\textrtaild	z	\textyogh
		l	\textrtaill		

tipa defines shortcut characters for many of the above. It also defines a command \tone for denoting tone letters (pitches). See the tipa documentation for more information.

TABLE 12: tipx Phonetic Symbols

æ	\textaoilig	f	\texttbardotlessjvar	l	\textrthooklong
z̥	\textbenttailyogh	ω	\textinomega	ɒ	\textascaolig
γ	\textbktaillgamma	v	\textinvsca	Δ	\textscdelta
ɔ̥	\textctinvglotstop	σ	\textinvscrip	F	\textscf
j	\textctjvar	†	\textlfishhookr	K	\textscck
l̥	\textctstretchc	4	\textlhookfour	M	\textscm
l̥	\textctstretchcvar	p	\textlhookp	P	\textscp
ɹ	\textctturnt	l	\textlhiti	Q	\textscq
db	\textdblign	l	\textllooptoprevesh	←	\textspleftarrow
‡	\textdoublebarpipevar	η	\textnrleg	C	\textstretchcvar
	\textdoublepipevar	⊙	\textObullseye	↔	\textsubdoublearrow

(continued on next page)

(continued from previous page)

↓	\textdownfullarrow	⋈	\textpalhooklong	→	\textsubrightarrow
♀	\textfemale	⋉	\textpalhookvar	⋈	\textthornvari
n	\textfrbarn		\textpipevar	⋈	\textthornvarii
⌵	\textfrhookd	⊞	\textqplig	⋈	\textthornvariii
⌶	\textfrhookdvar	◻	\textrectangle	⋈	\textthornvariv
t	\textfrhookt	↵	\textretractingvar	⌵	\textturnglotstop
γ	\textfrtailgamma	⌵	\textrevscl	⌵	\textturnsck
?	\textglotstopvari	⌵	\textrevscr	⌵	\textturnscu
?	\textglotstopvarii	⌵	\texttrhooka	⌵	\textturnthree
?	\textglotstopvariii	⌵	\texttrhooke	⌵	\textturntwo
γ	\textgrgamma	⌵	\texttrhookepsilon	♀	\textuncrfemale
ḥ	\textheng	⌵	\texttrhookopeno	↑	\textupfullarrow
ḥ	\texthmlig	⌵	\texttrtailhth		

TABLE 13: wsuipa Phonetic Symbols

⌵	\babygamma	ŋ	\eng	ŋ	\labdentalnas	ə	\schwa
⌵	\barb	ɐ	\er	ɨ	\latfric	ɪ	\sci
⌵	\bard	ʃ	\esh	ɥ	\legm	N	\scn
i	\bari	ð	\eth	ɹ	\legr	R	\scr
ɩ	\barl	r	\flapr	ʒ	\lz	ɑ	\scripta
ə	\baro	ʔ	\glotstop	α	\nialpha	g	\scriptg
ɸ	\barp	β	\hookb	β	\nibeta	ʋ	\scriptv
ɨ	\barsci	ɸ	\hookd	χ	\nich	U	\scu
ɥ	\barscu	ɸ	\hookg	ε	\niepsilon	Y	\scy
ɥ	\baru	ɸ	\hookh	γ	\nigamma	ʘ	\slashb
⊙	\clickb	ɸ	\hookheng	ι	\niiota	ø	\slashc
⊙	\clickc	ɸ	\hookrepepsilon	λ	\nilambda	ø	\slashd
ɨ	\clickt	ɸ	\hv	ω	\niomega	ɸ	\slashu
ω	\closedniomega	ɸ	\inva	φ	\nipher	ɸ	\taild
ɸ	\closedrepepsilon	ɸ	\invf	σ	\nisigma	ɸ	\tailinvr
⌵	\crossb	ɸ	\invglotstop	θ	\nitheta	ɸ	\taill
⌵	\crossd	ɸ	\invh	ϖ	\niupsilon	η	\tailn
ḥ	\crossh	ɸ	\invlegr	ɸ	\nj	ɸ	\tailr
λ	\crossnilambda	ɸ	\invm	∞	\oo	ɸ	\tails
ε	\curlyc	ɸ	\invr	ɸ	\openo	ɸ	\tailt
ɸ	\curlyesh	ɸ	\invscr	ɸ	\reve	ɸ	\tailz
ɸ	\curlyyogh	ɸ	\invscripta	ɸ	\reveject	ɸ	\tesh
z	\curlyz	ɸ	\invv	ɸ	\repepsilon	⋈	\thorn
ɨ	\dlbari	ɸ	\invw	ɸ	\revglotstop	ɨ	\tildel
ɸ	\dz	ɸ	\invy	D	\scd	ɸ	\yogh
ɸ	\ejective	ɸ	\ipagamma	G	\scg		

TABLE 14: wasysym Phonetic Symbols

Ð	\DH	ð	\dh	ɔ	\openo
Þ	\Thorn	ə	\inve	þ	\thorn

TABLE 15: phonetic Phonetic Symbols

ɟ	\barj	ɾ	\flap	ɨ	\libar	ɔ̃	\rotvara	ɹ	\vari
λ	\barlambda	ʔ	\glottal	ɔ̄	\openo	ʌ	\rotw	ω	\varomega
ɱ	\emgma	Ƀ	\hausab	ħ	\planck	ʀ	\roty	ɔ̅	\varopeno
ɲ	\engma	β	\hausab	ʌ	\pwedge	ə	\schwa	ʏ	\vod
ɳ	\enya	ɗ	\hausad	Ɔ	\revD	þ	\thorn	fi	\voicedh
ε	\epsi	Ð	\hausad	ɹ	\riota	⊥	\ubar	ʒ	\yogh
ʃ	\esh	ƙ	\hausak	ʍ	\rotm	ɥ	\udesc		
ð	\eth	Ƙ	\hausak	ʊ	\rotOmega	ɑ	\vara		
fj	\fj	ɔ̣	\hookd	ɹ	\rotr	g	\varg		

TABLE 16: t4phonet Phonetic Symbols

ḍ	\textcrd	ḏ	\texthtd		\textpipe
ḥ	\textcrh	ḑ	\texthtk	ḑ	\textrtaild
ε	\textepsilon	Ḕ	\texthtp	ḑ	\textrtailt
ʃ	\textesh	ḑ	\texthtt	ɗ	\textschwa
fj	\textfjlig	ɹ	\textiota	ʃ	\textscriptv
ḑ	\texthtb	ɳ	\textltailn	ʃ	\texttshlig
ḑ	\texthtc	ɔ̅	\textopeno	ʒ	\textyogh

The idea behind the `t4phonet` package’s phonetic symbols is to provide an interface to some of the characters in the T4 font encoding (Table 7 on page 16) but using the same names as the `tipa` characters presented in Table 11 on page 17.

TABLE 17: semtrans Transliteration Symbols

ʾ	\Alif	ʿ	\Ayn
---	-------	---	------

TABLE 18: Text-mode Accents

Ää	<code>\{"A}\{a}</code>	Áá	<code>\ {A}\ {a}</code> <sup>‡</sup>	Ââ	<code>\f{A}\f{a}</code> <sup>¶</sup>	Â̂	<code>\t{A}\t{a}</code>
Áá	<code>\' {A}\' {a}</code>	Ãã	<code>\~ {A}\~ {a}</code>	Ăă	<code>\G{A}\G{a}</code> <sup>‡</sup>	Ăă	<code>\u{A}\u{a}</code>
Ăă	<code>\. {A}\. {a}</code>	Ȃȃ	<code>\b{A}\b{a}</code>	Ȧȧ	<code>\h{A}\h{a}</code> <sup>§</sup>	Ȧȧ	<code>\U{A}\U{a}</code> <sup>‡</sup>
Ȃȃ	<code>\={A}\={a}</code>	Ȧȧ	<code>\c{A}\c{a}</code>	Ȧȧ	<code>\H{A}\H{a}</code>	Ȧȧ	<code>\U{A}\U{a}</code> <sup>¶</sup>
Ȧȧ	<code>\^{A}\^{a}</code>	Ȧȧ	<code>\C{A}\C{a}</code> <sup>¶</sup>	Ȧȧ	<code>\k{A}\k{a}</code> <sup>†</sup>	Ȧȧ	<code>\v{A}\v{a}</code>
Ȧȧ	<code>\' {A}\' {a}</code>	Ȧȧ	<code>\d{A}\d{a}</code>	Ȧȧ	<code>\r{A}\r{a}</code>		
		Ȧȧ	<code>\newtie{A}\newtie{a}</code> <sup>*</sup>	ⒶⒶ	<code>\textcircled{A}\textcircled{a}</code>		

<sup>\*</sup> Requires the `textcomp` package.

<sup>†</sup> Not available in the OT1 font encoding. Use the `fontenc` package to select an alternate font encoding, such as T1.

<sup>‡</sup> Requires the T4 font encoding, provided by the `fc` package.

<sup>§</sup> Requires the T5 font encoding, provided by the `vtex` package.

<sup>¶</sup> Requires one of the Cyrillic font encodings (T2A, T2B, T2C, or X2). Use the `fontenc` package to select an encoding.

Also note the existence of `\i` and `\j`, which produce dotless versions of “i” and “j” (viz., “ı” and “ȷ”). These are useful when the accent is supposed to replace the dot in encodings that need to composite (i.e., combine) letters and accents. For example, “`na\{"i}ve`” always produces a correct “naïve”, while “`na\{i}ve`” yields the rather odd-looking “naïve” when using the OT1 font encoding and older versions of L<sup>A</sup>T<sub>E</sub>X. Font encodings other than OT1 and newer versions of L<sup>A</sup>T<sub>E</sub>X properly typeset “`na\{i}ve`” as “naïve”.

TABLE 19: tipa Text-mode Accents

Ăă	<code>\textacutemacron{A}\textacutemacron{a}</code>
Ăă	<code>\textacutewedge{A}\textacutewedge{a}</code>
Ȧȧ	<code>\textadvancing{A}\textadvancing{a}</code>
Ȧȧ	<code>\textbottomtiebar{A}\textbottomtiebar{a}</code>
Ȧȧ	<code>\textbrevemacron{A}\textbrevemacron{a}</code>
Ȧȧ	<code>\textcircumacute{A}\textcircumacute{a}</code>
Ȧȧ	<code>\textcircumdot{A}\textcircumdot{a}</code>
Ȧȧ	<code>\textdotacute{A}\textdotacute{a}</code>
Ȧȧ	<code>\textdotbreve{A}\textdotbreve{a}</code>
Ȧȧ	<code>\textdoublegrave{A}\textdoublegrave{a}</code>
Ȧȧ	<code>\textdoublevbaraccent{A}\textdoublevbaraccent{a}</code>

(continued on next page)

(continued from previous page)

$\tilde{A}\tilde{a}$  `\textfallrise{A}\textfallrise{a}`  
 $\grave{A}\grave{a}$  `\textgravecircum{A}\textgravecircum{a}`  
 $\ddot{A}\ddot{a}$  `\textgravedot{A}\textgravedot{a}`  
 $\grave{A}\grave{a}$  `\textgravemacron{A}\textgravemacron{a}`  
 $\grave{A}\grave{a}$  `\textgravemid{A}\textgravemid{a}`  
 $\acute{A}\acute{a}$  `\texthighrise{A}\texthighrise{a}`  
 $\underset{\sim}{A}\underset{\sim}{a}$  `\textinvsubbridge{A}\textinvsubbridge{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textlowering{A}\textlowering{a}`  
 $\grave{A}\grave{a}$  `\textlowrise{A}\textlowrise{a}`  
 $\acute{A}\acute{a}$  `\textmidacute{A}\textmidacute{a}`  
 $\overset{\times}{A}\overset{\times}{a}$  `\textovercross{A}\textovercross{a}`  
 $\overset{\sim}{A}\overset{\sim}{a}$  `\textoverw{A}\textoverw{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textpolhook{A}\textpolhook{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textraising{A}\textraising{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textretracting{A}\textretracting{a}`  
 $\overset{\circ}{A}\overset{\circ}{a}$  `\textringmacron{A}\textringmacron{a}`  
 $\tilde{A}\tilde{a}$  `\textrisefall{A}\textrisefall{a}`  
 $\hat{A}\hat{a}$  `\textroundcap{A}\textroundcap{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textseagull{A}\textseagull{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubacute{A}\textsubacute{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubarch{A}\textsubarch{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubbar{A}\textsubbar{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubbridge{A}\textsubbridge{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubcircum{A}\textsubcircum{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubdot{A}\textsubdot{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubgrave{A}\textsubgrave{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsublhalfring{A}\textsublhalfring{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubplus{A}\textsubplus{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubrhalfring{A}\textsubrhalfring{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubring{A}\textsubring{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubsquare{A}\textsubsquare{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubtilde{A}\textsubtilde{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubumlaut{A}\textsubumlaut{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubw{A}\textsubw{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubwedge{A}\textsubwedge{a}`  
 $\overset{\sim}{A}\overset{\sim}{a}$  `\textsuperimposetilde{A}\textsuperimposetilde{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsyllabic{A}\textsyllabic{a}`  
 $\tilde{\tilde{A}}\tilde{\tilde{a}}$  `\texttildedot{A}\texttildedot{a}`  
 $\widehat{A}\widehat{a}$  `\texttoptiebar{A}\texttoptiebar{a}`

(continued on next page)

(continued from previous page)

Áá \textvbaraccent{A}\textvbaraccent{a}

tipa defines shortcut sequences for many of the above. See the tipa documentation for more information.

TABLE 20: extraipa Text-mode Accents

Ää	\bibridge{A}\bibridge{a}	Ää	\partvoiceless{A}\partvoiceless{a}
Åå	\crtilde{A}\crtilde{a}	Ää	\sliding{A}\sliding{a}
Ää	\dottedtilde{A}\dottedtilde{a}	Ää	\spreadlips{A}\spreadlips{a}
Ää	\doubletilde{A}\doubletilde{a}	Ää	\subcorner{A}\subcorner{a}
Ää	\finpartvoice{A}\finpartvoice{a}	Ää	\subdoublebar{A}\subdoublebar{a}
Ää	\finpartvoiceless{A}\finpartvoiceless{a}	Ää	\subdoublevert{A}\subdoublevert{a}
Ää	\inipartvoice{A}\inipartvoice{a}	Ää	\sublptr{A}\sublptr{a}
Ää	\inipartvoiceless{A}\inipartvoiceless{a}	Ää	\subrptr{A}\subrptr{a}
Ää	\overbridge{A}\overbridge{a}	Ää	\whistle{A}\whistle{a}
Ää	\partvoice{A}\partvoice{a}		

TABLE 21: wsuipa Text-mode Accents

Ää \dental{A}\dental{a}  
 Ää \underarch{A}\underarch{a}

TABLE 22: phonetic Text-mode Accents

Ää \hill{A}\hill{a}    Ää \rc{A}\rc{a}    Ää \ut{A}\ut{a}  
 Ää \od{A}\od{a}    Ää \syl{A}\syl{a}  
 Ää \ohill{A}\ohill{a}    Ää \td{A}\td{a}

The phonetic package provides a few additional macros for linguistic accents. \acbar and \acarc compose characters with multiple accents; for example, \acbar{\'}{a} produces “ä” and \acarc{\"}{e} produces “ë”. \labvel joins two characters with an arc: \labvel{mn} → “m̂n”. \upbar is intended to go between characters as in “x\upbar{y}” → “x̂y”. Lastly, \uplett behaves like \textsuperscript but uses a smaller font. Contrast “p\uplett{h}” → “p<sup>h</sup>” with “p\textsuperscript{h}” → “p<sup>h</sup>”.

TABLE 23: metre Text-mode Accents

Áá	<code>\acutus{A}\acutus{a}</code>
Ăă	<code>\breve{A}\breve{a}</code>
Ãã	<code>\circumflexus{A}\circumflexus{a}</code>
Ää	<code>\diaeresis{A}\diaeresis{a}</code>
Àà	<code>\gravis{A}\gravis{a}</code>
Āā	<code>\macron{A}\macron{a}</code>

TABLE 24: t4phonet Text-mode Accents

Ää	<code>\textdoublegrave{A}\textdoublegrave{a}</code>
Àà	<code>\textvbaraccent{A}\textvbaraccent{a}</code>
Ää	<code>\textdoublevbaraccent{A}\textdoublevbaraccent{a}</code>

The idea behind the `t4phonet` package’s text-mode accents is to provide an interface to some of the accents in the T4 font encoding (accents marked with “‡” in Table 18 on page 21) but using the same names as the `tipa` accents presented in Table 19 on page 21.

TABLE 25: arcs Text-mode Accents

$\widehat{a}$	<code>\overarc{A}\overarc{a}</code>	$\underline{a}$	<code>\underarc{A}\underarc{a}</code>
---------------	-------------------------------------	-----------------	---------------------------------------

The accents shown above scale only to a few characters wide. An optional macro argument alters the effective width of the accented characters. See the `arcs` documentation for more information.

At the time of this writing (2015/11/12), there exists an incompatibility between the `arcs` package and the `resize` package, upon which `arcs` depends. As a workaround, one should apply the patch proposed by Michael Sharpe on the X<sub>Y</sub>TeX mailing list (Subject: “The arcs package”, dated 2013/08/25) to prevent spurious text from being added to the document (as in, “5.0pt $\widehat{A}$ ” when “ $\widehat{A}$ ” is expected).

TABLE 26: semtrans Accents

$\grave{a}$	<code>\D{A}\D{a}</code>	$\grave{u}$	<code>\U{A}\U{a}</code>
$\vee$	<code>\T{A}\T{a}</code> *		

`\T` is not actually an accent but a command that rotates its argument 180° using the `graphicx` package’s `\rotatebox` command.

TABLE 27: ogonek Accents

$\k{a}$	<code>\k{A}\k{a}</code>
---------	-------------------------



TABLE 28: combelow Accents

Àà \cb{A}\cb{a}

\cb places a comma *above* letters with descenders. Hence, while “\cb{s}” produces “ſ̣”, “\cb{g}” produces “g̣”.

TABLE 29: wsuipa Diacritics

ˆ	\ain	<	\leftp	ˆ	\overring	ˆ	\stress	˘	\underwedge
⌞	\corner	⌞	\leftt	ˆ	\polishhook	ˆ	\syllabic	ˆ	\upp
˘	\downp	:	\length	>	\rightp	˙	\underdots	⊥	\upt
⌞	\downt	˜	\midtilde	⌞	\rightt	˙	\underring		
˘	\halflength	˘	\open	ˆ	\secstress	˜	\undertilde		

The `wsuipa` package defines all of the above as ordinary characters, not as accents. However, it does provide `\diatop` and `\diaunder` commands, which are used to compose diacritics with other characters. For example, `\diatop[\overring|a]` produces “â”, and `\diaunder[\underdots|a]` produces “ạ”. See the `wsuipa` documentation for more information.

TABLE 30: textcomp Diacritics

ˆ	\textacutedbl	˘	\textasciicaron	ˉ	\textasciimacron
ˆ	\textasciiacute	ˆ	\textasciidieresis	ˆ	\textgravedbl
˘	\textasciibreve	˘	\textasciigrave		

The `textcomp` package defines all of the above as ordinary characters, not as accents. You can use `\llap` or `\rlap` to combine them with other characters. See the discussion of `\llap` and `\rlap` on page 229 for more information.

TABLE 31: marvosym Diacritics

→	\arrowOver	—	\barOver	/	\StrikingThrough
→	\ArrowOver	—	\BarOver		

The `marvosym` package defines all of the above as ordinary characters, not as accents. You can use `\llap` or `\rlap` to combine them with other characters. See the discussion of `\llap` and `\rlap` on page 229 for more information.

TABLE 32: textcomp Currency Symbols

B	<code>\textbaht</code>	\$	<code>\textdollar*</code>	G	<code>\textguarani</code>	₩	<code>\textwon</code>
¢	<code>\textcent</code>	\$	<code>\textdollaroldstyle</code>	₺	<code>\textlira</code>	¥	<code>\textyen</code>
¢	<code>\textcentoldstyle</code>	₫	<code>\textdong</code>	₮	<code>\textnaira</code>		
₯	<code>\textcolonmonetary</code>	€	<code>\texteuro</code>	₱	<code>\textpeso</code>		
₱	<code>\textcurrency</code>	f	<code>\textflorin</code>	£	<code>\textsterling*</code>		

\* It's generally preferable to use the corresponding symbol from Table 3 on page 15 because the symbols in that table work properly in both text mode and math mode.

TABLE 33: marvosym Currency Symbols

₴	<code>\Denarius</code>	€	<code>\EURcr</code>	€	<code>\EURtm</code>	₣	<code>\Pfund</code>
€	<code>\Ecommerce</code>	€	<code>\EURdig</code>	\$	<code>\EyesDollar</code>	β	<code>\Shilling</code>
€	<code>\EUR</code>	€	<code>\EURhv</code>	₯	<code>\Florin</code>		

The different euro signs are meant to be visually compatible with different fonts—Courier (`\EURcr`), Helvetica (`\EURhv`), Times Roman (`\EURtm`), and the `marvosym` digits listed in Table 274 (`\EURdig`). The `mathdesign` package redefines `\texteuro` to be visually compatible with one of three additional fonts: Utopia (€), Charter (€), or Garamond (€).

TABLE 34: fontawesome Currency Symbols

₿	<code>\faBtc</code>	₹	<code>\faIls</code>	₩	<code>\faKrw</code>	\$	<code>\faUsd</code>
€	<code>\faEur</code>	₹	<code>\faInr</code>	₱	<code>\faRub</code>	₿	<code>\faViacoin</code>
£	<code>\faGbp</code>	¥	<code>\faJpy</code>	₺	<code>\faTry</code>		

`fontawesome` defines `\faBitcoin` as a synonym for `\faBtc`; `\faCny`, `\faYen`, and `\faRmb` as synonyms for `\faJpy`; `\faDollar` as a synonym for `\faUsd`; `\faEuro` as a synonym for `\faEur`; `\faRouble` and `\faRuble` as synonyms for `\faRub`; `\faRuppee` as a synonym for `\faInr`; `\faShekel` and `\faSheqel` as synonyms for `\faIls`; `\faTurkishLira` as a synonym for `\faTry`; and `\faWon` as a synonym for `\faKrw`.

TABLE 35: wasysym Currency Symbols

¢	<code>\cent</code>	₱	<code>\currency</code>
---	--------------------	---	------------------------

TABLE 36: GiNA2e Currency Symbols

€	<code>\Euro</code>	₣	<code>\Pound</code>
---	--------------------	---	---------------------

TABLE 37: teubner Currency Symbols

✕	<code>\denarius</code>	c	<code>\hemiobelion</code>	▷	<code>\tetartemorion</code>
†	<code>\dracma</code>	ℳ	<code>\stater</code>		

TABLE 38: tfrupée Currency Symbols

₹	<code>\rupee</code>
---	---------------------

TABLE 39: eurosym Euro Signs

€	<code>\geneuro</code>	€	<code>\geneuronarrow</code>	€	<code>\geneuowide</code>	€	<code>\officiaeuro</code>
---	-----------------------	---	-----------------------------	---	--------------------------	---	---------------------------

`\euro` is automatically mapped to one of the above—by default, `\officiaeuro`—based on a `eurosym` package option. See the `eurosym` documentation for more information. The `\geneuro...` characters are generated from the current body font’s “C” character and therefore may not appear exactly as shown.

TABLE 40: fourier Euro Signs

€	<code>\eurologo</code>	€	<code>\texteuro</code>
---	------------------------	---	------------------------

TABLE 41: textcomp Legal Symbols

⒫	<code>\textcircledP</code>	©	©	<code>\textcopyright</code>	SM	<code>\textservicemark</code>	
Ⓒ	<code>\textcopyleft</code>	®	®	<code>\textregistered</code>	TM	TM	<code>\texttrademark</code>






The first symbol column represents the—sometimes “faked”—symbol that  $\text{\LaTeX}2_{\epsilon}$  provides by default. The second symbol column represents the symbol as redefined by `textcomp`. The `textcomp` package is generally required to typeset Table 41’s symbols in italic.

See <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=tradesyms> for solutions to common problems that occur when using these symbols (e.g., getting a “⒫” when you expected to get a “®”).

TABLE 42: fontawesome Legal Symbols














©	<code>\faCopyright</code>	®	<code>\faRegistered</code>
©	<code>\faCreativeCommons</code>	™	<code>\faTrademark</code>

TABLE 43: ccllicenses Creative Commons License Icons

	<code>\cc</code>		<code>\ccnc*</code>		<code>\ccsa*</code>
	<code>\ccby</code>		<code>\ccnd</code>		

\* These symbols utilize the `rotating` package and therefore display improperly in some DVI viewers.

TABLE 44: ccicons Creative Commons License Icons

	<code>\ccAttribution</code>		<code>\ccNonCommercialEU</code>		<code>\ccShare</code>
	<code>\ccCopy</code>		<code>\ccNonCommercialJP</code>		<code>\ccShareAlike</code>
	<code>\ccLogo</code>		<code>\ccPublicDomain</code>		<code>\ccZero</code>
	<code>\ccNoDerivatives</code>		<code>\ccRemix</code>		
	<code>\ccNonCommercial</code>		<code>\ccSampling</code>		






`ccicons` additionally defines a set of commands for typesetting many complete Creative Commons licenses (i.e., juxtapositions of two or more of the preceding icons). For example, the `\ccbyncnd` command typesets the “Attribution–Noncommercial–No Derivative Works” license (“    ”). See the `ccicons` documentation for more information.

TABLE 45: textcomp Old-style Numerals

0	<code>\textzerooldstyle</code>	4	<code>\textfouroldstyle</code>	8	<code>\texteightoldstyle</code>
1	<code>\textoneoldstyle</code>	5	<code>\textfiveoldstyle</code>	9	<code>\textnineoldstyle</code>
2	<code>\texttwooldstyle</code>	6	<code>\textsixoldstyle</code>		
3	<code>\textthreeoldstyle</code>	7	<code>\textsevenoldstyle</code>		

Rather than use the bulky `\textoneoldstyle`, `\texttwooldstyle`, etc. commands shown above, consider using `\oldstylenums{...}` to typeset an old-style number.

TABLE 46: Miscellaneous textcomp Symbols


<code>\textblank</code>		<code>\textpilcrow</code>
<code>\textbrokenbar</code>	<code>'</code>	<code>\textquotesingle</code>
<code>\textdblhyphen</code>	<code>,</code>	<code>\textquotestraightbase</code>
<code>\textdblhyphenchar</code>	<code>„</code>	<code>\textquotestraightdblbase</code>
<code>\textdiscount</code>	<code>R</code>	<code>\textrecipe</code>
<code>\textestimated</code>	<code>*</code>	<code>\textreferencemark</code>
<code>\textinterrobang</code>	<code>—</code>	<code>\textthreequartersemdash</code>
<code>\textinterrobangdown</code>	<code>~</code>	<code>\texttildelow</code>
<code>\textnumero</code>	<code>—</code>	<code>\texttwelveudash</code>
<code>\textopenbullet</code>		

TABLE 47: Miscellaneous wasysym Text-mode Symbols

<code>\permil</code>
----------------------



### 3 Mathematical symbols

Most, but not all, of the symbols in this section are math-mode only. That is, they yield a “Missing \$ inserted” error message if not used within  $\$. . \$$ ,  $\[. . \]$ , or another math-mode environment. Operators marked as “variable-sized” are taller in displayed formulas, shorter in in-text formulas, and possibly shorter still when used in various levels of superscripts or subscripts.

Alphanumeric symbols (e.g., “ $\mathcal{L}$ ” and “ $\mathcal{Z}$ ”) are usually produced using one of the math alphabets in Table 299 rather than with an explicit symbol command. Look there first if you need a symbol for a transform, number set, or some other alphanumeric.

Although there have been many requests on `comp.text.tex` for a contradiction symbol, the ensuing discussion invariably reveals innumerable ways to represent contradiction in a proof, including “ $\blitz$ ” (`\blitza`), “ $\Rightarrow\Leftarrow$ ” (`\Rightarrow\Leftarrow`), “ $\perp$ ” (`\bot`), “ $\Leftrightarrow$ ” (`\leftrightharrow`), and “ $\textcircled{*}$ ” (`\textcircled{*}`). Because of the lack of notational consensus, it is probably better to spell out “Contradiction!” than to use a symbol for this purpose. Similarly, discussions on `comp.text.tex` have revealed that there are a variety of ways to indicate the mathematical notion of “is defined as”. Common candidates include “ $\triangleq$ ” (`\triangleq`), “ $\equiv$ ” (`\equiv`), “ $\coloneqq$ ” (*various*<sup>1</sup>), and “ $\stackrel{\text{def}}{=}$ ” (`\stackrel{\text{def}}{=}`). See also the example of `\equalsfill` on page 231. Depending upon the context, disjoint union may be represented as “ $\coprod$ ” (`\coprod`), “ $\sqcup$ ” (`\sqcup`), “ $\dot{\cup}$ ” (`\dotcup`), “ $\oplus$ ” (`\oplus`), or any of a number of other symbols.<sup>2</sup> Finally, the average value of a variable  $x$  is written by some people as “ $\overline{x}$ ” (`\overline{x}`), by some people as “ $\langle x \rangle$ ” (`\langle x \rangle`), and by some people as “ $\emptyset x$ ” or “ $\emptyset x$ ” (`\diameter x` or `\varnothing x`). The moral of the story is that you should be careful always to explain your notation to avoid confusing your readers.

TABLE 48: Math-Mode Versions of Text Symbols

\$	<code>\mathdollar</code>	¶	<code>\mathparagraph</code>	£	<code>\mathsterling</code>
...	<code>\mathellipsis</code>	§	<code>\mathsection</code>	-	<code>\mathunderscore</code>

It’s generally preferable to use the corresponding symbol from Table 3 on page 15 because the symbols in that table work properly in both text mode and math mode.

TABLE 49: `cmll` Unary Operators

!	<code>\oc*</code>	↑	<code>\shneg</code>	?	<code>\wn*</code>
↕	<code>\shift</code>	↓	<code>\shpos</code>		

\* `\oc` and `\wn` differ from “!” and “?” in terms of their math-mode spacing:  $\$A=!B\$$  produces “ $A =!B$ ”, for example, while  $\$A=\oc B\$$  produces “ $A = B$ ”.

<sup>1</sup>In `txfonts`, `pxfonts`, and `mathtools` the symbol is called `\coloneqq`. In `mathabx` and `MnSymbol` it’s called `\coloneq`. In `colonequals` it’s called `\colonequals`.

<sup>2</sup>Bob Tennent listed these and other disjoint-union symbol possibilities in a November 2007 post to `comp.text.tex`.

TABLE 50: Binary Operators

$\amalg$	<code>\amalg</code>	$\cup$	<code>\cup</code>	$\oplus$	<code>\oplus</code>	$\times$	<code>\times</code>
$\ast$	<code>\ast</code>	$\dagger$	<code>\dagger</code>	$\oslash$	<code>\oslash</code>	$\triangleleft$	<code>\triangleleft</code>
$\bigcirc$	<code>\bigcirc</code>	$\ddagger$	<code>\ddagger</code>	$\otimes$	<code>\otimes</code>	$\triangleright$	<code>\triangleright</code>
$\bigtriangledown$	<code>\bigtriangledown</code>	$\diamond$	<code>\diamond</code>	$\pm$	<code>\pm</code>	$\triangleleft$	<code>\unlhd*</code>
$\bigtriangleup$	<code>\bigtriangleup</code>	$\div$	<code>\div</code>	$\triangleright$	<code>\rhd*</code>	$\triangleleft$	<code>\unrhd*</code>
$\bullet$	<code>\bullet</code>	$\triangleleft$	<code>\lhd*</code>	$\setminus$	<code>\setminus</code>	$\oplus$	<code>\uplus</code>
$\cap$	<code>\cap</code>	$\mp$	<code>\mp</code>	$\sqcap$	<code>\sqcap</code>	$\vee$	<code>\vee</code>
$\cdot$	<code>\cdot</code>	$\odot$	<code>\odot</code>	$\sqcup$	<code>\sqcup</code>	$\wedge$	<code>\wedge</code>
$\circ$	<code>\circ</code>	$\ominus$	<code>\ominus</code>	$\star$	<code>\star</code>	$\wr$	<code>\wr</code>

\* Not predefined by the  $\text{\LaTeX} 2_{\epsilon}$  core. Use the `latexsym` package to expose this symbol.

TABLE 51:  $\mathcal{AMS}$  Binary Operators

$\bar{\wedge}$	<code>\barwedge</code>	$\odot$	<code>\circledcirc</code>	$\intercal$	<code>\intercal*</code>
$\boxdot$	<code>\boxdot</code>	$\ominus$	<code>\circleddash</code>	$\lambda$	<code>\leftthreetimes</code>
$\boxminus$	<code>\boxminus</code>	$\cup$	<code>\Cup</code>	$\ltimes$	<code>\ltimes</code>
$\boxplus$	<code>\boxplus</code>	$\curlyvee$	<code>\curlyvee</code>	$\rightthreetimes$	<code>\rightthreetimes</code>
$\boxtimes$	<code>\boxtimes</code>	$\curlywedge$	<code>\curlywedge</code>	$\rtimes$	<code>\rtimes</code>
$\Cap$	<code>\Cap</code>	$\divideontimes$	<code>\divideontimes</code>	$\smallsetminus$	<code>\smallsetminus</code>
$\centerdot$	<code>\centerdot</code>	$\dotplus$	<code>\dotplus</code>	$\veebar$	<code>\veebar</code>
$\circledast$	<code>\circledast</code>	$\bar{\wedge}$	<code>\doublebarwedge</code>		

\* Some people use a superscripted `\intercal` for matrix transpose: “ $A^{\intercal}$ ”  $\mapsto$  “ $A^T$ ”. (See the May 2009 `comp.text.tex` thread, “raising math symbols”, for suggestions about altering the height of the superscript.) `\top` (Table 195 on page 99), `T`, and `\mathsf{T}` are other popular choices: “ $A^T$ ”, “ $A^T$ ”, “ $A^T$ ”.

TABLE 52: stmaryrd Binary Operators

$\phi$	<code>\baro</code>	$\parallel$	<code>\interleave</code>	$\oplus$	<code>\varoast</code>
$\backslash$	<code>\bbslash</code>	$\triangleleft$	<code>\leftslice</code>	$\odot$	<code>\varobar</code>
$\&$	<code>\binampersand</code>	$\M$	<code>\merge</code>	$\oslash$	<code>\varobslash</code>
$\wp$	<code>\bindnasrepma</code>	$\ominus$	<code>\minuso</code>	$\odot$	<code>\varocircle</code>
$\boxplus$	<code>\boxast</code>	$\pm$	<code>\moo</code>	$\odot$	<code>\varodot</code>
$\boxbar$	<code>\boxbar</code>	$\oplus$	<code>\nplus</code>	$\otimes$	<code>\varogreaterthan</code>
$\boxbox$	<code>\boxbox</code>	$\odot$	<code>\obar</code>	$\oslash$	<code>\varolessthan</code>
$\boxbslash$	<code>\boxbslash</code>	$\square$	<code>\oblong</code>	$\ominus$	<code>\varominus</code>
$\boxcircle$	<code>\boxcircle</code>	$\oslash$	<code>\obslash</code>	$\oplus$	<code>\varoplus</code>
$\boxdot$	<code>\boxdot</code>	$\otimes$	<code>\ogreaterthan</code>	$\oslash$	<code>\varoslash</code>
$\boxempty$	<code>\boxempty</code>	$\oslash$	<code>\olessthan</code>	$\otimes$	<code>\varotimes</code>
$\boxslash$	<code>\boxslash</code>	$\oslash$	<code>\ovee</code>	$\oslash$	<code>\varovee</code>
$\curlyveedownarrow$	<code>\curlyveedownarrow</code>	$\oslash$	<code>\owedge</code>	$\oslash$	<code>\varowedge</code>
$\curlyveeuparrow$	<code>\curlyveeuparrow</code>	$\triangleright$	<code>\rightslice</code>	$\times$	<code>\vartimes</code>
$\curlywedgedownarrow$	<code>\curlywedgedownarrow</code>	$\//$	<code>\sslash</code>	$\Uparrow$	<code>\Ydown</code>
$\curlywedgeuparrow$	<code>\curlywedgeuparrow</code>	$\parallel$	<code>\talloblong</code>	$\leftarrow$	<code>\Yleft</code>
$\fatbslash$	<code>\fatbslash</code>	$\bigcirc$	<code>\varbigcirc</code>	$\rightarrow$	<code>\Yright</code>
$\fatsemi$	<code>\fatsemi</code>	$\Uparrow$	<code>\varcurlyvee</code>	$\Uparrow$	<code>\Yup</code>
$\fatslash$	<code>\fatslash</code>	$\curlywedge$	<code>\varcurlywedge</code>		

TABLE 53: wasysym Binary Operators

$\triangleleft$	<code>\lhd</code>	$\circ$	<code>\ocircle</code>	$\blacktriangleright$	<code>\RHD</code>	$\triangleright$	<code>\unrhd</code>
$\blacktriangleleft$	<code>\LHD</code>	$\triangleright$	<code>\rhd</code>	$\trianglelefteq$	<code>\unlhd</code>		

TABLE 54: txfonts/pxfonts Binary Operators

$\odot$	<code>\circledbar</code>	$\oslash$	<code>\circledwedge</code>	$\circ$	<code>\medcirc</code>
$\oslash$	<code>\circledbslash</code>	$\wp$	<code>\invamp</code>	$\boxplus$	<code>\sqcapplus</code>
$\oslash$	<code>\circledvee</code>	$\bullet$	<code>\medbullet</code>	$\boxplus$	<code>\sqcupplus</code>



TABLE 55: mathabx Binary Operators

*	<code>\ast</code>	$\wedge$	<code>\curlywedge</code>	$\sqcap$	<code>\sqcap</code>
*	<code>\Asterisk</code>	$\div$	<code>\divdot</code>	$\sqcup$	<code>\sqcup</code>
$\bar{\wedge}$	<code>\barwedge</code>	*	<code>\divideontimes</code>	$\sqcap\sqcap$	<code>\sqdoublecap</code>
★	<code>\bigstar</code>	$\dot{\div}$	<code>\dotdiv</code>	$\sqcup\sqcup$	<code>\sqdoublecup</code>
★	<code>\bigvarstar</code>	$\dot{+}$	<code>\dotplus</code>	$\square$	<code>\square</code>
◆	<code>\blackdiamond</code>	$\dot{\times}$	<code>\dottimes</code>	$\boxplus$	<code>\squplus</code>
$\cap$	<code>\cap</code>	$\overline{\wedge}$	<code>\doublebarwedge</code>	$\cdot$	<code>\udot</code>
$\dagger$	<code>\circplus</code>	$\cap\cap$	<code>\doublecap</code>	$\oplus$	<code>\uplus</code>
*	<code>\coasterisk</code>	$\cup\cup$	<code>\doublecup</code>	*	<code>\varstar</code>
*	<code>\coAsterisk</code>	$\times$	<code>\ltimes</code>	$\vee$	<code>\vee</code>
*	<code>\convolution</code>	$\oplus$	<code>\pluscirc</code>	$\veebar$	<code>\veebar</code>
$\cup$	<code>\cup</code>	$\rtimes$	<code>\rtimes</code>	$\underline{\vee}$	<code>\veedoublebar</code>
$\vee$	<code>\curlyvee</code>	■	<code>\sqbullet</code>	$\wedge$	<code>\wedge</code>

Many of the preceding glyphs go by multiple names. `\centerdot` is equivalent to `\sqbullet`, and `\ast` is equivalent to `*`. `\asterisk` produces the same glyph as `\ast`, but as an ordinary symbol, not a binary operator. Similarly, `\bigast` produces a large-operator version of the `\Asterisk` binary operator, and `\bigcoast` produces a large-operator version of the `\coAsterisk` binary operator.

TABLE 56: MnSymbol Binary Operators

$\amalg$	<code>\amalg</code>	$\sqcup\sqcup$	<code>\doublecup</code>	$\therefore$	<code>\righttherefore</code>
*	<code>\ast</code>	$\mathbb{W}$	<code>\doublevee</code>	$\times$	<code>\rightthreetimes</code>
$\backslash$	<code>\backslash</code>	$\mathbb{M}$	<code>\doublewedge</code>	$\succ$	<code>\rightY</code>
$\bowtie$	<code>\bowtie</code>	$\therefore$	<code>\downtherefore</code>	$\times$	<code>\rtimes</code>
•	<code>\bullet</code>	$\Upsilon$	<code>\downY</code>	$\div$	<code>\slashdiv</code>
$\cap$	<code>\cap</code>	$\times$	<code>\dtimes</code>	$\prod$	<code>\smallprod</code>
$\cap\dot{\cap}$	<code>\capdot</code>	$\therefore$	<code>\fivedots</code>	$\sqcap$	<code>\sqcap</code>
$\cap\oplus$	<code>\capplus</code>	$\infty$	<code>\hbipropto</code>	$\sqcap\dot{\cap}$	<code>\sqcapdot</code>
$\cdot$	<code>\cdot</code>	$\ddot{\cdot}$	<code>\hdotdot</code>	$\sqcap\oplus$	<code>\sqcapplus</code>
$\circ$	<code>\circ</code>	$\lrcorner$	<code>\lefthalfcap</code>	$\sqcup$	<code>\sqcup</code>
$\curlyvee$	<code>\closedcurlyvee</code>	$\llcorner$	<code>\lefthalfcup</code>	$\sqcup\dot{\cup}$	<code>\sqcupdot</code>
$\curlywedge$	<code>\closedcurlywedge</code>	$\therefore$	<code>\lefttherefore</code>	$\sqcup\oplus$	<code>\sqcupplus</code>
$\cup$	<code>\cup</code>	$\times$	<code>\leftthreetimes</code>	$\ddot{\cdot}$	<code>\squaredots</code>
$\cup\dot{\cup}$	<code>\cupdot</code>	$\leftarrow$	<code>\leftY</code>	$\times$	<code>\times</code>
$\cup\oplus$	<code>\cupplus</code>	$\ltimes$	<code>\ltimes</code>	$\cdot$	<code>\udotdot</code>
$\vee$	<code>\curlyvee</code>	$\backslash$	<code>\medbackslash</code>	$\therefore$	<code>\uptherefore</code>
$\vee\dot{\vee}$	<code>\curlyveedot</code>	$\bigcirc$	<code>\medcircle</code>	$\uparrow$	<code>\upY</code>
$\wedge$	<code>\curlywedge</code>	$\diagup$	<code>\medslash</code>	$\times$	<code>\utimes</code>
$\wedge\dot{\wedge}$	<code>\curlywedgedot</code>	$\lvert$	<code>\medvert</code>	$\wp$	<code>\vbipropto</code>
$\ddot{\cdot}$	<code>\ddotdot</code>	$\vdash$	<code>\medvertdot</code>	$:$	<code>\vdotdot</code>
$\diamond\dot{\diamond}$	<code>\diamonddots</code>	$-$	<code>\minus</code>	$\vee$	<code>\vee</code>
$\div$	<code>\div</code>	$\dot{-}$	<code>\minusdot</code>	$\vee\dot{\vee}$	<code>\veedot</code>

(continued on next page)

(continued from previous page)

$\cdot$	<code>\dotmedvert</code>	$\mp$	<code>\mp</code>	$\times$	<code>\vertbowtie</code>
$\dot{-}$	<code>\dotminus</code>	$\wp$	<code>\neswbipropto</code>	$\cdot$	<code>\vertdiv</code>
$\cap$	<code>\doublecap</code>	$\wp$	<code>\nwsebipropto</code>	$\wedge$	<code>\wedge</code>
$\cup$	<code>\doublecup</code>	$+$	<code>\plus</code>	$\wedge$	<code>\wedgedot</code>
$\curlyvee$	<code>\doublecurlyvee</code>	$\pm$	<code>\pm</code>	$\wr$	<code>\wreath</code>
$\curlywedge$	<code>\doublecurlywedge</code>	$\lrcorner$	<code>\righthalfcap</code>		
$\sqcap$	<code>\doublesqcap</code>	$\lrcorner$	<code>\righthalfcup</code>		

MnSymbol defines `\setminus` and `\smallsetminus` as synonyms for `\medbackslash`; `\Join` as a synonym for `\bowtie`; `\wr` as a synonym for `\wreath`; `\shortmid` as a synonym for `\medvert`; `\Cap` as a synonym for `\doublecap`; `\Cup` as a synonym for `\doublecup`; and, `\uplus` as a synonym for `\cupplus`.

TABLE 57: fdsymbol Binary Operators

$\amalg$	<code>\amalg</code>	$\doublevee$	<code>\doublevee</code>	$\rtimes$	<code>\rtimes</code>
$\ast$	<code>\ast</code>	$\doublewedge$	<code>\doublewedge</code>	$\setminus$	<code>\setminus</code>
$\bar{\wedge}$	<code>\barwedge</code>	$\downarrow$	<code>\downarrow</code>	$\sqcap$	<code>\sqcap</code>
$\cap$	<code>\cap</code>	$\times$	<code>\dimes</code>	$\sqcap$	<code>\sqcapdot</code>
$\cap$	<code>\capdot</code>	$\cdots$	<code>\hdotdot</code>	$\sqcap$	<code>\sqcapplus</code>
$\cap$	<code>\capplus</code>	$\intercal$	<code>\intercal</code>	$\sqcup$	<code>\sqcup</code>
$\cdot$	<code>\cdot</code>	$\int$	<code>\intprod</code>	$\sqcup$	<code>\sqcupdot</code>
$\cdot$	<code>\centerdot</code>	$\int$	<code>\intprodr</code>	$\sqcup$	<code>\sqcupplus</code>
$\cup$	<code>\cup</code>	$\times$	<code>\leftthreetimes</code>	$\times$	<code>\times</code>
$\cup$	<code>\cupdot</code>	$\leftarrow$	<code>\leftY</code>	$\times$	<code>\timesbar</code>
$\cup$	<code>\cupplus</code>	$\ltimes$	<code>\ltimes</code>	$\cdot$	<code>\udotdot</code>
$\curlyvee$	<code>\curlyvee</code>	$\backslash$	<code>\medbackslash</code>	$\times$	<code>\upbowtie</code>
$\curlywedge$	<code>\curlywedge</code>	$/$	<code>\medslash</code>	$\uparrow$	<code>\upY</code>
$\ddot{\cdot}$	<code>\ddotdot</code>	$-$	<code>\minus</code>	$\times$	<code>\utimes</code>
$\div$	<code>\div</code>	$\dot{-}$	<code>\minusdot</code>	$\amalg$	<code>\varamalg</code>
$\ast$	<code>\divideontimes</code>	$\dot{-}$	<code>\minusfdots</code>	$\dot{\cdot}$	<code>\vdotdot</code>
$/$	<code>\divslash</code>	$\dot{-}$	<code>\minusrdots</code>	$\dot{\cdot}$	<code>\vdots</code>
$\dot{-}$	<code>\dotminus</code>	$\mp$	<code>\mp</code>	$\vee$	<code>\vee</code>
$\dot{+}$	<code>\dotplus</code>	$+$	<code>\plus</code>	$\underline{\vee}$	<code>\veebar</code>
$\dot{\times}$	<code>\dottimes</code>	$\dagger$	<code>\plusdot</code>	$\underline{\vee}$	<code>\veedot</code>
$\bar{\wedge}$	<code>\doublebarwedge</code>	$\pm$	<code>\pm</code>	$\underline{\underline{\vee}}$	<code>\veedoublebar</code>
$\cap$	<code>\doublecap</code>	$\lrcorner$	<code>\pullback</code>	$\wedge$	<code>\wedge</code>
$\cup$	<code>\doublecup</code>	$\lrcorner$	<code>\pushout</code>	$\wedge$	<code>\wedgedot</code>
$\sqcap$	<code>\doublesqcap</code>	$\leftarrow$	<code>\rightthreetimes</code>	$\wr$	<code>\wreath</code>
$\sqcup$	<code>\doublesqcup</code>	$\rightarrow$	<code>\rightY</code>		

fdsymbol defines `\btimes` as a synonym for `\dtimes`; `\Cap` as a synonym for `\doublecap`; `\Cup` as a synonym for `\doublecup`; `\hookupminus` as a synonym for `\intprodr`; `\hourglass` as a synonym for `\upbowtie`; `\land` as a synonym for `\wedge`; `\lor` as a synonym for `\vee`; `\minushookup` as a synonym for `\intprod`; `\smalldivslash` as a synonym for `\medslash`; `\smallsetminus` as a synonym for `\medbackslash`; `\Sqcap` as a synonym for `\doublesqcap`; `\Sqcup` as a synonym for `\doublecup`; `\ttimes` as a synonym for `\utimes`; `\lJoin` as a synonym for `\ltimes`; `\rJoin` as a synonym for `\rtimes`; `\Join` and `\lrtimes` as synonyms for `\bowtie`; `\uplus` as a synonym for `\cupplus`; `\veeonvee` as a synonym for `\doublevee`; `\wedgeonwedge` as a synonym for `\doublewedge`; and `\wreath` as a synonym for `\wreath`).

TABLE 58: boisik Binary Operators

*	<code>\ast</code>	×	<code>\dottimes</code>	✕	<code>\rtimesblack</code>
ϕ	<code>\baro</code>	⌠	<code>\doublebarwedge</code>	∖	<code>\smallsetminus</code>
⌠	<code>\barwedge</code>	;	<code>\fatsemi</code>	⊗	<code>\smashtimes</code>
∥	<code>\bbslash</code>	>	<code>\gtrdot</code>	⊕	<code>\squplus</code>
&	<code>\binampersand</code>	⌞	<code>\intercal</code>	//	<code>\sslash</code>
⌘	<code>\bindnasrepma</code>	⌚	<code>\lbag</code>	×	<code>\times</code>
⌚	<code>\blackbowtie</code>	⌚	<code>\lblackbowtie</code>	⊕	<code>\uplus</code>
⌚	<code>\bowtie</code>	◁	<code>\leftslice</code>	∩	<code>\varcap</code>
∩	<code>\cap</code>	λ	<code>\leftthreetimes</code>	∪	<code>\varcup</code>
⊍	<code>\Cap</code>	◁	<code>\lessdot</code>	⌞	<code>\varintercal</code>
·	<code>\cdot</code>	×	<code>\ltimes</code>	∩	<code>\varsqcap</code>
.	<code>\centerdot</code>	✕	<code>\ltimesblack</code>	∩	<code>\varsqcup</code>
‡	<code>\circplus</code>	⌞	<code>\merge</code>	×	<code>\vartimes</code>
*	<code>\coAsterisk</code>	⊖	<code>\minuso</code>	∨	<code>\vee</code>
*	<code>\convolution</code>	±	<code>\moo</code>	∨	<code>\Vee</code>
∪	<code>\cup</code>	⌞	<code>\mp</code>	∨	<code>\veebar</code>
⊍	<code>\Cup</code>	⊕	<code>\nplus</code>	∨	<code>\veeonvee</code>
⊕	<code>\cupleftarrow</code>	⊕	<code>\pluscirc</code>	∧	<code>\wedge</code>
∨	<code>\curlyvee</code>	⊕	<code>\plustrif</code>	∧	<code>\Wedge</code>
∧	<code>\curlywedge</code>	±	<code>\pm</code>	∨	<code>\Ydown</code>
†	<code>\dagger</code>	∫	<code>\rbag</code>	<	<code>\Yleft</code>
‡	<code>\ddagger</code>	⌚	<code>\rblackbowtie</code>	>	<code>\Yright</code>
÷	<code>\div</code>	▷	<code>\rightslice</code>	∧	<code>\Yup</code>
⊗	<code>\divideontimes</code>	∧	<code>\rightthreetimes</code>		
‡	<code>\dotplus</code>	×	<code>\rtimes</code>		

TABLE 59: stix Binary Operators

$\amalg$	<code>\amalg</code>	$;$	<code>\fcmp</code>	$\sqcup$	<code>\sqcup</code>
$*$	<code>\ast</code>	$/$	<code>\fracslash</code>	$\sqcup$	<code>\Sqcup</code>
$\bar{\cap}$	<code>\barcap</code>	$\intercal$	<code>\intercal</code>	$//$	<code>\sslash</code>
$\bar{\cup}$	<code>\barcup</code>	$\parallel$	<code>\interleave</code>	$:$	<code>\threedotcolon</code>
$\bar{\vee}$	<code>\barvee</code>	$\int$	<code>\intprod</code>	$\times$	<code>\times</code>
$\bar{\wedge}$	<code>\barwedge</code>	$\int$	<code>\intprodr</code>	$\times$	<code>\timesbar</code>
$\bigvee$	<code>\bigvee</code>	$\approx$	<code>\invlazys</code>	$-$	<code>\tminus</code>
$\bigwedge$	<code>\bigwedge</code>	$\lambda$	<code>\leftthreetimes</code>	$+$	<code>\tplus</code>
$\times$	<code>\btimes</code>	$\triangleleft$	<code>\lhd</code>	$\#$	<code>\tripleplus</code>
$\cap$	<code>\cap</code>	$\times$	<code>\ltimes</code>	$///$	<code>\trslash</code>
$\Cap$	<code>\Cap</code>	$\bar{\vee}$	<code>\midbarvee</code>	$\cap$	<code>\twocaps</code>
$\bar{\cup}$	<code>\capbarcup</code>	$\bar{\wedge}$	<code>\midbarwedge</code>	$\cup$	<code>\twocup</code>
$\bar{\cap}$	<code>\capdot</code>	$\dot{-}$	<code>\minusdot</code>	$:$	<code>\typecolon</code>
$\bar{\cup}$	<code>\capovercup</code>	$\dot{-}$	<code>\minusdots</code>	$\ominus$	<code>\uminus</code>
$\bar{\cap}$	<code>\capwedge</code>	$\dot{-}$	<code>\minusdots</code>	$\triangleleft$	<code>\unlhd</code>
$\bar{\cup}$	<code>\closedvarcap</code>	$\mp$	<code>\mp</code>	$\triangleleft$	<code>\unrhd</code>
$\bar{\cup}$	<code>\closedvarcup</code>	$\#$	<code>\nhVvert</code>	$\otimes$	<code>\upand</code>
$\bar{\cup}$	<code>\closedvarcupsmashprod</code>	$\oplus$	<code>\opluslhrim</code>	$\oplus$	<code>\uplus</code>
$\dagger$	<code>\commaminus</code>	$\oplus$	<code>\oplusrhrim</code>	$\bar{\wedge}$	<code>\varbarwedge</code>
$\cup$	<code>\cup</code>	$\otimes$	<code>\otimeslhrim</code>	$\bar{\wedge}$	<code>\vardoublebarwedge</code>
$\Cup$	<code>\Cup</code>	$\otimes$	<code>\otimesrhrim</code>	$\underline{\vee}$	<code>\varveebar</code>
$\bar{\cup}$	<code>\cupbarcap</code>	$\dot{+}$	<code>\plusdot</code>	$\times$	<code>\vectimes</code>
$\bar{\cup}$	<code>\cupdot</code>	$\pm$	<code>\pluseqq</code>	$\vee$	<code>\Vee</code>
$\bar{\cup}$	<code>\cupleftarrow</code>	$\hat{+}$	<code>\plushat</code>	$\vee$	<code>\vee</code>
$\bar{\cup}$	<code>\cupovercap</code>	$\ddagger$	<code>\plussim</code>	$\underline{\vee}$	<code>\veebar</code>
$\bar{\cup}$	<code>\cupvee</code>	$\ddagger$	<code>\plussubtwo</code>	$\vee$	<code>\veedot</code>
$\curlyvee$	<code>\curlyvee</code>	$\ddagger$	<code>\plustrif</code>	$\underline{\vee}$	<code>\veedoublebar</code>
$\curlywedge$	<code>\curlywedge</code>	$\pm$	<code>\pm</code>	$\vee$	<code>\veemidvert</code>
$\dagger$	<code>\dagger</code>	$\triangleright$	<code>\rhd</code>	$\dot{\vee}$	<code>\veeodot</code>
$\ddagger$	<code>\ddagger</code>	$\llcorner$	<code>\rightthreetimes</code>	$\mathbb{W}$	<code>\veeonvee</code>
$\div$	<code>\div</code>	$\dagger$	<code>\ringplus</code>	$\blacktriangle$	<code>\Wedge</code>
$\ast$	<code>\divideontimes</code>	$\dagger$	<code>\rsolbar</code>	$\wedge$	<code>\wedge</code>
$\dot{-}$	<code>\dotminus</code>	$\times$	<code>\rtimes</code>	$\triangle$	<code>\wedgebar</code>
$\dot{+}$	<code>\dotplus</code>	$\setminus$	<code>\setminusminus</code>	$\blacktriangle$	<code>\wedgedot</code>
$\times$	<code>\dottimes</code>	$\sqcup$	<code>\shuffle</code>	$\underline{\triangle}$	<code>\wedgedoublebar</code>
$\bar{\vee}$	<code>\doublebarvee</code>	$\ddagger$	<code>\simplus</code>	$\blacktriangle$	<code>\wedgemidvert</code>
$\bar{\wedge}$	<code>\doublebarwedge</code>	$\setminus$	<code>\smallsetminusminus</code>	$\blacktriangle$	<code>\wedgeodot</code>
$\#$	<code>\doubleplus</code>	$\ast$	<code>\smashtimes</code>	$\blacktriangle$	<code>\wedgeonwedge</code>
$/$	<code>\dsol</code>	$\sqcap$	<code>\sqcap</code>	$\wr$	<code>\wr</code>
$\bar{\mp}$	<code>\eqqplus</code>	$\boxplus$	<code>\Sqcap</code>		

stix defines `\land` as a synonym for `\wedge`, `\lor` as a synonym for `\vee`, `\doublecap` as a synonym for `\Cap`, and `\doublecup` as a synonym for `\Cup`.

TABLE 60: mathdesign Binary Operators

$\times$  `\dtimes`  $\times$  `\udtimes`  $\times$  `\utimes`

The `mathdesign` package additionally provides versions of each of the binary operators shown in Table 51 on page 31.

TABLE 61: cml Binary Operators

$\wp$  `\parr*`  $\&$  `\with†`

\* `cml` defines `\invamp` as a synonym for `\parr`.

† `\with` differs from `\&` in terms of its math-mode spacing: `$A \& B$` produces “ $A \& B$ ”, for example, while `$A \with B$` produces “ $A \& B$ ”.

TABLE 62: shuffle Binary Operators

$\sqcup$  `\cshuffle`  $\sqcup$  `\shuffle`

TABLE 63: ulsy Geometric Binary Operators

$\oplus$  `\odplus`

TABLE 64: mathabx Geometric Binary Operators

$\blacktriangledown$	<code>\blacktriangledown</code>	$\boxright$	<code>\boxright</code>	$\ominus$	<code>\ominus</code>
$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\boxslash$	<code>\boxslash</code>	$\oplus$	<code>\oplus</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\boxtimes$	<code>\boxtimes</code>	$\otimes$	<code>\otimes</code>
$\blacktriangleup$	<code>\blacktriangleup</code>	$\boxtop$	<code>\boxtop</code>	$\oslash$	<code>\oslash</code>
$\boxasterisk$	<code>\boxasterisk</code>	$\boxtriangleup$	<code>\boxtriangleup</code>	$\otimes$	<code>\otimes</code>
$\boxbackslash$	<code>\boxbackslash</code>	$\boxvoid$	<code>\boxvoid</code>	$\oplus$	<code>\otop</code>
$\boxbot$	<code>\boxbot</code>	$\oasterisk$	<code>\oasterisk</code>	$\triangleup$	<code>\otriangleup</code>
$\boxcirc$	<code>\boxcirc</code>	$\obackslash$	<code>\obackslash</code>	$\circ$	<code>\ovoid</code>
$\boxcoasterisk$	<code>\boxcoasterisk</code>	$\obot$	<code>\obot</code>	$\blacktriangledown$	<code>\smalltriangledown</code>
$\boxdiv$	<code>\boxdiv</code>	$\ocirc$	<code>\ocirc</code>	$\blacktriangleleft$	<code>\smalltriangleleft</code>
$\boxdot$	<code>\boxdot</code>	$\ocoasterisk$	<code>\ocoasterisk</code>	$\blacktriangleright$	<code>\smalltriangleright</code>
$\boxleft$	<code>\boxleft</code>	$\odiv$	<code>\odiv</code>	$\blacktriangleup$	<code>\smalltriangleup</code>
$\boxminus$	<code>\boxminus</code>	$\odot$	<code>\odot</code>		
$\boxplus$	<code>\boxplus</code>	$\oleft$	<code>\oleft</code>		

TABLE 65: MnSymbol Geometric Binary Operators

▣	<code>\boxbackslash</code>	▼	<code>\filledmedtriangledown</code>	⊙	<code>\ocirc</code>
▤	<code>\boxbox</code>	◀	<code>\filledmedtriangleleft</code>	⊙	<code>\odot</code>
▥	<code>\boxdot</code>	▶	<code>\filledmedtriangleright</code>	⊖	<code>\ominus</code>
▦	<code>\boxminus</code>	▲	<code>\filledmedtriangleup</code>	⊕	<code>\oplus</code>
▧	<code>\boxplus</code>	■	<code>\filledsquare</code>	⊗	<code>\oslash</code>
▨	<code>\boxslash</code>	★	<code>\filledstar</code>	⊛	<code>\ostar</code>
▩	<code>\boxtimes</code>	▼	<code>\filledtriangledown</code>	⊗	<code>\otimes</code>
▪	<code>\boxvert</code>	◀	<code>\filledtriangleleft</code>	⊚	<code>\otriangle</code>
◊	<code>\diamondbackslash</code>	▶	<code>\filledtriangleright</code>	⊕	<code>\overt</code>
◈	<code>\diamonddiamond</code>	▲	<code>\filledtriangleup</code>	★	<code>\pentagram</code>
◊	<code>\diamonddot</code>	◇	<code>\meddiamond</code>	◇	<code>\smalldiamond</code>
◊	<code>\diamondminus</code>	□	<code>\medsquare</code>	◻	<code>\smallsquare</code>
◊	<code>\diamondplus</code>	☆	<code>\medstar</code>	★	<code>\smallstar</code>
◊	<code>\diamondslash</code>	▽	<code>\medtriangledown</code>	▼	<code>\smalltriangledown</code>
◊	<code>\diamondtimes</code>	◀	<code>\medtriangleleft</code>	◄	<code>\smalltriangleleft</code>
◊	<code>\diamondvert</code>	▷	<code>\medtriangleright</code>	►	<code>\smalltriangleright</code>
▽	<code>\downslice</code>	△	<code>\medtriangleup</code>	△	<code>\smalltriangleup</code>
◆	<code>\filleddiamond</code>	⊛	<code>\oast</code>	★	<code>\thinstar</code>
■	<code>\filledmedsquare</code>	⊖	<code>\obackslash</code>	△	<code>\upslice</code>

MnSymbol defines `\blacksquare` as a synonym for `\filledmedsquare`; `\square` and `\Box` as synonyms for `\medsquare`; `\diamond` as a synonym for `\smalldiamond`; `\Diamond` as a synonym for `\meddiamond`; `\star` as a synonym for `\thinstar`; `\circledast` as a synonym for `\oast`; `\circledcirc` as a synonym for `\ocirc`; and, `\circleddash` as a synonym for `\ominus`.

TABLE 66: fdsymbol Geometric Binary Operators

▣	<code>\boxbackslash</code>	▼	<code>\medblacktriangledown</code>	⊕	<code>\oplus</code>
▤	<code>\boxbox</code>	◀	<code>\medblacktriangleleft</code>	⊗	<code>\oslash</code>
▥	<code>\boxdot</code>	▶	<code>\medblacktriangleright</code>	⊗	<code>\otimes</code>
▦	<code>\boxminus</code>	▲	<code>\medblacktriangleup</code>	⊕	<code>\overt</code>
▧	<code>\boxplus</code>	○	<code>\medcircle</code>	●	<code>\smallblackcircle</code>
▨	<code>\boxslash</code>	◇	<code>\meddiamond</code>	◆	<code>\smallblackdiamond</code>
▩	<code>\boxtimes</code>	/	<code>\medslash</code>	■	<code>\smallblacksquare</code>
▪	<code>\boxvert</code>	□	<code>\medsquare</code>	★	<code>\smallblackstar</code>
◊	<code>\diamondbackslash</code>	▽	<code>\medtriangledown</code>	▼	<code>\smallblacktriangledown</code>
◊	<code>\diamonddiamond</code>	◀	<code>\medtriangleleft</code>	◄	<code>\smallblacktriangleleft</code>
◊	<code>\diamonddot</code>	▷	<code>\medtriangleright</code>	►	<code>\smallblacktriangleright</code>
◊	<code>\diamondminus</code>	△	<code>\medtriangleup</code>	▲	<code>\smallblacktriangleup</code>
◊	<code>\diamondplus</code>	☆	<code>\medwhitestar</code>	○	<code>\smallcircle</code>
◊	<code>\diamondslash</code>	⊛	<code>\oast</code>	◇	<code>\smalldiamond</code>
◊	<code>\diamondtimes</code>	⊖	<code>\obackslash</code>	◻	<code>\smallsquare</code>
◊	<code>\diamondvert</code>	⊙	<code>\ocirc</code>	▽	<code>\smalltriangledown</code>

(continued on next page)

(continued from previous page)

●	<code>\medblackcircle</code>	⊖	<code>\odash</code>	◁	<code>\smalltriangleleft</code>
◆	<code>\medblackdiamond</code>	⊙	<code>\odot</code>	▷	<code>\smalltriangleright</code>
■	<code>\medblacksquare</code>	⊕	<code>\oequal</code>	△	<code>\smalltriangleup</code>
★	<code>\medblackstar</code>	⊖	<code>\ominus</code>	☆	<code>\smallwhitestar</code>

























































fdsymbol defines synonyms for most of the preceding symbols:

◆	<code>\blackdiamond</code>	◇	<code>\diamond</code>	●	<code>\smbkcircle</code>
▲	<code>\blacktriangle</code>	◇	<code>\Diamond</code>	◆	<code>\smbkdiamond</code>
▼	<code>\blacktriangledown</code>	◇	<code>\diamondbslash</code>	■	<code>\smbklsquare</code>
◀	<code>\blacktriangleleft</code>	◇	<code>\diamondcdot</code>	☆	<code>\smwhitestar</code>
▶	<code>\blacktriangleright</code>	◆	<code>\mdblkdiamond</code>	○	<code>\smwhtcircle</code>
□	<code>\Box</code>	■	<code>\mdblksquare</code>	◇	<code>\smwhtdiamond</code>
▣	<code>\boxbar</code>	●	<code>\mdlgbkcircle</code>	◻	<code>\smwhtsquare</code>
▤	<code>\boxslash</code>	◆	<code>\mdlgbkdiamond</code>	□	<code>\square</code>
▥	<code>\boxdiag</code>	■	<code>\mdlgbklsquare</code>	★	<code>\star</code>
•	<code>\bullet</code>	○	<code>\mdlgwhtcircle</code>	△	<code>\triangle</code>
◦	<code>\circ</code>	◇	<code>\mdlgwhtdiamond</code>	▽	<code>\triangledown</code>
⊗	<code>\circledast</code>	◻	<code>\mdlgwhtsquare</code>	◁	<code>\triangleleft</code>
⊙	<code>\circledcirc</code>	◇	<code>\mdwhtdiamond</code>	▷	<code>\triangleright</code>
⊖	<code>\circleddash</code>	◻	<code>\mdwhtsquare</code>	△	<code>\vartriangle</code>
⊕	<code>\circledequal</code>	★	<code>\medstar</code>		
⊖	<code>\circledvert</code>	⊙	<code>\obslash</code>		

TABLE 67: boisk Geometric Binary Operators

◆	<code>\blacklozenge</code>	▣	<code>\boxright</code>	□	<code>\oblong</code>
■	<code>\blacksquare</code>	▤	<code>\boxslash</code>	⊕	<code>\obot</code>
▲	<code>\blacktriangle</code>	⊗	<code>\boxtimes</code>	⊙	<code>\obslash</code>
▼	<code>\blacktriangledown</code>	▣	<code>\boxtop</code>	⊗	<code>\ogreaterthan</code>
◀	<code>\blacktriangleleft</code>	▤	<code>\boxtriangle</code>	⊕	<code>\oleft</code>
▶	<code>\blacktriangleright</code>	⊗	<code>\circledast</code>	⊖	<code>\olessthan</code>
⊗	<code>\boxast</code>	⊙	<code>\circledcirc</code>	⊖	<code>\ominus</code>
▣	<code>\boxbar</code>	⊖	<code>\circleddash</code>	⊕	<code>\oplus</code>
▣	<code>\boxbot</code>	◇	<code>\diamond</code>	⊕	<code>\oright</code>
▣	<code>\boxbox</code>	⋈	<code>\diamondbar</code>	⊗	<code>\oslash</code>
▤	<code>\boxslash</code>	⊗	<code>\diamondcircle</code>	⊗	<code>\otimes</code>
▣	<code>\boxcircle</code>	⊖	<code>\diamondminus</code>	⊕	<code>\otop</code>
▣	<code>\boxdivision</code>	◇	<code>\diamondop</code>	⊗	<code>\otriangle</code>
□	<code>\boxdot</code>	⊕	<code>\diamondplus</code>	⊗	<code>\ovee</code>
▣	<code>\boxleft</code>	⊗	<code>\diamondtimes</code>	⊗	<code>\owedge</code>
▣	<code>\boxminus</code>	⊗	<code>\diamondtriangle</code>	*	<code>\star</code>
▣	<code>\boxplus</code>	⊖	<code>\obar</code>	▣	<code>\talloblong</code>




























TABLE 68: stix Geometric Binary Operators

	<code>\blackhourglass</code>		<code>\concavediamondtickleft</code>		<code>\oplus</code>
	<code>\boxast</code>		<code>\concavediamondtickright</code>		<code>\oslash</code>
	<code>\boxbar</code>		<code>\diamond</code>		<code>\otimes</code>
	<code>\boxbox</code>		<code>\dsub</code>		<code>\Otimes</code>
	<code>\boxbslash</code>		<code>\hourglass</code>		<code>\otimeshat</code>
	<code>\boxcircle</code>		<code>\lozengeminus</code>		<code>\rsub</code>
	<code>\boxdiag</code>		<code>\mdlgbklklozenge</code>		<code>\smbkcircle</code>
	<code>\boxdot</code>		<code>\mdlgwhtcircle</code>		<code>\star</code>
	<code>\boxminus</code>		<code>\obar</code>		<code>\talloblong</code>
	<code>\boxplus</code>		<code>\obot*</code>		<code>\triangle</code>
	<code>\boxtimes</code>		<code>\obslash</code>		<code>\triangleleftminus</code>
	<code>\circledast</code>		<code>\odiv</code>		<code>\triangleplus</code>
	<code>\circledcirc</code>		<code>\odot</code>		<code>\triangleleftserifs</code>
	<code>\circleddash</code>		<code>\odotslashdot*</code>		<code>\trianglelefttimes</code>
	<code>\circledequal</code>		<code>\ogreaterthan</code>		<code>\vysmbkcircle<sup>†</sup></code>
	<code>\circledparallel</code>		<code>\olcross*</code>		<code>\vysmwhtcircle</code>
	<code>\circledvert</code>		<code>\olessthan</code>		<code>\whitesquaretickleft</code>
	<code>\circlehbar</code>		<code>\ominus</code>		<code>\whitesquaretickright</code>
	<code>\concavediamond</code>		<code>\operp</code>		

\* Defined as an ordinary character, not as a binary relation. However, these symbols more closely resemble the other symbols in this table than they do the geometric shapes presented in Table 372, which is why they are included here.

<sup>†</sup> stix defines `\bullet` as a synonym for `\vysmbkcircle`.

TABLE 69: stix Small Integrals

	<code>\smallawint</code>		<code>\smallintcap</code>		<code>\smalloint</code>
	<code>\smallcirfnint</code>		<code>\smallintclockwise</code>		<code>\smallointctrcclockwise</code>
	<code>\smallfint</code>		<code>\smallintcup</code>		<code>\smallpointint</code>
	<code>\smalliiiint</code>		<code>\smallintlarhk</code>		<code>\smallrrppointint</code>
	<code>\smalliiint</code>		<code>\smallintx</code>		<code>\smallscpointint</code>
	<code>\smalliint</code>		<code>\smallllowint</code>		<code>\smallsqint</code>
	<code>\smallint</code>		<code>\smallnpointint</code>		<code>\smallsumint</code>
	<code>\smallintbar</code>		<code>\smallloiiint</code>		<code>\smallupint</code>
	<code>\smallintBar</code>		<code>\smallloiiint</code>		<code>\smallvarointclockwise</code>

By default, each of the preceding commands points to a slanted version of the glyph, as shown. The `upint` package option typesets each integral instead as an upright version. Slanted and upright integrals can be mixed, however, by explicitly using the commands shown in Table 70.



TABLE 70: stix Small Integrals with Explicit Slant

$\int$	<code>\smallawintsl</code>	$\int$	<code>\smallawintup</code>
$\int$	<code>\smallcirfnintsl</code>	$\int$	<code>\smallcirfnintup</code>
$\int$	<code>\smallfintsl</code>	$\int$	<code>\smallfintup</code>
$\int$	<code>\smalliiiintsl</code>	$\int$	<code>\smalliiiintup</code>
$\int$	<code>\smalliiintsl</code>	$\int$	<code>\smalliiintup</code>
$\int$	<code>\smalliintsl</code>	$\int$	<code>\smalliintup</code>
$\int$	<code>\smallintbarsl</code>	$\int$	<code>\smallintBarup</code>
$\int$	<code>\smallintBarsl</code>	$\int$	<code>\smallintbarup</code>
$\int$	<code>\smallintcapsl</code>	$\int$	<code>\smallintcapup</code>
$\int$	<code>\smallintclockwisesl</code>	$\int$	<code>\smallintclockwiseup</code>
$\int$	<code>\smallintcupsl</code>	$\int$	<code>\smallintcupup</code>
$\int$	<code>\smallintlarhkssl</code>	$\int$	<code>\smallintlarhkup</code>
$\int$	<code>\smallintsl</code>	$\int$	<code>\smallintup</code>
$\int$	<code>\smallintxsl</code>	$\int$	<code>\smallintxup</code>
$\int$	<code>\smalllowintsl</code>	$\int$	<code>\smalllowintup</code>
$\int$	<code>\smallnopolintsl</code>	$\int$	<code>\smallnopolintup</code>
$\int$	<code>\smalllooiintsl</code>	$\int$	<code>\smalllooiintup</code>
$\int$	<code>\smallloointsl</code>	$\int$	<code>\smallloointup</code>
$\int$	<code>\smallointctrlockwisesl</code>	$\int$	<code>\smallointctrlockwiseup</code>
$\int$	<code>\smallointsl</code>	$\int$	<code>\smallointup</code>
$\int$	<code>\smallpointintsl</code>	$\int$	<code>\smallpointintup</code>
$\int$	<code>\smallrppolintsl</code>	$\int$	<code>\smallrppolintup</code>
$\int$	<code>\smallscpolintsl</code>	$\int$	<code>\smallscpolintup</code>
$\int$	<code>\smallsqintsl</code>	$\int$	<code>\smallsqintup</code>
$\int$	<code>\smallsumintsl</code>	$\int$	<code>\smallsumintup</code>
$\int$	<code>\smallupintsl</code>	$\int$	<code>\smallupintup</code>
$\int$	<code>\smallvarointclockwisesl</code>	$\int$	<code>\smallvarointclockwiseup</code>

Instead of using the preceding symbols directly, it is generally preferable to use the symbols listed in Table 69 either with or without the `upint` package option. Specifying `upint` selects each integral’s upright (`up`) variant, while omitting `upint` selects each integral’s slanted (`sl`) variant. Use the symbols shown in Table 70 only when you need to include both upright and slanted variations of a symbol in the same document.

TABLE 71: Variable-sized Math Operators

$\bigcap$	<code>\bigcap</code>	$\bigotimes$	<code>\bigotimes</code>	$\bigwedge$	<code>\bigwedge</code>	$\prod$	<code>\prod</code>
$\bigcup$	<code>\bigcup</code>	$\bigsqcup$	<code>\bigsqcup</code>	$\coprod$	<code>\coprod</code>	$\sum$	<code>\sum</code>
$\bigodot$	<code>\bigodot</code>	$\biguplus$	<code>\biguplus</code>	$\int$	<code>\int</code>		
$\bigoplus$	<code>\bigoplus</code>	$\bigvee$	<code>\bigvee</code>	$\oint$	<code>\oint</code>		

TABLE 72:  $\mathcal{AMS}$  Variable-sized Math Operators

$\iint$	$\iint$	<code>\iint</code>	$\iiint$	$\iiint$	<code>\iiint</code>
$\iiiiiint$	$\iiiiiint$	<code>\iiiiiint</code>	$\int \cdots \int$	$\int \cdots \int$	<code>\idotsint</code>

TABLE 73: `stmaryrd` Variable-sized Math Operators

$\square\square$	<code>\bigbox</code>	$\  \  \ $	<code>\biginterleave</code>	$\sqcap \sqcap$	<code>\bigsqcap</code>
$\Upsilon \Upsilon$	<code>\bigcurlyvee</code>	$\oplus \oplus$	<code>\bignplus</code>	$\nabla \nabla$	<code>\bigtriangledown</code>
$\curlywedge$	<code>\bigcurlywedge</code>	$\  \ $	<code>\bigparallel</code>	$\triangle \triangle$	<code>\bigtriangleup</code>

TABLE 74: `wasysym` Variable-sized Math Operators

$\int \int$	<code>\intint</code>	$\iint \iint$	<code>\iintint</code>	$\iiint \iiint$	<code>\iiintint</code>
$\oint \oint$	<code>\ointint</code>	$\oiint \oiint$	<code>\oiintint</code>		

If `wasysym` is loaded without package options then none of the preceding symbols are defined. However, `\varint` produces `wasysym`'s `\intint` glyph, and `\varoint` produces `wasysym`'s `\ointint` glyph.

If `wasysym` is loaded with the `integrals` option then all of the preceding symbols are defined, but `\varint` and `\varoint` are left undefined.

If `wasysym` is loaded with the `nointegrals` option then none of the preceding symbols, `\varint`, or `\varoint` are defined.

TABLE 75: `mathabx` Variable-sized Math Operators

$\Upsilon \Upsilon$	<code>\bigcurlyvee</code>	$\boxslash \boxslash$	<code>\bigboxslash</code>	$\oplus \oplus$	<code>\bigorright</code>
$\sqcap \sqcap$	<code>\bigsqcap</code>	$\boxtimes \boxtimes$	<code>\bigboxtimes</code>	$\oslash \oslash$	<code>\bigoslash</code>

(continued on next page)

(continued from previous page)

$\bigwedge$	$\backslash\bigcurlywedge$	$\bigboxplus$	$\bigoplus$	$\backslash\bigotop$
$\bigstar$	$\backslash\bigboxasterisk$	$\bigboxtriangleup$	$\bigtriangleup$	$\backslash\bigotriangleup$
$\big\backslash$	$\backslash\bigboxbackslash$	$\bigboxvoid$	$\bigcirc$	$\backslash\bigovoid$
$\bigboxbot$	$\bigcomplement$	$\bigcomplementtop$	$\bigplus$	$\backslash\bigplus$
$\bigboxcirc$	$\bigcirc$	$\biggoasterisk$	$\bigsqcup$	$\backslash\bigsqcupplus$
$\bigboxcoasterisk$	$\big\backslash$	$\biggobackslash$	$\bigtimes$	$\backslash\bigtimes$
$\bigboxdiv$	$\bigoplus$	$\biggobot$	$\iiint$	$\backslash\iiint$
$\bigboxdot$	$\bigodot$	$\biggocirc$	$\iint$	$\backslash\iint$
$\bigboxleft$	$\big\circ$	$\biggocoasterisk$	$\int$	$\backslash\int$
$\bigboxminus$	$\bigodiv$	$\biggodiv$	$\oiint$	$\backslash\oiint$
$\bigboxplus$	$\bigoplus$	$\biggoleft$	$\oint$	$\backslash\oint$
$\bigboxright$	$\bigominus$	$\biggominus$		

TABLE 76: txfonts/pxfonts Variable-sized Math Operators

$\bigcap$	$\bigcap$	$\backslash\bigcapcapplus$	$\oint$	$\oint$	$\backslash\ointclockwise$
$\bigcup$	$\bigcup$	$\backslash\bigcupcupplus$	$\oint$	$\oint$	$\backslash\ointctrlockwise$

(continued on next page)

(continued from previous page)

$f$	$f$	<code>\fint</code>	$\int\int\int$	<code>\sqiiint</code>
$\int\cdots\int$	$\int\cdots\int$	<code>\idotsint</code>	$\int\int$	<code>\sqiint</code>
$\iiint$	$\iiint$	<code>\iiiint</code>	$\int$	<code>\sqint</code>
$\iiint$	$\iiint$	<code>\iiint</code>	$\int\int\int$	<code>\varoiintclockwise</code>
$\iint$	$\iint$	<code>\iint</code>	$\int\int\int$	<code>\varoiintctrlockwise</code>
$\int\int\int$	$\int\int\int$	<code>\oiintclockwise</code>	$\int\int$	<code>\varoiintclockwise</code>
$\int\int\int$	$\int\int\int$	<code>\oiintctrlockwise</code>	$\int\int$	<code>\varoiintctrlockwise</code>
$\int\int\int$	$\int\int\int$	<code>\oiint</code>	$\int$	<code>\varointclockwise</code>
$\int\int$	$\int\int$	<code>\ointclockwise</code>	$\int$	<code>\varointctrlockwise</code>
$\int\int$	$\int\int$	<code>\ointctrlockwise</code>	$\times$	<code>\varprod</code>
$\int\int$	$\int\int$	<code>\oint</code>		

TABLE 77: esint Variable-sized Math Operators

$\int\cdots\int$	$\int\cdots\int$	<code>\dotsint</code>	$\oint$	$\oint$	<code>\ointclockwise</code>
$\int$	$\int$	<code>\fint</code>	$\oint$	$\oint$	<code>\ointctrlockwise</code>
$\iiint$	$\iiint$	<code>\iiiint</code>	$\sqint$	$\sqint$	<code>\sqint</code>
$\iint$	$\iint$	<code>\iint</code>	$\sqint$	$\sqint$	<code>\sqint</code>
$\iint$	$\iint$	<code>\iint</code>	$\varoiint$	$\varoiint$	<code>\varoiint</code>
$\int$	$\int$	<code>\landdowntoint</code>	$\oint$	$\oint$	<code>\varointclockwise</code>
$\int$	$\int$	<code>\landuptoint</code>	$\oint$	$\oint$	<code>\varointctrlockwise</code>
$\oiint$	$\oiint$	<code>\oiint</code>			

TABLE 78: bigints Variable-sized Math Operators

$\int$	$\int$	<code>\bigint</code>	$\oint$	$\oint$	<code>\bigoint</code>
$\int$	$\int$	<code>\bigints</code>	$\oint$	$\oint$	<code>\bigoints</code>
$\int$	$\int$	<code>\bigintss</code>	$\oint$	$\oint$	<code>\bigintss</code>
$\int$	$\int$	<code>\bigintsss</code>	$\oint$	$\oint$	<code>\bigintsss</code>
$\int$	$\int$	<code>\bigintsssss</code>	$\oint$	$\oint$	<code>\bigintsssss</code>

TABLE 79: MnSymbol Variable-sized Math Operators

$\cap$	$\bigcap$	<code>\bigcap</code>	$\ominus$	$\bigominus$	<code>\bigominus</code>	$\complement$	$\complement$	<code>\complement</code>
$\cap\cdot$	$\bigcap\cdot$	<code>\bigcap\cdot</code>	$\oplus$	$\bigoplus$	<code>\bigoplus</code>	$\amalg$	$\amalg$	<code>\coprod</code>
$\cap+$	$\bigcap+$	<code>\bigcapplus</code>	$\oslash$	$\bigoslash$	<code>\bigoslash</code>	$\int\cdots\int$	$\int\cdots\int$	<code>\idotsint</code>
$\bigcirc$	$\bigcirc$	<code>\bigcircle</code>	$\bigstar$	$\bigstar$	<code>\bigstar</code>	$\iiint$	$\iiint$	<code>\iiiint</code>
$\cup$	$\bigcup$	<code>\bigcup</code>	$\bigotimes$	$\bigotimes$	<code>\bigotimes</code>	$\iiint$	$\iiint$	<code>\iiint</code>
$\cup\cdot$	$\bigcup\cdot$	<code>\bigcup\cdot</code>	$\bigtriangleup$	$\bigtriangleup$	<code>\bigtriangleup</code>	$\iint$	$\iint$	<code>\iint</code>
$\cup+$	$\bigcup+$	<code>\bigcupplus*</code>	$\bigodot$	$\bigodot$	<code>\bigodot</code>	$\int$	$\int$	<code>\int</code>
$\curlyvee$	$\bigcurlyvee$	<code>\bigcurlyvee</code>	$+$	$+$	<code>\bigplus</code>	$\int$	$\int$	<code>\landdownint</code>
$\curlyvee\cdot$	$\bigcurlyvee\cdot$	<code>\bigcurlyvee\cdot</code>	$\sqcap$	$\sqcap$	<code>\bigsqcap</code>	$\int$	$\int$	<code>\landupint</code>
$\curlywedge$	$\bigcurlywedge$	<code>\bigcurlywedge</code>	$\sqcap\cdot$	$\sqcap\cdot$	<code>\bigsqcap\cdot</code>	$\oint$	$\oint$	<code>\lcircleleftint</code>
$\curlywedge\cdot$	$\bigcurlywedge\cdot$	<code>\bigcurlywedge\cdot</code>	$\sqcap+$	$\sqcap+$	<code>\bigsqcapplus</code>	$\oint$	$\oint$	<code>\lcircleleftint</code>
$\curlyvee\curlyvee$	$\bigdoublecurlyvee$	<code>\bigdoublecurlyvee</code>	$\sqcup$	$\sqcup$	<code>\bigsqcup</code>	$\oint$	$\oint$	<code>\oint</code>
$\curlywedge\curlywedge$	$\bigdoublecurlywedge$	<code>\bigdoublecurlywedge</code>	$\sqcup\cdot$	$\sqcup\cdot$	<code>\bigsqcup\cdot</code>	$\oint$	$\oint$	<code>\oint</code>
$\curlyvee\vee$	$\bigdoublevee$	<code>\bigdoublevee</code>	$\sqcup+$	$\sqcup+$	<code>\bigsqcupplus</code>	$\prod$	$\prod$	<code>\prod</code>
$\curlywedge\wedge$	$\bigdoublewedge$	<code>\bigdoublewedge</code>	$\times$	$\times$	<code>\bigtimes</code>	$\oint$	$\oint$	<code>\rcircleleftint</code>
$\bigodot$	$\bigodot$	<code>\bigodot</code>	$\vee$	$\vee$	<code>\bigvee</code>	$\oint$	$\oint$	<code>\rcircleleftint</code>
$\bigoslash$	$\bigoslash$	<code>\bigoslash</code>	$\vee\cdot$	$\vee\cdot$	<code>\bigvee\cdot</code>	$\int$	$\int$	<code>\strokedint</code>
$\bigocirc$	$\bigocirc$	<code>\bigocirc</code>	$\wedge$	$\wedge$	<code>\bigwedge</code>	$\Sigma$	$\Sigma$	<code>\sum</code>
$\bigodot\cdot$	$\bigodot\cdot$	<code>\bigodot\cdot</code>	$\wedge\cdot$	$\wedge\cdot$	<code>\bigwedge\cdot</code>	$\int$	$\int$	<code>\sumint</code>

\* MnSymbol defines `\biguplus` as a synonym for `\bigcupplus`.

TABLE 80: fdsymbol Variable-sized Math Operators

$\cap$	$\bigcap$	<code>\bigcap</code>	$\sqcup$	$\bigcup$	<code>\bigcup</code>	$\int$	$\int$	<code>\landupint</code>
$\cap\cdot$	$\bigcap\cdot$	<code>\bigcapdot</code>	$\sqcup\cdot$	$\bigcup\cdot$	<code>\bigcupcupdot</code>	$\oint$	$\oint$	<code>\lcircleleftint</code>
$\cap+$	$\bigcap+$	<code>\bigcapplus</code>	$\sqcup+$	$\bigcup+$	<code>\bigcupcupplus</code>	$\oint$	$\oint$	<code>\rcirclerightint</code>
$\cup$	$\bigcup$	<code>\bigcup</code>	$\times$	$\times$	<code>\bigtimes</code>	$\iiint$	$\iiint$	<code>\oiint</code>
$\cup\cdot$	$\bigcup\cdot$	<code>\bigcupdot</code>	$\vee$	$\vee$	<code>\bigvee</code>	$\oiint$	$\oiint$	<code>\oiint</code>
$\cup+$	$\bigcup+$	<code>\bigcupplus</code>	$\vee\cdot$	$\vee\cdot$	<code>\bigveedot</code>	$\oint$	$\oint$	<code>\oint</code>
$\curlyvee$	$\bigcurlyvee$	<code>\bigcurlyvee</code>	$\wedge$	$\wedge$	<code>\bigwedge</code>	$\sum$	$\sum$	<code>\osum</code>
$\curlywedge$	$\bigcurlywedge$	<code>\bigcurlywedge</code>	$\wedge\cdot$	$\wedge\cdot$	<code>\bigwedgedot</code>	$\prod$	$\prod$	<code>\prod</code>
$\doublevee$	$\bigdoublevee$	<code>\bigdoublevee</code>	$\coprod$	$\coprod$	<code>\coprod</code>	$\oint$	$\oint$	<code>\rcircleleftint</code>
$\doublewedge$	$\bigdoublewedge$	<code>\bigdoublewedge</code>	$\int$	$\int$	<code>\int</code>	$\oint$	$\oint$	<code>\rcirclerightint</code>
$\oast$	$\big\oast$	<code>\big\oast</code>	$\int\cdots\int$	$\int\cdots\int$	<code>\idotsint</code>	$\sum$	$\sum$	<code>\sum</code>
$\odot$	$\bigodot$	<code>\bigodot</code>	$\iiint$	$\iiint$	<code>\iiiint</code>	$\int$	$\int$	<code>\sumint</code>
$\oplus$	$\bigoplus$	<code>\bigoplus</code>	$\iiint$	$\iiint$	<code>\iiint</code>	$\sqcup$	$\sqcup$	<code>\varcoprod</code>
$\otimes$	$\bigotimes$	<code>\bigotimes</code>	$\iint$	$\iint$	<code>\iint</code>	$\sum$	$\sum$	<code>\varosum</code>
$+$	$\bigplus$	<code>\bigplus</code>	$\int$	$\int$	<code>\int</code>	$\prod$	$\prod$	<code>\varprod</code>
$\sqcap$	$\bigsqcap$	<code>\bigsqcap</code>	$\int$	$\int$	<code>\intbar</code>	$\sum$	$\sum$	<code>\varsum</code>
$\sqcap\cdot$	$\bigsqcap\cdot$	<code>\bigsqcapdot</code>	$\int$	$\int$	<code>\intBar</code>	$\int$	$\int$	<code>\varsumint</code>
$\sqcap+$	$\bigsqcap+$	<code>\bigsqcapplus</code>	$\int$	$\int$	<code>\landdownint</code>			

\* `fdsymbol` defines `\awint` as a synonym for `\landdownint`, `\biguplus` as a synonym for `\bigcupplus`, `\conjquant` as a synonym for `\bigdoublewedge`, `\disjquant` as a synonym for `\bigdoublevee`, `\dotsint` as a synonym for `\idotsint`, `\intclockwise` as a synonym for `\landupint`, `\intctrlockwise` as a synonym for `\landdownint`, `\modtwosum` as a synonym for `\osum`, `\ointclockwise` as a synonym for `\lcircleleftint`, `\ointctrlockwise` as a synonym for `\rcirclerightint`, `\varmodtwosum` as a synonym for `\varosum`, `\varointclockwise` as a synonym for `\lcircleleftint`, and `\varointctrlockwise` as a synonym for `\rcircleleftint`.





(continued from previous page)

$\bigwedge$	$\bigwedge$	<code>\bigwedge</code>	$\int$	$\int$	<code>\lowint</code>	$/$	$/$	<code>\xsol</code>
$\oint$	$\oint$	<code>\cirfnint</code>	$\sum$	$\sum$	<code>\modtwosum</code>			
$\mathbb{A}$	$\mathbb{A}$	<code>\conjquant</code>	$\int$	$\int$	<code>\npolint</code>			

By default, each of the integral-producing commands in Table 82 points to a slanted version of the glyph, as shown. The `upint` package option typesets each integral instead as an upright version. Slanted and upright integrals can be mixed, however, by explicitly using the commands shown in Table 83.

TABLE 83: `stix` Integrals with Explicit Slant

$\int$	$\int$	<code>\intsl</code>	$\int$	$\int$	<code>\intup</code>
$\iint$	$\iint$	<code>\iintsl</code>	$\iint$	$\iint$	<code>\iintup</code>
$\iiint$	$\iiint$	<code>\iiintsl</code>	$\iiint$	$\iiint$	<code>\iiintup</code>
$\oint$	$\oint$	<code>\ointsl</code>	$\oint$	$\oint$	<code>\ointup</code>
$\oiint$	$\oiint$	<code>\oiintsl</code>	$\oiint$	$\oiint$	<code>\oiintup</code>
$\oiiint$	$\oiiint$	<code>\oiiintsl</code>	$\oiiint$	$\oiiint$	<code>\oiiintup</code>
$\int$	$\int$	<code>\intclockwisesl</code>	$\int$	$\int$	<code>\intclockwiseup</code>
$\oint$	$\oint$	<code>\varointclockwisesl</code>	$\oint$	$\oint$	<code>\varointclockwiseup</code>
$\oint$	$\oint$	<code>\ointctrclockwisesl</code>	$\oint$	$\oint$	<code>\ointctrclockwiseup</code>
$\sum$	$\sum$	<code>\sumintsl</code>	$\sum$	$\sum$	<code>\sumintup</code>

(continued on next page)

(continued from previous page)

$\iiint$	$\iiint$	<code>\iiiintsl</code>	$\iiint$	$\iiint$	<code>\iiiintup</code>
$\int$	$\int$	<code>\intbarsl</code>	$\int$	$\int$	<code>\intbarup</code>
$\int$	$\int$	<code>\intBarsl</code>	$\int$	$\int$	<code>\intBarup</code>
$\int$	$\int$	<code>\fintsl</code>	$\int$	$\int$	<code>\fintup</code>
$\oint$	$\oint$	<code>\cirfnintsl</code>	$\oint$	$\oint$	<code>\cirfnintup</code>
$\int$	$\int$	<code>\awintsl</code>	$\int$	$\int$	<code>\awintup</code>
$\int$	$\int$	<code>\rppolintsl</code>	$\int$	$\int$	<code>\rppolintup</code>
$\int$	$\int$	<code>\scpolintsl</code>	$\int$	$\int$	<code>\scpolintup</code>
$\int$	$\int$	<code>\npolintsl</code>	$\int$	$\int$	<code>\npolintup</code>
$\oint$	$\oint$	<code>\pointintsl</code>	$\oint$	$\oint$	<code>\pointintup</code>
$\int$	$\int$	<code>\sqintsl</code>	$\int$	$\int$	<code>\sqintup</code>
$\int$	$\int$	<code>\intlarhksl</code>	$\int$	$\int$	<code>\intlarhkup</code>
$\int$	$\int$	<code>\intxsl</code>	$\int$	$\int$	<code>\intxup</code>
$\int$	$\int$	<code>\intcapsl</code>	$\int$	$\int$	<code>\intcapup</code>
$\int$	$\int$	<code>\intcupsl</code>	$\int$	$\int$	<code>\intcupup</code>
$\int$	$\int$	<code>\upintsl</code>	$\int$	$\int$	<code>\upintup</code>
$\int$	$\int$	<code>\lowintsl</code>	$\int$	$\int$	<code>\lowintup</code>

Instead of using the preceding symbols directly, it is generally preferable to use the symbols listed in Table 82 either with or without the `upint` package option. Specifying `upint` selects each integral's upright (`up`) variant, while omitting `upint` selects each integral's slanted (`sl`) variant. Use the symbols shown in Table 83 only when you need to include both upright and slanted variations of a symbol in the same document.

TABLE 84: `mathdesign` Variable-sized Math Operators

$\int$	$\int$	<code>\intclockwise</code>	$\oint$	$\oint$	<code>\ointclockwise</code>
$\iiint$	$\iiint$	<code>\iiiint</code>	$\oiint$	$\oiint$	<code>\oiintctrlockwise</code>
$\iint$	$\iint$	<code>\oiint</code>			

The `mathdesign` package provides three versions of each integral—in fact, of every symbol—to accompany different text fonts: Utopia ( $\int$ ), Garamond ( $\int$ ), and Charter ( $\int$ ).

TABLE 85: `prodint` Variable-sized Math Operators

$\prod$	<code>\prodi</code>	$\prod$	<code>\Prodi</code>	$\prod$	<code>\PRODI</code>
---------	---------------------	---------	---------------------	---------	---------------------

`prodint` currently requires the author to manually specify `\prodi` for inlined expressions ( $\dots$ ), `\Prodi` for displayed math ( $\left[ \dots \right]$ ), and `\PRODI` for displayed math involving tall integrands. The package does not define a product integral command that scales automatically akin to the symbols in Table 71.

TABLE 86: `cmll` Large Math Operators

$\bigarr$	<code>\bigarr*</code>	$\&$	<code>\bigwith</code>
-----------	-----------------------	------	-----------------------

\* `cmll` defines `\biginvamp` as a synonym for `\bigarr`.

TABLE 87: Binary Relations

$\approx$	<code>\approx</code>	$\equiv$	<code>\equiv</code>	$\perp$	<code>\perp</code>	$\smile$	<code>\smile</code>
$\asymp$	<code>\asymp</code>	$\frown$	<code>\frown</code>	$\prec$	<code>\prec</code>	$\succ$	<code>\succ</code>
$\bowtie$	<code>\bowtie</code>	$\Join$	<code>\Join*</code>	$\preceq$	<code>\preceq</code>	$\succeq$	<code>\succeq</code>
$\cong$	<code>\cong</code>	$\mid$	<code>\mid<sup>†</sup></code>	$\propto$	<code>\propto</code>	$\vdash$	<code>\vdash</code>
$\dashv$	<code>\dashv</code>	$\models$	<code>\models</code>	$\sim$	<code>\sim</code>		
$\doteq$	<code>\doteq</code>	$\parallel$	<code>\parallel</code>	$\simeq$	<code>\simeq</code>		

\* Not predefined by the  $\text{\LaTeX} 2_{\epsilon}$  core. Use the `latexsym` package to expose this symbol.

<sup>†</sup> The difference between `\mid` and `|` is that the former is a binary relation while the latter is a math ordinal. Consequently,  $\text{\LaTeX}$  typesets the two with different surrounding spacing. Contrast “ $P(A \mid B)$ ”  $\mapsto$  “ $P(A|B)$ ” with “ $P(A \mid B)$ ”  $\mapsto$  “ $P(A \mid B)$ ”.

TABLE 88:  $\mathcal{AMS}$  Binary Relations

$\approx$	<code>\approxeq</code>	$\#$	<code>\eqcirc</code>	$\rightsquigarrow$	<code>\succapprox</code>
$\backepsilon$	<code>\backepsilon</code>	$\fallingdotseq$	<code>\fallingdotseq</code>	$\succcurlyeq$	<code>\succcurlyeq</code>
$\backsimeq$	<code>\backsimeq</code>	$\multimap$	<code>\multimap</code>	$\succsim$	<code>\succsim</code>
$\backsimeq$	<code>\backsimeq</code>	$\pitchfork$	<code>\pitchfork</code>	$\therefore$	<code>\therefore</code>
$\because$	<code>\because</code>	$\precapprox$	<code>\precapprox</code>	$\thickapprox$	<code>\thickapprox</code>
$\between$	<code>\between</code>	$\preccurlyeq$	<code>\preccurlyeq</code>	$\thicksim$	<code>\thicksim</code>
$\bumpeq$	<code>\bumpeq</code>	$\precsim$	<code>\precsim</code>	$\varpropto$	<code>\varpropto</code>
$\bumpeq$	<code>\bumpeq</code>	$\risingdotseq$	<code>\risingdotseq</code>	$\Vdash$	<code>\Vdash</code>
$\circeq$	<code>\circeq</code>	$\shortmid$	<code>\shortmid</code>	$\vDash$	<code>\vDash</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\shortparallel$	<code>\shortparallel</code>	$\Vvdash$	<code>\Vvdash</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\smallfrown$	<code>\smallfrown</code>		
$\doteqdot$	<code>\doteqdot</code>	$\smallsmile$	<code>\smallsmile</code>		

TABLE 89:  $\mathcal{AMS}$  Negated Binary Relations

$\ncong$	<code>\ncong</code>	$\nshortparallel$	<code>\nshortparallel</code>	$\nVDash$	<code>\nVDash</code>
$\nmid$	<code>\nmid</code>	$\nsim$	<code>\nsim</code>	$\precnapprox$	<code>\precnapprox</code>
$\nparallel$	<code>\nparallel</code>	$\nsucc$	<code>\nsucc</code>	$\precnsim$	<code>\precnsim</code>
$\nprec$	<code>\nprec</code>	$\nsucceq$	<code>\nsucceq</code>	$\succnapprox$	<code>\succnapprox</code>
$\npreceq$	<code>\npreceq</code>	$\nVDash$	<code>\nVDash</code>	$\succnsim$	<code>\succnsim</code>
$\nshortmid$	<code>\nshortmid</code>	$\nvdash$	<code>\nvdash</code>		

TABLE 90: `stmaryrd` Binary Relations

$\inplus$	<code>\inplus</code>	$\niplus$	<code>\niplus</code>
-----------	----------------------	-----------	----------------------

TABLE 91: `wasysym` Binary Relations

$\invneg$	<code>\invneg</code>	$\leadsto$	<code>\leadsto</code>	$\asymp$	<code>\asymp</code>
$\Join$	<code>\Join</code>	$\logof$	<code>\logof</code>		

TABLE 92: txfonts/pxfonts Binary Relations

$\odot$	<code>\circledgtr</code>	$\times$	<code>\lJoin</code>	$\times$	<code>\opentimes</code>
$\ominus$	<code>\circledless</code>	$\times$	<code>\lRtimes</code>	$\perp$	<code>\Perp</code>
$\approx$	<code>\colonapprox</code>	$\circ$	<code>\multimap</code>	$\approx$	<code>\preceqq</code>
$\approx$	<code>\Colonapprox</code>	$\circ$	<code>\multimapboth</code>	$\approx$	<code>\precneqq</code>
$\dot{=}$	<code>\coloneq</code>	$\circ$	<code>\multimapbothvert</code>	$\times$	<code>\rJoin</code>
$\dot{=}$	<code>\Coloneq</code>	$\bullet$	<code>\multimapdot</code>	$\varepsilon$	<code>\strictfi</code>
$\dot{=}$	<code>\Coloneqq</code>	$\bullet$	<code>\multimapdotboth</code>	$\varepsilon$	<code>\strictif</code>
$\dot{=}$	<code>\coloneqq*</code>	$\circ$	<code>\multimapdotbothA</code>	$\varepsilon$	<code>\strictiff</code>
$\dot{\sim}$	<code>\Colonsim</code>	$\circ$	<code>\multimapdotbothAvert</code>	$\approx$	<code>\succeqq</code>
$\dot{\sim}$	<code>\colonsim</code>	$\circ$	<code>\multimapdotbothB</code>	$\approx$	<code>\succneqq</code>
$\dot{=}$	<code>\Eqcolon</code>	$\bullet$	<code>\multimapdotbothBvert</code>	$\parallel$	<code>\varparallel</code>
$\dot{=}$	<code>\eqcolon</code>	$\bullet$	<code>\multimapdotbothvert</code>	$\parallel$	<code>\varparallelinv</code>
$\dot{=}$	<code>\eqqcolon</code>	$\bullet$	<code>\multimapdotinv</code>	$\dashv$	<code>\VvDash</code>
$\dot{=}$	<code>\Eqqcolon</code>	$\circ$	<code>\multimapinv</code>		
$\dot{\sim}$	<code>\eqsim</code>	$\times$	<code>\openJoin</code>		

\* As an alternative to using txfonts/pxfonts, a “:=” symbol can be constructed with “`\mathrel{\mathop:}=`”.

TABLE 93: txfonts/pxfonts Negated Binary Relations

$\not\approx$	<code>\napproxeq</code>	$\not\approx$	<code>\npreccurlyeq</code>	$\not\approx$	<code>\nthickapprox</code>
$\not\asymp$	<code>\nasymp</code>	$\not\approx$	<code>\npreceqq</code>	$\leftarrow$	<code>\ntwoheadleftarrow</code>
$\not\backsim$	<code>\nbacksim</code>	$\not\approx$	<code>\nprecsim</code>	$\rightarrow$	<code>\ntwoheadrightarrow</code>
$\not\backsimeq$	<code>\nbacksimeq</code>	$\not\approx$	<code>\nsimeq</code>	$\#$	<code>\nvarparallel</code>
$\not\bumpeq$	<code>\nbumpeq</code>	$\not\approx$	<code>\nsuccapprox</code>	$\#$	<code>\nvarparallelinv</code>
$\not\Bumpeq$	<code>\nBumpeq</code>	$\not\approx$	<code>\nsucccurlyeq</code>	$\#$	<code>\nVdash</code>
$\not\equiv$	<code>\nequiv</code>	$\not\approx$	<code>\nsucceqq</code>		
$\not\approx$	<code>\nprecapprox</code>	$\not\approx$	<code>\nsucssim</code>		

TABLE 94: mathabx Binary Relations

$\between$	<code>\between</code>	$\mid$	<code>\divides</code>	$\dot{=}$	<code>\risingdotseq</code>
$\dot{=}$	<code>\botdoteq</code>	$\dot{=}$	<code>\dotseq</code>	$\approx$	<code>\succapprox</code>
$\dot{\bumpeq}$	<code>\Bumpedeq</code>	$\dot{\bumpeq}$	<code>\eqbumped</code>	$\succ$	<code>\succcurlyeq</code>
$\dot{\bumpeq}$	<code>\bumpedeq</code>	$\#$	<code>\eqcirc</code>	$\succ$	<code>\sucddot</code>
$\dot{=}$	<code>\circeq</code>	$\dot{=}$	<code>\eqcolon</code>	$\succ$	<code>\sucssim</code>
$\dot{=}$	<code>\coloneq</code>	$\dot{=}$	<code>\fallingdotseq</code>	$\therefore$	<code>\therefore</code>
$\dot{\bumpeq}$	<code>\corresponds</code>	$\succ$	<code>\ggcurly</code>	$\dot{=}$	<code>\topdoteq</code>
$\dot{\lessgtr}$	<code>\curlyeqprec</code>	$\dot{\lessgtr}$	<code>\llcurly</code>	$\dashv$	<code>\vDash</code>
$\dot{\lessgtr}$	<code>\curlyeqsucc</code>	$\approx$	<code>\precapprox</code>	$\dashv$	<code>\Vdash</code>
$\dot{=}$	<code>\DashV</code>	$\dot{\lessgtr}$	<code>\preccurlyeq</code>	$\dashv$	<code>\VDash</code>
$\dot{=}$	<code>\Dashv</code>	$\dot{\lessgtr}$	<code>\precdot</code>	$\dashv$	<code>\Vdash</code>
$\dot{=}$	<code>\dashVv</code>	$\dot{\lessgtr}$	<code>\precsim</code>		

TABLE 95: mathabx Negated Binary Relations

$\napprox$	<code>\napprox</code>	$\nperp$	<code>\notperp</code>	$\nVDash$	<code>\nvDash</code>
$\ncong$	<code>\ncong</code>	$\nprec$	<code>\nprec</code>	$\nVDash$	<code>\nVDash</code>
$\ncurlyeqprec$	<code>\ncurlyeqprec</code>	$\nprecapprox$	<code>\nprecapprox</code>	$\nVDash$	<code>\nVDash</code>
$\ncurlyeqsucc$	<code>\ncurlyeqsucc</code>	$\npreccurlyeq$	<code>\npreccurlyeq</code>	$\nvdash$	<code>\nvdash</code>
$\nDashv$	<code>\nDashv</code>	$\npreceq$	<code>\npreceq</code>	$\nVdash$	<code>\nVdash</code>
$\ndashV$	<code>\ndashV</code>	$\nprecsim$	<code>\nprecsim</code>	$\nprecnapprox$	<code>\precnapprox</code>
$\ndashv$	<code>\ndashv</code>	$\nsim$	<code>\nsim</code>	$\nprecneq$	<code>\precneq</code>
$\nDashV$	<code>\nDashV</code>	$\nsimeq$	<code>\nsimeq</code>	$\nprecnsim$	<code>\precnsim</code>
$\ndashVv$	<code>\ndashVv</code>	$\nsucc$	<code>\nsucc</code>	$\nsuccnapprox$	<code>\succnapprox</code>
$\neq$	<code>\neq</code>	$\nsuccapprox$	<code>\nsuccapprox</code>	$\nsuccneq$	<code>\succneq</code>
$\notasymp$	<code>\notasymp</code>	$\nsucccurlyeq$	<code>\nsucccurlyeq</code>	$\nsuccnsim$	<code>\succnsim</code>
$\notdivides$	<code>\notdivides</code>	$\nsucceq$	<code>\nsucceq</code>		
$\notequiv$	<code>\notequiv</code>	$\nsucsim$	<code>\nsucsim</code>		

The `\changenotsign` command toggles the behavior of `\not` to produce either a vertical or a diagonal slash through a binary operator. Thus, “`$a \not= b$`” can be made to produce either “ $a \nneq b$ ” or “ $a \neq b$ ”.

TABLE 96: MnSymbol Binary Relations

$\approx$	<code>\approx</code>	$\hateq$	<code>\hateq</code>	$\rightpropto$	<code>\rightpropto</code>
$\approxeq$	<code>\approxeq</code>	$\hcrossing$	<code>\hcrossing</code>	$\rightslice$	<code>\rightslice</code>
$\backapprox$	<code>\backapprox</code>	$\leftfootline$	<code>\leftfootline</code>	$\rightVdash$	<code>\rightVdash</code>
$\backapproxeq$	<code>\backapproxeq</code>	$\leftfree$	<code>\leftfree</code>	$\rightvdash$	<code>\rightvdash</code>
$\backcong$	<code>\backcong</code>	$\leftmodels$	<code>\leftmodels</code>	$\risingdotseq$	<code>\risingdotseq</code>
$\backeqsim$	<code>\backeqsim</code>	$\leftModels$	<code>\leftModels</code>	$\sefootline$	<code>\sefootline</code>
$\backsim$	<code>\backsim</code>	$\leftpropto$	<code>\leftpropto</code>	$\sefree$	<code>\sefree</code>
$\backsimeq$	<code>\backsimeq</code>	$\lefttrightline$	<code>\lefttrightline</code>	$\seModels$	<code>\seModels</code>
$\backtriplesim$	<code>\backtriplesim</code>	$\Leftrightline$	<code>\Leftrightline</code>	$\semodels$	<code>\semodels</code>
$\between$	<code>\between</code>	$\leftslice$	<code>\leftslice</code>	$\separated$	<code>\separated</code>
$\bumpeq$	<code>\bumpeq</code>	$\leftVdash$	<code>\leftVdash</code>	$\seVdash$	<code>\seVdash</code>
$\Bumpeq$	<code>\Bumpeq</code>	$\leftvdash$	<code>\leftvdash</code>	$\sevdash$	<code>\sevdash</code>
$\circeq$	<code>\circeq</code>	$\nefootline$	<code>\nefootline</code>	$\shortparallel$	<code>\shortparallel</code>
$\closedequal$	<code>\closedequal</code>	$\nefree$	<code>\nefree</code>	$\sim$	<code>\sim</code>
$\closedprec$	<code>\closedprec</code>	$\neModels$	<code>\neModels</code>	$\simeq$	<code>\simeq</code>
$\closedsucc$	<code>\closedsucc</code>	$\nemodels$	<code>\nemodels</code>	$\succ$	<code>\succ</code>
$\coloneq$	<code>\coloneq</code>	$\neswline$	<code>\neswline</code>	$\succapprox$	<code>\succapprox</code>
$\cong$	<code>\cong</code>	$\Neswline$	<code>\Neswline</code>	$\succcurlyeq$	<code>\succcurlyeq</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\neVdash$	<code>\neVdash</code>	$\succeq$	<code>\succeq</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\nevdash$	<code>\nevdash</code>	$\succsim$	<code>\succsim</code>
$\Doteq$	<code>\Doteq</code>	$\nwfootline$	<code>\nwfootline</code>	$\swfootline$	<code>\swfootline</code>
$\doteq$	<code>\doteq</code>	$\nwfree$	<code>\nwfree</code>	$\swfree$	<code>\swfree</code>
$\downfootline$	<code>\downfootline</code>	$\nwmodels$	<code>\nwmodels</code>	$\swModels$	<code>\swModels</code>

(continued on next page)

(continued from previous page)

$\Downarrow$	<code>\downfree</code>	$\Downarrow$	<code>\nwModels</code>	$\Downarrow$	<code>\swmodels</code>
$\Uparrow$	<code>\downmodels</code>	$\nleftarrow$	<code>\nwsecrossing</code>	$\Downarrow$	<code>\swVdash</code>
$\Uparrow$	<code>\downModels</code>	$\Downarrow$	<code>\Nwseline</code>	$\succ$	<code>\swvdash</code>
$\Downarrow$	<code>\downpropto</code>	$\diagdown$	<code>\nwseline</code>	$\approx$	<code>\triplesim</code>
$\dashv$	<code>\downvdash</code>	$\nleftarrow$	<code>\nwvdash</code>	$\updownarrow$	<code>\updownline</code>
$\Uparrow$	<code>\downVdash</code>	$\Downarrow$	<code>\nwVdash</code>	$\parallel$	<code>\Updownline</code>
$\bumpeq$	<code>\eqbump</code>	$\prec$	<code>\prec</code>	$\uparrow$	<code>\upfootline</code>
$\eqcirc$	<code>\eqcirc</code>	$\approx$	<code>\precapprox</code>	$\uparrow$	<code>\upfree</code>
$\eqdot$	<code>\eqdot</code>	$\prec$	<code>\preccurlyeq</code>	$\parallel$	<code>\upModels</code>
$\eqsim$	<code>\eqsim</code>	$\preceq$	<code>\preceq</code>	$\parallel$	<code>\upmodels</code>
$=$	<code>\equal</code>	$\approx$	<code>\precsim</code>	$\approx$	<code>\uppropto</code>
$\equiv$	<code>\equalclosed</code>	$\uparrow$	<code>\rightfootline</code>	$\perp$	<code>\upvdash</code>
$\equiv$	<code>\equiv</code>	$\rightarrow$	<code>\rightfree</code>	$\perp$	<code>\upVdash</code>
$\equiv$	<code>\equivclosed</code>	$\vDash$	<code>\rightmodels</code>	$\times$	<code>\vcrossing</code>
$\equiv$	<code>\fallingdotseq</code>	$\vDash$	<code>\rightModels</code>	$\equiv$	<code>\Vdash</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

$\dashv$	<code>\dashv</code>	(same as <code>\leftvdash</code> )
$\diagdown$	<code>\diagdown</code>	(same as <code>\nwseline</code> )
$\diagup$	<code>\diagup</code>	(same as <code>\neswline</code> )
$\diagdown$	<code>\divides</code>	(same as <code>\updownline</code> )
$\doteqdot$	<code>\doteqdot</code>	(same as <code>\Doteq</code> )
$\vDash$	<code>\models</code>	(same as <code>\rightmodels</code> )
$\parallel$	<code>\parallel</code>	(same as <code>\Updownline</code> )
$\perp$	<code>\perp</code>	(same as <code>\upvdash</code> )
$\propto$	<code>\propto</code>	(same as <code>\leftpropto</code> )
$\bar{-}$	<code>\relbar</code>	(same as <code>\leftrightline</code> )
$\bar{=}$	<code>\Relbar</code>	(same as <code>\Leftrightarrow</code> )
$\varpropto$	<code>\varpropto</code>	(same as <code>\leftpropto</code> )
$\vDash$	<code>\vDash</code>	(same as <code>\rightmodels</code> )
$\Vdash$	<code>\Vdash</code>	(same as <code>\rightModels</code> )
$\vdash$	<code>\vdash</code>	(same as <code>\rightvdash</code> )
$\Vdash$	<code>\Vdash</code>	(same as <code>\rightVdash</code> )

TABLE 97: MnSymbol Negated Binary Relations

$\napprox$	<code>\napprox</code>	$\nleftarrow$	<code>\nleftfootline</code>	$\nmid$	<code>\nrisingdotseq</code>
$\napprox$	<code>\napprox</code>	$\nleftarrow$	<code>\nleftfree</code>	$\nleftarrow$	<code>\nsefootline</code>
$\napprox$	<code>\nbackapprox</code>	$\nmid$	<code>\nleftmodels</code>	$\nleftarrow$	<code>\nsefree</code>
$\napprox$	<code>\nbackapprox</code>	$\nmid$	<code>\nleftModels</code>	$\nleftarrow$	<code>\nseModels</code>
$\napprox$	<code>\nbackcong</code>	$\nleftarrow$	<code>\nleftrightline</code>	$\nleftarrow$	<code>\nsemodels</code>
$\napprox$	<code>\nbackeqsim</code>	$\nleftarrow$	<code>\nLeftrightarrow</code>	$\nleftarrow$	<code>\nsevdash</code>
$\napprox$	<code>\nbacksim</code>	$\nleftarrow$	<code>\nleftvdash</code>	$\nleftarrow$	<code>\nseVdash</code>

(continued on next page)

(continued from previous page)

⋈	<code>\nbacksimeq</code>	⋈	<code>\nleftVdash</code>	⋈	<code>\nshortmid</code>
⋉	<code>\nbacktriple sim</code>	⋉	<code>\nnefootline</code>	⋈	<code>\nshortparallel</code>
⋊	<code>\nbumpeq</code>	⋊	<code>\nnefree</code>	⋈	<code>\nsim</code>
⋋	<code>\nBumpeq</code>	⋋	<code>\nnemodels</code>	⋈	<code>\nsimeq</code>
⋌	<code>\ncirceq</code>	⋌	<code>\nneModels</code>	⋈	<code>\nsucc</code>
⋍	<code>\nclosedequal</code>	⋍	<code>\nneswline</code>	⋈	<code>\nsuccapprox</code>
⋎	<code>\ncong</code>	⋎	<code>\nNeswline</code>	⋈	<code>\nsucccurlyeq</code>
⋏	<code>\ncurlyeqprec</code>	⋏	<code>\nneVdash</code>	⋈	<code>\nsucceq</code>
⋐	<code>\ncurlyeqsucc</code>	⋐	<code>\nnevDash</code>	⋈	<code>\nsuccsim</code>
⋑	<code>\ndoteq</code>	⋑	<code>\nnwfootline</code>	⋈	<code>\nswfootline</code>
⋒	<code>\nDoteq</code>	⋒	<code>\nnwfree</code>	⋈	<code>\nswfree</code>
⋓	<code>\ndownfootline</code>	⋓	<code>\nnwmodels</code>	⋈	<code>\nswModels</code>
⋔	<code>\ndownfree</code>	⋔	<code>\nnwModels</code>	⋈	<code>\nswmodels</code>
⋕	<code>\ndownModels</code>	⋕	<code>\nNwseline</code>	⋈	<code>\nswvdash</code>
⋖	<code>\ndownmodels</code>	⋖	<code>\nnwseline</code>	⋈	<code>\nswVdash</code>
⋗	<code>\ndownVdash</code>	⋗	<code>\nnwvdash</code>	⋈	<code>\ntriple sim</code>
⋘	<code>\ndownvdash</code>	⋘	<code>\nnwVdash</code>	⋈	<code>\nUpdownline</code>
⋙	<code>\neqbump</code>	⋙	<code>\nprec</code>	⋈	<code>\nupdownline</code>
⋚	<code>\neqcirc</code>	⋚	<code>\nprecapprox</code>	⋈	<code>\nupfootline</code>
⋛	<code>\neqdot</code>	⋛	<code>\npreccurlyeq</code>	⋈	<code>\nupfree</code>
⋜	<code>\neqsim</code>	⋜	<code>\npreceq</code>	⋈	<code>\nupModels</code>
⋝	<code>\nequal</code>	⋝	<code>\nprec sim</code>	⋈	<code>\nupmodels</code>
⋞	<code>\nequalclosed</code>	⋞	<code>\nrightfootline</code>	⋈	<code>\nupVdash</code>
⋟	<code>\nequiv</code>	⋟	<code>\nrightfree</code>	⋈	<code>\nupvdash</code>
⋠	<code>\nequivclosed</code>	⋠	<code>\nrightModels</code>	⋈	<code>\precnapprox</code>
⋡	<code>\neswcrossing</code>	⋡	<code>\nrightmodels</code>	⋈	<code>\precnsim</code>
⋢	<code>\nfallingdotseq</code>	⋢	<code>\nrightvdash</code>	⋈	<code>\succnapprox</code>
⋣	<code>\nhateq</code>	⋣	<code>\nrightVdash</code>	⋈	<code>\succnsim</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

⋈	<code>\ndashv</code>	(same as <code>\nleftvdash</code> )
⋉	<code>\ndiagdown</code>	(same as <code>\nnwseline</code> )
⋊	<code>\ndiagup</code>	(same as <code>\nneswline</code> )
⋋	<code>\ndivides</code>	(same as <code>\nupdownline</code> )
⋌	<code>\ne</code>	(same as <code>\nequal</code> )
⋍	<code>\neq</code>	(same as <code>\nequal</code> )
⋎	<code>\nmid</code>	(same as <code>\nupdownline</code> )
⋏	<code>\nmodels</code>	(same as <code>\nrightmodels</code> )
⋐	<code>\nparallel</code>	(same as <code>\nUpdownline</code> )
⋑	<code>\nperp</code>	(same as <code>\nupvdash</code> )
⋒	<code>\nrelbar</code>	(same as <code>\nleftrightline</code> )
⋓	<code>\nRelbar</code>	(same as <code>\nLeftrightarrow</code> )
⋔	<code>\nvDash</code>	(same as <code>\nrightmodels</code> )
⋕	<code>\nvDash</code>	(same as <code>\nrightvdash</code> )
⋖	<code>\nVDash</code>	(same as <code>\nrightVdash</code> )
⋗	<code>\nVDash</code>	(same as <code>\nrightModels</code> )



TABLE 98: fdsymbol Binary Relations

$\approx$	<code>\approx</code>	$\equiv$	<code>\equiv</code>	$\vDash$	<code>\rightmodels</code>
$\approx\approx$	<code>\approx\approx</code>	$\fallingdotseq$	<code>\fallingdotseq</code>	$\Vdash$	<code>\rightVDash</code>
$\cong$	<code>\backcong</code>	$\frown$	<code>\frown</code>	$\Vdash$	<code>\rightVDash</code>
$\infty$	<code>\backpropto</code>	$\frown\approx$	<code>\frown\approx</code>	$\vdash$	<code>\rightvdash</code>
$\sim$	<code>\backsim</code>	$\frown\smile$	<code>\frown\smile</code>	$\vDash$	<code>\rightvDash</code>
$\simeq$	<code>\backsimeq</code>	$\in$	<code>\in</code>	$\fallingdotseq$	<code>\risingdotseq</code>
$\between$	<code>\between</code>	$\dashv$	<code>\leftassert</code>	$\mid$	<code>\shortmid</code>
$\bowtie$	<code>\bowtie</code>	$\dashv$	<code>\leftAssert</code>	$\parallel$	<code>\shortparallel</code>
$\bumpeq$	<code>\bumpeq</code>	$\dashv$	<code>\leftfootline</code>	$\sim$	<code>\sim</code>
$\Bumpeq$	<code>\Bumpeq</code>	$\dashv$	<code>\leftmodels</code>	$\simeq$	<code>\simeq</code>
$\bumpeq\approx$	<code>\bumpeq\approx</code>	$\dashv$	<code>\leftvdash</code>	$\smile$	<code>\smile</code>
$\circ$	<code>\circeq</code>	$\dashv$	<code>\leftvDash</code>	$\simeq$	<code>\smileeq</code>
$\coloneqq$	<code>\coloneqq</code>	$\dashv$	<code>\leftVDash</code>	$\times$	<code>\smilefrown</code>
$\cong$	<code>\cong</code>	$\dashv$	<code>\leftVDash</code>	$\star$	<code>\stareq</code>
$\times$	<code>\crossing</code>	$\dashv$	<code>\longleftfootline</code>	$\succ$	<code>\succ</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\dashv$	<code>\Longmapsfrom</code>	$\succ\approx$	<code>\succapprox</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\dashv$	<code>\longmapsfrom</code>	$\succ\sim$	<code>\succcurlyeq</code>
$\dashv$	<code>\dashVv</code>	$\dashv$	<code>\longrightfootline</code>	$\succ$	<code>\succeq</code>
$\equiv$	<code>\Ddashv</code>	$\mid$	<code>\mid</code>	$\simeq$	<code>\succeqq</code>
$\dot{\cong}$	<code>\dotcong</code>	$\exists$	<code>\owns</code>	$\succ$	<code>\succsim</code>
$\doteq$	<code>\doteq</code>	$\parallel$	<code>\parallel</code>	$\approx$	<code>\thickapprox</code>
$\doteq\approx$	<code>\Doteq</code>	$\prec$	<code>\prec</code>	$\sim$	<code>\thicksim</code>
$\dotsminusdots$	<code>\dotsminusdots</code>	$\approx$	<code>\precapprox</code>	$\approx$	<code>\triplesim</code>
$\Downarrow$	<code>\downAssert</code>	$\approx$	<code>\preccurlyeq</code>	$\perp$	<code>\upassert</code>
$\Downarrow$	<code>\downassert</code>	$\approx$	<code>\preceq</code>	$\perp$	<code>\upAssert</code>
$\Downarrow$	<code>\downmodels</code>	$\approx$	<code>\preceqq</code>	$\perp$	<code>\upmodels</code>
$\Downarrow$	<code>\downvDash</code>	$\approx$	<code>\precnapprox</code>	$\perp$	<code>\upvdash</code>
$\Downarrow$	<code>\downVDash</code>	$\approx$	<code>\precneq</code>	$\perp$	<code>\upvDash</code>
$\Downarrow$	<code>\downvdash</code>	$\approx$	<code>\precneqq</code>	$\perp$	<code>\upVDash</code>
$\Downarrow$	<code>\downVDash</code>	$\approx$	<code>\precnsim</code>	$\perp$	<code>\upVDash</code>
$\#$	<code>\eqcirc</code>	$\approx$	<code>\precsim</code>	$\equiv$	<code>\vDdash</code>
$\equiv$	<code>\eqcolon</code>	$\propto$	<code>\propto</code>	$\equiv$	<code>\veeeq</code>
$\equiv$	<code>\eqdot</code>	$\vdash$	<code>\rightassert</code>	$\Vdash$	<code>\Vdash</code>
$\approx$	<code>\eqsim</code>	$\Vdash$	<code>\rightAssert</code>	$\cong$	<code>\wedgeeq</code>
$=$	<code>\equal</code>	$\dashv$	<code>\rightfootline</code>		

fdsymbol defines synonyms for many of the preceding symbols:

$\approx$	<code>\approxident</code>	$\dashv$	<code>\dashV</code>	$\vdash$	<code>\shortrighttack</code>
$\cong$	<code>\arceq</code>	$\doteq$	<code>\doteqdot</code>	$\perp$	<code>\shortuptack</code>
$\Vdash$	<code>\Assert</code>	$\equiv$	<code>\eqqcolon</code>	$\sim$	<code>\smallfrown</code>
$\vdash$	<code>\assert</code>	$\cong$	<code>\hateq</code>	$\smile$	<code>\smallsmile</code>
$\asymp$	<code>\asympt</code>	$\bowtie$	<code>\Join</code>	$\propto$	<code>\varpropto</code>
$\bar{\vdash}$	<code>\Barv</code>	$\dashv$	<code>\longdashv</code>	$\perp$	<code>\vBar</code>
$\bar{\vdash}$	<code>\barV</code>	$\vDash$	<code>\models</code>	$\perp$	<code>\Vbar</code>
$\circ$	<code>\closure</code>	$\exists$	<code>\ni</code>	$\vDash$	<code>\vDash</code>
$\equiv$	<code>\coloneqq</code>	$\perp$	<code>\perp</code>	$\Vdash$	<code>\VDash</code>

(continued on next page)

(continued from previous page)

$\dashv$	<code>\dashv</code>	$\propto$	<code>\propfrom</code>	$\Vdash$	<code>\Vdash</code>
$\DashV$	<code>\DashV</code>	$\top$	<code>\shortdowntack</code>	$\vdash$	<code>\vdash</code>
$\Dashv$	<code>\Dashv</code>	$\lrcorner$	<code>\shortlefttack</code>	$\longdash$	<code>\longdash</code>

TABLE 99: fdsymbol Negated Binary Relations

$\backsimeqq$	<code>\backsimeqq</code>	$\notin$	<code>\notin</code>	$\nsim$	<code>\nsim</code>
$\napprox$	<code>\napprox</code>	$\nleftAssert$	<code>\nleftAssert</code>	$\nsimeq$	<code>\nsimeq</code>
$\napproxeq$	<code>\napproxeq</code>	$\nleftassert$	<code>\nleftassert</code>	$\nsmile$	<code>\nsmile</code>
$\nbackcong$	<code>\nbackcong</code>	$\nleftfootline$	<code>\nleftfootline</code>	$\nsmileeq$	<code>\nsmileeq</code>
$\nbacksim$	<code>\nbacksim</code>	$\nleftmodels$	<code>\nleftmodels</code>	$\nsmilefrown$	<code>\nsmilefrown</code>
$\nbacksimeq$	<code>\nbacksimeq</code>	$\nleftvDash$	<code>\nleftvDash</code>	$\nstareq$	<code>\nstareq</code>
$\nbumpeq$	<code>\nbumpeq</code>	$\nleftvdash$	<code>\nleftvdash</code>	$\nsucc$	<code>\nsucc</code>
$\nBumpeq$	<code>\nBumpeq</code>	$\nleftVDash$	<code>\nleftVDash</code>	$\nsuccapprox$	<code>\nsuccapprox</code>
$\nbumpeqq$	<code>\nbumpeqq</code>	$\nleftVDash$	<code>\nleftVDash</code>	$\nsucccurlyeq$	<code>\nsucccurlyeq</code>
$\ncirceq$	<code>\ncirceq</code>	$\nlongleftfootline$	<code>\nlongleftfootline</code>	$\nsucceq$	<code>\nsucceq</code>
$\ncong$	<code>\ncong</code>	$\nLongmapsfrom$	<code>\nLongmapsfrom</code>	$\nsucceqq$	<code>\nsucceqq</code>
$\ncurlyeqprec$	<code>\ncurlyeqprec</code>	$\nlongmapsfrom$	<code>\nlongmapsfrom</code>	$\nsuccsim$	<code>\nsuccsim</code>
$\ncurlyeqsucc$	<code>\ncurlyeqsucc</code>	$\nlongrightfootline$	<code>\nlongrightfootline</code>	$\ntriplesim$	<code>\ntriplesim</code>
$\ndashVv$	<code>\ndashVv</code>	$\nmid$	<code>\nmid</code>	$\nupassert$	<code>\nupassert</code>
$\nDdashv$	<code>\nDdashv</code>	$\nowns$	<code>\nowns</code>	$\nupAssert$	<code>\nupAssert</code>
$\ndoteq$	<code>\ndoteq</code>	$\nparallel$	<code>\nparallel</code>	$\nupmodels$	<code>\nupmodels</code>
$\nDoteq$	<code>\nDoteq</code>	$\nprec$	<code>\nprec</code>	$\nupVDash$	<code>\nupVDash</code>
$\ndownassert$	<code>\ndownassert</code>	$\nprecapprox$	<code>\nprecapprox</code>	$\nupvDash$	<code>\nupvDash</code>
$\ndownAssert$	<code>\ndownAssert</code>	$\npreccurlyeq$	<code>\npreccurlyeq</code>	$\nupVdash$	<code>\nupVdash</code>
$\ndownmodels$	<code>\ndownmodels</code>	$\npreceq$	<code>\npreceq</code>	$\nupvdash$	<code>\nupvdash</code>
$\ndownvdash$	<code>\ndownvdash</code>	$\npreceqq$	<code>\npreceqq</code>	$\nvDdash$	<code>\nvDdash</code>
$\ndownVDash$	<code>\ndownVDash</code>	$\nprecsim$	<code>\nprecsim</code>	$\nvveeq$	<code>\nvveeq</code>
$\ndownvDash$	<code>\ndownvDash</code>	$\nrightassert$	<code>\nrightassert</code>	$\nVvdash$	<code>\nVvdash</code>
$\neqcirc$	<code>\neqcirc</code>	$\nrightAssert$	<code>\nrightAssert</code>	$\nwedgeq$	<code>\nwedgeq</code>
$\neqdot$	<code>\neqdot</code>	$\nrightfootline$	<code>\nrightfootline</code>	$\nprecneq$	<code>\nprecneq</code>
$\neqsim$	<code>\neqsim</code>	$\nrightmodels$	<code>\nrightmodels</code>	$\nprecneqq$	<code>\nprecneqq</code>
$\nequal$	<code>\nequal</code>	$\nrightvdash$	<code>\nrightvdash</code>	$\nsimneqq$	<code>\nsimneqq</code>
$\nequiv$	<code>\nequiv</code>	$\nrightVdash$	<code>\nrightVdash</code>	$\succnapprox$	<code>\succnapprox</code>
$\nfallingdotseq$	<code>\nfallingdotseq</code>	$\nrightvDash$	<code>\nrightvDash</code>	$\succneq$	<code>\succneq</code>
$\nfrown$	<code>\nfrown</code>	$\nrightVDash$	<code>\nrightVDash</code>	$\succneqq$	<code>\succneqq</code>
$\nfrowneg$	<code>\nfrowneg</code>	$\nrisingdotseq$	<code>\nrisingdotseq</code>	$\succnsim$	<code>\succnsim</code>
$\nfrownsmile$	<code>\nfrownsmile</code>	$\nshortmid$	<code>\nshortmid</code>		
		$\nshortparallel$	<code>\nshortparallel</code>		

fdsymbol defines synonyms for many of the preceding symbols:

$\napproxident$	<code>\napproxident</code>	$\ndashV$	<code>\ndashV</code>	$\nshortrighttack$	<code>\nshortrighttack</code>
-----------------	----------------------------	-----------	----------------------	--------------------	-------------------------------

(continued on next page)

(continued from previous page)

$\neq$	<code>\narceq</code>	$\neq$	<code>\ne</code>	$\pm$	<code>\nshortuptack</code>
$\nVdash$	<code>\nAssert</code>	$\neq$	<code>\neq</code>	$\neq$	<code>\nsime</code>
$\nVdash$	<code>\nassert</code>	$\neq$	<code>\nhateq</code>	$\pm$	<code>\nvBar</code>
$\nVdash$	<code>\nasymp</code>	$\dashv$	<code>\nlongdashv</code>	$\pm$	<code>\nVbar</code>
$\nVdash$	<code>\nBarv</code>	$\nmodels$	<code>\nmodels</code>	$\nVdash$	<code>\nVdash</code>
$\nVdash$	<code>\nbarV</code>	$\nni$	<code>\nni</code>	$\nVdash$	<code>\nvDash</code>
$\nVdash$	<code>\nclosure</code>	$\notin$	<code>\notin</code>	$\nVdash$	<code>\nVDash</code>
$\nVdash$	<code>\nDashV</code>	$\nperp$	<code>\nperp</code>	$\nVdash$	<code>\nvdash</code>
$\nVdash$	<code>\nDashv</code>	$\nshortdowntack$	<code>\nshortdowntack</code>	$\nVdash$	<code>\nVlongdash</code>
$\nVdash$	<code>\ndashv</code>	$\nshortlefttack$	<code>\nshortlefttack</code>		

TABLE 100: boisk Binary Relations

$\approx$	<code>\ac</code>	$\parallel$	<code>\fatslash</code>	$\surd$	<code>\scurel</code>
$\approx$	<code>\approxpeq</code>	$\ni$	<code>\forkv</code>	$\mid$	<code>\shortmid</code>
$\approx$	<code>\arceq</code>	$\)$	<code>\frown</code>	$\parallel$	<code>\shortparallel</code>
$\approx$	<code>\backsim</code>	$\ggcurly$	<code>\ggcurly</code>	$\approx$	<code>\simrdots</code>
$\approx$	<code>\backsimeq</code>	$\#$	<code>\hash</code>	$\)$	<code>\smallfrown</code>
$\approx$	<code>\bagmember</code>	$\in$	<code>\inplus</code>	$\)$	<code>\smallsmile</code>
$\approx$	<code>\because</code>	$\sim$	<code>\kernelcontraction</code>	$\)$	<code>\smile</code>
$\approx$	<code>\between</code>	$\llcurly$	<code>\llcurly</code>	$\uparrow$	<code>\strictfi</code>
$\approx$	<code>\bumpeq</code>	$\multimap$	<code>\multimap</code>	$\downarrow$	<code>\strictif</code>
$\approx$	<code>\Bumpeq</code>	$\multimapboth$	<code>\multimapboth</code>	$\approx$	<code>\succapprox</code>
$\approx$	<code>\circeq</code>	$\multimapbothvert$	<code>\multimapbothvert</code>	$\approx$	<code>\succcurlyeq</code>
$\approx$	<code>\CircledEq</code>	$\multimapdot$	<code>\multimapdot</code>	$\approx$	<code>\succnapprox</code>
$\approx$	<code>\cong</code>	$\multimapdotboth$	<code>\multimapdotboth</code>	$\approx$	<code>\succneqq</code>
$\approx$	<code>\corresponds</code>	$\multimapdotbothA$	<code>\multimapdotbothA</code>	$\approx$	<code>\succnsim</code>
$\approx$	<code>\curlyeqprec</code>	$\multimapdotbothAvert$	<code>\multimapdotbothAvert</code>	$\approx$	<code>\succsim</code>
$\approx$	<code>\curlyeqsucc</code>	$\multimapdotbothB$	<code>\multimapdotbothB</code>	$\therefore$	<code>\therefore</code>
$\approx$	<code>\dashV</code>	$\multimapdotbothBvert$	<code>\multimapdotbothBvert</code>	$\approx$	<code>\thickapprox</code>
$\approx$	<code>\DashV</code>	$\multimapdotbothvert$	<code>\multimapdotbothvert</code>	$\approx$	<code>\thicksim</code>
$\approx$	<code>\dashVv</code>	$\multimapdotinv$	<code>\multimapdotinv</code>	$\ni$	<code>\topfork</code>
$\approx$	<code>\dfourier</code>	$\multimapinv$	<code>\multimapinv</code>	$\triangleq$	<code>\triangleq</code>
$\approx$	<code>\Dfourier</code>	$\niplus$	<code>\niplus</code>	$\#$	<code>\varhash</code>
$\approx$	<code>\disin</code>	$\nisd$	<code>\nisd</code>	$\in$	<code>\varisins</code>
$\approx$	<code>\doteq</code>	$\Perp$	<code>\Perp</code>	$\ni$	<code>\varnis</code>
$\approx$	<code>\doteqdot</code>	$\pitchfork$	<code>\pitchfork</code>	$\propto$	<code>\varpropto</code>
$\approx$	<code>\dotminus</code>	$\precapprox$	<code>\precapprox</code>	$\nVdash$	<code>\Vdash</code>
$\approx$	<code>\dotsim</code>	$\preccurlyeq$	<code>\preccurlyeq</code>	$\nVdash$	<code>\vDash</code>
$\approx$	<code>\eqbumped</code>	$\precnapprox$	<code>\precnapprox</code>	$\nVdash$	<code>\VDash</code>
$\approx$	<code>\eqcirc</code>	$\precneqq$	<code>\precneqq</code>	$\approx$	<code>\veeeq</code>
$\approx$	<code>\eqsim</code>	$\precnsim$	<code>\precnsim</code>	$\nVdash$	<code>\Vvdash</code>
$\approx$	<code>\equalparallel</code>	$\precsim$	<code>\precsim</code>	$\approx$	<code>\ztransf</code>

(continued on next page)

(continued from previous page)

$\dot{=}$	<code>\fallingdotseq</code>	$\rightarrow$	<code>\prurel</code>	$\bullet\rightarrow$	<code>\Ztransf</code>
$\backslash$	<code>\fatbslash</code>	$\dot{=}$	<code>\risingdotseq</code>		

TABLE 101: boisi Negated Binary Relations

$\not\cong$	<code>\ncong</code>	$\not\leq$	<code>\npreceq</code>	$\nVdash$	<code>\nVDash</code>
$\neq$	<code>\neq</code>	$\nmid$	<code>\nshortmid</code>	$\nVdash$	<code>\nVdash</code>
$\not\equiv$	<code>\nequiv</code>	$\nparallel$	<code>\nshortparallel</code>	$\nvdash$	<code>\nvdash</code>
$\nmid$	<code>\nmid</code>	$\not\approx$	<code>\nsim</code>	$\nVdash$	<code>\nVDash</code>
$\nparallel$	<code>\nparallel</code>	$\nsucc$	<code>\nsucc</code>		
$\nprec$	<code>\nprec</code>	$\nsucceq$	<code>\nsucceq</code>		

TABLE 102: stix Binary Relations

$\approx$	<code>\approx</code>	$\#$	<code>\eqvparl</code>	$\rightarrow$	<code>\rightfishtail</code>
$\approxeq$	<code>\approxeq</code>	$\dot{=}$	<code>\fallingdotseq</code>	$\Rightarrow$	<code>\rightimply</code>
$\approxeqq$	<code>\approxeqq</code>	$\bowtie$	<code>\fbowtie</code>	$\Upsilon$	<code>\righttail</code>
$\approxident$	<code>\approxident</code>	$\not\subseteq$	<code>\forksnot</code>	$\dot{=}$	<code>\risingdotseq</code>
$\arceq$	<code>\arceq</code>	$\forkv$	<code>\forkv</code>	$\sqsupset$	<code>\rsqhook</code>
$\assert$	<code>\assert</code>	$\frown$	<code>\frown</code>	$\rightarrow$	<code>\ruledelayed</code>
$\asteq$	<code>\asteq</code>	$\gleichstark$	<code>\gleichstark</code>	$\scurel$	<code>\scurel</code>
$\asymp$	<code>\asymp</code>	$\hat{\approx}$	<code>\hatapprox</code>	$\top$	<code>\shortdowntack</code>
$\backcong$	<code>\backcong</code>	$\imgeof$	<code>\imageof</code>	$\dagger$	<code>\shortlefttack</code>
$\backsim$	<code>\backsim</code>	$\in$	<code>\in</code>	$\mid$	<code>\shortmid</code>
$\backsimeq$	<code>\backsimeq</code>	$\in\dot{}$	<code>\isin\dot{}</code>	$\parallel$	<code>\shortparallel</code>
$\baggmember$	<code>\baggmember</code>	$\in E$	<code>\isinE</code>	$\top$	<code>\shortuptack</code>
$\Barv$	<code>\Barv</code>	$\in\bar{}$	<code>\isinobar</code>	$\sim$	<code>\sim</code>
$\bar{V}$	<code>\bar{V}</code>	$\in\text{ins}$	<code>\isins</code>	$\simeq$	<code>\simeq</code>
$\between$	<code>\between</code>	$\in\text{inv}$	<code>\isinvb</code>	$\simeq$	<code>\siminussim</code>
$\bNot$	<code>\bNot</code>	$\kernelcontraction$	<code>\kernelcontraction</code>	$\simeqq$	<code>\simneqq</code>
$\bowtie$	<code>\bowtie</code>	$\leftdbltail$	<code>\leftdbltail</code>	$\sim\dot{}$	<code>\simrdots</code>
$\bumpeq$	<code>\bumpeq</code>	$\leftfishtail$	<code>\leftfishtail</code>	$\smfrown$	<code>\smallfrown</code>
$\bumpeq$	<code>\bumpeq</code>	$\lefttail$	<code>\lefttail</code>	$\smallin$	<code>\smallin</code>
$\bumpeqq$	<code>\bumpeqq</code>	$\lfbowtie$	<code>\lfbowtie</code>	$\smallni$	<code>\smallni</code>
$\cirbot$	<code>\cirbot</code>	$\lftimes$	<code>\lftimes</code>	$\smallsmile$	<code>\smallsmile</code>
$\circeq$	<code>\circeq</code>	$\longdashv$	<code>\longdashv</code>	$\smeparsl$	<code>\smeparsl</code>
$\circ$	<code>\circ</code>	$\lsqhook$	<code>\lsqhook</code>	$\smile$	<code>\smile</code>
$\circ$	<code>\circ</code>	$\measeq$	<code>\measeq</code>	$\stareq$	<code>\stareq</code>
$\Coloneq$	<code>\Coloneq</code>	$\mid$	<code>\mid</code>	$\succ$	<code>\succ</code>

(continued on next page)

(continued from previous page)

$\text{  }$	<code>\coloneq</code>	$\text{  }$	<code>\midcir</code>	$\text{  }$	<code>\Succ</code>
$\text{  }$	<code>\cong</code>	$\text{  }$	<code>\mlcp</code>	$\text{  }$	<code>\succapprox</code>
$\text{  }$	<code>\congdot</code>	$\text{  }$	<code>\models</code>	$\text{  }$	<code>\succcurlyeq</code>
$\text{  }$	<code>\curlyeqprec</code>	$\text{  }$	<code>\multimap</code>	$\text{  }$	<code>\succeq</code>
$\text{  }$	<code>\curlyeqsucc</code>	$\text{  }$	<code>\multimapinv</code>	$\text{  }$	<code>\succeqq</code>
$\text{  }$	<code>\dashcolon</code>	$\text{  }$	<code>\ni</code>	$\text{  }$	<code>\succnapprox</code>
$\text{  }$	<code>\dashv</code>	$\text{  }$	<code>\niobar</code>	$\text{  }$	<code>\succneq</code>
$\text{  }$	<code>\dashV</code>	$\text{  }$	<code>\nis</code>	$\text{  }$	<code>\succneqq</code>
$\text{  }$	<code>\Dashv</code>	$\text{  }$	<code>\nisd</code>	$\text{  }$	<code>\succnsim</code>
$\text{  }$	<code>\DashV</code>	$\text{  }$	<code>\Not</code>	$\text{  }$	<code>\succsim</code>
$\text{  }$	<code>\DashVDash</code>	$\text{  }$	<code>\notchar</code>	$\text{  }$	<code>\thickapprox</code>
$\text{  }$	<code>\dashVdash</code>	$\text{  }$	<code>\origof</code>	$\text{  }$	<code>\thicksim</code>
$\text{  }$	<code>\ddotseq</code>	$\text{  }$	<code>\parallel</code>	$\text{  }$	<code>\topfork</code>
$\text{  }$	<code>\disin</code>	$\text{  }$	<code>\parsim</code>	$\text{  }$	<code>\upfishtail</code>
$\text{  }$	<code>\Doteq</code>	$\text{  }$	<code>\perp</code>	$\text{  }$	<code>\upin</code>
$\text{  }$	<code>\doteq</code>	$\text{  }$	<code>\pitchfork</code>	$\text{  }$	<code>\varisinobar</code>
$\text{  }$	<code>\dotequiv</code>	$\text{  }$	<code>\prec</code>	$\text{  }$	<code>\varisins</code>
$\text{  }$	<code>\dotssim</code>	$\text{  }$	<code>\Prec</code>	$\text{  }$	<code>\varniobar</code>
$\text{  }$	<code>\dotsminusdots</code>	$\text{  }$	<code>\precapprox</code>	$\text{  }$	<code>\varnis</code>
$\text{  }$	<code>\downfishtail</code>	$\text{  }$	<code>\preccurlyeq</code>	$\text{  }$	<code>\varpropto</code>
$\text{  }$	<code>\dualmap</code>	$\text{  }$	<code>\preceq</code>	$\text{  }$	<code>\varVdash</code>
$\text{  }$	<code>\eparsl</code>	$\text{  }$	<code>\preceqq</code>	$\text{  }$	<code>\vBar</code>
$\text{  }$	<code>\eqcirc</code>	$\text{  }$	<code>\precnapprox</code>	$\text{  }$	<code>\Vbar</code>
$\text{  }$	<code>\eqcolon</code>	$\text{  }$	<code>\precneq</code>	$\text{  }$	<code>\vBarv</code>
$\text{  }$	<code>\eqdef</code>	$\text{  }$	<code>\precneqq</code>	$\text{  }$	<code>\Vdash</code>
$\text{  }$	<code>\eqdot</code>	$\text{  }$	<code>\precnsim</code>	$\text{  }$	<code>\vdash</code>
$\text{  }$	<code>\eqeq</code>	$\text{  }$	<code>\precsim</code>	$\text{  }$	<code>\vDash</code>
$\text{  }$	<code>\eqeqeq</code>	$\text{  }$	<code>\propto</code>	$\text{  }$	<code>\VDash</code>
$\text{  }$	<code>\eqqsim</code>	$\text{  }$	<code>\prurel</code>	$\text{  }$	<code>\vDdash</code>
$\text{  }$	<code>\eqsim</code>	$\text{  }$	<code>\pullback</code>	$\text{  }$	<code>\vdots</code>
$\text{  }$	<code>\equalparallel</code>	$\text{  }$	<code>\pushout</code>	$\text{  }$	<code>\veeeq</code>
$\text{  }$	<code>\equiv</code>	$\text{  }$	<code>\questeq</code>	$\text{  }$	<code>\veeonwedge</code>
$\text{  }$	<code>\Equip</code>	$\text{  }$	<code>\revnmid</code>	$\text{  }$	<code>\vertoverlay</code>
$\text{  }$	<code>\equivDD</code>	$\text{  }$	<code>\rfbowtie</code>	$\text{  }$	<code>\vlongdash</code>
$\text{  }$	<code>\equivVert</code>	$\text{  }$	<code>\rftimes</code>	$\text{  }$	<code>\Vvdash</code>
$\text{  }$	<code>\equivVvert</code>	$\text{  }$	<code>\rightdbltail</code>	$\text{  }$	<code>\wedgeeq</code>

stix defines `\owns` as a synonym for `\ni` and `\doteqdot` as a synonym for `\Doteq`.

TABLE 103: stix Negated Binary Relations

$\nexists$	<code>\forks</code>	$\nparallel$	<code>\nhpar</code>	$\nsimeq$	<code>\nsime</code>
$\approx$	<code>\napprox</code>	$\nmid$	<code>\nmid</code>	$\nsucc$	<code>\nsucc</code>
$\approx$	<code>\napproxeqq</code>	$\ncong$	<code>\nni</code>	$\nsucceq$	<code>\nsucceq</code>
$\asymp$	<code>\nasymp</code>	$\notin$	<code>\notin</code>	$\nsucceq$	<code>\nsucceq</code>
$\nbumpeq$	<code>\nbumpeq</code>	$\nparallel$	<code>\nparallel</code>	$\nvarisinobar$	<code>\nvarisinobar</code>
$\nbumpeq$	<code>\nbumpeq</code>	$\nprec$	<code>\nprec</code>	$\nvarniobar$	<code>\nvarniobar</code>
$\ncong$	<code>\ncong</code>	$\npreccurlyeq$	<code>\npreccurlyeq</code>	$\nvDash$	<code>\nvDash</code>
$\ncong$	<code>\ncongdot</code>	$\npreceq$	<code>\npreceq</code>	$\nvdash$	<code>\nvdash</code>
$\neq$	<code>\neq</code>	$\nshortmid$	<code>\nshortmid</code>	$\nVDash$	<code>\nVDash</code>
$\neq$	<code>\neqsim</code>	$\nshortparallel$	<code>\nshortparallel</code>	$\nVdash$	<code>\nVdash</code>
$\nequiv$	<code>\nequiv</code>	$\nsim$	<code>\nsim</code>		

stix defines `\neq` as a synonym for `\neq`, `\simeq` as a synonym for `\simeq`, and `\forksnot` as a synonym for `\forks`.

TABLE 104: mathtools Binary Relations

$\approx$	<code>\Colonapprox</code>	$\coloneq$	<code>\coloneq</code>	$\Eqcolon$	<code>\Eqcolon</code>
$\approx$	<code>\colonapprox</code>	$\colonsim$	<code>\colonsim</code>	$\eqqcolon$	<code>\eqqcolon</code>
$\equiv$	<code>\coloneqq</code>	$\Colonsim$	<code>\Colonsim</code>	$\Eqqcolon$	<code>\Eqqcolon</code>
$\equiv$	<code>\Coloneqq</code>	$\dblcolon$	<code>\dblcolon</code>		
$\equiv$	<code>\Coloneq</code>	$\eqcolon$	<code>\eqcolon</code>		

Similar symbols can be defined using mathtools’s `\vcentcolon`, which produces a colon centered on the font’s math axis:

$$\begin{array}{ccc} \equiv \vcentcolon \equiv & \text{vs.} & \equiv \vcentcolon \equiv \\ \text{"=:="} & & \text{"=\vcentcolon="} \end{array}$$

TABLE 105: turnstile Binary Relations

$\frac{def}{abc}$	<code>\dddtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nntstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\stdtstile{abc}{def}</code>
$\frac{def}{abc}$	<code>\ddststile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nnttstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\sttstile{abc}{def}</code>
$\frac{def}{abc}$	<code>\ddtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nsdtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\sttstile{abc}{def}</code>
$\frac{def}{abc}$	<code>\ddttstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nsststile{abc}{def}</code>	$\frac{def}{abc}$	<code>\stttstile{abc}{def}</code>
$\frac{def}{abc}$	<code>\dndtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nststile{abc}{def}</code>	$\frac{def}{abc}$	<code>\tddtstile{abc}{def}</code>

(continued on next page)

(continued from previous page)

$\left\  \frac{def}{abc} \right\ $	<code>\dnststile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\nsttstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tdststile{abc}{def}</code>
$\left\  \frac{def}{abc} \right\ $	<code>\dntstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ntdtstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tdtstile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dnttstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ntststile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tdttstile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dsdtstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\nttstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tndtstile{abc}{def}</code>
$\left\  \frac{def}{abc} \right\ $	<code>\dsststile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ntttstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\tnststile{abc}{def}</code>
$\left\  \frac{def}{abc} \right\ $	<code>\dststile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\sddtstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\tntstile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dsttstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\sdtstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tnttstile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dtdtstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\sdtstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tsdtstile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dtststile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\sdtstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tsststile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dttstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\sndtstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tststile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dtttstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\snststile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tsttstile{abc}{def}</code>
$\frac{def}{abc} \left\  \right\ $	<code>\nddtstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\sntstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ttdtstile{abc}{def}</code>
$\frac{def}{abc} \left\  \right\ $	<code>\ndststile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\  \right\ $	<code>\snttstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ttststile{abc}{def}</code>
$\frac{def}{abc} \left\  \right\ $	<code>\ndtstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\  \right\ $	<code>\ssdtstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\tttstile{abc}{def}</code>
$\frac{def}{abc} \left\  \right\ $	<code>\ndttstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\  \right\ $	<code>\ssststile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ttttstile{abc}{def}</code>
$\frac{def}{abc} \left\  \right\ $	<code>\nndtstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\  \right\ $	<code>\sststile{abc}{def}</code>		
$\frac{def}{abc} \left\  \right\ $	<code>\nnststile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\  \right\ $	<code>\ssttstile{abc}{def}</code>		

Each of the above takes an optional argument that controls the size of the upper and lower expressions. See the turnstile documentation for more information.

TABLE 106: trsym Binary Relations

$\circ \text{---} \circ$	<code>\InversTransformHoriz</code>	$\circ \text{---} \bullet$	<code>\TransformHoriz</code>
$\circ \text{---} \circ$	<code>\InversTransformVert</code>	$\circ \text{---} \bullet$	<code>\TransformVert</code>

TABLE 107: trfsigns Binary Relations

$\circ\diagup$	<code>\dfourier</code>	$\diagdown\circ$	<code>\Dfourier</code>
$\circ\text{---}$	<code>\fourier</code>	$\text{---}\circ$	<code>\Fourier</code>
$\circ\text{---}\bullet$	<code>\laplace</code>	$\bullet\text{---}\circ$	<code>\Laplace</code>
$\circ\diagup\bullet$	<code>\ztransf</code>	$\bullet\diagdown\circ$	<code>\Ztransf</code>

TABLE 108: cml Binary Relations

$\circ$	<code>\coh</code>	$\frown$	<code>\scoh</code>
$\times$	<code>\incoh</code>	$\smile$	<code>\sincoh</code>
$\perp$	<code>\Perp</code>	$\downarrow$	<code>\simperp</code>
$\circ\leftrightarrow$	<code>\multimapboth</code>		

TABLE 109: colonequals Binary Relations

$\approx$	<code>\approxcolon</code>	$:-$	<code>\coloncolonminus</code>	$=:$	<code>\equalscoloncolon</code>
$\approx::$	<code>\approxcoloncolon</code>	$::\sim$	<code>\coloncolonsim</code>	$-:$	<code>\minuscolon</code>
$:\approx$	<code>\colonapprox</code>	$:=$	<code>\colonequals</code>	$-::$	<code>\minuscoloncolon</code>
$::$	<code>\coloncolon</code>	$:-$	<code>\colonminus</code>	$:$	<code>\ratio</code>
$::\approx$	<code>\coloncolonapprox</code>	$:\sim$	<code>\colonsim</code>	$\sim:$	<code>\simcolon</code>
$::=$	<code>\coloncolonequals</code>	$=:$	<code>\equalscolon</code>	$\sim::$	<code>\simcoloncolon</code>

TABLE 110: fourier Binary Relations

$\#$	<code>\nparallelslant</code>	$//$	<code>\parallelslant</code>
------	------------------------------	------	-----------------------------

TABLE 111: Subset and Superset Relations

$\sqsubset^*$	<code>\sqsubset^*</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\supset$	<code>\supset</code>
$\sqsubseteq$	<code>\sqsubseteq</code>	$\subset$	<code>\subset</code>	$\supseteq$	<code>\supseteq</code>
$\sqsupset^*$	<code>\sqsupset^*</code>	$\subseteq$	<code>\subseteq</code>		

\* Not predefined by the L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> core. Use the latexsym package to expose this symbol.

TABLE 112:  $\mathcal{AMS}$  Subset and Superset Relations

$\not\subseteq$	<code>\nsubseteq</code>	$\subseteq$	<code>\subseteq</code>	$\supsetneq$	<code>\supsetneq</code>
$\not\supseteq$	<code>\nsupseteq</code>	$\subsetneq$	<code>\subsetneq</code>	$\varsubsetneq$	<code>\varsubsetneq</code>
$\not\subseteq$	<code>\nsubseteq</code>	$\subsetneqq$	<code>\subsetneqq</code>	$\varsubsetneqq$	<code>\varsubsetneqq</code>
$\not\supseteq$	<code>\nsupseteq</code>	$\supsetneqq$	<code>\supsetneqq</code>	$\varsupsetneqq$	<code>\varsupsetneqq</code>
$\sqsubset$	<code>\sqsubset</code>	$\Subset$	<code>\Subset</code>	$\supsetneq$	<code>\supsetneq</code>
$\sqsupset$	<code>\sqsupset</code>	$\supseteq$	<code>\supseteq</code>	$\varsupsetneqq$	<code>\varsupsetneqq</code>
$\Subset$	<code>\Subset</code>	$\supsetneq$	<code>\supsetneq</code>		



TABLE 113: stmaryrd Subset and Superset Relations

$\Subset$	<code>\subsetplus</code>	$\supsetplus$	<code>\supsetplus</code>
$\Subseteq$	<code>\subsetpluseq</code>	$\supsetpluseq$	<code>\supsetpluseq</code>

TABLE 114: wasysym Subset and Superset Relations

$\sqsubset$	<code>\sqsubset</code>	$\sqsupset$	<code>\sqsupset</code>
-------------	------------------------	-------------	------------------------

TABLE 115: txfonts/pxfonts Subset and Superset Relations

$\nsqsubset$	<code>\nsqsubset</code>	$\nsqsupseteq$	<code>\nsqsupseteq</code>	$\nSupset$	<code>\nSupset</code>
$\nsqsubseteq$	<code>\nsqsubseteq</code>	$\nSubset$	<code>\nSubset</code>		
$\nsqsupset$	<code>\nsqsupset</code>	$\nsubseteqeq$	<code>\nsubseteqeq</code>		

TABLE 116: mathabx Subset and Superset Relations

$\nsqsubset$	<code>\nsqsubset</code>	$\nsupset$	<code>\nsupset</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\supseteq$	<code>\supseteq</code>
$\nsqSubset$	<code>\nsqSubset</code>	$\nSupset$	<code>\nSupset</code>	$\sqsupseteqq$	<code>\sqsupseteqq</code>	$\supseteqq$	<code>\supseteqq</code>
$\nsqsubseteq$	<code>\nsqsubseteq</code>	$\nsupseteq$	<code>\nsupseteq</code>	$\sqsupsetneq$	<code>\sqsupsetneq</code>	$\supsetneq$	<code>\supsetneq</code>
$\nsqsubseteqq$	<code>\nsqsubseteqq</code>	$\nsupseteqq$	<code>\nsupseteqq</code>	$\sqsupsetneqq$	<code>\sqsupsetneqq</code>	$\supsetneqq$	<code>\supsetneqq</code>
$\nsqsupset$	<code>\nsqsupset</code>	$\sqsubset$	<code>\sqsubset</code>	$\subset$	<code>\subset</code>	$\varsubsetneq$	<code>\varsubsetneq</code>
$\nsqSupset$	<code>\nsqSupset</code>	$\sqSubset$	<code>\sqSubset</code>	$\Subset$	<code>\Subset</code>	$\varsubsetneqq$	<code>\varsubsetneqq</code>
$\nsqsupseteq$	<code>\nsqsupseteq</code>	$\sqsubseteq$	<code>\sqsubseteq</code>	$\subseteq$	<code>\subseteq</code>	$\varsupsetneq$	<code>\varsupsetneq</code>
$\nsqsupseteqq$	<code>\nsqsupseteqq</code>	$\sqsubseteqq$	<code>\sqsubseteqq</code>	$\subseteqq$	<code>\subseteqq</code>	$\varsupsetneqq$	<code>\varsupsetneqq</code>
$\nsubset$	<code>\nsubset</code>	$\sqsubsetneq$	<code>\sqsubsetneq</code>	$\subsetneq$	<code>\subsetneq</code>	$\varsubsetneq$	<code>\varsubsetneq</code>
$\nSubset$	<code>\nSubset</code>	$\sqsubsetneqq$	<code>\sqsubsetneqq</code>	$\subsetneqq$	<code>\subsetneqq</code>	$\varsubsetneqq$	<code>\varsubsetneqq</code>
$\nsubseteq$	<code>\nsubseteq</code>	$\sqsupset$	<code>\sqsupset</code>	$\supset$	<code>\supset</code>	$\varsupsetneq$	<code>\varsupsetneq</code>
$\nsubseteqq$	<code>\nsubseteqq</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\supseteq$	<code>\supseteq</code>	$\varsupsetneqq$	<code>\varsupsetneqq</code>

TABLE 117: MnSymbol Subset and Superset Relations

$\nSqssubset$	<code>\nSqssubset</code>	$\nsubseteq$	<code>\nsubseteq</code>	$\sqsubsetneq$	<code>\sqsubsetneq</code>	$\subseteq$	<code>\subseteq</code>
$\nsqsubset$	<code>\nsqsubset</code>	$\nsubseteqq$	<code>\nsubseteqq</code>	$\sqsubsetneqq$	<code>\sqsubsetneqq</code>	$\subseteqq$	<code>\subseteqq</code>
$\nsqsubseteq$	<code>\nsqsubseteq</code>	$\nSupset$	<code>\nSupset</code>	$\nSqsupset$	<code>\nSqsupset</code>	$\subsetneq$	<code>\subsetneq</code>
$\nsqsubseteqq$	<code>\nsqsubseteqq</code>	$\nsupset$	<code>\nsupset</code>	$\sqsupset$	<code>\sqsupset</code>	$\subsetneqq$	<code>\subsetneqq</code>
$\nSqsupset$	<code>\nSqsupset</code>	$\nsupseteq$	<code>\nsupseteq</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\Supset$	<code>\Supset</code>
$\nsqsupset$	<code>\nsqsupset</code>	$\nsupseteqq$	<code>\nsupseteqq</code>	$\sqsupseteqq$	<code>\sqsupseteqq</code>	$\supset$	<code>\supset</code>
$\nsqsupseteq$	<code>\nsqsupseteq</code>	$\nSqssubset$	<code>\nSqssubset</code>	$\sqsupsetneq$	<code>\sqsupsetneq</code>	$\supseteq$	<code>\supseteq</code>
$\nsqsupseteqq$	<code>\nsqsupseteqq</code>	$\sqsubset$	<code>\sqsubset</code>	$\sqsupsetneqq$	<code>\sqsupsetneqq</code>	$\supseteqq$	<code>\supseteqq</code>
$\nSubset$	<code>\nSubset</code>	$\sqsubseteq$	<code>\sqsubseteq</code>	$\Subset$	<code>\Subset</code>	$\supsetneq$	<code>\supsetneq</code>
$\nsubset$	<code>\nsubset</code>	$\sqsubseteqq$	<code>\sqsubseteqq</code>	$\subset$	<code>\subset</code>	$\supsetneqq$	<code>\supsetneqq</code>

MnSymbol additionally defines `\varsubsetneq` as a synonym for `\subsetneq`, `\varsubsetneqq` as a synonym for `\subsetneqq`, `\varsupsetneq` as a synonym for `\supsetneq`, and `\varsupsetneqq` as a synonym for `\supsetneqq`.

TABLE 118: fdsymbol Subset and Superset Relations

$\not\subseteq$	<code>\nqssubset</code>	$\not\subseteq$	<code>\nsubseteq</code>	$\not\subseteq$	<code>\sqsubsetneq</code>	$\subseteq$	<code>\subseteq</code>
$\not\supseteq$	<code>\nSqssubset</code>	$\not\supseteq$	<code>\nsubseteqqq</code>	$\not\supseteq$	<code>\sqsubsetneqq</code>	$\subseteq$	<code>\subseteqqq</code>
$\not\supset$	<code>\nqssubseteq</code>	$\not\supset$	<code>\nsupset</code>	$\not\supset$	<code>\sqsupset</code>	$\supseteq$	<code>\supseteq</code>
$\not\supseteq$	<code>\nqssubseteqqq</code>	$\not\supseteq$	<code>\nSupset</code>	$\not\supseteq$	<code>\Sqsupset</code>	$\supseteq$	<code>\supseteqqq</code>
$\not\subset$	<code>\nqsusupset</code>	$\not\subset$	<code>\nsupseteq</code>	$\not\subset$	<code>\sqsupseteq</code>	$\supset$	<code>\supset</code>
$\not\supseteq$	<code>\nSqsusupset</code>	$\not\supseteq$	<code>\nsupseteqqq</code>	$\not\supseteq$	<code>\sqsupseteqqq</code>	$\supseteq$	<code>\Supset</code>
$\not\subsetneq$	<code>\nqsusupseteq</code>	$\not\subsetneq$	<code>\sqsubset</code>	$\not\subsetneq$	<code>\sqsupsetneq</code>	$\supseteq$	<code>\supseteq</code>
$\not\supseteq$	<code>\nqsusupseteqqq</code>	$\not\supseteq$	<code>\Sqsubset</code>	$\not\supseteq$	<code>\sqsupsetneqq</code>	$\supseteq$	<code>\supseteqqq</code>
$\subsetneq$	<code>\nsubset</code>	$\subseteq$	<code>\sqsubseteq</code>	$\subsetneq$	<code>\subset</code>	$\supsetneq$	<code>\supsetneq</code>
$\subseteq$	<code>\nSubset</code>	$\subseteq$	<code>\sqsubseteqqq</code>	$\subseteq$	<code>\Subset</code>	$\supsetneq$	<code>\supsetneqq</code>

fdsymbol additionally defines `\varsubsetneqq` as a synonym for `\subsetneqq`, `\varsubsetneq` as a synonym for `\subsetneq`, `\varsupsetneqq` as a synonym for `\supsetneqq`, and `\varsupsetneq` as a synonym for `\supsetneq`.

TABLE 119: boisik Subset and Superset Relations

$\subset$	<code>\nsubset</code>	$\subseteq$	<code>\sqSubset</code>	$\subseteq$	<code>\subsetplus</code>	$\supseteq$	<code>\supsetplus</code>
$\subseteq$	<code>\nsubseteq</code>	$\supseteq$	<code>\sqSupset</code>	$\subseteq$	<code>\subsetpluseq</code>	$\subsetneq$	<code>\varsubsetneq</code>
$\subseteq$	<code>\nsubseteqqq</code>	$\supseteq$	<code>\sqsupset</code>	$\supseteq$	<code>\Supset</code>	$\subsetneq$	<code>\varsubsetneqq</code>
$\supset$	<code>\nsupset</code>	$\subseteq$	<code>\Subset</code>	$\supseteq$	<code>\supseteqqq</code>	$\supsetneq$	<code>\varsupsetneq</code>
$\supseteq$	<code>\nsupseteq</code>	$\subseteq$	<code>\subseteqqq</code>	$\supseteq$	<code>\supsetneq</code>	$\supsetneq$	<code>\varsupsetneqq</code>
$\supseteq$	<code>\nsupseteqqq</code>	$\subsetneq$	<code>\subsetneq</code>	$\supseteq$	<code>\supsetneqq</code>		
$\subsetneq$	<code>\sqsubset</code>	$\subsetneq$	<code>\subsetneqq</code>	$\supseteq$	<code>\supsetplus</code>		

TABLE 120: stix Subset and Superset Relations

$\subset$	<code>\bsolhsb</code>	$\supseteq$	<code>\sqsupseteq</code>	$\supset$	<code>\suphsb</code>
$\subset$	<code>\csub</code>	$\supseteq$	<code>\sqsupsetneq</code>	$\supset$	<code>\suplarr</code>
$\subset$	<code>\csube</code>	$\subseteq$	<code>\subedot</code>	$\supset$	<code>\supmult</code>
$\supset$	<code>\csup</code>	$\supseteq$	<code>\submult</code>	$\supseteq$	<code>\Supset</code>
$\supset$	<code>\csupe</code>	$\supseteq$	<code>\subrarr</code>	$\supset$	<code>\supset</code>
$\leftarrow$	<code>\leftarrowsubset</code>	$\subseteq$	<code>\Subset</code>	$\supseteq$	<code>\supsetapprox</code>
$\not\subset$	<code>\nqssubset</code>	$\subset$	<code>\subset</code>	$\supset$	<code>\supsetcirc*</code>
$\not\subseteq$	<code>\nqssubseteq</code>	$\supseteq$	<code>\subsetapprox</code>	$\supset$	<code>\supsetdot</code>
$\not\supset$	<code>\nqsusupset</code>	$\supseteq$	<code>\subsetcirc*</code>	$\supseteq$	<code>\supseteq</code>
$\not\supseteq$	<code>\nqsusupseteq</code>	$\subseteq$	<code>\subsetdot</code>	$\supseteq$	<code>\supseteqqq</code>
$\subsetneq$	<code>\nsubset</code>	$\subseteq$	<code>\subseteq</code>	$\supseteq$	<code>\supsetneq</code>
$\subseteq$	<code>\nsubseteq</code>	$\subseteq$	<code>\subseteqqq</code>	$\supseteq$	<code>\supsetneqq</code>
$\subseteq$	<code>\nsubseteqqq</code>	$\subsetneq$	<code>\subsetneq</code>	$\supseteq$	<code>\supsetplus</code>
$\supset$	<code>\nsupset</code>	$\supseteq$	<code>\subsetneqq</code>	$\supseteq$	<code>\supsim</code>
$\supseteq$	<code>\nsupseteq</code>	$\supseteq$	<code>\subsetplus</code>	$\supseteq$	<code>\supsub</code>

(continued on next page)

(continued from previous page)

$\supseteq$	<code>\nsupseteqq</code>	$\subset$	<code>\subsim</code>	$\supset$	<code>\supsup</code>
$\supseteq$	<code>\rightarrowsupset</code>	$\subset\subset$	<code>\subsub</code>	$\subsetneq$	<code>\varsubsetneq</code>
$\sqsubset$	<code>\sqsubset</code>	$\supset\supset$	<code>\subsup</code>	$\subsetneqq$	<code>\varsubsetneqq</code>
$\sqsupseteq$	<code>\sqsubseteq</code>	$\supset\subset$	<code>\supdsub</code>	$\supsetneq$	<code>\varsupsetneq</code>
$\sqsubsetneq$	<code>\sqsubsetneq</code>	$\supset\dot{\subset}$	<code>\supedot</code>	$\supsetneqq$	<code>\varsupsetneqq</code>
$\sqsupset$	<code>\sqsupset</code>	$\supset/$	<code>\supsol</code>		

\* Defined as an ordinary character, not as a binary relation.

TABLE 121: Inequalities

$\geq$  `\geq`  $\gg$  `\gg`  $\leq$  `\leq`  $\ll$  `\ll`  $\neq$  `\neq`

TABLE 122:  $\mathcal{AMS}$  Inequalities

$\gtrsim$	<code>\eqslantgtr</code>	$\gtrdot$	<code>\lesseqgtr</code>	$\nlessgtr$	<code>\ngeq</code>
$\lesssim$	<code>\eqslantless</code>	$\gtreqless$	<code>\lesseqqgtr</code>	$\nlessqqgtr$	<code>\ngeqq</code>
$\gtrsim$	<code>\geqq</code>	$\gtreqqless$	<code>\lessgtr</code>	$\nlesslant$	<code>\ngeqslant</code>
$\gtrsim$	<code>\geqslant</code>	$\gtrless$	<code>\lesssim</code>	$\nlessgtr$	<code>\ngtr</code>
$\ggg$	<code>\ggg</code>	$\gtrsim$	<code>\lll</code>	$\nless$	<code>\nleq</code>
$\gtrapprox$	<code>\gnapprox</code>	$\gvertneqq$	<code>\lnapprox</code>	$\nlessqq$	<code>\nleqq</code>
$\gtrneq$	<code>\gneq</code>	$\leqq$	<code>\lneq</code>	$\nlesslant$	<code>\nleqslant</code>
$\gtrneqq$	<code>\gneqq</code>	$\leqslant$	<code>\lneqq</code>	$\nless$	<code>\nless</code>
$\gtrsim$	<code>\gnsim</code>	$\lessapprox$	<code>\lnsim</code>		
$\gtrapprox$	<code>\gtrapprox</code>	$\lessdot$	<code>\lvertneqq</code>		

TABLE 123: wasysym Inequalities

$\gtrsim$  `\apprge`  $\lesssim$  `\apprle`

TABLE 124: txfonts/pxfonts Inequalities

$\ngg$	<code>\ngg</code>	$\ngtrsim$	<code>\ngtrsim</code>	$\nlesssim$	<code>\nlesssim</code>
$\ngtrapprox$	<code>\ngtrapprox</code>	$\nlessapprox$	<code>\nlessapprox</code>	$\nll$	<code>\nll</code>
$\ngtrless$	<code>\ngtrless</code>	$\nlessgtr$	<code>\nlessgtr</code>		

TABLE 125: mathabx Inequalities

$\gtrsim$	<code>\eqslantgtr</code>	$\gtrless$	<code>\gtreqless</code>	$\lessssim$	<code>\lesssim</code>	$\ngtr$	<code>\ngtr</code>
$\lessgtr$	<code>\eqslantless</code>	$\gtreqless$	<code>\gtreqqless</code>	$\ll$	<code>\ll</code>	$\ngtrapprox$	<code>\ngtrapprox</code>
$\geq$	<code>\geq</code>	$\gtrless$	<code>\gtrless</code>	$\lll$	<code>\lll</code>	$\ngtrsim$	<code>\ngtrsim</code>
$\geqq$	<code>\geqq</code>	$\gtrsim$	<code>\gtrsim</code>	$\lnapprox$	<code>\lnapprox</code>	$\nleq$	<code>\nleq</code>
$\gg$	<code>\gg</code>	$\gvertneqq$	<code>\gvertneqq</code>	$\lneq$	<code>\lneq</code>	$\nleqq$	<code>\nleqq</code>
$\ggg$	<code>\ggg</code>	$\leq$	<code>\leq</code>	$\lneqq$	<code>\lneqq</code>	$\nless$	<code>\nless</code>
$\gapprox$	<code>\gapprox</code>	$\leqq$	<code>\leqq</code>	$\lnsim$	<code>\lnsim</code>	$\nlessapprox$	<code>\nlessapprox</code>
$\gneq$	<code>\gneq</code>	$\lessapprox$	<code>\lessapprox</code>	$\lvertneqq$	<code>\lvertneqq</code>	$\nlesssim$	<code>\nlesssim</code>
$\gneqq$	<code>\gneqq</code>	$\lessdot$	<code>\lessdot</code>	$\neqslantgtr$	<code>\neqslantgtr</code>	$\nvargeq$	<code>\nvargeq</code>
$\gnsim$	<code>\gnsim</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\neqslantless$	<code>\neqslantless</code>	$\nvarleq$	<code>\nvarleq</code>
$\gtrapprox$	<code>\gtrapprox</code>	$\lesseqqgtr$	<code>\lesseqqgtr</code>	$\ngeq$	<code>\ngeq</code>	$\vargeq$	<code>\vargeq</code>
$\gtrdot$	<code>\gtrdot</code>	$\lessgtr$	<code>\lessgtr</code>	$\ngeqq$	<code>\ngeqq</code>	$\varleq$	<code>\varleq</code>

`mathabx` defines `\leqslant` and `\le` as synonyms for `\leq`, `\geqslant` and `\ge` as synonyms for `\geq`, `\nleqslant` as a synonym for `\nleq`, and `\ngeqslant` as a synonym for `\ngeq`.

TABLE 126: MnSymbol Inequalities

$\gtrsim$	<code>\eqslantgtr</code>	$\gtrsim$	<code>\gtreqqless</code>	$\lesssim$	<code>\lesssim</code>	$\ngtrless$	<code>\ngtreqlless</code>
$\lessgtr$	<code>\eqslantless</code>	$\gtrless$	<code>\gtrless</code>	$\ll$	<code>\ll</code>	$\ngtrlessslant$	<code>\ngtreqllessslant</code>
$\geq$	<code>\geq</code>	$\gtreqqless$	<code>\gtreqqless</code>	$\lll$	<code>\lll</code>	$\ngtreqqless$	<code>\ngtreqqless</code>
$\geqslant$	<code>\geqclosed</code>	$\gtrsim$	<code>\gtrsim</code>	$\lnapprox$	<code>\lnapprox</code>	$\ngtrless$	<code>\ngtrless</code>
$\geqdot$	<code>\geqdot</code>	$\leq$	<code>\leq</code>	$\lneqq$	<code>\lneqq</code>	$\nleq$	<code>\nleq</code>
$\geqq$	<code>\geqq</code>	$\leqclosed$	<code>\leqclosed</code>	$\lnsim$	<code>\lnsim</code>	$\nleqclosed$	<code>\nleqclosed</code>
$\geqslant$	<code>\geqslant</code>	$\leqdot$	<code>\leqdot</code>	$\neqslantgtr$	<code>\neqslantgtr</code>	$\nleqdot$	<code>\nleqdot</code>
$\geqq$	<code>\geqqslantdot</code>	$\leqq$	<code>\leqq</code>	$\neqslantless$	<code>\neqslantless</code>	$\nleqq$	<code>\nleqq</code>
$\gg$	<code>\gg</code>	$\leqslant$	<code>\leqslant</code>	$\ngeq$	<code>\ngeq</code>	$\nleqslant$	<code>\nleqslant</code>
$\ggg$	<code>\ggg</code>	$\leqqslantdot$	<code>\leqqslantdot</code>	$\ngeqclosed$	<code>\ngeqclosed</code>	$\nleqqslantdot$	<code>\nleqqslantdot</code>
$\gapprox$	<code>\gapprox</code>	$\less$	<code>\less</code>	$\ngeqdot$	<code>\ngeqdot</code>	$\nless$	<code>\nless</code>
$\gneqq$	<code>\gneqq</code>	$\lessapprox$	<code>\lessapprox</code>	$\ngeqq$	<code>\ngeqq</code>	$\nlessclosed$	<code>\nlessclosed</code>
$\gnsim$	<code>\gnsim</code>	$\lessclosed$	<code>\lessclosed</code>	$\ngeqslant$	<code>\ngeqslant</code>	$\nlessdot$	<code>\nlessdot</code>
$\gtr$	<code>\gtr</code>	$\lessdot$	<code>\lessdot</code>	$\ngeqqslantdot$	<code>\ngeqqslantdot</code>	$\nlesseqgtr$	<code>\nlesseqgtr</code>
$\gtrapprox$	<code>\gtrapprox</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\ngg$	<code>\ngg</code>	$\nlesseqgtrslant$	<code>\nlesseqgtrslant</code>
$\gtrclosed$	<code>\gtrclosed</code>	$\lesseqgtrslant$	<code>\lesseqgtrslant</code>	$\nggg$	<code>\nggg</code>	$\nlesseqqgtr$	<code>\nlesseqqgtr</code>
$\gtrdot$	<code>\gtrdot</code>	$\lesseqqgtr$	<code>\lesseqqgtr</code>	$\ngtr$	<code>\ngtr</code>	$\nlessgtr$	<code>\nlessgtr</code>
$\gtreqless$	<code>\gtreqless</code>	$\lessgtr$	<code>\lessgtr</code>	$\ngtrclosed$	<code>\ngtrclosed</code>	$\nll$	<code>\nll</code>
$\gtreqlessslant$	<code>\gtreqlessslant</code>	$\lessneqqgtr$	<code>\lessneqqgtr</code>	$\ngtrdot$	<code>\ngtrdot</code>	$\nlll$	<code>\nlll</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

$\gggtr$	<code>\gggtr</code>	(same as <code>\ggg</code> )
$\gvertneqq$	<code>\gvertneqq</code>	(same as <code>\gneqq</code> )
$\lhd$	<code>\lhd</code>	(same as <code>\lessclosed</code> )
$\lllless$	<code>\lllless</code>	(same as <code>\lll</code> )
$\lvertneqq$	<code>\lvertneqq</code>	(same as <code>\lneqq</code> )
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	(same as <code>\nleqclosed</code> )
$\ntriangleleft$	<code>\ntriangleleft</code>	(same as <code>\nlessclosed</code> )
$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	(same as <code>\ngeqclosed</code> )
$\ntriangleright$	<code>\ntriangleright</code>	(same as <code>\ngtrclosed</code> )
$\rhd$	<code>\rhd</code>	(same as <code>\gtrclosed</code> )
$\trianglelefteq$	<code>\trianglelefteq</code>	(same as <code>\leqclosed</code> )
$\trianglerighteq$	<code>\trianglerighteq</code>	(same as <code>\geqclosed</code> )
$\unlhd$	<code>\unlhd</code>	(same as <code>\leqclosed</code> )
$\unrhd$	<code>\unrhd</code>	(same as <code>\geqclosed</code> )
$\vartriangleleft$	<code>\vartriangleleft</code>	(same as <code>\lessclosed</code> )
$\vartriangleright$	<code>\vartriangleright</code>	(same as <code>\gtrclosed</code> )

TABLE 127: fdsymbol Inequalities

$\succ$	<code>\eqslantgtr</code>	$\simeq$	<code>\leqslantdot</code>	$\napprox$	<code>\ngtrapprox</code>
$\lessgtr$	<code>\eqslantless</code>	$\triangleleft$	<code>\leqslcc</code>	$\nlessgtr$	<code>\ngtrcc</code>
$\geq$	<code>\geq</code>	$<$	<code>\less</code>	$\nlessgtr$	<code>\ngtrclosed</code>
$\geq$	<code>\geqclosed</code>	$\simeq$	<code>\lessapprox</code>	$\nlessgtr$	<code>\ngtrdot</code>
$\geq$	<code>\geqdot</code>	$\triangleleft$	<code>\lesscc</code>	$\nlessgtr$	<code>\ngtreqlless</code>
$\geq$	<code>\geqq</code>	$\triangleleft$	<code>\lessclosed</code>	$\nlessgtr$	<code>\ngtreqqless</code>
$\geq$	<code>\geqslant</code>	$\triangleleft$	<code>\lessdot</code>	$\nlessgtr$	<code>\ngtreqslantless</code>
$\geq$	<code>\geqslantdot</code>	$\simeq$	<code>\lesseqgtr</code>	$\nlessgtr$	<code>\ngtrless</code>
$\geq$	<code>\geqslcc</code>	$\simeq$	<code>\lesseqqgtr</code>	$\nlessgtr$	<code>\ngtrsim</code>
$\gg$	<code>\gg</code>	$\simeq$	<code>\lesseqslantgtr</code>	$\nlessgtr$	<code>\nleq</code>
$\ggg$	<code>\ggg</code>	$\simeq$	<code>\lessgtr</code>	$\nlessgtr$	<code>\nleqclosed</code>
$\gtrsim$	<code>\gnapprox</code>	$\simeq$	<code>\lesssim</code>	$\nlessgtr$	<code>\nleqdot</code>
$\gtrsim$	<code>\gneq</code>	$\ll$	<code>\ll</code>	$\nlessgtr$	<code>\nleqq</code>
$\gtrsim$	<code>\gneqq</code>	$\lll$	<code>\lll</code>	$\nlessgtr$	<code>\nleqslant</code>
$\gtrsim$	<code>\gnsim</code>	$\approx$	<code>\lnapprox</code>	$\nlessgtr$	<code>\nleqslantdot</code>
$>$	<code>\gtr</code>	$\nlessgtr$	<code>\nleq</code>	$\nlessgtr$	<code>\nleqslcc</code>
$\gtrapprox$	<code>\gtrapprox</code>	$\nlessgtr$	<code>\nleqq</code>	$\nlessgtr$	<code>\nless</code>
$\gtrcc$	<code>\gtrcc</code>	$\nlessgtr$	<code>\lnsim</code>	$\nlessgtr$	<code>\nlessapprox</code>
$\gtrclosed$	<code>\gtrclosed</code>	$\nlessgtr$	<code>\neqslantgtr</code>	$\nlessgtr$	<code>\nlesscc</code>
$\gtrdot$	<code>\gtrdot</code>	$\nlessgtr$	<code>\neqslantless</code>	$\nlessgtr$	<code>\nlessclosed</code>
$\gtreqlless$	<code>\gtreqlless</code>	$\nlessgtr$	<code>\ngeq</code>	$\nlessgtr$	<code>\nlessdot</code>
$\gtreqqless$	<code>\gtreqqless</code>	$\nlessgtr$	<code>\ngeqclosed</code>	$\nlessgtr$	<code>\nlesseqgtr</code>
$\gtreqslantless$	<code>\gtreqslantless</code>	$\nlessgtr$	<code>\ngeqdot</code>	$\nlessgtr$	<code>\nlesseqqgtr</code>
$\gtrless$	<code>\gtrless</code>	$\nlessgtr$	<code>\ngeqq</code>	$\nlessgtr$	<code>\nlesseqslantgtr</code>
$\gtrsim$	<code>\gtrsim</code>	$\nlessgtr$	<code>\ngeqslant</code>	$\nlessgtr$	<code>\nlessgtr</code>
$\leq$	<code>\leq</code>	$\nlessgtr$	<code>\ngeqslantdot</code>	$\nlessgtr$	<code>\nlesssim</code>
$\leq$	<code>\leqclosed</code>	$\nlessgtr$	<code>\ngeqslcc</code>	$\nlessgtr$	<code>\nll</code>
$\leq$	<code>\leqdot</code>	$\nlessgtr$	<code>\ngg</code>	$\nlessgtr$	<code>\nlll</code>
$\leq$	<code>\leqq</code>	$\ggg$	<code>\nggg</code>	$\nlessgtr$	
$\leq$	<code>\leqslant</code>	$\nlessgtr$	<code>\ngtr</code>	$\nlessgtr$	

`fdsymbol` defines synonyms for some of the preceding symbols:

$\geq$	<code>\ge</code>	$\leq$	<code>\lesdot</code>	$\nlessgtr$	<code>\ngtcc</code>
$\geq$	<code>\gescc</code>	$\leq$	<code>\lesg</code>	$\nlessgtr$	<code>\ngtreqllesslant</code>
$\geq$	<code>\gesdot</code>	$\leq$	<code>\lesseqgtrslant</code>	$\nlessgtr$	<code>\nlescc</code>
$\geq$	<code>\gesl</code>	$\triangleleft$	<code>\lhd</code>	$\nlessgtr$	<code>\nlesdot</code>
$\ggg$	<code>\gggtr</code>	$\lll$	<code>\lllless</code>	$\nlessgtr$	<code>\nlesg</code>

(continued on next page)

(continued from previous page)

$\triangleright$	<code>\gtcc</code>	$\triangleleft$	<code>\ltcc</code>	$\nlessseqgtrslant$
$\gtrless$	<code>\gtreqlesslant</code>	$\lvertneqq$	<code>\lvertneqq</code>	$\nltcc$
$\gvertneqq$	<code>\gvertneqq</code>	$\ngescc$	<code>\ngescc</code>	$\rhd$
$\leq$	<code>\le</code>	$\ngesdot$	<code>\ngesdot</code>	$\unlhd$
$\lescc$	<code>\lescc</code>	$\ngesl$	<code>\ngesl</code>	$\unrhd$

TABLE 128: boisik Inequalities

$\gtrsim$	<code>\eqslantgtr</code>	$\gtcirc$	<code>\gtcirc</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\ngeq$
$\lesslantless$	<code>\eqslantless</code>	$\gtrapprox$	<code>\gtrapprox</code>	$\lessgtr$	<code>\lessgtr</code>	$\ngeqq$
$\geqq$	<code>\geqq</code>	$\gtreqless$	<code>\gtreqless</code>	$\lesssim$	<code>\lesssim</code>	$\ngeqslant$
$\geqslant$	<code>\geqslant</code>	$\gtreqqlless$	<code>\gtreqqlless</code>	$\lll$	<code>\lll</code>	$\ngtr$
$\ggg$	<code>\ggg</code>	$\gtrless$	<code>\gtrless</code>	$\lnapprox$	<code>\lnapprox</code>	$\nleq$
$\glj$	<code>\glj</code>	$\gtrsim$	<code>\gtrsim</code>	$\lneq$	<code>\lneq</code>	$\nleqq$
$\gnapprox$	<code>\gnapprox</code>	$\gvertneqq$	<code>\gvertneqq</code>	$\lneqq$	<code>\lneqq</code>	$\nleqslant$
$\gneq$	<code>\gneq</code>	$\leqq$	<code>\leqq</code>	$\lnsim$	<code>\lnsim</code>	$\nless$
$\gneqq$	<code>\gneqq</code>	$\leqslant$	<code>\leqslant</code>	$\Lt$	<code>\Lt</code>	
$\gnsim$	<code>\gnsim</code>	$\lessapprox$	<code>\lessapprox</code>	$\ltcirc$	<code>\ltcirc</code>	
$\Gt$	<code>\Gt</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\lvertneqq$	<code>\lvertneqq</code>	

TABLE 129: stix Inequalities

$\egsdot$	<code>\egsdot</code>	$\gtquest$	<code>\gtquest</code>	$\lnsim$
$\elsdot$	<code>\elsdot</code>	$\gtrapprox$	<code>\gtrapprox</code>	$\lsime$
$\eqgtr$	<code>\eqgtr</code>	$\gtrarr$	<code>\gtrarr</code>	$\lsimg$
$\eqless$	<code>\eqless</code>	$\gtrdot$	<code>\gtrdot</code>	$\Lt$
$\eqqgtr$	<code>\eqqgtr</code>	$\gtreqless$	<code>\gtreqless</code>	$\ltcc$
$\eqqlless$	<code>\eqqlless</code>	$\gtreqqlless$	<code>\gtreqqlless</code>	$\ltcirc$
$\eqqslantgtr$	<code>\eqqslantgtr</code>	$\gtrless$	<code>\gtrless</code>	$\ltlarr$
$\eqqslantless$	<code>\eqqslantless</code>	$\gtrsim$	<code>\gtrsim</code>	$\ltquest$
$\eqslantgtr$	<code>\eqslantgtr</code>	$\gvertneqq$	<code>\gvertneqq</code>	$\lvertneqq$
$\eqslantless$	<code>\eqslantless</code>	$\lat$	<code>\lat</code>	$\neqslantgtr$
$\geq$	<code>\geq</code>	$\late$	<code>\late</code>	$\neqslantless$
$\geqq$	<code>\geqq</code>	$\leftarrowless$	<code>\leftarrowless</code>	$\ngeq$

(continued on next page)

(continued from previous page)

$\cong$	<code>\geqqslant</code>	$\leq$	<code>\leq</code>	$\ncong$	<code>\ngeqq</code>
$\supset$	<code>\geqslant</code>	$\leqq$	<code>\leqq</code>	$\ntriangleright$	<code>\ngeqslant</code>
$\triangleright$	<code>\gescc</code>	$\leqqslant$	<code>\leqqslant</code>	$\ntriangleright$	<code>\ngg</code>
$\triangleright$	<code>\gesdot</code>	$\leqslant$	<code>\leqslant</code>	$\ntriangleright$	<code>\ngtr</code>
$\triangleright$	<code>\gesdoto</code>	$\lescc$	<code>\lescc</code>	$\ntriangleright$	<code>\ngtrless</code>
$\triangleright$	<code>\gesdoto1</code>	$\lesdot$	<code>\lesdot</code>	$\ntriangleright$	<code>\ngtrsim</code>
$\cong$	<code>\gesles</code>	$\lesdoto$	<code>\lesdoto</code>	$\nleq$	<code>\nleq</code>
$\triangleright$	<code>\gg</code>	$\lesdotor$	<code>\lesdotor</code>	$\nleqq$	<code>\nleqq</code>
$\ggg$	<code>\ggg</code>	$\lesges$	<code>\lesges</code>	$\nleqqslant$	<code>\nleqqslant</code>
$\gggnest$	<code>\gggnest</code>	$\lessapprox$	<code>\lessapprox</code>	$\nless$	<code>\nless</code>
$\times$	<code>\gla</code>	$\lessdot$	<code>\lessdot</code>	$\nlessgtr$	<code>\nlessgtr</code>
$\cong$	<code>\glE</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\nlesssim$	<code>\nlesssim</code>
$\times$	<code>\glj</code>	$\lesseqqgtr$	<code>\lesseqqgtr</code>	$\nll$	<code>\nll</code>
$\approx$	<code>\gnapprox</code>	$\lessgtr$	<code>\lessgtr</code>	$\partial$	<code>\partialmeetcontraction</code>
$\nlessgtr$	<code>\gneq</code>	$\lessssim$	<code>\lessssim</code>	$\rightarrow$	<code>\rightarrowgtr</code>
$\nlessgtr$	<code>\gneqq</code>	$\lgE$	<code>\lgE</code>	$\cong$	<code>\simE</code>
$\nlessgtr$	<code>\gnsim</code>	$\ll$	<code>\ll</code>	$\triangleright$	<code>\simgtr</code>
$\nlessgtr$	<code>\gsime</code>	$\lll$	<code>\lll</code>	$\cong$	<code>\simlE</code>
$\nlessgtr$	<code>\gsiml</code>	$\lllnest$	<code>\lllnest</code>	$\nless$	<code>\simless</code>
$\nlessgtr$	<code>\Gt</code>	$\lnapprox$	<code>\lnapprox</code>	$\leftarrow$	<code>\smt</code>
$\triangleright$	<code>\gtcc</code>	$\lneq$	<code>\lneq</code>	$\leq$	<code>\smte</code>
$\triangleright$	<code>\gtcir</code>	$\lneqq$	<code>\lneqq</code>		

stix defines `\le` as a synonym for `\leq`, `\ge` as a synonym for `\geq`, `\llless` as a synonym for `\lll`, `\gggtr` as a synonym for `\ggg`, `\nle` as a synonym for `\nleq`, and `\nge` as a synonym for `\ngeq`.

TABLE 130:  $\mathcal{AMS}$  Triangle Relations

$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\ntriangleright$	<code>\ntriangleright</code>	$\triangleright$	<code>\trianglerightrighteq</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\ntrianglerightrighteq$	<code>\ntrianglerightrighteq</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\ntriangleright$	<code>\ntriangleleft</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleright$	<code>\vartriangleright</code>
$\ntriangleright$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>		

TABLE 131: stmaryrd Triangle Relations

$\triangleleft$	<code>\trianglelefteqslant</code>	$\triangleright$	<code>\trianglerightrighteqslant</code>
$\ntriangleright$	<code>\ntrianglelefteqslant</code>	$\ntriangleright$	<code>\ntrianglerightrighteqslant</code>



TABLE 132: mathabx Triangle Relations

$\triangleleft$	<code>\ntriangleleft</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\trianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\triangleright$	<code>\vartriangleright</code>
$\triangleright$	<code>\ntriangleright</code>	$\triangleright$	<code>\triangleright</code>		
$\trianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>		

TABLE 133: MnSymbol Triangle Relations

$\blacktriangledown$	<code>\filledmedtriangledown</code>	$\triangle$	<code>\largetriangleup</code>	$\blacktriangledown$	<code>\smalltriangledown</code>
$\blacktriangleleft$	<code>\filledmedtriangleleft</code>	$\blacktriangledown$	<code>\medtriangledown</code>	$\triangleleft$	<code>\smalltriangleleft</code>
$\blacktriangleright$	<code>\filledmedtriangleright</code>	$\triangleleft$	<code>\medtriangleleft</code>	$\blacktriangleright$	<code>\smalltriangleright</code>
$\blacktriangleup$	<code>\filledmedtriangleup</code>	$\blacktriangleright$	<code>\medtriangleright</code>	$\triangleup$	<code>\smalltriangleup</code>
$\blacktriangledown$	<code>\filledtriangledown</code>	$\triangle$	<code>\medtriangleup</code>	$\trianglelefteq$	<code>\trianglelefteq</code>
$\blacktriangleleft$	<code>\filledtriangleleft</code>	$\neq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>
$\blacktriangleright$	<code>\filledtriangleright</code>	$\triangleleft$	<code>\ntriangleleft</code>	$\trianglerighteq$	<code>\trianglerighteq</code>
$\blacktriangleup$	<code>\filledtriangleup</code>	$\trianglelefteq$	<code>\ntrianglelefteq</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\blacktriangledown$	<code>\largetriangledown</code>	$\blacktriangleright$	<code>\ntriangleright</code>	$\blacktriangleright$	<code>\vartriangleright</code>
$\blacktriangleleft$	<code>\largetriangleleft</code>	$\blacktrianglerighteq$	<code>\ntrianglerighteq</code>		
$\blacktriangleright$	<code>\largetriangleright</code>	$\circ$	<code>\otriangle</code>		

MnSymbol additionally defines synonyms for many of the preceding symbols: `\trianglelefteq` is a synonym for `\trianglelefteq`; `\lhd` and `\lessclosed` are synonyms for `\vartriangleleft`; `\rhd` and `\gtrclosed` are synonyms for `\vartriangleright`; `\unlhd` and `\leqclosed` are synonyms for `\trianglelefteq`; `\unrhd` and `\geqclosed` are synonyms for `\trianglerighteq`; `\blacktriangledown`, `\blacktriangleleft`, `\blacktriangleright`, and `\blacktriangle` [*sic*] are synonyms for, respectively, `\filledmedtriangledown`, `\filledmedtriangleleft`, `\filledmedtriangleright`, and `\filledmedtriangleup`; `\triangleright` is a synonym for `\medtriangleright`; `\triangle`, `\vartriangle`, and `\bigtriangleup` are synonyms for `\medtriangleup`; `\triangleleft` is a synonym for `\medtriangleleft`; `\triangledown` and `\bigtriangledown` are synonyms for `\medtriangledown`; `\nlessclosed` is a synonym for `\ntriangleleft`; `\ngtrclosed` is a synonym for `\ntriangleright`; `\nleqclosed` is a synonym for `\ntrianglelefteq`; and `\ngeqclosed` is a synonym for `\ntrianglerighteq`.

The title “Triangle Relations” is a bit of a misnomer here as only `\trianglelefteq` and `\ntrianglelefteq` are defined as T<sub>E</sub>X relations (class 3 symbols). The `\largetriangle...` symbols are defined as T<sub>E</sub>X “ordinary” characters (class 0) and all of the remaining characters are defined as T<sub>E</sub>X binary operators (class 2).

TABLE 134: fdsymbol Triangle Relations

$\triangleright$	<code>\geqclosed</code>	$\nabla$	<code>\medtriangledown</code>	$\blacktriangleleft$	<code>\smallblacktriangleleft</code>
$\triangleright$	<code>\gtrclosed</code>	$\triangleleft$	<code>\medtriangleleft</code>	$\blacktriangleright$	<code>\smallblacktriangleright</code>
$\nabla$	<code>\largetriangledown</code>	$\triangleright$	<code>\medtriangleright</code>	$\blacktriangleup$	<code>\smallblacktriangleup</code>
$\triangle$	<code>\largetriangleup</code>	$\triangle$	<code>\medtriangleup</code>	$\nabla$	<code>\smalltriangledown</code>
$\trianglelefteq$	<code>\leqclosed</code>	$\ntrianglelefteq$	<code>\ngeqclosed</code>	$\triangleleft$	<code>\smalltriangleleft</code>
$\triangleleft$	<code>\lessclosed</code>	$\ntriangleright$	<code>\ngtrclosed</code>	$\triangleright$	<code>\smalltriangleright</code>
$\blacktriangledown$	<code>\medblacktriangledown</code>	$\nleqclosed$	<code>\nleqclosed</code>	$\triangle$	<code>\smalltriangleup</code>
$\blacktriangleleft$	<code>\medblacktriangleleft</code>	$\nlessclosed$	<code>\nlessclosed</code>	$\trianglelefteq$	<code>\trianglelefteq</code>
$\blacktriangleright$	<code>\medblacktriangleright</code>	$\ntrianglelefteq$	<code>\ntrianglelefteq</code>		
$\blacktriangleup$	<code>\medblacktriangleup</code>	$\nsmallblacktriangledown$	<code>\nsmallblacktriangledown</code>		

fdsymbol defines synonyms for almost all of the preceding symbols:

$\nabla$	<code>\bigtriangledown</code>	$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>
$\triangle$	<code>\bigtriangleup</code>	$\ntriangleright$	<code>\ntriangleright</code>	$\triangleright$	<code>\triangleright</code>
$\blacktriangle$	<code>\blacktriangle</code>	$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>
$\blacktriangledown$	<code>\blacktriangledown</code>	$\triangle$	<code>\triangle</code>	$\triangle$	<code>\vartriangle</code>
$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\ntriangledown$	<code>\ntriangledown</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleright$	<code>\vartriangleright</code>
$\ntriangleleft$	<code>\ntriangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>		

The title “Triangle Relations” is a bit of a misnomer here as only `\trianglelefteq` and `\ntrianglelefteq` are defined as  $\TeX$  relations (class 3 symbols). The `\largetriangle...` symbols are defined as  $\TeX$  “ordinary” characters (class 0) and all of the remaining characters are defined as  $\TeX$  binary operators (class 2).

TABLE 135: boisik Triangle Relations

$\ntriangleleft$	<code>\ntriangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\vartriangleleft$	<code>\vartriangleleft</code>
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteqslant$	<code>\trianglelefteqslant</code>	$\triangle$	<code>\vartriangle</code>
$\ntriangleright$	<code>\ntriangleright</code>	$\triangleright$	<code>\triangleright</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>	$\triangleright$	<code>\vartriangleright</code>
$\triangleleft$	<code>\triangleleft</code>	$\trianglerighteqslant$	<code>\trianglerighteqslant</code>		

TABLE 136: stix Triangle Relations

$\trianglelefteq$	<code>\ltrianglelefteq</code>	$\nvartriangleright$	<code>\nvartriangleright</code>	$\triangle$	<code>\vartriangle</code>
$\triangleleft$	<code>\ltrivb</code>	$\ntriltri$	<code>\ntriltri</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\triangleright$	<code>\vartriangleright</code>
$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\triangleright$	<code>\vbrtri</code>
$\nvartriangleleft$	<code>\nvartriangleleft</code>	$\trianglerighteq$	<code>\trianglerighteq</code>		

TABLE 137: Arrows

$\Downarrow$	<code>\Downarrow</code>	$\longleftarrow$	<code>\longleftarrow</code>	$\nwarrow$	<code>\nwarrow</code>
$\downarrow$	<code>\downarrow</code>	$\Longleftarrow$	<code>\Longleftarrow</code>	$\Rightarrow$	<code>\Rightarrow</code>
$\hookleftarrow$	<code>\hookleftarrow</code>	$\longleftrightarrow$	<code>\longleftrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\Longleftrightarrow$	<code>\Longleftrightarrow</code>	$\searrow$	<code>\searrow</code>
$\leadsto$	<code>\leadsto*</code>	$\mapsto$	<code>\mapsto</code>	$\swarrow$	<code>\swarrow</code>
$\leftarrow$	<code>\leftarrow</code>	$\Longrightarrow$	<code>\Longrightarrow</code>	$\uparrow$	<code>\uparrow</code>
$\Leftarrow$	<code>\Leftarrow</code>	$\longrightarrow$	<code>\longrightarrow</code>	$\Uparrow$	<code>\Uparrow</code>
$\Leftrightarrow$	<code>\Leftrightarrow</code>	$\mapsto$	<code>\mapsto</code>	$\Updownarrow$	<code>\Updownarrow</code>
$\leftrightharpoonup$	<code>\leftrightharpoonup</code>	$\nearrow$	<code>\nearrow</code> <sup>†</sup>	$\Downarrow$	<code>\Downarrow</code>

\* Not predefined by the  $\text{\LaTeX} 2_{\epsilon}$  core. Use the `latexsym` package to expose this symbol.

† See the note beneath Table 236 for information about how to put a diagonal arrow across a mathematical expression (as in “ $\nabla \cdot \overset{0}{B}$ ”).

TABLE 138: Harpoons

$\leftharpoondown$	<code>\leftharpoondown</code>	$\rightharpoondown$	<code>\rightharpoondown</code>	$\rightleftharpoons$	<code>\rightleftharpoons</code>
$\leftharpoonup$	<code>\leftharpoonup</code>	$\rightharpoonup$	<code>\rightharpoonup</code>		

TABLE 139: `textcomp` Text-mode Arrows

$\downarrow$	<code>\textdownarrow</code>	$\rightarrow$	<code>\textrightarrow</code>
$\leftarrow$	<code>\textleftarrow</code>	$\uparrow$	<code>\textuparrow</code>

TABLE 140:  $\mathcal{AMS}$  Arrows

$\circlearrowleft$	<code>\circlearrowleft</code>	$\leftleftarrows$	<code>\leftleftarrows</code>	$\rightleftarrows$	<code>\rightleftarrows</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\leftrightarrows$	<code>\leftrightarrows</code>	$\rightrightarrows$	<code>\rightrightarrows</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\Lleftarrow$	<code>\Lleftarrow</code>	$\Rsh$	<code>\Rsh</code>
$\dashleftarrow$	<code>\dashleftarrow</code>	$\looparrowleft$	<code>\looparrowleft</code>	$\twoheadleftarrow$	<code>\twoheadleftarrow</code>
$\dashrightarrow$	<code>\dashrightarrow</code>	$\looparrowright$	<code>\looparrowright</code>	$\twoheadrightarrow$	<code>\twoheadrightarrow</code>
$\downdownarrows$	<code>\downdownarrows</code>	$\Lsh$	<code>\Lsh</code>	$\upuparrows$	<code>\upuparrows</code>
$\leftarrowtail$	<code>\leftarrowtail</code>	$\rightarrowtail$	<code>\rightarrowtail</code>		

TABLE 141:  $\mathcal{AMS}$  Negated Arrows

$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nleftrightarrow$	<code>\nleftrightarrow</code>
$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nleftrightarrow$	<code>\nleftrightarrow</code>

TABLE 142:  $\mathcal{AMS}$  Harpoons

$\downarrow$	<code>\downharpoonleft</code>	$\Leftrightarrow$	<code>\leftrightharpoons</code>	$\uparrow$	<code>\upharpoonleft</code>
$\downarrow$	<code>\downharpoonright</code>	$\Rrightarrow$	<code>\rightleftharpoons</code>	$\uparrow$	<code>\upharpoonright</code>

TABLE 143: `stmaryd` Arrows

$\leftarrow$	<code>\leftarrowtriangle</code>	$\Leftarrow$	<code>\Mapsfrom</code>	$\leftarrow$	<code>\shortleftarrow</code>
$\Leftrightarrow$	<code>\leftrightharweq</code>	$\leftarrow$	<code>\mapsfrom</code>	$\rightarrow$	<code>\shortrightarrow</code>
$\leftrightarrow$	<code>\leftrighthartriangle</code>	$\Rightarrow$	<code>\Mapsto</code>	$\uparrow$	<code>\shortuparrow</code>
$\lightning$	<code>\lightning</code>	$\nearrow$	<code>\nnearrow</code>	$\searrow$	<code>\ssearrow</code>
$\Longleftarrow$	<code>\Longmapsfrom</code>	$\nwarrow$	<code>\nnwarrow</code>	$\swarrow$	<code>\sswarrow</code>
$\longleftarrow$	<code>\longmapsfrom</code>	$\rightarrow$	<code>\rightarrowtriangle</code>		
$\Longrightarrow$	<code>\Longmapsto</code>	$\downarrow$	<code>\shortdownarrow</code>		

TABLE 144: `txfonts`/`pxfonts` Arrows

$\boxdotleft$	<code>\boxdotLeft</code>	$\circrightarrow$	<code>\circleddotright</code>	$\diamondleft$	<code>\Diamondleft</code>
$\boxdotleft$	<code>\boxdotleft</code>	$\circleftarrow$	<code>\circleleft</code>	$\diamondrightarrow$	<code>\Diamondright</code>
$\boxdotright$	<code>\boxdotright</code>	$\circrightarrow$	<code>\circcleright</code>	$\diamondrightarrow$	<code>\DiamondRight</code>
$\boxdotright$	<code>\boxdotRight</code>	$\leftrightarrow$	<code>\dashleftrighthararrow</code>	$\leftleftarrows$	<code>\leftsquigarrow</code>
$\boxleftarrow$	<code>\boxLeft</code>	$\leftleftarrows$	<code>\DiamonddotLeft</code>	$\nearrow$	<code>\Nearrow</code>
$\boxleftarrow$	<code>\boxleft</code>	$\leftleftarrows$	<code>\Diamonddotleft</code>	$\nwarrow$	<code>\Nwarrow</code>
$\boxrightarrow$	<code>\boxright</code>	$\rightarrowrightarrows$	<code>\Diamonddotright</code>	$\Rightarrow$	<code>\Rrightarrow</code>
$\boxrightarrow$	<code>\boxRight</code>	$\rightarrowrightarrows$	<code>\DiamonddotRight</code>	$\searrow$	<code>\Searrow</code>
$\circleftarrow$	<code>\circleddotleft</code>	$\leftleftarrows$	<code>\DiamondLeft</code>	$\swarrow$	<code>\Swarrow</code>

TABLE 145: `mathabx` Arrows

$\circlearrowleft$	<code>\circlearrowleft</code>	$\leftarrow$	<code>\leftarrow</code>	$\nwarrow$	<code>\nwarrow</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\leftleftarrows$	<code>\leftleftarrows</code>	$\uparrow$	<code>\restriction</code>
$\curvearrowleft$	<code>\curvearrowbotleft</code>	$\leftrightarrow$	<code>\leftrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\curvearrowright$	<code>\curvearrowbotright</code>	$\leftrightarrows$	<code>\leftrightarrows</code>	$\rightleftarrows$	<code>\rightleftarrows</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>	$\righttrightarrows$	<code>\righttrightarrows</code>
$\curvearrowright$	<code>\curvearrowleft</code>	$\leftsquigarrow$	<code>\leftsquigarrow</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\leftsquigarrow$	<code>\leftsquigarrow</code>	$\righttoleftarrow$	<code>\righttoleftarrow</code>
$\curvearrowright$	<code>\curvearrowleft</code>	$\lefttorightarrow$	<code>\lefttorightarrow</code>	$\Rsh$	<code>\Rsh</code>
$\dls$	<code>\dls</code>	$\looparrowleft$	<code>\looparrowdownleft</code>	$\searrow$	<code>\searrow</code>
$\downdownarrows$	<code>\downdownarrows</code>	$\looparrowright$	<code>\looparrowdownright</code>	$\swarrow$	<code>\swarrow</code>
$\downtoup$	<code>\downtoup</code>	$\looparrowleft$	<code>\looparrowleft</code>	$\updownarrows$	<code>\updownarrows</code>
$\downuparrows$	<code>\downuparrows</code>	$\looparrowright$	<code>\looparrowright</code>	$\uptodownarrow$	<code>\uptodownarrow</code>
$\drsh$	<code>\drsh</code>	$\Lsh$	<code>\Lsh</code>	$\upuparrows$	<code>\upuparrows</code>
		$\nearrow$	<code>\nearrow</code>		

TABLE 146: `mathabx` Negated Arrows

$\nleftarrow$	<code>\nleftarrow</code>	$\nleftrightarrow$	<code>\nleftrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\leftarrow$	<code>\leftarrow</code>	$\nleftarrow$	<code>\nleftarrow</code>	$\rightarrow$	<code>\rightarrow</code>

TABLE 147: mathabx Harpoons

$\leftharpoonup$	<code>\barleftharpoonup</code>	$\leftarrow$	<code>\leftharpoonupup</code>	$\rightleftarrows$	<code>\rightleftharpoons</code>
$\rightrightarrows$	<code>\barrightharpoonup</code>	$\leftleftarrows$	<code>\leftleftharpoons</code>	$\rightleftarrows$	<code>\rightrightarpoons</code>
$\Downarrow$	<code>\downdownharpoons</code>	$\leftrightarrow$	<code>\leftrightharpoonup</code>	$\Downarrow$	<code>\updownharpoons</code>
$\leftarrow$	<code>\downharpoonleft</code>	$\rightleftarrows$	<code>\leftrightharpoons</code>	$\Uparrow$	<code>\upharpoonleft</code>
$\rightarrow$	<code>\downharpoonright</code>	$\rightbarharpoonup$	<code>\rightbarharpoonup</code>	$\Uparrow$	<code>\upharpoonright</code>
$\Downarrow$	<code>\downupharpoons</code>	$\rightarrow$	<code>\rightharpoonowdown</code>	$\Uparrow$	<code>\upupharpoons</code>
$\leftbarharpoonup$	<code>\leftbarharpoonup</code>	$\rightarrow$	<code>\rightharpoonupup</code>		
$\leftarrow$	<code>\leftharpoonowdown</code>	$\rightarrow$	<code>\rightleftharpoonup</code>		

TABLE 148: MnSymbol Arrows

$\curvearrowright$	<code>\curvearrowdownup</code>	$\longleftarrow$	<code>\longleftarrow</code>	$\curvearrowright$	<code>\rhookswarrow</code>
$\curvearrowleft$	<code>\curvearrowlefttright</code>	$\Longleftarrow$	<code>\Longleftarrow</code>	$\uparrow$	<code>\rhookuparrow</code>
$\curvearrowright$	<code>\curvearrownesw</code>	$\longleftrightarrow$	<code>\longleftrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\curvearrowright$	<code>\curvearrownwse</code>	$\Longleftrightarrow$	<code>\Longleftrightarrow</code>	$\Rightarrow$	<code>\Rightarrow</code>
$\curvearrowright$	<code>\curvearrowrightleft</code>	$\mapsto$	<code>\longmapsto</code>	$\rightarrow$	<code>\rightarrowtail</code>
$\curvearrowright$	<code>\curvearrowrsenw</code>	$\rightarrow$	<code>\longrightarrow</code>	$\rightleftarrows$	<code>\rightleftarrows</code>
$\curvearrowright$	<code>\curvearrowrswe</code>	$\Rightarrow$	<code>\longrightarrow</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\curvearrowright$	<code>\curvearrowrupdown</code>	$\looparrowleft$	<code>\looparrowleft</code>	$\mapsto$	<code>\mapsto</code>
$\dashrightarrow$	<code>\dasheddownarrow</code>	$\looparrowright$	<code>\looparrowright</code>	$\rightarrow$	<code>\rightarrowrightarrows</code>
$\dashrightarrow$	<code>\dashedleftarrow</code>	$\Lsh$	<code>\Lsh</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\dashrightarrow$	<code>\dashednearrow</code>	$\nearrow$	<code>\nearrow</code>	$\Rightarrow$	<code>\Rightarrow</code>
$\dashrightarrow$	<code>\dashednwarrow</code>	$\nearrow$	<code>\nearrow</code>	$\Rsh$	<code>\Rsh</code>
$\dashrightarrow$	<code>\dashedrightarrow</code>	$\nearrowtail$	<code>\nearrowtail</code>	$\searrow$	<code>\searrow</code>
$\dashrightarrow$	<code>\dashedsearrow</code>	$\nearrow$	<code>\nearrow</code>	$\searrow$	<code>\searrow</code>
$\dashrightarrow$	<code>\dashedswarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrowtail$	<code>\searrowtail</code>
$\dashrightarrow$	<code>\dasheduparrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\Downarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downarrowtail</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downdownarrows</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downlsquigarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downmapsto</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downrsquigarrow</code>	$\nrightarrowtail$	<code>\nrightarrowtail</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downuparrows</code>	$\nwarrow$	<code>\nwarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lrcirclearrowdown</code>	$\nwarrow$	<code>\nwarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lrcirclearrowleft</code>	$\nwarrow$	<code>\nwarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lrcirclearrowright</code>	$\nwarrow$	<code>\nwarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lrcirclearrowup</code>	$\nwarrow$	<code>\nwarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lrcurvearrowdown</code>	$\nwarrow$	<code>\nwarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lrcurvearrowleft</code>	$\nwarrow$	<code>\nwarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lrcurvearrowne</code>	$\partial$	<code>\partial</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lrcurvearrownw</code>	$\partial$	<code>\partial</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lrcurvearrowright</code>	$\partial$	<code>\partial</code>	$\searrow$	<code>\searrow</code>

(continued on next page)

(continued from previous page)














































































































































	<code>\lcurvearrowse</code>		<code>\partialvardrcirclerightint*</code>		<code>\swnearrows</code>
	<code>\lcurvearrowsw</code>		<code>\partialvartlcircleleftint*</code>		<code>\swrsquigarrow</code>
	<code>\lcurvearrowup</code>		<code>\partialvartlcirclerightint*</code>		<code>\swswarrows</code>
	<code>\Leftarrow</code>		<code>\partialvartrcircleleftint*</code>		<code>\twoheaddownarrow</code>
	<code>\leftarrow</code>		<code>\partialvartrcirclerightint*</code>		<code>\twoheadleftarrow</code>
	<code>\leftarrowtail</code>		<code>\rcirclearrowdown</code>		<code>\twoheadnearrow</code>
	<code>\leftleftarrows</code>		<code>\rcirclearrowleft</code>		<code>\twoheadnwarrow</code>
	<code>\leftlsquigarrow</code>		<code>\rcirclearrowright</code>		<code>\twoheadrightarrow</code>
	<code>\leftmapsto</code>		<code>\rcirclearrowup</code>		<code>\twoheadsearrow</code>
	<code>\leftrightarrow</code>		<code>\rcurvearrowdown</code>		<code>\twoheadswarrow</code>
	<code>\Leftrightarrow</code>		<code>\rcurvearrowleft</code>		<code>\twoheaduparrow</code>
	<code>\leftrightharrows</code>		<code>\rcurvearrowne</code>		<code>\uparrow</code>
	<code>\lefttrsquigarrow</code>		<code>\rcurvearrownw</code>		<code>\Uparrow</code>
	<code>\hookdownarrow</code>		<code>\rcurvearrowright</code>		<code>\uparrowtail</code>
	<code>\hookleftarrow</code>		<code>\rcurvearrowse</code>		<code>\updownarrow</code>
	<code>\hooknearrow</code>		<code>\rcurvearrowsw</code>		<code>\Updownarrow</code>
	<code>\hooknwarrow</code>		<code>\rcurvearrowup</code>		<code>\updownarrows</code>
	<code>\hookrightarrow</code>		<code>\rhookdownarrow</code>		<code>\uplsquigarrow</code>
	<code>\hooksearrow</code>		<code>\rhookleftarrow</code>		<code>\upmapsto</code>
	<code>\hookswarrow</code>		<code>\rhooknearrow</code>		<code>\uprsquigarrow</code>
	<code>\hookuparrow</code>		<code>\rhooknwarrow</code>		<code>\upuparrows</code>
	<code>\lightning</code>		<code>\rhookrightarrow</code>		
	<code>\Lleftarrow</code>		<code>\rhooksearrow</code>		

MnSymbol additionally defines synonyms for some of the preceding symbols:

	<code>\circlearrowleft</code>	(same as <code>\rcirclearrowup</code> )
	<code>\circlearrowright</code>	(same as <code>\lcirclearrowup</code> )
	<code>\curvearrowleft</code>	(same as <code>\rcurvearrowleft</code> )
	<code>\curvearrowright</code>	(same as <code>\lcurvearrowright</code> )
	<code>\dashleftarrow</code>	(same as <code>\dashedleftarrow</code> )
	<code>\dashrightarrow</code>	(same as <code>\dashedrightarrow</code> )
	<code>\hookleftarrow</code>	(same as <code>\rhookleftarrow</code> )
	<code>\hookrightarrow</code>	(same as <code>\lhookrightarrow</code> )
	<code>\leadsto</code>	(same as <code>\rightlsquigarrow</code> )
	<code>\leftrightsquigarrow</code>	(same as <code>\squigarrowleftright</code> )
	<code>\mapsto</code>	(same as <code>\rightmapsto</code> )
	<code>\rightsquigarrow</code>	(same as <code>\rightlsquigarrow</code> )

\* The `\partialvar...int` macros are intended to be used internally by MnSymbol to produce various types of integrals.

TABLE 149: MnSymbol Negated Arrows

	<code>\ncurvearrowdownup</code>		<code>\nlhooknwarrow</code>		<code>\nrightharpoonleft</code>
	<code>\ncurvearrowleftright</code>		<code>\nlhookrightarrow</code>		<code>\nrightharpoons</code>
	<code>\ncurvearrownesw</code>		<code>\nlhooksearrow</code>		<code>\nrightharpoonmapsto</code>
	<code>\ncurvearrownwse</code>		<code>\nlhookswarrow</code>		<code>\nrightharpoonrightarrow</code>
	<code>\ncurvearrowrightleft</code>		<code>\nlhookuparrow</code>		<code>\nrightharpoonsleft</code>
	<code>\ncurvearrowsenw</code>		<code>\nLleftarrow</code>		<code>\nRrightarrow</code>
	<code>\ncurvearrowswne</code>		<code>\nnearrow</code>		<code>\nsearrow</code>
	<code>\ncurvearrowupdown</code>		<code>\nNearrow</code>		<code>\nsearrow</code>
	<code>\ndasheddownarrow</code>		<code>\nnearrowtail</code>		<code>\nsearrowtail</code>
	<code>\ndashedleftarrow</code>		<code>\nnelsquigarrow</code>		<code>\nselsquigarrow</code>
	<code>\ndashednearrow</code>		<code>\nnemapsto</code>		<code>\nsemapsto</code>
	<code>\ndashednwarrow</code>		<code>\nnenearrows</code>		<code>\nsenarrows</code>
	<code>\ndashedrightarrow</code>		<code>\nnersquigarrow</code>		<code>\nsersquigarrow</code>
	<code>\ndashedsearrow</code>		<code>\nNeswarrow</code>		<code>\nsesearrows</code>
	<code>\ndashedswarrow</code>		<code>\nneswarrow</code>		<code>\nsquigarrowdownup</code>
	<code>\ndasheduparrow</code>		<code>\nneswarrows</code>		<code>\nsquigarrowleftright</code>
	<code>\ndownarrow</code>		<code>\nNwarrow</code>		<code>\nsquigarrownesw</code>
	<code>\ndownarrow</code>		<code>\nnwarrow</code>		<code>\nsquigarrownwse</code>
	<code>\ndownarrowtail</code>		<code>\nnwarrowtail</code>		<code>\nsquigarrowrightleft</code>
	<code>\ndowndownarrows</code>		<code>\nnwlsquigarrow</code>		<code>\nsquigarrowsenw</code>
	<code>\ndownlsquigarrow</code>		<code>\nnwmapsto</code>		<code>\nsquigarrowswne</code>
	<code>\ndownmapsto</code>		<code>\nnwnwarrows</code>		<code>\nsquigarrowupdown</code>
	<code>\ndownrsquigarrow</code>		<code>\nnwrsquigarrow</code>		<code>\nswarrow</code>
	<code>\ndownuparrows</code>		<code>\nnwsearrow</code>		<code>\nswarrowtail</code>
	<code>\ndownuparrows</code>		<code>\nNwsearrow</code>		<code>\nswlsquigarrow</code>
	<code>\ndownuparrows</code>		<code>\nnwsearrows</code>		<code>\nswmapsto</code>
	<code>\ndownuparrows</code>		<code>\nrcirclearrowdown</code>		<code>\nswnearrows</code>
	<code>\ndownuparrows</code>		<code>\nrcirclearrowleft</code>		<code>\nswrsquigarrow</code>
	<code>\ndownuparrows</code>		<code>\nrcirclearrowright</code>		<code>\nswswarrows</code>
	<code>\ndownuparrows</code>		<code>\nrcirclearrowup</code>		<code>\ntwoheaddownarrow</code>
	<code>\ndownuparrows</code>		<code>\nrcurvearrowdown</code>		<code>\ntwoheadleftarrow</code>
	<code>\ndownuparrows</code>		<code>\nrcurvearrowleft</code>		<code>\ntwoheadnearrow</code>
	<code>\ndownuparrows</code>		<code>\nrcurvearrowne</code>		<code>\ntwoheadnarrow</code>
	<code>\ndownuparrows</code>		<code>\nrcurvearrownw</code>		<code>\ntwoheadnearrow</code>
	<code>\ndownuparrows</code>		<code>\nrcurvearrowright</code>		<code>\ntwoheadrightarrow</code>
	<code>\ndownuparrows</code>		<code>\nrcurvearrowse</code>		<code>\ntwoheadsearrow</code>
	<code>\ndownuparrows</code>		<code>\nrcurvearrowsw</code>		<code>\ntwoheadswarrow</code>
	<code>\ndownuparrows</code>		<code>\nrcurvearrowup</code>		<code>\ntwoheaduparrow</code>
	<code>\ndownuparrows</code>		<code>\nrhookdownarrow</code>		<code>\nuparrow</code>
	<code>\ndownuparrows</code>		<code>\nrhookleftarrow</code>		<code>\nUparrow</code>
	<code>\ndownuparrows</code>		<code>\nrhooknearrow</code>		<code>\nuparrowtail</code>
	<code>\ndownuparrows</code>		<code>\nrhooknwarrow</code>		<code>\nupdownarrow</code>
	<code>\ndownuparrows</code>		<code>\nrhookrightarrow</code>		<code>\nUpdownarrow</code>
	<code>\ndownuparrows</code>		<code>\nrhooksearrow</code>		<code>\nupdownarrows</code>
	<code>\ndownuparrows</code>		<code>\nrhookswarrow</code>		<code>\nuplsquigarrow</code>
	<code>\ndownuparrows</code>		<code>\nrhookuparrow</code>		<code>\nupmapsto</code>
	<code>\ndownuparrows</code>		<code>\nrhookuparrow</code>		<code>\nuprsquigarrow</code>

(continued on next page)

(continued from previous page)

$\Leftrightarrow$	<code>\nlhookleftarrow</code>	$\Rightarrow$	<code>\nrightarrow</code>	$\Uparrow$	<code>\nupuparrows</code>
$\nearrow$	<code>\nlhooknearrow</code>	$\rightsquigarrow$	<code>\nrightarrowtail</code>		

MnSymbol additionally defines synonyms for some of the preceding symbols:

$\circlearrowleft$	<code>\ncirclearrowleft</code>	(same as <code>\nrcirclearrowup</code> )
$\circlearrowright$	<code>\ncirclearrowright</code>	(same as <code>\nlcirclearrowup</code> )
$\curvearrowleft$	<code>\ncurvearrowleft</code>	(same as <code>\nrcurvearrowleft</code> )
$\curvearrowright$	<code>\ncurvearrowright</code>	(same as <code>\nlcurvearrowright</code> )
$\dashrightarrow$	<code>\ndasharrow</code>	(same as <code>\ndashedrightarrow</code> )
$\dashleftarrow$	<code>\ndashleftarrow</code>	(same as <code>\ndashedleftarrow</code> )
$\dashvrightarrow$	<code>\ndashrightarrow</code>	(same as <code>\ndashedrightarrow</code> )
$\leftarrow$	<code>\ngets</code>	(same as <code>\nleftarrow</code> )
$\hookleftarrow$	<code>\nhookleftarrow</code>	(same as <code>\nrhookleftarrow</code> )
$\hookrightarrow$	<code>\nhookrightarrow</code>	(same as <code>\nlhookrightarrow</code> )
$\leadsto$	<code>\nleadsto</code>	(same as <code>\nrightlsquigarrow</code> )
$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>	(same as <code>\nsquigarrowleftright</code> )
$\mapsto$	<code>\nmapsto</code>	(same as <code>\nrightmapsto</code> )
$\rightsquigarrow$	<code>\nrightsquigarrow</code>	(same as <code>\nrightlsquigarrow</code> )
$\rightarrow$	<code>\nto</code>	(same as <code>\nrightarrow</code> )

TABLE 150: MnSymbol Harpoons

$\downharpoonccw^*$	<code>\downharpoonccw^*</code>	$\swharpoon$	<code>\swharpoon</code>	$\seharpooncw$	<code>\seharpooncw</code>
$\downharpooncw^*$	<code>\downharpooncw^*</code>	$\swharpoonsenw$	<code>\swharpoonsenw</code>	$\senwharpoons$	<code>\senwharpoons</code>
$\downupharpoons$	<code>\downupharpoons</code>	$\nwharpoonccw$	<code>\nwharpoonccw</code>	$\swharpoonccw$	<code>\swharpoonccw</code>
$\leftharpoonccw^*$	<code>\leftharpoonccw^*</code>	$\nwharpooncw$	<code>\nwharpooncw</code>	$\swharpooncw$	<code>\swharpooncw</code>
$\leftharpooncw^*$	<code>\leftharpooncw^*</code>	$\nwseharpoonnesw$	<code>\nwseharpoonnesw</code>	$\swneharpoons$	<code>\swneharpoons</code>
$\leftrightharpoondownup$	<code>\leftrightharpoondownup</code>	$\nwseharpoons$	<code>\nwseharpoons</code>	$\updownharpoonleftright$	<code>\updownharpoonleftright</code>
$\leftrightharpoons$	<code>\leftrightharpoons</code>	$\nwseharpoonswne$	<code>\nwseharpoonswne</code>	$\updownharpoonrightleft$	<code>\updownharpoonrightleft</code>
$\leftrightharpoonupdown$	<code>\leftrightharpoonupdown</code>	$\rightharpoonccw^*$	<code>\rightharpoonccw^*</code>	$\updownharpoons$	<code>\updownharpoons</code>
$\neharpoonccw$	<code>\neharpoonccw</code>	$\rightharpooncw^*$	<code>\rightharpooncw^*</code>	$\upharpoonccw^*$	<code>\upharpoonccw^*</code>
$\neharpooncw$	<code>\neharpooncw</code>	$\rightleftharpoons$	<code>\rightleftharpoons</code>	$\upharpooncw^*$	<code>\upharpooncw^*</code>
$\neswharpoonnwse$	<code>\neswharpoonnwse</code>	$\seharpoonccw$	<code>\seharpoonccw</code>		

\* Where marked, the “ccw” suffix can be replaced with “up” and the “cw” suffix can be replaced with “down”. (In addition, `\upharpooncw` can be written as `\restriction`.)



TABLE 151: MnSymbol Negated Harpoons

‡	<code>\ndownharpoonccw*</code>	⌘	<code>\nneswharpoons</code>	⌘	<code>\nseharpooncw</code>
‡	<code>\ndownharpooncw*</code>	⌘	<code>\nneswharpoonsenw</code>	⌘	<code>\nsenwharpoons</code>
‡	<code>\ndownupharpoons</code>	⌘	<code>\nnwharpoonccw</code>	⌘	<code>\nswharpoonccw</code>
↵	<code>\nleftharpoonccw*</code>	⌘	<code>\nnwharpooncw</code>	⌘	<code>\nswharpooncw</code>
↵	<code>\nleftharpooncw*</code>	⌘	<code>\nnwseharpoonnesw</code>	⌘	<code>\nswneharpoons</code>
↵	<code>\nleftrightharpoondownup</code>	⌘	<code>\nnwseharpoons</code>	‡	<code>\nupdownharpoonleftright</code>
↵	<code>\nleftrightharpoons</code>	⌘	<code>\nnwseharpoonswne</code>	‡	<code>\nupdownharpoonrightleft</code>
↵	<code>\nleftrightharpoonupdown</code>	↵	<code>\nrightharpoonccw*</code>	‡	<code>\nupdownharpoons</code>
⌘	<code>\nneharpoonccw</code>	↵	<code>\nrightharpooncw*</code>	‡	<code>\nupharpoonccw*</code>
⌘	<code>\nneharpooncw</code>	↵	<code>\nrightharpoons</code>	‡	<code>\nupharpooncw*</code>
⌘	<code>\nneswharpoonnwse</code>	⌘	<code>\nseharpoonccw</code>		

\* Where marked, the “ccw” suffix can be replaced with “up” and the “cw” suffix can be replaced with “down”. (In addition, `\nupharpooncw` can be written as `\nrestriction`.)

TABLE 152: fdsymbol Arrows

↻	<code>\acwcirculararrowdown</code>	←	<code>\leftarrow</code>	⇒	<code>\rightrightarrows</code>
↻	<code>\acwcirculararrowleft</code>	↵	<code>\leftarrowtail</code>	↷	<code>\rightwvearrow</code>
↻	<code>\acwcirculararrowright</code>	↵	<code>\leftbkarrow</code>	⇒	<code>\Rrightarrow</code>
↻	<code>\acwcirculararrowup</code>	⇐	<code>\leftleftarrows</code>	↶	<code>\Rsh</code>
↵	<code>\acwleftarcarrow</code>	↵	<code>\leftmapsto</code>	↷	<code>\searrow</code>
↵	<code>\acwnearcarrow</code>	⇐	<code>\Leftmapsto</code>	↷	<code>\Searrow</code>
↵	<code>\acwnwarcarrow</code>	⇐	<code>\Leftrightarrow</code>	↷	<code>\searrowtail</code>
↵	<code>\acwoverarcarrow</code>	↵	<code>\leftrightharrow</code>	↷	<code>\sebkarrow</code>
↵	<code>\acwrightarcarrow</code>	↵	<code>\leftrightharrows</code>	↷	<code>\senwarrows</code>
↵	<code>\acwsearcarrow</code>	↷	<code>\leftrightwvearrow</code>	↷	<code>\sesearrows</code>
↵	<code>\acwswarcarrow</code>	↷	<code>\leftwvearrow</code>	↷	<code>\Swarrow</code>
↵	<code>\acwunderarcarrow</code>	⚡	<code>\lightning</code>	↷	<code>\swarrow</code>
↵	<code>\bdleftarcarrow</code>	⇐	<code>\Lleftarrow</code>	↷	<code>\swarrowtail</code>
↵	<code>\bdnearcarrow</code>	⇐	<code>\Longleftarrow</code>	↷	<code>\swbkarrow</code>
↵	<code>\bdnwarcarrow</code>	⇐	<code>\longleftarrow</code>	↷	<code>\swnearrows</code>
↵	<code>\bdoverarcarrow</code>	⇐	<code>\longleftarrow</code>	↷	<code>\swswarrows</code>
↵	<code>\bdrightarcarrow</code>	⇐	<code>\longleftarrow</code>	↷	<code>\twoheaddownarrow</code>
↵	<code>\bdsearcarrow</code>	↷	<code>\longleftarrow</code>	↷	<code>\twoheadleftarrow</code>
↵	<code>\bdswarcarrow</code>	⇐	<code>\longmapsfrom</code>	↷	<code>\twoheadnearrow</code>
↵	<code>\bdunderarcarrow</code>	⇐	<code>\longmapsfrom</code>	↷	<code>\twoheadnwarrow</code>
↻	<code>\cwcirculararrowdown</code>	⇒	<code>\Longmapsto</code>	→	<code>\twoheadrightarrow</code>
↻	<code>\cwcirculararrowleft</code>	→	<code>\longmapsto</code>	↷	<code>\twoheadsearrow</code>
↻	<code>\cwcirculararrowright</code>	→	<code>\longrightarrow</code>	↷	<code>\twoheadswarrow</code>
↻	<code>\cwcirculararrowup</code>	⇒	<code>\Longrightarrow</code>	↑	<code>\twoheaduparrow</code>
↵	<code>\cwleftarcarrow</code>	↷	<code>\longrightwvearrow</code>	↑	<code>\uparrow</code>
↵	<code>\cwnearcarrow</code>	↷	<code>\looparrowleft</code>	↑	<code>\Uparrow</code>

(continued on next page)

(continued from previous page)

$\curvearrowright$	<code>\cwnwarcarrow</code>	$\looparrowright$	<code>\looparrowright</code>	$\uparrow$	<code>\uparrowtail</code>
$\curvearrowleft$	<code>\cwoverarcarrow</code>	$\Lsh$	<code>\Lsh</code>	$\Uparrow$	<code>\upbkarrow</code>
$\curvearrowright$	<code>\cwrightarcarrow</code>	$\nearrow$	<code>\nearrow</code>	$\Updownarrow$	<code>\Updownarrow</code>
$\curvearrowleft$	<code>\cwsearcarrow</code>	$\nearrow$	<code>\Nearrow</code>	$\updownarrow$	<code>\updownarrow</code>
$\curvearrowright$	<code>\cswarcarrow</code>	$\nearrow$	<code>\nearrowtail</code>	$\updownarrows$	<code>\updownarrows</code>
$\curvearrowleft$	<code>\cwunderarcarrow</code>	$\nearrow$	<code>\nebkarrow</code>	$\updownwavearrow$	<code>\updownwavearrow</code>
$\Downarrow$	<code>\Ddownarrow</code>	$\nearrow$	<code>\nenearrows</code>	$\upmapsto$	<code>\upmapsto</code>
$\downarrow$	<code>\Downarrow</code>	$\nearrow$	<code>\Neswarrow</code>	$\Upmapsto$	<code>\Upmapsto</code>
$\downarrow$	<code>\downarrow</code>	$\nearrow$	<code>\neswarrow</code>	$\upuparrows$	<code>\upuparrows</code>
$\downarrow$	<code>\downarrowtail</code>	$\nearrow$	<code>\neswarrows</code>	$\upwavearrow$	<code>\upwavearrow</code>
$\downarrow$	<code>\downbkarrow</code>	$\nearrow$	<code>\Nwarrow</code>	$\Uparrow$	<code>\Uparrow</code>
$\Downarrow$	<code>\downdownarrows</code>	$\nearrow$	<code>\nwarrow</code>	$\vardownwavearrow$	<code>\vardownwavearrow</code>
$\Downarrow$	<code>\Downmapsto</code>	$\nearrow$	<code>\narrowtail</code>	$\varhookdownarrow$	<code>\varhookdownarrow</code>
$\Downarrow$	<code>\downmapsto</code>	$\nearrow$	<code>\nwbkarrow</code>	$\varhookleftarrow$	<code>\varhookleftarrow</code>
$\Downarrow$	<code>\downuparrows</code>	$\nearrow$	<code>\nwnwarrows</code>	$\varhooknearrow$	<code>\varhooknearrow</code>
$\downarrow$	<code>\downwavearrow</code>	$\nearrow$	<code>\Nwsearrow</code>	$\varhooknwarrow$	<code>\varhooknwarrow</code>
$\downarrow$	<code>\hookdownarrow</code>	$\nearrow$	<code>\nwsearrow</code>	$\varhookrightarrow$	<code>\varhookrightarrow</code>
$\leftarrow$	<code>\hookleftarrow</code>	$\nearrow$	<code>\nwsearrows</code>	$\varhooksearrow$	<code>\varhooksearrow</code>
$\nearrow$	<code>\hooknearrow</code>	$\Lsh$	<code>\Rdsh</code>	$\varhookswarrow$	<code>\varhookswarrow</code>
$\nearrow$	<code>\hooknwarrow</code>	$\Rightarrow$	<code>\Rightarrow</code>	$\varhookuparrow$	<code>\varhookuparrow</code>
$\rightarrow$	<code>\hookrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>	$\varleftrighthwavearrow$	<code>\varleftrighthwavearrow</code>
$\searrow$	<code>\hooksearrow</code>	$\rightarrow$	<code>\rightarrowtail</code>	$\varleftwavearrow$	<code>\varleftwavearrow</code>
$\nearrow$	<code>\hookswarrow</code>	$\rightarrow$	<code>\rightbkarrow</code>	$\varrightwavearrow$	<code>\varrightwavearrow</code>
$\uparrow$	<code>\hookuparrow</code>	$\rightleftarrows$	<code>\rightleftarrows</code>	$\varupdownwavearrow$	<code>\varupdownwavearrow</code>
$\Lsh$	<code>\Ldsh</code>	$\mapsto$	<code>\Rightmapsto</code>	$\varupwavearrow$	<code>\varupwavearrow</code>
$\Leftarrow$	<code>\Leftarrow</code>	$\mapsto$	<code>\rightmapsto</code>		

fdsymbol defines synonyms for most of the preceding symbols:

$\circlearrowleft$	<code>\acwgapcirclearrow</code>	$\leftrightarrow$	<code>\leftrightsquigarrow</code>	$\curvearrowleft$	<code>\rhooknwarrow</code>
$\circlearrowright$	<code>\acwopencirclearrow</code>	$\leftarrow$	<code>\leftrsquigarrow</code>	$\rightarrow$	<code>\rhookrightarrow</code>
$\circlearrowleft$	<code>\circlearrowleft</code>	$\leftarrow$	<code>\leftsquigarrow</code>	$\searrow$	<code>\rhooksearrow</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\curvearrowleft$	<code>\leftupcurvedarrow</code>	$\nearrow$	<code>\rhookswarrow</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\downarrow$	<code>\lhookdownarrow</code>	$\uparrow$	<code>\rhookuparrow</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\leftarrow$	<code>\lhookleftarrow</code>	$\curvearrowright$	<code>\rightcurvedarrow</code>
$\circlearrowleft$	<code>\cwgapcirclearrow</code>	$\nearrow$	<code>\lhooknearrow</code>	$\searrow$	<code>\rightdowncurvedarrow</code>
$\circlearrowright$	<code>\cwopencirclearrow</code>	$\searrow$	<code>\lhooknwarrow</code>	$\curvearrowright$	<code>\rightlcurvearrow</code>
$\rightarrow$	<code>\dasharrow</code>	$\rightarrow$	<code>\lhookrightarrow</code>	$\curvearrowleft$	<code>\rightleftcurvearrow</code>
$\leftarrow$	<code>\dashleftarrow</code>	$\searrow$	<code>\lhooksearrow</code>	$\leftrightarrow$	<code>\rightleftsquigarrow</code>
$\rightarrow$	<code>\dashrightarrow</code>	$\nearrow$	<code>\lhookswarrow</code>	$\curvearrowright$	<code>\rightlsquigarrow</code>
$\downarrow$	<code>\downlcurvearrow</code>	$\uparrow$	<code>\lhookuparrow</code>	$\curvearrowleft$	<code>\rightrcurvearrow</code>
$\curvearrowleft$	<code>\downleftcurvedarrow</code>	$\rightsquigarrow$	<code>\longleadsto</code>	$\curvearrowright$	<code>\rightrsquigarrow</code>
$\searrow$	<code>\downlsquigarrow</code>	$\rightsquigarrow$	<code>\longleftsquigarrow</code>	$\curvearrowright$	<code>\rightsquigarrow</code>
$\searrow$	<code>\downrcurvearrow</code>	$\rightsquigarrow$	<code>\longrightsquigarrow</code>	$\nearrow$	<code>\rightupcurvedarrow</code>
$\curvearrowright$	<code>\downrightcurvedarrow</code>	$\downarrow$	<code>\mapsdown</code>	$\curvearrowright$	<code>\selcurvearrow</code>
$\searrow$	<code>\downrsquigarrow</code>	$\Downarrow$	<code>\Mapsdown</code>	$\curvearrowleft$	<code>\senwcurvearrow</code>
$\curvearrowleft$	<code>\downupcurvearrow</code>	$\leftarrow$	<code>\mapsfrom</code>	$\searrow$	<code>\sercurvearrow</code>
$\searrow$	<code>\downupsquigarrow</code>	$\Leftarrow$	<code>\Mapsfrom</code>	$\curvearrowleft$	<code>\swlcurvearrow</code>
$\nearrow$	<code>\downzigzagarrow</code>	$\mapsto$	<code>\mapsto</code>	$\curvearrowright$	<code>\swnecurvearrow</code>

(continued on next page)

(continued from previous page)

$\leftarrow$	<code>\gets</code>	$\Rightarrow$	<code>\Mapsto</code>	$\curvearrowright$	<code>\swrcurvearrow</code>
$\nearrow$	<code>\hknearrow</code>	$\uparrow$	<code>\mapsup</code>	$\rightarrow$	<code>\to</code>
$\searrow$	<code>\hknwarrow</code>	$\Uparrow$	<code>\Mapsup</code>	$\curvearrowleft$	<code>\updowncurvearrow</code>
$\nwarrow$	<code>\hksearrow</code>	$\curvearrowright$	<code>\nelcurvearrow</code>	$\S$	<code>\updownsquigarrow</code>
$\swarrow$	<code>\hkswarrow</code>	$\curvearrowleft$	<code>\nercurvearrow</code>	$\curvearrowright$	<code>\uplcurvearrow</code>
$\leadsto$	<code>\leadsto</code>	$\curvearrowright$	<code>\neswcurvearrow</code>	$\curvearrowleft$	<code>\upleftcurvedarrow</code>
$\leftarrow$	<code>\leftcurvedarrow</code>	$\curvearrowleft$	<code>\nwlcurvearrow</code>	$\curvearrowright$	<code>\uplsquigarrow</code>
$\leftarrow$	<code>\leftdowncurvedarrow</code>	$\curvearrowleft$	<code>\nwrcurvearrow</code>	$\curvearrowright$	<code>\uprcurvearrow</code>
$\leftarrow$	<code>\lefttlcurvearrow</code>	$\curvearrowright$	<code>\nwsecurvearrow</code>	$\curvearrowright$	<code>\uprightcurvearrow</code>
$\leftarrow$	<code>\lefttlsquigarrow</code>	$\downarrow$	<code>\rhookdownarrow</code>	$\S$	<code>\uprsquigarrow</code>
$\rightarrow$	<code>\leftrcurvearrow</code>	$\leftarrow$	<code>\rhookleftarrow</code>		
$\rightarrow$	<code>\leftrrightcurvearrow</code>	$\nearrow$	<code>\rhooknearrow</code>		

TABLE 153: fdsymbol Negated Arrows

$\nrightarrow$	<code>\nacwcirclearrowdown</code>	$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nRrightarrow</code>
$\nrightarrow$	<code>\nacwcirclearrowleft</code>	$\nleftarrow$	<code>\nLeftarrow</code>	$\nrightarrow$	<code>\nsearrow</code>
$\nrightarrow$	<code>\nacwcirclearrowright</code>	$\nleftarrow$	<code>\nleftarrowtail</code>	$\nrightarrow$	<code>\nSearrow</code>
$\nrightarrow$	<code>\nacwcirclearrowup</code>	$\nleftarrow$	<code>\nleftbkarrow</code>	$\nrightarrow$	<code>\nsearrowtail</code>
$\nrightarrow$	<code>\nacwleftarcarrow</code>	$\nleftarrow$	<code>\nleftleftarrows</code>	$\nrightarrow$	<code>\nsebkarrow</code>
$\nrightarrow$	<code>\nacwnearcarrow</code>	$\nleftarrow$	<code>\nleftmapsto</code>	$\nrightarrow$	<code>\nsewarrows</code>
$\nrightarrow$	<code>\nacwnwarcarrow</code>	$\nleftarrow$	<code>\nLeftmapsto</code>	$\nrightarrow$	<code>\nsesearrows</code>
$\nrightarrow$	<code>\nacwoverarcarrow</code>	$\nleftarrow$	<code>\nleftrightarrow</code>	$\nrightarrow$	<code>\nswarrow</code>
$\nrightarrow$	<code>\nacwrightarcarrow</code>	$\nleftarrow$	<code>\nLeftrightarrow</code>	$\nrightarrow$	<code>\nSwarrow</code>
$\nrightarrow$	<code>\nacwsearcarrow</code>	$\nleftarrow$	<code>\nleftrightarrows</code>	$\nrightarrow$	<code>\nswarrowtail</code>
$\nrightarrow$	<code>\nacwswarcarrow</code>	$\nleftarrow$	<code>\nleftrightwavearrow</code>	$\nrightarrow$	<code>\nswbkarrow</code>
$\nrightarrow$	<code>\nacwunderarcarrow</code>	$\nleftarrow$	<code>\nleftwavearrow</code>	$\nrightarrow$	<code>\nswnearrows</code>
$\nrightarrow$	<code>\nbdleftarcarrow</code>	$\nleftarrow$	<code>\nLleftarrow</code>	$\nrightarrow$	<code>\nswswarrows</code>
$\nrightarrow$	<code>\nbdnearcarrow</code>	$\nleftarrow$	<code>\nlongleftarrow</code>	$\nrightarrow$	<code>\ntwoheaddownarrow</code>
$\nrightarrow$	<code>\nbdnwarcarrow</code>	$\nleftarrow$	<code>\nLongleftarrow</code>	$\nrightarrow$	<code>\ntwoheadleftarrow</code>
$\nrightarrow$	<code>\nbdoverarcarrow</code>	$\nleftarrow$	<code>\nlongleftrightarrow</code>	$\nrightarrow$	<code>\ntwoheadnearrow</code>
$\nrightarrow$	<code>\nbdrightarcarrow</code>	$\nleftarrow$	<code>\nLongleftrightarrow</code>	$\nrightarrow$	<code>\ntwoheadnwarrow</code>
$\nrightarrow$	<code>\nbdsearcarrow</code>	$\nleftarrow$	<code>\nlongleftwavearrow</code>	$\nrightarrow$	<code>\ntwoheadrightarrow</code>
$\nrightarrow$	<code>\nbdswarcarrow</code>	$\nleftarrow$	<code>\nlongmapsfrom</code>	$\nrightarrow$	<code>\ntwoheadsearrow</code>
$\nrightarrow$	<code>\nbdunderarcarrow</code>	$\nleftarrow$	<code>\nLongmapsfrom</code>	$\nrightarrow$	<code>\ntwoheadswarrow</code>
$\nrightarrow$	<code>\ncwcirclearrowdown</code>	$\nrightarrow$	<code>\nlongmapsto</code>	$\nrightarrow$	<code>\ntwoheaduparrow</code>
$\nrightarrow$	<code>\ncwcirclearrowleft</code>	$\nrightarrow$	<code>\nLongmapsto</code>	$\nrightarrow$	<code>\nuparrow</code>
$\nrightarrow$	<code>\ncwcirclearrowright</code>	$\nrightarrow$	<code>\nlongrightarrow</code>	$\nrightarrow$	<code>\nUparrow</code>
$\nrightarrow$	<code>\ncwcirclearrowup</code>	$\nrightarrow$	<code>\nLongrightarrow</code>	$\nrightarrow$	<code>\nuparrowtail</code>
$\nrightarrow$	<code>\ncwleftarcarrow</code>	$\nrightarrow$	<code>\nlongrightwavearrow</code>	$\nrightarrow$	<code>\nupbkarrow</code>
$\nrightarrow$	<code>\ncwnearcarrow</code>	$\nrightarrow$	<code>\nnearrow</code>	$\nrightarrow$	<code>\nupdownarrow</code>
$\nrightarrow$	<code>\ncwnwarcarrow</code>	$\nrightarrow$	<code>\nNearrow</code>	$\nrightarrow$	<code>\nUpdownarrow</code>
$\nrightarrow$	<code>\ncwoverarcarrow</code>	$\nrightarrow$	<code>\nnearrowtail</code>	$\nrightarrow$	<code>\nupdownarrows</code>

(continued on next page)

(continued from previous page)

$\curvearrowright$	<code>\ncwrightarcarrow</code>	$\nrightarrow$	<code>\nnebkarrow</code>	$\Downarrow$	<code>\nupdownwvewarrow</code>
$\curvearrowleft$	<code>\ncwsearcarrow</code>	$\nrightarrow$	<code>\nnenearrows</code>	$\Uparrow$	<code>\nupmapsto</code>
$\curvearrowright$	<code>\ncwswarcarrow</code>	$\nrightarrow$	<code>\nneswarrow</code>	$\Updownarrow$	<code>\nUpmapsto</code>
$\curvearrowleft$	<code>\ncwunderarcarrow</code>	$\nrightarrow$	<code>\nNeswarrow</code>	$\Uparrow$	<code>\nupuparrows</code>
$\Downarrow$	<code>\nDdownarrow</code>	$\nrightarrow$	<code>\nneswarrows</code>	$\Downarrow$	<code>\nupwvewarrow</code>
$\downarrow$	<code>\ndownarrow</code>	$\nrightarrow$	<code>\nnwarrow</code>	$\Uparrow$	<code>\nUuparrow</code>
$\Downarrow$	<code>\nDownarrow</code>	$\nrightarrow$	<code>\nNwarrow</code>	$\Downarrow$	<code>\nvardownwvewarrow</code>
$\downarrowtail$	<code>\ndownarrowtail</code>	$\nrightarrow$	<code>\nnwarrowtail</code>	$\Downarrow$	<code>\nvarhookdownarrow</code>
$\Downarrowtail$	<code>\nDownarrowtail</code>	$\nrightarrow$	<code>\nnwbkarrow</code>	$\Leftarrow$	<code>\nvarhookleftarrow</code>
$\Downarrow$	<code>\ndowndownarrows</code>	$\nrightarrow$	<code>\nnwnwarrows</code>	$\rightarrow$	<code>\nvarhooknearrow</code>
$\Downarrow$	<code>\ndownmapsto</code>	$\nrightarrow$	<code>\nnwsearrow</code>	$\nrightarrow$	<code>\nvarhooknarrow</code>
$\Downarrow$	<code>\nDownmapsto</code>	$\nrightarrow$	<code>\nNwsearrow</code>	$\rightarrow$	<code>\nvarhookrightarrow</code>
$\Downarrow$	<code>\ndownuparrows</code>	$\nrightarrow$	<code>\nnwsearrows</code>	$\nrightarrow$	<code>\nvarhooksearrow</code>
$\Downarrow$	<code>\ndownwvewarrow</code>	$\rightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nvarhookswarrow</code>
$\Downarrow$	<code>\nhookdownarrow</code>	$\rightarrow$	<code>\nrightarrow</code>	$\rightarrow$	<code>\nvarhookuparrow</code>
$\Leftarrow$	<code>\nhookleftarrow</code>	$\rightarrow$	<code>\nrightarrowtail</code>	$\rightarrow$	<code>\nvarleftrighwvewarrow</code>
$\rightarrow$	<code>\nhooknearrow</code>	$\rightarrow$	<code>\nrightarrow</code>	$\rightarrow$	<code>\nvarleftwvewarrow</code>
$\rightarrow$	<code>\nhooknarrow</code>	$\rightarrow$	<code>\nrightarrow</code>	$\rightarrow$	<code>\nvarrightwvewarrow</code>
$\rightarrow$	<code>\nhookrightarrow</code>	$\rightarrow$	<code>\nrightarrow</code>	$\Downarrow$	<code>\nvarupdownwvewarrow</code>
$\rightarrow$	<code>\nhooksearrow</code>	$\rightarrow$	<code>\nrightarrow</code>	$\Downarrow$	<code>\nvarupwvewarrow</code>
$\rightarrow$	<code>\nhookswarrow</code>	$\rightarrow$	<code>\nrightarrow</code>		
$\rightarrow$	<code>\nhookuparrow</code>	$\rightarrow$	<code>\nrightarrow</code>		

fdsymbol defines synonyms for most of the preceding symbols:

$\curvearrowright$	<code>\nacwgapcirclearrow</code>	$\curvearrowleft$	<code>\nleftdowncurvedarrow</code>	$\rightarrow$	<code>\nrightcurvedarrow</code>
$\curvearrowleft$	<code>\nacwopencirclearrow</code>	$\curvearrowleft$	<code>\nleftlcurvearrow</code>	$\curvearrowleft$	<code>\nrightdowncurvedarrow</code>
$\curvearrowleft$	<code>\ncirclearrowleft</code>	$\curvearrowleft$	<code>\nleftlsquigararrow</code>	$\rightarrow$	<code>\nrightlcurvearrow</code>
$\curvearrowright$	<code>\ncirclearrowright</code>	$\curvearrowright$	<code>\nleftrcurvearrow</code>	$\curvearrowright$	<code>\nrightleftcurvearrow</code>
$\curvearrowleft$	<code>\ncurvearrowleft</code>	$\curvearrowright$	<code>\nleftrighcurvearrow</code>	$\rightarrow$	<code>\nrightleftsquigararrow</code>
$\curvearrowright$	<code>\ncurvearrowright</code>	$\curvearrowright$	<code>\nleftrightsquigararrow</code>	$\rightarrow$	<code>\nrightlsquigararrow</code>
$\curvearrowright$	<code>\ncwgapcirclearrow</code>	$\curvearrowright$	<code>\nleftsquigararrow</code>	$\curvearrowright$	<code>\nrightrcurvearrow</code>
$\curvearrowleft$	<code>\ncwopencirclearrow</code>	$\curvearrowright$	<code>\nleftsquigararrow</code>	$\rightarrow$	<code>\nrightrsquigararrow</code>
$\rightarrow$	<code>\ndasharrow</code>	$\nrightarrow$	<code>\nleftupcurvedarrow</code>	$\rightarrow$	<code>\nrightsquigararrow</code>
$\rightarrow$	<code>\ndashleftarrow</code>	$\rightarrow$	<code>\nlongleadsto</code>	$\rightarrow$	<code>\nrightupcurvedarrow</code>
$\rightarrow$	<code>\ndashrightarrow</code>	$\rightarrow$	<code>\nlongleftsquigararrow</code>	$\rightarrow$	<code>\nselectcurvearrow</code>
$\curvearrowleft$	<code>\ndownlcurvearrow</code>	$\rightarrow$	<code>\nlongrightsquigararrow</code>	$\rightarrow$	<code>\nsewcurvearrow</code>
$\curvearrowleft$	<code>\ndownleftcurvedarrow</code>	$\rightarrow$	<code>\nmapsdown</code>	$\rightarrow$	<code>\nsercurvearrow</code>
$\curvearrowleft$	<code>\ndownlsquigararrow</code>	$\rightarrow$	<code>\nMapsdown</code>	$\rightarrow$	<code>\nswlcurvearrow</code>
$\curvearrowleft$	<code>\ndownrcurvearrow</code>	$\rightarrow$	<code>\nmapsfrom</code>	$\rightarrow$	<code>\nswncurvearrow</code>
$\curvearrowleft$	<code>\ndownrightcurvedarrow</code>	$\rightarrow$	<code>\nMapsfrom</code>	$\rightarrow$	<code>\nswrcurvearrow</code>
$\curvearrowleft$	<code>\ndownrsquigararrow</code>	$\rightarrow$	<code>\nmapsto</code>	$\rightarrow$	<code>\nto</code>
$\curvearrowleft$	<code>\ndownupcurvearrow</code>	$\rightarrow$	<code>\nMapsto</code>	$\rightarrow$	<code>\nupdowncurvearrow</code>
$\curvearrowleft$	<code>\ndownupsquigararrow</code>	$\rightarrow$	<code>\nmapsup</code>	$\rightarrow$	<code>\nupdownsquigararrow</code>
$\rightarrow$	<code>\ngets</code>	$\rightarrow$	<code>\nMapsup</code>	$\rightarrow$	<code>\nuplcurvearrow</code>
$\rightarrow$	<code>\nhknearrow</code>	$\rightarrow$	<code>\nnelcurvearrow</code>	$\rightarrow$	<code>\nupleftcurvedarrow</code>
$\rightarrow$	<code>\nhknwarrow</code>	$\rightarrow$	<code>\nnercurvearrow</code>	$\rightarrow$	<code>\nuplsquigararrow</code>
$\rightarrow$	<code>\nhksearrow</code>	$\rightarrow$	<code>\nneswcurvearrow</code>	$\rightarrow$	<code>\nuprcurvearrow</code>
$\rightarrow$	<code>\nhkswarrow</code>	$\rightarrow$	<code>\nnwlcurvearrow</code>	$\rightarrow$	<code>\nuprightcurvearrow</code>

(continued on next page)

(continued from previous page)

$\rightsquigarrow$	<code>\nleadsto</code>	$\curvearrowright$	<code>\nnwrcurvearrow</code>	$\nrightarrow$	<code>\nuprsquigarrow</code>
$\leftarrow$	<code>\nleftcurvedarrow</code>	$\curvearrowleft$	<code>\nnwsecurvearrow</code>		

TABLE 154: fdsymbol Harpoons

$\Downarrow$	<code>\downharpoonleft</code>	$\swarrow$	<code>\neswharpoons</code>	$\searrow$	<code>\seharpoonsw</code>
$\Downarrow$	<code>\downharpoonright</code>	$\swarrow$	<code>\neswharpoonsenw</code>	$\searrow$	<code>\senwharpoons</code>
$\Updownarrow$	<code>\downupharpoons</code>	$\swarrow$	<code>\nwharpoonne</code>	$\swarrow$	<code>\swharpoonnw</code>
$\leftarrow$	<code>\leftharpoondown</code>	$\swarrow$	<code>\nwharpoonsw</code>	$\swarrow$	<code>\swharpoonse</code>
$\leftarrow$	<code>\leftharpoonup</code>	$\swarrow$	<code>\nwseharpoonnesw</code>	$\swarrow$	<code>\swneharpoons</code>
$\leftrightarrow$	<code>\leftrightharpoondownup</code>	$\swarrow$	<code>\nwseharpoons</code>	$\updownarrow$	<code>\updownharpoonleftright</code>
$\Leftrightarrow$	<code>\leftrightharpoons</code>	$\swarrow$	<code>\nwseharpoonswne</code>	$\downarrow$	<code>\updownharpoonrightleft</code>
$\leftrightarrow$	<code>\leftrightharpoonupdown</code>	$\rightarrow$	<code>\rightharpoondown</code>	$\updownarrow$	<code>\updownharpoons</code>
$\nearrow$	<code>\neharpoonnw</code>	$\rightarrow$	<code>\rightharpoonup</code>	$\uparrow$	<code>\upharpoonleft</code>
$\nearrow$	<code>\neharpoonse</code>	$\Leftrightarrow$	<code>\rightleftharpoons</code>	$\uparrow$	<code>\upharpoonright</code>
$\nearrow$	<code>\neswharpoonnwse</code>	$\searrow$	<code>\seharpoonne</code>		






































































fdsymbol defines `\restriction` as a synonym for `\upharpoonright`, `\updownharpoonsleftright` as a synonym for `\updownharpoons`, and `\downupharpoonsleftright` as a synonym for `\downupharpoons`.

TABLE 155: fdsymbol Negated Harpoons

$\dagger$	<code>\ndownharpoonleft</code>	$\not\swarrow$	<code>\nneswharpoons</code>	$\not\searrow$	<code>\nseharpoonsw</code>
$\dagger$	<code>\ndownharpoonright</code>	$\not\swarrow$	<code>\nneswharpoonsenw</code>	$\not\searrow$	<code>\nsenwharpoons</code>
$\#$	<code>\ndownupharpoons</code>	$\not\swarrow$	<code>\nnwharpoonne</code>	$\not\swarrow$	<code>\nswharpoonnw</code>
$\nleftarrow$	<code>\nleftharpoondown</code>	$\not\swarrow$	<code>\nnwharpoonsw</code>	$\not\swarrow$	<code>\nswharpoonse</code>
$\nleftarrow$	<code>\nleftharpoonup</code>	$\not\swarrow$	<code>\nnwseharpoonnesw</code>	$\not\swarrow$	<code>\nswneharpoons</code>
$\nleftrightarrow$	<code>\nleftrightharpoondownup</code>	$\not\swarrow$	<code>\nnwseharpoons</code>	$\nupdownarrow$	<code>\nupdownharpoonleftright</code>
$\nLeftrightarrow$	<code>\nleftrightharpoons</code>	$\not\swarrow$	<code>\nnwseharpoonswne</code>	$\nupdownarrow$	<code>\nupdownharpoonrightleft</code>
$\nleftrightarrow$	<code>\nleftrightharpoonupdown</code>	$\nrightarrow$	<code>\nrightharpoondown</code>	$\nupdownarrow$	<code>\nupdownharpoons</code>
$\nrightarrow$	<code>\nneharpoonnw</code>	$\nrightarrow$	<code>\nrightharpoonup</code>	$\nuparrow$	<code>\nupharpoonleft</code>
$\nrightarrow$	<code>\nneharpoonse</code>	$\nLeftrightarrow$	<code>\nrightrightleftharpoons</code>	$\nuparrow$	<code>\nupharpoonright</code>
$\nrightarrow$	<code>\nneswharpoonnwse</code>	$\not\searrow$	<code>\nseharpoonne</code>		

fdsymbol defines `\nrestriction` as a synonym for `\nupharpoonright`, `\ndownupharpoonsleftright` as a synonym for `\ndownupharpoons`, and `\nupdownharpoonsleftright` as a synonym for `\nupdownharpoons`.

TABLE 156: boisik Arrows

	<code>\barleftarrow</code>		<code>\Lsh</code>
	<code>\barleftarrowrightarrowbar</code>		<code>\mapsdown</code>
	<code>\barovernorthwestarrow</code>		<code>\Mapsfrom</code>
	<code>\carriagereturn</code>		<code>\mapsfrom</code>
	<code>\circlearrowleft</code>		<code>\Mapsto</code>
	<code>\circlearrowright</code>		<code>\mapsto</code>
	<code>\cupleftarrow</code>		<code>\mapsup</code>
	<code>\curlyveedownarrow</code>		<code>\Nearrow</code>
	<code>\curlyveeparrow</code>		<code>\nearrowcorner</code>
	<code>\curlywedgedownarrow</code>		<code>\nnearrow</code>
	<code>\curlywedgearrow</code>		<code>\nnwarrow</code>
	<code>\curvearrowbotleft</code>		<code>\Nwarrow</code>
	<code>\curvearrowbotleftright</code>		<code>\nwarrowcorner</code>
	<code>\curvearrowbotright</code>		<code>\rightarrowbar</code>
	<code>\curvearrowleft</code>		<code>\rightarrowcircle</code>
	<code>\curvearrowleftright</code>		<code>\rightarrowtail</code>
	<code>\curvearrowright</code>		<code>\rightarrowTriangle</code>
	<code>\dlsh</code>		<code>\rightarrowtriangle</code>
	<code>\downblackarrow</code>		<code>\rightarrowblackarrow</code>
	<code>\downdasharrow</code>		<code>\rightarrowdasharrow</code>
	<code>\downdownarrows</code>		<code>\rightarrowleftarrows</code>
	<code>\downtouparrow</code>		<code>\rightarrowrightarrows</code>
	<code>\downwhitearrow</code>		<code>\rightarrowsquigarrow</code>
	<code>\downzigzagarrow</code>		<code>\rightarrowthreearrows</code>
	<code>\drsh</code>		<code>\rightarrowtoleftarrow</code>
	<code>\eqleftrightarrow</code>		<code>\rightarrowwhitearrow</code>
	<code>\hookleftarrow</code>		<code>\rightarrowwhiteroundarrow</code>
	<code>\hookrightarrow</code>		<code>\Rrightarrow</code>
	<code>\leftarrowtail</code>		<code>\Rsh</code>
	<code>\leftarrowTriangle</code>		<code>\Searrow</code>
	<code>\leftarrowtriangle</code>		<code>\ssearrow</code>
	<code>\leftblackarrow</code>		<code>\sswarrow</code>
	<code>\leftdasharrow</code>		<code>\Swarrow</code>
	<code>\leftleftarrows</code>		<code>\twoheaddownarrow</code>
	<code>\leftrightarroweq</code>		<code>\twoheadleftarrow</code>
	<code>\leftrightarrows</code>		<code>\twoheadrightarrow</code>
	<code>\leftrightarrowTriangle</code>		<code>\twoheaduparrow</code>
	<code>\leftrightarrowtriangle</code>		<code>\twoheadwhiteuparrow</code>
	<code>\leftrightblackarrow</code>		<code>\twoheadwhiteuparrowpedestal</code>
	<code>\leftrightsquigarrow</code>		<code>\upblackarrow</code>
	<code>\leftsquigarrow</code>		<code>\updasharrow</code>
	<code>\lefttorightarrow</code>		<code>\updownarrowbar</code>
	<code>\leftwhitearrow</code>		<code>\updownblackarrow</code>
	<code>\leftwhiteroundarrow</code>		<code>\updownwhitearrow</code>
	<code>\leftzigzagarrow</code>		<code>\uptodownarrow</code>
	<code>\linefeed</code>		<code>\upuparrows</code>
	<code>\Lleftarrow</code>		<code>\upwhitearrow</code>

(continued on next page)

(continued from previous page)

$\looparrowleft$	<code>\looparrowleft</code>	$\whitearrowupfrombar$	<code>\whitearrowupfrombar</code>
$\looparrowright$	<code>\looparrowright</code>	$\whitearrowuppedestal$	<code>\whitearrowuppedestal</code>
$\looparrowleft$	<code>\looparrowleft</code>	$\whitearrowuppedestalthbar$	<code>\whitearrowuppedestalthbar</code>
$\looparrowright$	<code>\looparrowright</code>	$\whitearrowuppedestallvbar$	<code>\whitearrowuppedestallvbar</code>

Many of these symbols are defined only if the `arrows` package option is specified.

TABLE 157: boisik Negated Arrows

$\nHdownarrow$	<code>\nHdownarrow</code>	$\nLeftrightarrow$	<code>\nLeftrightarrow</code>	$\nRightarrow$	<code>\nRightarrow</code>
$\nHuparrow$	<code>\nHuparrow</code>	$\nLeftarrow$	<code>\nLeftarrow</code>	$\nVleftarrow$	<code>\nVleftarrow</code>
$\nLeftarrow$	<code>\nLeftarrow</code>	$\nLeftrightarrow$	<code>\nLeftrightarrow</code>	$\nVrightarrow$	<code>\nVrightarrow</code>
$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>		

Many of these symbols are defined only if the `arrows` package option is specified.

TABLE 158: boisik Harpoons

$\downharpoonleft$	<code>\downharpoonleft</code>	$\leftrightharpoons$	<code>\leftrightharpoons</code>	$\upharpoonleft$	<code>\upharpoonleft</code>
$\downharpoonright$	<code>\downharpoonright</code>	$\rightarrow$	<code>\rightarrow</code>	$\upharpoonright$	<code>\upharpoonright</code>
$\lefttharpoonright$	<code>\lefttharpoonright</code>	$\rightarrow$	<code>\rightarrow</code>		
$\lefttharpoonup$	<code>\lefttharpoonup</code>	$\rightleftharpoons$	<code>\rightleftharpoons</code>		

TABLE 159: stix Arrows

$\acwcirculararrow$	<code>\acwcirculararrow</code>	$\longmapsto$	<code>\longmapsto</code>
$\acwgapcirculararrow$	<code>\acwgapcirculararrow</code>	$\Longmapsto$	<code>\Longmapsto</code>
$\acwleftarcarrow$	<code>\acwleftarcarrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\acwoverarcarrow$	<code>\acwoverarcarrow</code>	$\Rightarrow$	<code>\Rightarrow</code>
$\acwunderarcarrow$	<code>\acwunderarcarrow</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\barleftarrow$	<code>\barleftarrow</code>	$\looparrowleft$	<code>\looparrowleft</code>
$\barleftarrow\barrightarrow$	<code>\barleftarrow\barrightarrow*</code>	$\looparrowright$	<code>\looparrowright</code>
$\barrightarrow\bardiamond$	<code>\barrightarrow\bardiamond</code>	$\Lsh$	<code>\Lsh</code>
$\baruparrow$	<code>\baruparrow</code>	$\mapsdown$	<code>\mapsdown</code>
$\bsimilarleftarrow$	<code>\bsimilarleftarrow</code>	$\Mapsfrom$	<code>\Mapsfrom</code>
$\bsimilarrightarrow$	<code>\bsimilarrightarrow</code>	$\mapsto$	<code>\mapsto</code>
$\carriagereturn*$	<code>\carriagereturn*</code>	$\mapsto$	<code>\mapsto</code>
$\ccwundercurvearrow$	<code>\ccwundercurvearrow</code>	$\Mapsto$	<code>\Mapsto</code>
$\circlearrowleft$	<code>\circlearrowleft</code>	$\mapsto$	<code>\mapsto</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\nearrow$	<code>\nearrow</code>

(continued on next page)

(continued from previous page)

	<code>\circleonleftarrow</code>		<code>\nearrow</code>
	<code>\circleonrightarrow</code>		<code>\neovnwarrow*</code>
	<code>\curvearrowleft</code>		<code>\neovsearrow*</code>
	<code>\curvearrowleftplus</code>		<code>\neswarrow</code>
	<code>\curvearrowright</code>		<code>\nwarrow</code>
	<code>\curvearrowrightminus</code>		<code>\Nwarrow</code>
	<code>\cwcirculararrow</code>		<code>\nwovnearrow*</code>
	<code>\cwgapcirculararrow</code>		<code>\nwsearrow</code>
	<code>\cwrightarcarrow</code>		<code>\rdiagovsearrow*</code>
	<code>\cwundercurvearrow</code>		<code>\Rdsh</code>
	<code>\dbkarow</code>		<code>\Rightarrow</code>
	<code>\DDownarrow</code>		<code>\rightarrow</code>
	<code>\Ddownarrow</code>		<code>\rightarrowapprox</code>
	<code>\diamondleftarrow</code>		<code>\rightarrowbackapprox</code>
	<code>\diamondleftarrowbar</code>		<code>\rightarrowbar</code>
	<code>\downarrow</code>		<code>\rightarrowbsimilar</code>
	<code>\Downarrow</code>		<code>\rightarrowdiamond</code>
	<code>\downarrowbar</code>		<code>\rightarrowonoplus</code>
	<code>\downarrowbarred</code>		<code>\rightarrowplus</code>
	<code>\downdasharrow*</code>		<code>\rightarrowshortleftarrow</code>
	<code>\downdownarrows</code>		<code>\rightarrowsimilar</code>
	<code>\downrightcurvedarrow*</code>		<code>\rightarrowtail</code>
	<code>\downuparrows</code>		<code>\rightarrowtriangle</code>
	<code>\downwhitearrow*</code>		<code>\rightarrowx</code>
	<code>\downzigzagarrow</code>		<code>\rightbkarrow</code>
	<code>\draftingarrow*</code>		<code>\rightcurvedarrow</code>
	<code>\drbkarrow</code>		<code>\rightdasharrow*</code>
	<code>\equalleftarrow</code>		<code>\rightdotarrow</code>
	<code>\equalrightarrow</code>		<code>\rightdowncurvedarrow</code>
	<code>\fdiagovnearrow*</code>		<code>\rightleftarrows</code>
	<code>\hknearrow</code>		<code>\rightrightarrows</code>
	<code>\hknwarrow</code>		<code>\rightsquigarrow</code>
	<code>\hksearrow</code>		<code>\rightthreearrows</code>
	<code>\hkswarrow</code>		<code>\rightwavearrow</code>
	<code>\hookleftarrow</code>		<code>\rightwhitearrow*</code>
	<code>\hookrightarrow</code>		<code>\RRightarrow</code>
	<code>\Ldsh</code>		<code>\Rrightarrow</code>
	<code>\leftarrow</code>		<code>\Rsh</code>
	<code>\Leftarrow</code>		<code>\searrow</code>
	<code>\leftarrowapprox</code>		<code>\Searrow</code>
	<code>\leftarrowbackapprox</code>		<code>\seovnearrow*</code>
	<code>\leftarrowbsimilar</code>		<code>\shortrightarrowleftarrow</code>
	<code>\leftarrowonoplus</code>		<code>\similarleftarrow</code>
	<code>\leftarrowplus</code>		<code>\similarrightarrow</code>
	<code>\leftarrowshortrightarrow</code>		<code>\swarrow</code>
	<code>\leftarrowsimilar</code>		<code>\Swarrow</code>
	<code>\leftarrowtail</code>		<code>\toea</code>
	<code>\leftarrowtriangle</code>		<code>\tona</code>
	<code>\leftarrowx</code>		<code>\tosa</code>

(continued on next page)



(continued from previous page)

$\leftarrow$	<code>\leftbkarrow</code>	$\boxtimes$	<code>\towa</code>
$\curvearrowleft$	<code>\leftcurvedarrow</code>	$\Downarrow$	<code>\twoheaddownarrow</code>
$\dashleftarrow$	<code>\leftdasharrow*</code>	$\leftarrow$	<code>\twoheadleftarrow</code>
$\leftleftarrows$	<code>\leftdbkarrow</code>	$\leftarrow$	<code>\twoheadleftarrowtail</code>
$\leftarrow$	<code>\leftdotarrow</code>	$\leftarrow$	<code>\twoheadleftdbkarrow</code>
$\curvearrowright$	<code>\leftdowncurvedarrow</code>	$\leftarrow$	<code>\twoheadmapsfrom</code>
$\leftleftarrows$	<code>\leftleftarrows</code>	$\mapsto$	<code>\twoheadmapsto</code>
$\Leftrightarrow$	<code>\Leftrightarrow</code>	$\rightarrow$	<code>\twoheadrightarrow</code>
$\rightarrow$	<code>\leftrightharpoonup</code>	$\rightarrow$	<code>\twoheadrightarrowtail</code>
$\circlearrowleft$	<code>\leftrightharpoonupcircle</code>	$\Uparrow$	<code>\twoheaduparrow</code>
$\Leftrightarrow$	<code>\leftrightharpoons</code>	$\Updownarrow$	<code>\twoheaduparrowcircle</code>
$\rightarrow$	<code>\leftrightharpoonuptriangle</code>	$\uparrow$	<code>\uparrow</code>
$\rightsquigarrow$	<code>\leftrightsquigarrow</code>	$\Uparrow$	<code>\Uparrow</code>
$\rightsquigarrow$	<code>\leftsquigarrow</code>	$\uparrow$	<code>\uparrowbarred</code>
$\rightarrow$	<code>\leftthreearrows</code>	$\dashrightarrow$	<code>\updasharrow*</code>
$\rightarrow$	<code>\leftwvearrow</code>	$\Updownarrow$	<code>\Updownarrow</code>
$\rightarrow$	<code>\leftwhitearrow*</code>	$\updownarrow$	<code>\updownarrow</code>
$\rightarrow$	<code>\linefeed*</code>	$\updownarrow$	<code>\updownarrowbar*</code>
$\Leftarrow$	<code>\LLeftarrow</code>	$\Updownarrow$	<code>\updownarrows</code>
$\Leftarrow$	<code>\Lleftarrow</code>	$\curvearrowright$	<code>\uprightcurvearrow*</code>
$\rightarrow$	<code>\longleftarrow</code>	$\Uparrow$	<code>\upuparrows</code>
$\Leftarrow$	<code>\Longleftarrow</code>	$\uparrow$	<code>\upwhitearrow*</code>
$\Leftrightarrow$	<code>\Longleftrightharpoonup</code>	$\Uparrow$	<code>\UUparrow</code>
$\rightarrow$	<code>\longleftrightharpoonup</code>	$\Uparrow$	<code>\Uuparrow</code>
$\rightsquigarrow$	<code>\longleftsquigarrow</code>	$\hookrightarrow$	<code>\varcarriagereturn*</code>
$\Leftarrow$	<code>\Longmapsfrom</code>	$\uparrow$	<code>\whitearrowupfrombar*</code>
$\Leftarrow$	<code>\longmapsfrom</code>		

\* Defined as an ordinary character, not as a binary relation.

stix defines `\acwopencirclearrow` as a synonym for `\circlearrowleft`, `\cwopencirclearrow` as a synonym for `\circlearrowright`, `\leadsto` as a synonym for `\rightsquigarrow`, `\dashleftarrow` as a synonym for `\leftdbkarrow`, and `\dashrightarrow` and `\dasharrow` as synonyms for `\dbkarrow`.

TABLE 160: stix Negated Arrows

‡	<code>\nHdownarrow*</code>	↔	<code>\nvLeftrightarrow</code>
‡	<code>\nHuparrow*</code>	↔	<code>\nVrightarrow</code>
↔	<code>\nleftarrow†</code>	↔	<code>\nvrightarrow</code>
↔	<code>\nLeftarrow</code>	↔	<code>\nvrightarrow</code>
↔	<code>\nleftrightarrow</code>	↔	<code>\nVrightarrowtail</code>
↔	<code>\nLeftrightarrow</code>	↔	<code>\nvrightarrowtail</code>
↔	<code>\nrightarrow</code>	↔	<code>\nVtwoheadleftarrow</code>
↔	<code>\nrightarrow</code>	↔	<code>\nVtwoheadleftarrow</code>
↔	<code>\nvleftarrow</code>	↔	<code>\nVtwoheadleftarrowtail</code>
↔	<code>\nvLeftarrow</code>	↔	<code>\nVtwoheadleftarrowtail</code>
↔	<code>\nVleftarrow</code>	↔	<code>\nVtwoheadrightarrow</code>
↔	<code>\nVleftarrowtail</code>	↔	<code>\nVtwoheadrightarrow</code>
↔	<code>\nvleftarrowtail</code>	↔	<code>\nVtwoheadrightarrowtail</code>
↔	<code>\nvleftrightarrow</code>	↔	<code>\nVtwoheadrightarrowtail</code>
↔	<code>\nVleftrightarrow</code>		

\* Defined as an ordinary character, not as a binary relation.

† stix defines `\ngets` as a synonym for `\nleftarrow`.

TABLE 161: stix Harpoons

↵	<code>\bardownharpoonleft</code>	↔	<code>\leftrightharpoons</code>
↵	<code>\bardownharpoonright</code>	↔	<code>\leftrightharpoonsdown</code>
↵	<code>\barleftharpoonupdown</code>	↔	<code>\leftrightharpoonsup</code>
↵	<code>\barleftharpoonup</code>	↔	<code>\leftrightharpoonupdown</code>
↵	<code>\barrightharpoonupdown</code>	↔	<code>\leftrightharpoonupup</code>
↵	<code>\barrightharpoonup</code>	↔	<code>\rightharpoonupdown</code>
↵	<code>\barupharpoonleft</code>	↔	<code>\rightharpoonupdownbar</code>
↵	<code>\barupharpoonright</code>	↔	<code>\rightharpoonsupdown</code>
↔	<code>\dashleftharpoonupdown</code>	↔	<code>\rightharpoonup</code>
↔	<code>\dashrightharpoonupdown</code>	↔	<code>\rightharpoonupbar</code>
↓	<code>\downharpoonleft</code>	↔	<code>\rightharpoonupdash</code>
↓	<code>\downharpoonleftbar</code>	↔	<code>\rightleftharpoons</code>
↓	<code>\downharpoonright</code>	↔	<code>\rightleftharpoonsdown</code>
↓	<code>\downharpoonrightbar</code>	↔	<code>\rightleftharpoonsup</code>
↕	<code>\downharpoonsleftright</code>	↕	<code>\updownharpoonleftleft</code>
↕	<code>\downupharpoonsleftright</code>	↕	<code>\updownharpoonleftright</code>
↵	<code>\leftharpoonupdown</code>	↕	<code>\updownharpoonrightleft</code>
↵	<code>\leftharpoonupdownbar</code>	↕	<code>\updownharpoonrightright</code>
↔	<code>\leftharpoonsupdown</code>	↕	<code>\updownharpoonsleftright</code>
↵	<code>\leftharpoonup</code>	↕	<code>\upharpoonleft</code>
↵	<code>\leftharpoonupbar</code>	↕	<code>\upharpoonleftbar</code>
↔	<code>\leftharpoonupdash</code>	↕	<code>\upharpoonright*</code>

(continued on next page)

(continued from previous page)

$\rightrightarrows$  `\leftrightharpoondowndown`     $\upharpoonright$  `\upharpoonrightbar`  
 $\rightrightarrows$  `\leftrightharpoondownup`       $\Uparrow$  `\upharpoonsleftright`

\* stix defines `\restriction` as a synonym for `\upharpoonright`.

TABLE 162: harpoon Extensible Harpoons

$\overleftarrow{abc}$	<code>\overlefttharp{abc}</code>	$\overrightarrow{abc}$	<code>\overrightharpdwn{abc}</code>	$\underline{abc}$	<code>\underrightharp{abc}</code>
$\overleftarrow{abc}$	<code>\overlefttharpdwn{abc}</code>	$\underline{abc}$	<code>\underlefttharp{abc}</code>	$\underline{abc}$	<code>\underrightharpdwn{abc}</code>
$\overrightarrow{abc}$	<code>\overrightharp{abc}</code>	$\underline{abc}$	<code>\underlefttharpdwn{abc}</code>		

All of the harpoon symbols are implemented using the `graphics` package (specifically, `graphics`'s `\resizebox` command). Consequently, only T<sub>E</sub>X backends that support graphical transformations (e.g., *not* Xdvi) can properly display these symbols.

TABLE 163: chemarrow Arrows

$\rightarrow$  `\chemarrow`

TABLE 164: fge Arrows

$\Rightarrow$  `\fgerightarrow`     $\Uparrow$  `\fgeuparrow`

TABLE 165: MnSymbol Spoons

$\downarrow$	<code>\downfilledspoon</code>	$\nearrow$	<code>\nnespoon</code>	$\nwarrow$	<code>\nwfilledspoon</code>
$\downarrow$	<code>\downspoon</code>	$\nwarrow$	<code>\nnwfilledspoon</code>	$\nwarrow$	<code>\nwspoon</code>
$\leftarrow$	<code>\leftfilledspoon</code>	$\nwarrow$	<code>\nnwspoon</code>	$\rightarrow$	<code>\rightfilledspoon</code>
$\leftarrow$	<code>\leftspoon</code>	$\rightarrow$	<code>\nrighfilledspoon</code>	$\rightarrow$	<code>\rightspoon*</code>
$\downarrow$	<code>\ndownfilledspoon</code>	$\rightarrow$	<code>\nrighspoon*</code>	$\searrow$	<code>\sefilledspoon</code>
$\downarrow$	<code>\ndownspoon</code>	$\searrow$	<code>\nsefilledspoon</code>	$\searrow$	<code>\sespoon</code>
$\nearrow$	<code>\nefilledspoon</code>	$\searrow$	<code>\nespoon</code>	$\swarrow$	<code>\swfilledspoon</code>
$\nearrow$	<code>\nespoon</code>	$\swarrow$	<code>\nswfilledspoon</code>	$\swarrow$	<code>\swspoon</code>
$\leftarrow$	<code>\nleftfilledspoon</code>	$\swarrow$	<code>\nswspoon</code>	$\uparrow$	<code>\upfilledspoon</code>
$\leftarrow$	<code>\nleftspoon</code>	$\uparrow$	<code>\nupfilledspoon</code>	$\uparrow$	<code>\upspoon</code>
$\nearrow$	<code>\nefilledspoon</code>	$\uparrow$	<code>\nupspoon</code>		

\* MnSymbol defines `\multimap` as a synonym for `\rightspoon` and `\nmultimap` as a synonym for `\nrighspoon`.

TABLE 166: MnSymbol Pitchforks

$\Psi$	<code>\downpitchfork</code>	$\nwpitchfork$	<code>\nnwpitchfork</code>	$\Rightarrow$	<code>\rightpitchfork</code>
$\Leftarrow$	<code>\leftpitchfork</code>	$\rightarrow$	<code>\nrightpitchfork</code>	$\searrow$	<code>\sepitchfork</code>
$\Downarrow$	<code>\ndownpitchfork</code>	$\searrow$	<code>\nsepitchfork</code>	$\swarrow$	<code>\swpitchfork</code>
$\nearrow$	<code>\nepitchfork</code>	$\nwarrow$	<code>\nswpitchfork</code>	$\Uparrow$	<code>\uppitchfork</code>
$\Leftarrow$	<code>\nleftpitchfork</code>	$\Uparrow$	<code>\nuppitchfork</code>		
$\nwarrow$	<code>\nnepitchfork</code>	$\nwarrow$	<code>\nwpitchfork</code>		

\* MnSymbol defines `\pitchfork` as a synonym for `\uppitchfork` and `\npitchfork` as a synonym for `\nuppitchfork`.

TABLE 167: MnSymbol Smiles and Frowns

$\frown$	<code>\doublefrown</code>	$\smile$	<code>\nsmileeq</code>	$\smile$	<code>\smileeq</code>
$\frown$	<code>\doublefrowneq</code>	$\smile$	<code>\nsmileeqfrown</code>	$\smile$	<code>\smileeqfrown</code>
$\smile$	<code>\doublesmile</code>	$\frown$	<code>\nsmilefrown</code>	$\smile$	<code>\smilefrown</code>
$\smile$	<code>\doublesmileeq</code>	$\frown$	<code>\nsmilefrowneq</code>	$\smile$	<code>\smilefrowneq</code>
$\frown$	<code>\eqfrown</code>	$\frown$	<code>\nsqdoublefrown</code>	$\frown$	<code>\sqdoublefrown</code>
$\smile$	<code>\eqsmile</code>	$\frown$	<code>\nsqdoublefrowneq</code>	$\frown$	<code>\sqdoublefrowneq</code>
$\frown$	<code>\frown</code>	$\smile$	<code>\nsqdoublesmile</code>	$\smile$	<code>\sqdoublesmile</code>
$\frown$	<code>\frowneq</code>	$\smile$	<code>\nsqdoublesmileeq</code>	$\smile$	<code>\sqdoublesmileeq</code>
$\smile$	<code>\frowneqsmile</code>	$\frown$	<code>\nsqeqfrown</code>	$\frown$	<code>\sqeqfrown</code>
$\smile$	<code>\frownsmile</code>	$\smile$	<code>\nsqeqsmile</code>	$\smile$	<code>\sqeqsmile</code>
$\smile$	<code>\frownsmileeq</code>	$\frown$	<code>\nsqfrown</code>	$\frown$	<code>\sqfrown</code>
$\frown$	<code>\ndoublefrown</code>	$\frown$	<code>\nsqfrowneq</code>	$\frown$	<code>\sqfrowneq</code>
$\frown$	<code>\ndoublefrowneq</code>	$\smile$	<code>\nsqfrowneqsmile</code>	$\frown$	<code>\sqfrowneqsmile</code>
$\smile$	<code>\ndoublesmile</code>	$\smile$	<code>\nsqfrownsmile</code>	$\smile$	<code>\sqfrownsmile</code>
$\smile$	<code>\ndoublesmileeq</code>	$\smile$	<code>\nsqsmile</code>	$\smile$	<code>\sqsmile</code>
$\frown$	<code>\neqfrown</code>	$\smile$	<code>\nsqsmileeq</code>	$\smile$	<code>\sqsmileeq</code>
$\smile$	<code>\neqsmile</code>	$\frown$	<code>\nsqsmileeqfrown</code>	$\frown$	<code>\sqsmileeqfrown</code>
$\frown$	<code>\nfrown</code>	$\smile$	<code>\nsqsmilefrown</code>	$\smile$	<code>\sqsmilefrown</code>
$\frown$	<code>\nfrowneq</code>	$\frown$	<code>\nsqtriplefrown</code>	$\frown$	<code>\sqtriplefrown</code>
$\smile$	<code>\nfrowneqsmile</code>	$\smile$	<code>\nsqtriplesmile</code>	$\smile$	<code>\sqtriplesmile</code>
$\smile$	<code>\nfrownsmile</code>	$\frown$	<code>\ntriplefrown</code>	$\frown$	<code>\triplefrown</code>
$\smile$	<code>\nfrownsmileeq</code>	$\smile$	<code>\ntriplesmile</code>	$\smile$	<code>\triplesmile</code>
$\smile$	<code>\nsmile</code>	$\smile$	<code>\smile</code>		

\* MnSymbol defines `\smallsmile` as a synonym for `\smile`, `\smallfrown` as a synonym for `\frown`, `\asym` as a synonym for `\smilefrown`, and `\nasym` as a synonym for `\nsmilefrown`.

TABLE 168: fdsymbol Spoons

◐◑	<code>\blackwhitespoon</code>	‡	<code>\ndownblackspoon</code>	‡	<code>\nupblackspoon</code>
‡	<code>\downblackspoon</code>	‡	<code>\ndownspoon</code>	‡	<code>\nupspoon</code>
‡	<code>\downspoon</code>	◐‡	<code>\nleftblackspoon</code>	◐‡	<code>\nwhiteblackspoon</code>
◐‡	<code>\leftblackspoon</code>	◐‡	<code>\nleftrightblackspoon</code>	◐‡	<code>\rightblackspoon</code>
◐‡	<code>\leftrightblackspoon</code>	◐‡	<code>\nleftrightspoon</code>	◐‡	<code>\rightspoon</code>
◐◑	<code>\leftrightspoon</code>	◐‡	<code>\nleftspoon</code>	‡	<code>\upblackspoon</code>
◐‡	<code>\leftspoon</code>	‡	<code>\nrighblackspoon</code>	‡	<code>\upspoon</code>
◐‡	<code>\nblackwhitespoon</code>	‡	<code>\nrightrightspoon</code>	◐‡	<code>\whiteblackspoon</code>

fdsymbol defines synonyms for many of the preceding symbols:

‡	<code>\circirid</code>	◐‡	<code>\multimapinv</code>	‡	<code>\nmultimap</code>
◐◑	<code>\dualmap</code>	‡	<code>\ncirid</code>	◐‡	<code>\nmultimapinv</code>
◐◑	<code>\imageof</code>	◐‡	<code>\ndualmap</code>	◐‡	<code>\norigof</code>
‡	<code>\midcir</code>	◐‡	<code>\nimageof</code>	◐‡	<code>\origof</code>
◐‡	<code>\multimap</code>	‡	<code>\nmidcir</code>		

TABLE 169: fdsymbol Pitchforks

‡	<code>\downpitchfork</code>	‡	<code>\leftpitchfork</code>	‡	<code>\rightpitchfork</code>
‡	<code>\leftpitchfork</code>	‡	<code>\rightpitchfork</code>	‡	<code>\uppitchfork</code>
‡	<code>\downpitchfork</code>	‡	<code>\nuppitchfork</code>		

fdsymbol defines `\npitchfork` as a synonym for `\nuppitchfork` and `\pitchfork` as a synonym for `\uppitchfork`.

TABLE 170: fdsymbol Smiles and Frowns

˘	<code>\frown</code>	≠	<code>\nfrowneq</code>	≠	<code>\nsmilefrown</code>
≡	<code>\frowneq</code>	≠	<code>\nfrownsmile</code>	˘	<code>\smile</code>
◐	<code>\frownsmile</code>	≠	<code>\nsmile</code>	≡	<code>\smileeq</code>
†	<code>\nfrown</code>	≠	<code>\nsmileeq</code>	˘	<code>\smilefrown</code>

fdsymbol defines `\arceq` as a synonym for `\frowneq`, `\asymp` as a synonym for `\smilefrown`, `\closure` as a synonym for `\frownsmile`, `\narceq` as a synonym for `\nfrowneq`, `\nasymp` as a synonym for `\nsmilefrown`, `\nclosure` as a synonym for `\nfrownsmile`, `\smallfrown` as a synonym for `\frown`, and `\smallsmile` as a synonym for `\smile`.

TABLE 171: ulsy Contradiction Symbols

‡	<code>\blitza</code>	‡	<code>\blitzb</code>	‡	<code>\blitzc</code>	‡	<code>\blitzd</code>	‡	<code>\blitze</code>
---	----------------------	---	----------------------	---	----------------------	---	----------------------	---	----------------------

TABLE 172: Extension Characters

– `\relbar` = `\Relbar`

TABLE 173: stmaryrd Extension Characters

/ `\Arrownot` † `\Mapsfromchar` † `\Mapstochar`  
 / `\arrownot` † `\mapsfromchar`

TABLE 174: txfonts/pxfonts Extension Characters

‡ `\Mappedfromchar` ‡ `\Mmappedfromchar` ‡ `\Mmapstochar`  
 ‡ `\mappedfromchar` ‡ `\mmappedfromchar` ‡ `\mmapstochar`

TABLE 175: mathabx Extension Characters

‡ `\mapsfromchar` † `\mapstochar`  
 ‡ `\Mapsfromchar` † `\Mapstochar`

TABLE 176: stix Extension Characters

◁ `\lhook` – `\relbar` ≡ `\RRelbar`  
 † `\mapsfromchar` = `\Relbar` ≡ `\Rrelbar`  
 † `\mapstochar` † `\rhook`

TABLE 177: Log-like Symbols

<code>\arccos</code>	<code>\cos</code>	<code>\csc</code>	<code>\exp</code>	<code>\ker</code>	<code>\limsup</code>	<code>\min</code>	<code>\sinh</code>
<code>\arcsin</code>	<code>\cosh</code>	<code>\deg</code>	<code>\gcd</code>	<code>\lg</code>	<code>\ln</code>	<code>\Pr</code>	<code>\sup</code>
<code>\arctan</code>	<code>\cot</code>	<code>\det</code>	<code>\hom</code>	<code>\lim</code>	<code>\log</code>	<code>\sec</code>	<code>\tan</code>
<code>\arg</code>	<code>\coth</code>	<code>\dim</code>	<code>\inf</code>	<code>\liminf</code>	<code>\max</code>	<code>\sin</code>	<code>\tanh</code>

Calling the above “symbols” may be a bit misleading.<sup>3</sup> Each log-like symbol merely produces the eponymous textual equivalent, but with proper surrounding spacing. See Section 10.4 for more information about log-like symbols. As `\bmod` and `\pmod` are arguably not symbols we refer the reader to the Short Math Guide for L<sup>A</sup>T<sub>E</sub>X [Dow00] for samples.

---

<sup>3</sup>Michael J. Downes prefers the more general term, “atomic math objects”.

TABLE 178:  $\mathcal{A}\mathcal{M}\mathcal{S}$  Log-like Symbols

<code>injlim</code>	<code>\injlim</code>	$\lim_{\rightarrow}$	<code>\varinjlim</code>	$\overline{\lim}$	<code>\varlimsup</code>
<code>projlim</code>	<code>\projlim</code>	$\lim_{\leftarrow}$	<code>\varprojlim</code>	$\varliminf$	<code>\varprojlim</code>

Load the `amsmath` package to get these symbols. See Section 10.4 for some additional comments regarding log-like symbols. As `\mod` and `\pod` are arguably not symbols we refer the reader to the Short Math Guide for  $\text{\LaTeX}$  [Dow00] for samples.

TABLE 179:  $\text{\LaTeX}$ 2e Number Sets

$\mathbb{C}$	<code>\Complex</code>	$\mathbb{Z}$	<code>\Integer</code>	$\mathbb{N}$	<code>\Natural</code>	$\mathbb{Q}$	<code>\Rational</code>	$\mathbb{R}$	<code>\Real</code>
$\mathbb{C}$	<code>\COMPLEX</code>	$\mathbb{Z}$	<code>\INTEGER</code>	$\mathbb{N}$	<code>\NATURAL</code>	$\mathbb{Q}$	<code>\RATIONAL</code>	$\mathbb{R}$	<code>\REAL</code>

TABLE 180: Greek Letters

$\alpha$	<code>\alpha</code>	$\theta$	<code>\theta</code>	$o$	<code>o</code>	$\tau$	<code>\tau</code>
$\beta$	<code>\beta</code>	$\vartheta$	<code>\vartheta</code>	$\pi$	<code>\pi</code>	$\upsilon$	<code>\upsilon</code>
$\gamma$	<code>\gamma</code>	$\iota$	<code>\iota</code>	$\varpi$	<code>\varpi</code>	$\phi$	<code>\phi</code>
$\delta$	<code>\delta</code>	$\kappa$	<code>\kappa</code>	$\rho$	<code>\rho</code>	$\varphi$	<code>\varphi</code>
$\epsilon$	<code>\epsilon</code>	$\lambda$	<code>\lambda</code>	$\varrho$	<code>\varrho</code>	$\chi$	<code>\chi</code>
$\varepsilon$	<code>\varepsilon</code>	$\mu$	<code>\mu</code>	$\sigma$	<code>\sigma</code>	$\psi$	<code>\psi</code>
$\zeta$	<code>\zeta</code>	$\nu$	<code>\nu</code>	$\varsigma$	<code>\varsigma</code>	$\omega$	<code>\omega</code>
$\eta$	<code>\eta</code>	$\xi$	<code>\xi</code>				
$\Gamma$	<code>\Gamma</code>	$\Lambda$	<code>\Lambda</code>	$\Sigma$	<code>\Sigma</code>	$\Psi$	<code>\Psi</code>
$\Delta$	<code>\Delta</code>	$\Xi$	<code>\Xi</code>	$\Upsilon$	<code>\Upsilon</code>	$\Omega$	<code>\Omega</code>
$\Theta$	<code>\Theta</code>	$\Pi$	<code>\Pi</code>	$\Phi$	<code>\Phi</code>		

The remaining Greek majuscules can be produced with ordinary Latin letters. The symbol “M”, for instance, is used for both an uppercase “m” and an uppercase “ $\mu$ ”. To make available commands for *all* of the Greek majuscules, either use the `mathspec` package, which requires  $X_{\text{TeX}}\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ , or copy `mathspec.sty`’s Greek-letter definitions to your document’s preamble:

```

\DeclareMathSymbol{\Alpha}{\mathalpha}{operators}{"41}
\DeclareMathSymbol{\Beta}{\mathalpha}{operators}{"42}
\DeclareMathSymbol{\Epsilon}{\mathalpha}{operators}{"45}
\DeclareMathSymbol{\Zeta}{\mathalpha}{operators}{"5A}
\DeclareMathSymbol{\Eta}{\mathalpha}{operators}{"48}
\DeclareMathSymbol{\Iota}{\mathalpha}{operators}{"49}
\DeclareMathSymbol{\Kappa}{\mathalpha}{operators}{"4B}
\DeclareMathSymbol{\Mu}{\mathalpha}{operators}{"4D}
\DeclareMathSymbol{\Nu}{\mathalpha}{operators}{"4E}
\DeclareMathSymbol{\Omicron}{\mathalpha}{operators}{"4F}
\DeclareMathSymbol{\Rho}{\mathalpha}{operators}{"50}
\DeclareMathSymbol{\Tau}{\mathalpha}{operators}{"54}
\DeclareMathSymbol{\Chi}{\mathalpha}{operators}{"58}
\DeclareMathSymbol{\omicron}{\mathord}{letters}{"6F}

```

See Section 10.5 for examples of how to produce bold Greek letters.

The symbols in this table are intended to be used in mathematical typesetting. Greek body text can be typeset using the `babel` package’s `greek` (or `polutoniko-greek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 181:  $\mathcal{AMS}$  Greek Letters

$F$	<code>\digamma</code>	$\varkappa$	<code>\varkappa</code>
-----	-----------------------	-------------	------------------------



TABLE 182: txfonts/pxfonts Upright Greek Letters

$\alpha$	<code>\alphaup</code>	$\theta$	<code>\thetaaup</code>	$\pi$	<code>\piup</code>	$\phi$	<code>\phiup</code>
$\beta$	<code>\betaaup</code>	$\vartheta$	<code>\varthetaaup</code>	$\varpi$	<code>\varpiup</code>	$\varphi$	<code>\varphiup</code>
$\gamma$	<code>\gammaaup</code>	$\iota$	<code>\iotaaup</code>	$\rho$	<code>\rhoup</code>	$\chi$	<code>\chiup</code>
$\delta$	<code>\deltaaup</code>	$\kappa$	<code>\kappaaup</code>	$\varrho$	<code>\varrhoup</code>	$\psi$	<code>\psiup</code>
$\epsilon$	<code>\epsilonup</code>	$\lambda$	<code>\lambdaaup</code>	$\sigma$	<code>\sigmaup</code>	$\omega$	<code>\omegaup</code>
$\varepsilon$	<code>\varepsilonup</code>	$\mu$	<code>\muup</code>	$\varsigma$	<code>\varsigmaup</code>		
$\zeta$	<code>\zetaup</code>	$\nu$	<code>\nuup</code>	$\tau$	<code>\tauup</code>		
$\eta$	<code>\etaup</code>	$\xi$	<code>\xiup</code>	$\upsilon$	<code>\upsilonup</code>		

The symbols in this table are intended to be used sporadically throughout a document (e.g., to represent mathematical units or numerical quantities—“ $\pi \approx 3.14159$ ”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 183: upgreek Upright Greek Letters

$\alpha$	<code>\upalpha</code>	$\theta$	<code>\uptheta</code>	$\pi$	<code>\uppi</code>	$\phi$	<code>\upphi</code>
$\beta$	<code>\upbeta</code>	$\vartheta$	<code>\upvartheta</code>	$\varpi$	<code>\upvarpi</code>	$\varphi$	<code>\upvarphi</code>
$\gamma$	<code>\upgamma</code>	$\iota$	<code>\upiota</code>	$\rho$	<code>\uprho</code>	$\chi$	<code>\upchi</code>
$\delta$	<code>\updelta</code>	$\kappa$	<code>\upkappa</code>	$\varrho$	<code>\upvarrho</code>	$\psi$	<code>\uppsi</code>
$\epsilon$	<code>\upepsilon</code>	$\lambda$	<code>\uplambda</code>	$\sigma$	<code>\upsigma</code>	$\omega$	<code>\upomega</code>
$\varepsilon$	<code>\upvarepsilon</code>	$\mu$	<code>\upmu</code>	$\varsigma$	<code>\upvarsigma</code>		
$\zeta$	<code>\upzeta</code>	$\nu$	<code>\upnu</code>	$\tau$	<code>\uptau</code>		
$\eta$	<code>\upeta</code>	$\xi$	<code>\upxi</code>	$\upsilon$	<code>\upupsilon</code>		
$\Gamma$	<code>\Upgamma</code>	$\Lambda$	<code>\Uplambda</code>	$\Sigma$	<code>\Upsilonsigma</code>	$\Psi$	<code>\Uppsi</code>
$\Delta$	<code>\Updelta</code>	$\Xi$	<code>\Upxi</code>	$\Upsilon$	<code>\Upupsilon</code>	$\Omega$	<code>\Upomega</code>
$\Theta$	<code>\Uptheta</code>	$\Pi$	<code>\Uppi</code>	$\Phi$	<code>\Upphi</code>		

`upgreek` utilizes upright Greek characters from either the PostScript Symbol font (depicted above) or Euler Roman. As a result, the glyphs may appear slightly different from the above. Contrast, for example, “ $\Gamma\Delta\Theta\alpha\beta\gamma$ ” (Symbol) with “ $\Gamma\Delta\Theta\alpha\beta\gamma$ ” (Euler).

Unlike `textgreek` (Table 6 on page 16), `upgreek` works in math mode.

The symbols in this table are intended to be used sporadically throughout a document (e.g., to represent mathematical units or numerical quantities—“ $\pi \approx 3.14159$ ”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 184: fourier Variant Greek Letters

$\pi$	<code>\pi</code>	$\rho$	<code>\rho</code>
$\varpi$	<code>\varpi</code>	$\varrho$	<code>\varrho</code>
$\varpi$	<code>\varvarpi</code>	$\varrho$	<code>\varvarrho</code>

TABLE 185: txfonts/pxfonts Variant Latin Letters

$g$  `\varg`    $v$  `\varv`    $w$  `\varw`    $y$  `\vary`

Pass the `varg` option to `txfonts/pxfonts` to replace  $g$ ,  $v$ ,  $w$ , and  $y$  with  $g$ ,  $v$ ,  $w$ , and  $y$  in every mathematical expression in your document.

TABLE 186: boisik Variant Greek Letters

$\beta$  `\varbeta`    $\kappa$  `\varkappa`    $\varpi$  `\varpi`    $\varsigma$  `\varsigma`  
 $\varepsilon$  `\varepsilon`    $\varphi$  `\varphi`    $\varrho$  `\varrho`    $\vartheta$  `\vartheta`

TABLE 187: boisik Variant Latin Letters

$g$  `\varg`

TABLE 188: stix Variant Greek Letters

$\varepsilon$  `\varepsilon`    $\varphi$  `\varphi`    $\varrho$  `\varrho`    $\vartheta$  `\vartheta`  
 $\kappa$  `\kappa`    $\varpi$  `\varpi`    $\varsigma$  `\varsigma`

TABLE 189: stix Transformed Greek Letters

$\varepsilon$  `\backepsilon`    $\iota$  `\turnediota`  
 $\varnothing$  `\mho`    $\varepsilon$  `\upbackepsilon`

TABLE 190:  $\mathcal{AMS}$  Hebrew Letters

$\beth$  `\beth`    $\gimel$  `\gimel`    $\daleth$  `\daleth`

$\aleph$  ( $\aleph$ ) appears in Table 286 on page 122.

TABLE 191: MnSymbol Hebrew Letters

$\aleph$  `\aleph`    $\beth$  `\beth`    $\gimel$  `\gimel`    $\daleth$  `\daleth`

TABLE 192: fdsymbol Hebrew Letters

$\aleph$  `\aleph`    $\beth$  `\beth`    $\gimel$  `\gimel`    $\daleth$  `\daleth`

TABLE 193: boisk Hebrew Letters

$\beth$	$\beth$	$\gimel$	$\daleth$
---------	---------	----------	-----------

TABLE 194: stix Hebrew Letters

$\aleph$	$\beth$	$\gimel$	$\daleth$
----------	---------	----------	-----------

TABLE 195: Letter-like Symbols

$\perp$	$\forall$	$\imath$	$\ni$	$\top$
$\ell$	$\hbar$	$\in$	$\partial$	$\wp$
$\exists$	$\Im$	$j$	$\Re$	

TABLE 196:  $\mathcal{AMS}$  Letter-like Symbols

$\mathbb{k}$	$\mathbb{C}$	$\hbar$
$\textcircled{R}$	$\textcircled{F}$	$\textcircled{/}$
$\textcircled{S}$	$\textcircled{G}$	$\textcircled{\#}$

TABLE 197: txfonts/pxfonts Letter-like Symbols

$\mathcal{C}$	$\mathcal{S}$	$\mathcal{N}$	$\mathcal{P}$
---------------	---------------	---------------	---------------

\* It's generally preferable to use the corresponding symbol from Table 3 on page 15 because the symbols in that table work properly in both text mode and math mode.

TABLE 198: mathabx Letter-like Symbols

$\bar{\in}$	$\in$	$\nexists$	$\notin$
$\complement$	$\nexists$	$\owns$	$\varnothing$
$\exists$	$\not\perp$	$\ownsbar$	
$\textcircled{F}$	$\notin$	$\partial$	
$\textcircled{G}$	$\not\varnothing$	$\partial$	

TABLE 199: MnSymbol Letter-like Symbols

$\perp$	$\in$	$\nexists$	$\top$
$\exists$	$\nexists$	$\owns$	$\wp$
$\forall$	$\notin$	$\wp$	

\* MnSymbol provides synonyms  $\backslash\text{notin}$  for  $\backslash\text{nin}$ ,  $\backslash\text{ni}$  for  $\backslash\text{owns}$ , and  $\backslash\text{intercal}$  for  $\backslash\text{top}$ .

TABLE 200: fdsymbol Letter-like Symbols

$\perp$	<code>\bot</code>	$\forall$	<code>\forall</code>	$\in$	<code>\in</code>	$\ni$	<code>\owns</code>
$\complement$	<code>\complement</code>	$\Game$	<code>\Game</code>	$\nexists$	<code>\nexists</code>	$\top$	<code>\top</code>
$\exists$	<code>\exists</code>	$\hbar$	<code>\hbar</code>	$\notin$	<code>\notin</code>	$\wp$	<code>\wp</code>
$\Finv$	<code>\Finv</code>	$\hslash$	<code>\hslash</code>	$\nexists$	<code>\nexists</code>		

`fdsymbol` provides synonyms `\notin` for `\nin`, `\ni` for `\owns`, and `\nni` for `\nowns`.

TABLE 201: boisik Letter-like Symbols

$\Bbbk$	<code>\Bbbk</code>	$\Game$	<code>\Game</code>	$\imath$	<code>\imath</code>	$\nexists$	<code>\nexists</code>
$\complement$	<code>\complement</code>	$\hbar$	<code>\hbar</code>	$\intercal$	<code>\intercal</code>	$\wp$	<code>\wp</code>
$\Finv$	<code>\Finv</code>	$\hslash$	<code>\hslash</code>	$\jmath$	<code>\jmath</code>		

TABLE 202: stix Letter-like Symbols

$\text{\AA}$	<code>\Angstrom</code>	$\mathcal{E}$	<code>\Eulerconst</code>	$\imath$	<code>\imath</code>	$\top$	<code>\top</code>
$\mathbb{k}$	<code>\Bbbk</code>	$\exists$	<code>\exists</code>	$\intercal$	<code>\intercal</code>	$\topbot$	<code>\topbot</code>
$\perp$	<code>\bot</code>	$\Finv$	<code>\Finv</code>	$\jmath$	<code>\jmath</code>	$\wp$	<code>\wp</code>
$\text{\textcircled{R}}$	<code>\circledR</code>	$\forall$	<code>\forall</code>	$\mathit{\$}$	<code>\mathdollar</code>	$\Upsilon$	<code>\Yup</code>
$\text{\textcircled{S}}$	<code>\circledS</code>	$\Game$	<code>\Game</code>	$\mathit{\P}$	<code>\mathparagraph</code>	$\mathbb{Z}$	<code>\Zbar</code>
$\complement$	<code>\complement</code>	$\hbar$	<code>\hbar</code>	$\mathit{\pounds}$	<code>\mathsterling</code>		
$\digamma$	<code>\digamma</code>	$\hslash$	<code>\hslash</code>	$\nexists$	<code>\nexists</code>		
$\ell$	<code>\ell</code>	$\Im$	<code>\Im</code>	$\Re$	<code>\Re</code>		

TABLE 203: trfsigns Letter-like Symbols

$e$	<code>\e</code>	$j$	<code>\im</code>
-----	-----------------	-----	------------------

TABLE 204: mathdesign Letter-like Symbols

$\in$	<code>\in</code>	$\ni$	<code>\owns</code>
$\notin$	<code>\notin</code>	$\in$	<code>\smallin</code>
$\notin$	<code>\notsmallin</code>	$\ni$	<code>\smallowns</code>
$\notin$	<code>\notsmallowns</code>		

The `mathdesign` package additionally provides versions of each of the letter-like symbols shown in Table 196 on the previous page.

TABLE 205: fge Letter-like Symbols

$\forall$	<code>\fgeA</code>	$\text{g}$	<code>\fgeeszett</code>	$\text{B}$	<code>\fgeleftB</code>	$\text{U}$	<code>\fgeU</code>
$\dot{\text{g}}$	<code>\fgeC</code>	$\text{F}$	<code>\fgeF</code>	$\text{C}$	<code>\fgeleftC</code>		
$\text{p}$	<code>\fged</code>	$\text{f}$	<code>\fgef</code>	$\text{B}$	<code>\fgerightB</code>		
$\dot{\text{g}}$	<code>\fgee</code>	$\text{f}$	<code>\fgeIb*</code>	$\text{f}$	<code>\fges</code>		

\* The fge package defines `\fgeeta`, `\fgeN`, and `\fgeoverU` as synonyms for `\fgeIb`.

TABLE 206: fourier Letter-like Symbols

$\partial$	<code>\partial</code>	$\partial$	<code>\varpartialdiff</code>
------------	-----------------------	------------	------------------------------

TABLE 207: cml Letter-like Symbols

$\perp$	<code>\Bot</code>	$\text{sim}$	<code>\simbot</code>
---------	-------------------	--------------	----------------------

TABLE 208:  $\mathcal{AMS}$  Delimiters

$\lrcorner$	<code>\ulcorner</code>	$\urcorner$	<code>\urcorner</code>
$\llcorner$	<code>\llcorner</code>	$\lrcorner$	<code>\lrcorner</code>

TABLE 209: stmaryrd Delimiters

$\{$	<code>\Lbag</code>	$\}$	<code>\Rbag</code>	$\{$	<code>\lbag</code>	$\}$	<code>\rbag</code>
$\lceil$	<code>\llceil</code>	$\rceil$	<code>\rrceil</code>	$\lfloor$	<code>\llfloor</code>	$\rfloor$	<code>\rrfloor</code>
$($	<code>\llparenthesis</code>	$)$	<code>\rrparenthesis</code>				

TABLE 210: mathabx Delimiters

$\lrcorner$	<code>\lrcorner</code>	$\urcorner$	<code>\urcorner</code>
$\llcorner$	<code>\llcorner</code>	$\lrcorner$	<code>\lrcorner</code>

TABLE 211: boisik Delimiters

$\lrcorner$	<code>\ulcorner</code>	$\urcorner$	<code>\urcorner</code>
$\llcorner$	<code>\llcorner</code>	$\lrcorner$	<code>\lrcorner</code>

TABLE 212: stix Delimiters

$\langle$	<code>\langedot</code>	$\rangle$	<code>\rangedot</code>	$\llcorner$	<code>\llangle</code>	$\lrcorner$	<code>\rrangle</code>
$\int$	<code>\lbag</code>	$\int$	<code>\rbag</code>	$\llcorner$	<code>\llcorner</code>	$\lrcorner$	<code>\lrcorner</code>
$\lbrack$	<code>\lblkbrbrak</code>	$\rbrack$	<code>\rblkbrbrak</code>	$\llcorner$	<code>\llparenthesis</code>	$\lrcorner$	<code>\rrparenthesis</code>
$\lbrack$	<code>\lbracklltick</code>	$\rbrack$	<code>\rbrackurtick</code>	$\llcorner$	<code>\lparenltr</code>	$\lrcorner$	<code>\Rparenless</code>
$\lbrack$	<code>\lbrackubar</code>	$\rbrack$	<code>\rbrackubar</code>	$\llcorner$	<code>\lparenless</code>	$\lrcorner$	<code>\rparenltr</code>
$\lbrack$	<code>\lbrackultick</code>	$\rbrack$	<code>\rbracklrtick</code>	$\llcorner$	<code>\lvzigzag</code>	$\lrcorner$	<code>\rvzigzag</code>
$\lbrack$	<code>\Lbrbrak</code>	$\rbrack$	<code>\Rbrbrak</code>	$\llcorner$	<code>\Lvzigzag</code>	$\lrcorner$	<code>\Rvzigzag</code>
$\langle$	<code>\lcurvyangle</code>	$\rangle$	<code>\rcurvyangle</code>	$\llcorner$	<code>\ulcorner</code>	$\lrcorner$	<code>\urcorner</code>

TABLE 213: nath Delimiters

$\llcorner$	<code>\niv</code>	$\lrcorner$	<code>\vin</code>
-------------	-------------------	-------------	-------------------

TABLE 214: Variable-sized Delimiters

$\downarrow$	$\Downarrow$	<code>\downarrow</code>	<code>\Downarrow</code>	$[$	$[$	$[$	$]$	$]$	$]$
$\langle$	$\rangle$	<code>\langle</code>	<code>\rangle</code>	$ $	$ $	$ $	$\ $	$\ $	<code>\ </code>
$\lceil$	$\rceil$	<code>\lceil</code>	<code>\rceil</code>	$\uparrow$	$\Uparrow$	<code>\uparrow</code>	$\Uparrow$	$\Uparrow$	<code>\Uparrow</code>
$\lfloor$	$\rfloor$	<code>\lfloor</code>	<code>\rfloor</code>	$\updownarrow$	$\Updownarrow$	<code>\updownarrow</code>	$\Updownarrow$	$\Updownarrow$	<code>\Updownarrow</code>
$($	$)$	<code>(</code>	<code>)</code>	$\{$	$\}$	<code>\{</code>	$\}$	$\}$	<code>\}</code>
$/$	$\backslash$	<code>/</code>	<code>\backslash</code>	<code>\backslashslash</code>					

When used with `\left` and `\right`, these symbols expand to the height of the enclosed math expression. Note that `\vert` is a synonym for `|`, and `\Vert` is a synonym for `\|`.

$\varepsilon$ -TeX provides a `\middle` analogue to `\left` and `\right`. `\middle` can be used, for example, to make an internal “`|`” expand to the height of the surrounding `\left` and `\right` symbols. (This capability is commonly needed when typesetting adjacent bras and kets in Dirac notation: “ $\langle\phi|\psi\rangle$ ”). A similar effect can be achieved in conventional L<sup>A</sup>T<sub>E</sub>X using the `braket` package.

TABLE 215: Large, Variable-sized Delimiters

$\int$	$\int$	<code>\lmoustache</code>	$\left$	$\right$	<code>\rmoustache</code>	$\left$	$\left$	<code>\lgroup</code>	$\right$	$\right$	<code>\rgroup</code>
$ $	$ $	<code>\arrowvert</code>	$\parallel$	$\parallel$	<code>\Arrowvert</code>	$ $	$ $	<code>\bracevert</code>			

These symbols *must* be used with `\left` and `\right`. The `mathabx` package, however, redefines `\lgroup` and `\rgroup` so that those symbols can work without `\left` and `\right`.

TABLE 216:  $\mathcal{AMS}$  Variable-sized Delimiters

$ $	$ $	<code>\lvert</code>	$ $	$ $	<code>\rvert</code>
$\parallel$	$\parallel$	<code>\lVert</code>	$\parallel$	$\parallel$	<code>\rVert</code>

According to the `amsmath` documentation [AMS99], the preceding symbols are intended to be used as delimiters (e.g., as in “ $| - z |$ ”) while the `\vert` and `\Vert` symbols (Table 214 on the previous page) are intended to be used as operators (e.g., as in “ $p|q$ ”).

TABLE 217: `stmaryrd` Variable-sized Delimiters

$\llbracket$	$\llbracket$	<code>\llbracket</code>	$\rrbracket$	$\rrbracket$	<code>\rrbracket</code>
--------------	--------------	-------------------------	--------------	--------------	-------------------------

TABLE 218: `mathabx` Variable-sized Delimiters

$\llbracket$	$\llbracket$	<code>\ldbrack</code>	$\rrbracket$	$\rrbracket$	<code>\rdbrack</code>
$\lrcorner$	$\lrcorner$	<code>\lfilet</code>	$\rfilet$	$\rfilet$	<code>\rfilet</code>
$ $	$ $	<code>\thickvert</code>	$\parallel$	$\parallel$	<code>\vvvert</code>

TABLE 219: MnSymbol Variable-sized Delimiters

$\parallel$	$\parallel$	<code>\Arrowvert</code>	{	{	<code>\lbrace</code>		]	<code>\rceil</code>
		<code>\arrowvert</code>	[	[	<code>\lceil</code>	]	]	<code>\rfloor</code>
\	\	<code>\backslash</code>	[	[	<code>\lfloor</code>	)	)	<code>\rgroup</code>
		<code>\bracevert</code>	(	(	<code>\lgroup</code>	\	)	<code>\rmoustache</code>
[	[	[	«	«	<code>\llangle</code>	»	»	<code>\rrangle</code>
]	]	]	⌞	⌞	<code>\llcorner</code>	⌠	⌠	<code>\rsem</code>
(	(	(	)	)	<code>\lmoustache</code>	}}	}}	<code>\rWavy</code>
)	)	)	⌞	⌞	<code>\lrcorner</code>	}	}	<code>\rwavy</code>
/	/	/	⌠	⌠	<code>\lsem</code>	⌞	⌞	<code>\ulcorner</code>
<	<	<	}	}	<code>\lwavey</code>	⌞	⌞	<code>\ullcorner</code>
>	>	>	}}	}}	<code>\lWavy</code>	⌞	⌞	<code>\ulrcorner</code>
			}	}	<code>\rangle</code>	⌞	⌞	<code>\urcorner</code>
<	<	<code>\langle</code>	}	}	<code>\ranglebar</code>			<code>\ </code>
<	<	<code>\langlebar</code>	}	}	<code>\rbrace</code>			

`\vert` is a synonym for `|`. `\Vert` is a synonym for `\|`. `\mid` and `\mvert` produce the same symbol as `\vert` but designated as math relations instead of ordinals. `\divides` produces the same symbol as `\vert` but designated as a binary operator instead of an ordinal. `\parallel` and `\mVert` produce the same symbol as `\Vert` but designated as math relations instead of ordinals.



TABLE 220: fdsymbol Variable-sized Delimiters

$\backslash$	$\backslash$	<code>\backslashslash</code>	$\lrcorner$	$\lrcorner$	<code>\lrcorner</code>	$\lrcorner$	$\lrcorner$	<code>\rparen</code>
$\downarrow$	$\downarrow$	<code>\downarrowarrow</code>	$\lvert$	$\lvert$	<code>\lvert</code>	$\lvert$	$\lvert$	<code>\rvert</code>
$\Downarrow$	$\Downarrow$	<code>\Downarrowarrow</code>	$\lVert$	$\lVert$	<code>\lVert</code>	$\lVert$	$\lVert$	<code>\rVert</code>
$\langle\langle$	$\langle\langle$	<code>\lAngle</code>	$\lll$	$\lll$	<code>\lVvert</code>	$\lll$	$\lll$	<code>\rVvert</code>
$\langle$	$\langle$	<code>\langle</code>	$/$	$/$	<code>\mathslash</code>	$\ulcorner$	$\ulcorner$	<code>\ulcorner</code>
$\langle\cdot$	$\langle\cdot$	<code>\langedot</code>	$\rangle$	$\rangle$	<code>\rangle</code>	$\llcorner$	$\llcorner$	<code>\llcorner</code>
$\{$	$\{$	<code>\lbrace</code>	$\rangle\rangle$	$\rangle\rangle$	<code>\rAngle</code>	$\llcorner$	$\llcorner$	<code>\ulrcorner</code>
$[$	$[$	<code>\lbrack</code>	$\rangle\cdot$	$\rangle\cdot$	<code>\rangedot</code>	$\uparrow$	$\uparrow$	<code>\uparrowarrow</code>
$\llbracket$	$\llbracket$	<code>\lBrack</code>	$\}$	$\}$	<code>\rbrace</code>	$\Uparrow$	$\Uparrow$	<code>\Uparrow</code>
$\lceil$	$\lceil$	<code>\lceil</code>	$\lceil$	$\lceil$	<code>\rBrack</code>	$\Updownarrow$	$\Updownarrow$	<code>\updownarrow</code>
$\lfloor$	$\lfloor$	<code>\lfloor</code>	$\lfloor$	$\lfloor$	<code>\rbrack</code>	$\Updownarrow$	$\Updownarrow$	<code>\Updownarrow</code>
$\lgroup$	$\lgroup$	<code>\lgroup</code>	$\lceil$	$\lceil$	<code>\rceil</code>	$\urcorner$	$\urcorner$	<code>\urcorner</code>
$\llcorner$	$\llcorner$	<code>\llcorner</code>	$\lfloor$	$\lfloor$	<code>\rfloor</code>	$\lvert$	$\lvert$	<code>\vert</code>
$\lsmile$	$\lsmile$	<code>\lmoustache</code>	$\lceil$	$\lceil$	<code>\rgroup</code>	$\lVert$	$\lVert$	<code>\Vert</code>

(continued on next page)

(continued from previous page)

( ( \lparen ) \rparen [ ] \rmoustache ||| ||| \Vvert

fdsymbol defines “(” as a synonym for \lparen, “)” as a synonym for \rparen, “[” as a synonym for \lbrack, “]” as a synonym for \rbrack, “{” as a synonym for \lbrace, “}” as a synonym for \rbrace, “/” as a synonym for \mathslash, “|” as a synonym for \vert, “\|” as a synonym for \Vert, \lsem as a synonym for \lBrack, and \rsem as a synonym for \rBrack.

TABLE 221: stix Variable-sized Delimiters

"		\Arrowvert	«	⟨⟨	\lAngle	] ]	\rceil
,		\arrowvert	{	{	\lbrace	] ]	\rfloor
\	\	\backslash	{	{	\lBrace	) (	\rgroup
⇓	⇓	\Ddownarrow			\lBrack	\ \	\rmoustache
⇓	⇓	\DDownarrow	(	(	\lbrbrak	) )	\rParen
↓	↓	\downarrow	[	[	\lceil	↑ ↑	\uparrow
⇓	⇓	\Downarrow	[	[	\lfloor	↑ ↑	\Uparrow
[	[	[	(	)	\lgroup	⇕ ⇕	\Updownarrow
]	]	]	∫	∫	\lmoustache	⇕ ⇕	\updownarrow

(continued from previous page)

(	(	(	(	(	<code>\lParen</code>	⇧	⇧	<code>\Uparrow</code>
)	)	)	)	)	<code>\rAngle</code>	⇧	⇧	<code>\Uparrow</code>
/	/	/	/	/	<code>\rangle</code>			<code>\Vert</code>
<	<	<	<	<	<code>\rbrace</code>			<code>\vert</code>
>	>	>	>	>	<code>\rbrace</code>			<code>\Vert</code>
					<code>\rBrack</code>			
<	<	<code>\langle</code>	>	>	<code>\rangle</code>			<code>\rangle</code>

TABLE 222: mathdesign Variable-sized Delimiters

⌊	⌋	<code>\leftwave</code>	⌋	⌌	<code>\rightwave</code>
⌋	⌌	<code>\leftevaw</code>	⌌	⌋	<code>\rightevaw</code>

The definitions of these symbols include a preceding `\left` or `\right`. It is therefore an error to specify `\left` or `\right` explicitly. The internal, “primitive” versions of these symbols are called `\lwave`, `\rwave`, `\levaw`, and `\revaw`.

TABLE 223: `nath` Variable-sized Delimiters (Double)

$\langle\langle$	<code>\lAngle</code>	$\rangle\rangle$	<code>\rAngle</code>
$\llbracket$	<code>\lBrack</code>	$\rrbracket$	<code>\rBrack</code>
$\lceil$	<code>\lCeil</code>	$\rceil$	<code>\rCeil</code>
$\lfloor$	<code>\lFloor</code>	$\rfloor$	<code>\rFloor</code>
$\lVert$	<code>\lVert*</code>	$\rVert$	<code>\rVert*</code>

\* `nath` redefines all of the above to include implicit `\left` and `\right` commands. Hence, separate `\lVert` and `\rVert` commands are needed to disambiguate whether “|” is a left or right delimiter.

All of the symbols in Table 223 can also be expressed using the `\double` macro. See the `nath` documentation for examples and additional information.

TABLE 224: `nath` Variable-sized Delimiters (Triple)

$\langle\langle\langle$	<code>\triple&lt;</code>	$\rangle\rangle\rangle$	<code>\triple&gt;</code>
$\lllbracket$	<code>\triple[</code>	$\rrrbracket$	<code>\triple]</code>
$\lllVert$	<code>\triple *</code>	$\rrrVert$	<code>\triple *</code>

\* Similar to `\lVert` and `\rVert` in Table 223, `\ltriple` and `\rtriple` must be used instead of `\triple` to disambiguate whether “|” is a left or right delimiter.

Note that `\triple`—and the corresponding `\double`—is actually a macro that takes a delimiter as an argument.

TABLE 225: `fourier` Variable-sized Delimiters

$\lllbracket$	<code>\llbracket</code>	$\rrrbracket$	<code>\rrbracket</code>
$\lllVert$	<code>\VERT</code>		

TABLE 226: textcomp Text-mode Delimiters

$\langle$	<code>\textlangle</code>	$\rangle$	<code>\textrangle</code>
$\llbracket$	<code>\textlbrackdbl</code>	$\rrbracket$	<code>\textrbrackdbl</code>
$\{$	<code>\textlquill</code>	$\}$	<code>\textrquill</code>

TABLE 227: metre Text-mode Delimiters

$\}$	<code>\alad</code>	$\}$	<code>\Alad</code>	$\dagger$	<code>\crux</code>	$\dagger$	<code>\Crux</code>
$\{$	<code>\alas</code>	$\{$	<code>\Alas</code>	$\]$	<code>\quadrat</code>	$\]$	<code>\Quadrat</code>
$\rangle$	<code>\angud</code>	$\rangle$	<code>\Angud</code>	$\llbracket$	<code>\quadras</code>	$\llbracket$	<code>\Quadras</code>
$\langle$	<code>\angus</code>	$\langle$	<code>\Angus</code>				

TABLE 228: Math-mode Accents

$\acute{a}$	<code>\acute{a}</code>	$\check{a}$	<code>\check{a}</code>	$\grave{a}$	<code>\grave{a}</code>	$\tilde{a}$	<code>\tilde{a}</code>
$\bar{a}$	<code>\bar{a}</code> *	$\ddot{a}$	<code>\ddot{a}</code>	$\hat{a}$	<code>\hat{a}</code>	$\vec{a}$	<code>\vec{a}</code>
$\breve{a}$	<code>\breve{a}</code>	$\dot{a}$	<code>\dot{a}</code>	$\mathring{a}$	<code>\mathring{a}</code>		

Note also the existence of `\imath` and `\jmath`, which produce dotless versions of “*i*” and “*j*”. (See Table 286 on page 122.) These are useful when the accent is supposed to replace the dot. For example, “`\hat{\imath}`” produces a correct “ $\hat{i}$ ”, while “`\hat{i}`” would yield the rather odd-looking “ $\hat{\cdot}$ ”.

\* The `\overline` command (Table 236 on page 111) produces a wider accent than `\bar`: “ $\overline{A}$ ” vs. “ $\bar{A}$ ”. However, unlike adjacent `\bars`, adjacent `\overlines` run together, which is often not desired: “ $\overline{AB}$ ” vs. “ $\overline{\bar{A}\bar{B}}$ ”. If wider bars than `\bar` are needed, the following code from Enrico Gregorio can be used to add the requisite inter-symbol spacing [Gre09]:

```
\newcommand{\closure}[2][3]{%
  \mkern#1mu\overline{\mkern-#1mu#2}}
```

With that definition, “`\closure{A}\closure{B}`” produces “ $\overline{\bar{A}\bar{B}}$ ”, with a visible gap between the two accents. The optional argument can be used to fine-tune the spacing.

TABLE 229:  $\mathcal{AMS}$  Math-mode Accents

$\ddot{a}$	<code>\dddot{a}</code>	$\ddot{a}$	<code>\dddot{a}</code>
------------	------------------------	------------	------------------------

These accents are also provided by the `mathabx` and `accents` packages and are redefined by the `mathdots` package if the `amsmath` and `amssymb` packages have previously been loaded. All of the variations except for the original  $\mathcal{AMS}$  ones tighten the space between the dots (from  $\ddot{a}$  to  $\ddot{a}$ ). The `mathabx` and `mathdots` versions also function properly within subscripts and superscripts ( $x^{\ddot{a}}$  instead of  $x^{\ddot{a}}$ ).

TABLE 230: MnSymbol Math-mode Accents

 $\vec{a}$  `\vec{a}`

TABLE 231: fdsymbol Math-mode Accents

$\overline{a}$	<code>\middlebar{a}</code>	$\cancel{a}$	<code>\strokethrough{a}</code>
$\overline{\! }a$	<code>\middleslash{a}</code>	$\vec{a}$	<code>\vec{a}</code>

`\middlebar` and `\middleslash` are applied here to “a” for consistency with the rest of the document, but they generally look better when applied to taller lowercase characters.

TABLE 232: boisik Math-mode Accents

 $\vec{a}$  `\vec{a}`

TABLE 233: stix Math-mode Accents

$\acute{a}$	<code>\acute{a}</code>	$\hat{a}$	<code>\hat{a}</code>
$\overline{a}$	<code>\annuity{a}</code>	$\overleftarrow{a}$	<code>\leftarrowaccent{a}</code>
$\ast a$	<code>\asteraccent{a}</code>	$\overleftarrow{\! }a$	<code>\leftharpoonaccent{a}</code>
$\bar{a}$	<code>\bar{a}</code>	$\overleftrightarrow{a}$	<code>\leftrightarrowaccent{a}</code>
$\breve{a}$	<code>\breve{a}</code>	$\mathring{a}$	<code>\mathring{a}</code>
$\candra{a}$	<code>\candra{a}</code>	$\comatopright{a}$	<code>\ocommatopright{a}</code>
$\check{a}$	<code>\check{a}</code>	$\oturnedcomma{a}$	<code>\oturnedcomma{a}</code>
$\dddot{a}$	<code>\ddddot{a}</code>	$\overset{\circ}{a}$	<code>\ovhook{a}</code>
$\ddot{a}$	<code>\dddot{a}</code>	$\overrightarrow{a}$	<code>\rightharpoonaccent{a}</code>
$\ddot{a}$	<code>\ddot{a}</code>	$\tilde{a}$	<code>\tilde{a}</code>
$\dot{a}$	<code>\dot{a}</code>	$\vec{a}$	<code>\vec{a}</code>
$\droang{a}$	<code>\droang{a}</code>	$\overwidebridgeabove{a}$	<code>\widebridgeabove{a}</code>
$\grave{a}$	<code>\grave{a}</code>		

TABLE 234: fge Math-mode Accents

 $\mathring{A}$  `\spirituslenis{A}`  
 $\mathring{a}$  `\spirituslenis{a}`\*

\* When `fge` is passed the `crescent` option, `\spirituslenis` instead uses a crescent accent as in “ $\mathring{a}$ ”.

TABLE 235: yhmath Math-mode Accents

 $\overset{\circ}{a}$  `\ring{a}`

This symbol is largely obsolete, as standard L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> has supported `\mathring` (Table 228 on page 109) since June 1998 [L<sup>A</sup>T98].

TABLE 236: Extensible Accents

$\widetilde{abc}$	<code>\widetilde{abc}</code> *	$\widehat{abc}$	<code>\widehat{abc}</code> *
$\overleftarrow{abc}$	<code>\overleftarrow{abc}</code> †	$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code> †
$\overline{abc}$	<code>\overline{abc}</code>	$\underline{abc}$	<code>\underline{abc}</code>
$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\underbrace{abc}$	<code>\underbrace{abc}</code>
$\sqrt{abc}$	<code>\sqrt{abc}</code> ‡		

As demonstrated in a 1997 TUGboat article about typesetting long-division problems [Gib97], an extensible long-division sign (“ $\overline{abc}$ ”) can be faked by putting a “`\big`” in a `tabular` environment with an `\hline` or `\cline` in the preceding row. The article also presents a piece of code (uploaded to CTAN as `longdiv.tex`) that automatically solves and typesets—by putting an `\overline` atop “`\big`” and the desired text—long-division problems. More recently, the STIX fonts include a true long-division sign. See `\longdivision` in Table 242 for a sample of this symbol. See also the `polynom` package, which automatically solves and typesets polynomial-division problems in a similar manner.

\* These symbols are made more extensible by the `MnSymbol` package (Table 240 on the following page). and even more extensible by the `yhmath` package (Table 238 on the following page).

† If you’re looking for an extensible *diagonal* line or arrow to be used for canceling or reducing mathematical subexpressions (e.g., “ $x \cancel{+} x$ ” or “ $3 \cancel{+} 2^5$ ”) then consider using the `cancel` package.

‡ With an optional argument, `\sqrt` typesets *n*th roots. For example, “`\sqrt[3]{abc}`” produces “ $\sqrt[3]{abc}$ ” and “`\sqrt[n]{abc}`” produces “ $\sqrt[n]{abc}$ ”.

TABLE 237: overrightarrow Extensible Accents

 $\overrightarrow{abc}$  `\Overrightarrow{abc}`

TABLE 238: yhmath Extensible Accents

$\widehat{abc}$	<code>\widehat{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\wideparen{abc}$	<code>\wideparen{abc}</code>	$\widehat{\triangle}abc$	<code>\widehat{\triangle}abc</code>
$\overset{\circ}{abc}$	<code>\widering{abc}</code>		

TABLE 239:  $\mathcal{AMS}$  Extensible Accents

$\overleftrightarrow{abc}$	<code>\overleftrightarrow{abc}</code>	$\overleftarrow{abc}$	<code>\overleftarrow{abc}</code>
$\overleftarrow{abc}$	<code>\overleftarrow{abc}</code>	$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code>

TABLE 240: MnSymbol Extensible Accents

$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\undergroup{abc}$	<code>\undergroup{abc}</code>
$\overgroup{abc}$	<code>\overgroup{abc}</code>	$\underline{abc}$	<code>\underline{abc}</code>
$\overleftharpoonup{abc}$	<code>\overleftharpoonup{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\overline{abc}$	<code>\overline{abc}</code>	$\wideparen{abc}$	<code>\wideparen{abc}</code>
$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>		

TABLE 241: fdsymbol Extensible Accents

$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\undergroup{abc}$	<code>\undergroup{abc}</code>
$\overgroup{abc}$	<code>\overgroup{abc}</code>	$\underline{abc}$	<code>\underline{abc}</code>
$\overleftharpoonup{abc}$	<code>\overleftharpoonup{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\overline{abc}$	<code>\overline{abc}</code>	$\wideparen{abc}$	<code>\wideparen{abc}</code>
$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>		



TABLE 242: stix Extensible Accents

$\overline{abc}$	<code>\longdivision{abc}</code>	$\underline{abc}$	<code>\underbracket{abc}</code>
$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\underlineleftarrow{abc}$	<code>\underleftarrow{abc}</code>
$\overbracket{abc}$	<code>\overbracket{abc}</code>	$\underlineleftharpoonup{abc}$	<code>\underleftharpoonup{abc}</code>
$\overleftarrow{abc}$	<code>\overleftarrow{abc}</code>	$\underlineleftarrowrightarrow{abc}$	<code>\underleftarrowrightarrow{abc}</code>
$\overleftharpoonup{abc}$	<code>\overleftharpoonup{abc}</code>	$\underparen{abc}$	<code>\underparen{abc}</code>
$\overleftarrowrightarrow{abc}$	<code>\overleftarrowrightarrow{abc}</code>	$\underrightarrow{abc}$	<code>\underrightarrow{abc}</code>
$\overparen{abc}$	<code>\overparen{abc}</code>	$\underightharpoonup{abc}$	<code>\underightharpoonup{abc}</code>
$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code>	$\widetilde{abc}$	<code>\widecheck{abc}</code>
$\overrightarrowharpoonup{abc}$	<code>\overrightarrowharpoonup{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\sqrt{abc}$	<code>\sqrt{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>		

TABLE 243: mathtools Extensible Accents

$\widehat{abc}$	<code>\overbrace{abc}</code>	$\underbrace{abc}$	<code>\underbrace{abc}</code>
$\overbracket{abc}$	<code>\overbracket{abc}</code> *	$\underbracket{abc}$	<code>\underbracket{abc}</code> *

\* `\overbracket` and `\underbracket` accept optional arguments that specify the bracket height and thickness. See the `mathtools` documentation for more information.

TABLE 244: mathabx Extensible Accents

$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\widebar{abc}$	<code>\widebar{abc}</code>
$\overgroup{abc}$	<code>\overgroup{abc}</code>	$\widetilde{abc}$	<code>\widecheck{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>	$\wideparen{abc}$	<code>\wideparen{abc}</code>
$\undergroup{abc}$	<code>\undergroup{abc}</code>	$\widetilde{abc}$	<code>\widering{abc}</code>
$\widearrow{abc}$	<code>\widearrow{abc}</code>		

The braces shown for `\overbrace` and `\underbrace` appear in their minimum size. They can expand arbitrarily wide, however.

TABLE 245: fourier Extensible Accents

$\widehat{abc}$	<code>\widearc{abc}</code>	$\widehat{abc}$	<code>\wideparen{abc}</code>
$\widehat{\rightarrow}abc$	<code>\wide0arc{abc}</code>	$\widehat{\circ}abc$	<code>\widering{abc}</code>

TABLE 246: esvect Extensible Accents

$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option a
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option b
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option c
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option d
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option e
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option f
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option g
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option h

`esvect` also defines a `\vv*` macro which is used to typeset arrows over vector variables with subscripts. See the `esvect` documentation for more information.

TABLE 247: abrases Extensible Accents

$\overbrace{abc}$	<code>\aoverbrace{abc}</code>	$\underbrace{abc}$	<code>\aunderbrace{abc}</code>
-------------------	-------------------------------	--------------------	--------------------------------

`\aoverbrace` and `\aunderbrace` accept optional arguments that provide a great deal of control over the braces' appearance. For example, these commands can produce braces with asymmetric endpoints, braces that span lines, dashed braces, and multicolored braces. See the `abrases` documentation for more information.

TABLE 248: undertilde Extensible Accents

$\underset{\sim}{abc}$	<code>\utilde{abc}</code>
------------------------	---------------------------

Because `\utilde` is based on `\widetilde` it is also made more extensible by the `yhmath` package (Table 238 on page 112).

TABLE 249: ushort Extensible Accents

$$\underline{\underline{abc}} \quad \backslash\text{ushortdw}\{abc\} \quad \underline{abc} \quad \backslash\text{ushortw}\{abc\}$$

`\ushortw` and `\ushortdw` are intended to be used with multi-character arguments (“words”) while `\ushortand` and `\ushortd` are intended to be used with single-character arguments.

The underlines produced by the `ushort` commands are shorter than those produced by the `\underline` command. Consider the output from the expression “`\ushort{x}\ushort{y}\underline{x}\underline{y}`”, which looks like “ $\underline{\underline{xyxy}}$ ”.

TABLE 250: mdwmath Extensible Accents

$$\sqrt{abc} \quad \backslash\text{sqrt*}\{abc\}$$

TABLE 251: actuarialangle Extensible Accents

$$\overline{abc} \quad \backslash\text{actuarialangle}\{abc\}$$

The `actuarialangle` package additionally defines `\angl` as `\actuarialangle` with a small amount of extra space to the right of the accented expression under the  $\overline{\quad}$ , `\angln` as `\angl{n}`, and `\anglr` as `\angl{r}`.

TABLE 252:  $\mathcal{AMS}$  Extensible Arrows
$$\overleftarrow{abc} \quad \backslash\text{xleftarrow}\{abc\} \quad \overrightarrow{abc} \quad \backslash\text{xrightarrow}\{abc\}$$

TABLE 253: mathtools Extensible Arrows

$$\begin{array}{ll} \overleftarrow{\overleftarrow{abc}} & \backslash\text{xhookleftarrow}\{abc\} & \overleftrightarrow{abc} & \backslash\text{xleftrightharpoons}\{abc\} \\ \overrightarrow{\overrightarrow{abc}} & \backslash\text{xhookrightarrow}\{abc\} & \overmapsto{abc} & \backslash\text{xmapsto}\{abc\} \\ \overleftarrow{\overleftarrow{\overleftarrow{abc}}} & \backslash\text{xLeftarrow}\{abc\} & \overrightarrow{\overrightarrow{\overrightarrow{abc}}} & \backslash\text{xRrightarrow}\{abc\} \\ \overleftarrow{\overleftarrow{\overleftarrow{\overleftarrow{abc}}}} & \backslash\text{xleftharpoondown}\{abc\} & \overrightarrow{\overrightarrow{\overrightarrow{\overrightarrow{abc}}}} & \backslash\text{xrightharpoondown}\{abc\} \\ \overrightarrow{\overrightarrow{\overrightarrow{\overrightarrow{abc}}}} & \backslash\text{xleftharpoonup}\{abc\} & \overleftarrow{\overleftarrow{\overleftarrow{\overleftarrow{abc}}}} & \backslash\text{xrightharpoonup}\{abc\} \\ \overleftarrow{\overleftarrow{\overleftarrow{\overleftarrow{\overleftarrow{abc}}}}} & \backslash\text{xleftrightharpoonup}\{abc\} & \overrightarrow{\overrightarrow{\overrightarrow{\overrightarrow{\overrightarrow{abc}}}}} & \backslash\text{xrightleftharpoons}\{abc\} \\ \overrightarrow{\overrightarrow{\overrightarrow{\overrightarrow{\overrightarrow{\overrightarrow{abc}}}}}} & \backslash\text{xLeftrightarrow}\{abc\} & & \end{array}$$

TABLE 254: chemarr Extensible Arrows

$$\overleftarrow{\overleftarrow{\overleftarrow{abc}}} \quad \backslash\text{xrightleftharpoons}\{abc\}$$

TABLE 255: chemarrow Extensible Arrows

$\xleftarrow{abc}$ def	<code>\autoleftarrow{abc}{def}</code>	$\xrightarrow{abc}$ def	<code>\autorightarrow{abc}{def}</code>
$\xleftrightarrow{abc}$ def	<code>\autoleftrightharpoons{abc}{def}</code>	$\xrightleftharpoons{abc}$ def	<code>\autorightleftharpoons{abc}{def}</code>

In addition to the symbols shown above, chemarrow also provides `\larrowfill`, `\rarrowfill`, `\leftrightharpoonsfill`, and `\rightleftharpoonsfill` macros. Each of these takes a length argument and produces an arrow of the specified length.

TABLE 256: extarrows Extensible Arrows

$\xleftrightarrow{abc}$	<code>\xLeftrightarrow{abc}</code>	$\xleftrightarrow{abc}$	<code>\xLongleftarrow{abc}</code>
$\xleftarrow{abc}$	<code>\xleftarrow{abc}</code>	$\xleftarrow{abc}$	<code>\xlongleftarrow{abc}</code>
$\xlongequal{abc}$	<code>\xlongequal{abc}</code>	$\xrightarrow{abc}$	<code>\xLongrightarrow{abc}</code>
$\xleftarrow{abc}$	<code>\xLongleftarrow{abc}</code>	$\xrightarrow{abc}$	<code>\xlongrightarrow{abc}</code>
$\xleftarrow{abc}$	<code>\xlongleftarrow{abc}</code>		

TABLE 257: extpfeil Extensible Arrows

$\xlongequal{abc}$	<code>\xlongequal{abc}</code>	$\xleftarrow{abc}$	<code>\xtwoheadleftarrow{abc}</code>
$\xmapsto{abc}$	<code>\xmapsto{abc}</code>	$\xrightarrow{abc}$	<code>\xtwoheadrightarrow{abc}</code>
$\xleftrightarrow{abc}$	<code>\xtofrom{abc}</code>		

The extpfeil package also provides a `\newextarrow` command to help you define your own extensible arrow symbols. See the extpfeil documentation for more information.

TABLE 258: DotArrow Extensible Arrows

$\xrightarrow{a}$	<code>\dotarrow{a}</code>
-------------------	---------------------------

The DotArrow package provides mechanisms for lengthening the arrow, adjusting the distance between the arrow and its symbol, and altering the arrowhead. See the DotArrow documentation for more information.

TABLE 259: trfsigns Extensible Transform Symbols

$\overleftarrow{a}$  `\dft{a}`     $\overrightarrow{a}$  `\DFT{a}`

TABLE 260: holtpolt Non-commutative Division Symbols

$\left| \frac{abc}{def} \right.$  `\holter{abc}{def}`     $\left. \frac{abc}{def} \right|$  `\polter{abc}{def}`

TABLE 261: Dots

$\cdot$  `\cdot`     $:$  `\colon*`     $\cdot$  `\ldotp`     $\vdots$  `\vdots†`  
 $\cdots$  `\cdots`     $\ddots$  `\ddots†`     $\dots$  `\ldots`

\* While “:” is valid in math mode, `\colon` uses different surrounding spacing. See Section 10.4 and the Short Math Guide for L<sup>A</sup>T<sub>E</sub>X [Dow00] for more information on math-mode spacing.

† The `mathdots` package redefines `\ddots` and `\vdots` (Table 267) to make them scale properly with font size. (They normally scale horizontally but not vertically.) `\fixedddots` and `\fixedvdots` provide the original, fixed-height functionality of L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>'s `\ddots` and `\vdots` macros.

TABLE 262:  $\mathcal{AMS}$  Dots

$\because$  `\because*`     $\dots$  `\dotsi`     $\therefore$  `\therefore*`  
 $\cdots$  `\dotsb`     $\cdots$  `\dotsm`  
 $\dots$  `\dotsc`     $\dots$  `\dotso`

\* `\because` and `\therefore` are defined as binary relations and therefore also appear in Table 88 on page 52.

The  $\mathcal{AMS}$  `\dots_` symbols are named according to their intended usage: `\dotsb` between pairs of binary operators/relations, `\dotsc` between pairs of commas, `\dotsi` between pairs of integrals, `\dotsm` between pairs of multiplication signs, and `\dotso` between other symbol pairs.

TABLE 263: wasysym Dots

$\therefore$  `\wasytherefore`

TABLE 264: MnSymbol Dots

$\cdot$	<code>\cdot</code>	$\cdots$	<code>\hdotdot</code>	$\therefore$	<code>\udots</code>
$\ddots$	<code>\ddotdotdot</code>	$\dots$	<code>\hdots</code>	$\uptherefore$	<code>\uptherefore</code>
$\ddots$	<code>\ddots</code>	$\leftthreofore$	<code>\leftthreofore</code>	$\vdots$	<code>\vdotdot</code>
$\diamond\ddots$	<code>\diamonddots</code>	$\rightthreofore$	<code>\rightthreofore</code>	$\vdots$	<code>\vdots</code>
$\downtherefore$	<code>\downtherefore</code>	$\squaredots$	<code>\squaredots</code>		
$\fivedots$	<code>\fivedots</code>	$\udotdot$	<code>\udotdot</code>		

MnSymbol defines `\therefore` as `\uptherefore` and `\because` as `\downtherefore`. Furthermore, `\cdotp` and `\colop` produce the same glyphs as `\cdot` and `\vdotdot` respectively but serve as T<sub>E</sub>X math punctuation (class 6 symbols) instead of T<sub>E</sub>X binary operators (class 2).

All of the above except `\hdots` and `\vdots` are defined as binary operators and therefore also appear in Table 56 on page 33.

TABLE 265: fdsymbol Dots

$\cdot$	<code>\cdot</code>	$\dots$	<code>\hdots</code>	$\therefore$	<code>\udots</code>
$\ddots$	<code>\ddotdotdot</code>	$\leftthreofore$	<code>\leftthreofore</code>	$\uptherefore$	<code>\uptherefore</code>
$\ddots$	<code>\ddots</code>	$\rightthreofore$	<code>\rightthreofore</code>	$\vdots$	<code>\vdotdot</code>
$\downtherefore$	<code>\downtherefore</code>	$\squaredots$	<code>\squaredots</code>		
$\hdotdot$	<code>\hdotdot</code>	$\udotdot$	<code>\udotdot</code>		

fdsymbol defines `\adots` as a synonym for `\udots`; `\because` as a synonym for `\downtherefore`; `\cdotp` as a synonym for `\cdot`; `\cdots` as a synonym for `\hdots`; `\Colon` as a synonym for `\squaredots`; `\colon`, `\mathcolon`, and `\mathratio` as synonyms for `\vdotdot`; and `\therefore` as a synonym for `\uptherefore`. (Some of these serve different mathematical roles, such as relations versus binary operators.)

TABLE 266: stix Dots

$\therefore$	<code>\adots</code>	$\dots$	<code>\cdots</code>	$\vdots$	<code>\fourvdots</code>
$\because$	<code>\because</code>	$\Colon$	<code>\Colon</code>	$\ldotp$	<code>\ldotp</code>
$\cdot$	<code>\cdot</code>	$\ddots$	<code>\ddots</code>	$\mathellipsis$	<code>\mathellipsis</code>
$\cdot$	<code>\cdotp</code>	$\enleadertwodots$	<code>\enleadertwodots</code>	$\therefore$	<code>\therefore</code>

stix defines `\centerdot` as a synonym for `\cdotp` and `\dotsb` and `\dotsm` as synonyms for `\cdots`.

TABLE 267: mathdots Dots

$\ddots$	<code>\ddots</code>	$\iddots$	<code>\iddots</code>	$\vdots$	<code>\vdots</code>
----------	---------------------	-----------	----------------------	----------	---------------------

Unlike the default definitions of the above (Table 261), `mathdots`'s commands are designed to scale properly with the surrounding font size.

TABLE 268: yhmath Dots

$\ddots$  `\adots`

TABLE 269: teubner Dots

$:$  `\:`  $\dot{}$  `\;`  $\ddot{}$  `\?`  $::$  `\antilabe`

TABLE 270: begriff Begriffsschrift Symbols

$\vdash$  `\BGassert`  $-$  `\BGcontent`  $\neg$  `\BGnot`  
 $\left[ \begin{array}{l} b \\ a \end{array} \right.$  `\BGconditional{a}{b}`  $\underbrace{\quad}_a$  `\BGquant{a}`

The `begriff` package contains additional commands for typesetting Frege’s Begriffsschrift notation for second-order logic. See the `begriff` documentation for more information.

TABLE 271: frege Begriffsschrift Symbols

$\vdash$	<code>\Facontent</code>	$\vdash$	<code>\Fanncontent</code>	$\neg$	<code>\Fncontent</code>
$\vdash$	<code>\Fancontent</code>	$\neg$	<code>\Fcontent</code>	$\neg$	<code>\Fnncontent</code>
$\vdash$	<code>\Fannquant{a}</code>	$\vdash$	<code>\Faquant{a}</code>	$\neg$	<code>\Fnquant{a}</code>
$\vdash$	<code>\Fannquantn{a}</code>	$\vdash$	<code>\Faquantn{a}</code>	$\neg$	<code>\Fnquantn{a}</code>
$\vdash$	<code>\Fannquantnn{a}</code>	$\vdash$	<code>\Faquantnn{a}</code>	$\neg$	<code>\Fnquantnn{a}</code>
$\vdash$	<code>\Fanquant{a}</code>	$\neg$	<code>\Fnnquant{a}</code>	$\neg$	<code>\Fquantn{a}</code>
$\vdash$	<code>\Fanquantn{a}</code>	$\neg$	<code>\Fnnquantn{a}</code>	$\neg$	<code>\Fquantnn{a}</code>
$\vdash$	<code>\Fanquantnn{a}</code>	$\neg$	<code>\Fnnquantnn{a}</code>		

The `frege` package contains additional commands for typesetting Frege’s Begriffsschrift notation for second-order logic. See the `frege` documentation for more information.

TABLE 272: mathcomp Math Symbols

$^{\circ}\text{C}$  `\tccentigrade`  $\Omega$  `\tcohm`  $\text{‰}$  `\tcperthousand`  
 $\mu$  `\tcmu`  $\text{‰‰}$  `\tcpertenthousand`

TABLE 273: marvosym Math Symbols

$\angle$	<code>\AngleSign</code>	$\geq$	<code>\LargerOrEqual</code>	$\times$	<code>\MVMultiplication</code>
$\Rightarrow$	<code>\Conclusion</code>	$\leq$	<code>\LessOrEqual</code>	$\cdot$	<code>\MVPeriod</code>
$\equiv$	<code>\Congruent</code>	$\cdot$	<code>\MultiplicationDot</code>	$+$	<code>\MVPlus</code>
$\cong$	<code>\Corresponds</code>	$,$	<code>\MVComma</code>	$\rightarrow$	<code>\MVRightArrow</code>
$\div$	<code>\Divides</code>	$/$	<code>\MVDivision</code>	$)$	<code>\MVRightBracket</code>
$\nmid$	<code>\DividesNot</code>	$($	<code>\MVLeftBracket</code>	$\neq$	<code>\NotCongruent</code>
$\Leftrightarrow$	<code>\Equivalence</code>	$-$	<code>\MVMinus</code>		

TABLE 274: marvosym Digits

0	<code>\MVZero</code>	2	<code>\MVTwo</code>	4	<code>\MVFour</code>	6	<code>\MVSix</code>	8	<code>\MVEight</code>
1	<code>\MVOne</code>	3	<code>\MVThree</code>	5	<code>\MVFive</code>	7	<code>\MVSeven</code>	9	<code>\MVNine</code>

TABLE 275: fge Digits

0	<code>\fgestruckzero</code>	1	<code>\fgestruckone</code>
---	-----------------------------	---	----------------------------

TABLE 276: dozenal Base-12 Digits

$\zeta$	<code>\x</code>	$\xi$	<code>\e</code>
---------	-----------------	-------	-----------------

TABLE 277: mathabx Mayan Digits

$\textcircled{0}$	<code>\maya{0}</code>	:	<code>\maya{2}</code>	:	<code>\maya{4}</code>
$\cdot$	<code>\maya{1}</code>	:	<code>\maya{3}</code>	:	<code>\maya{5}</code>

TABLE 278: stix Infinities

$\textcircled{\infty}$	<code>\acidfree</code>	$\infty$	<code>\infty</code>	$\textcircled{\infty}$	<code>\tieinfty</code>
$\infty$	<code>\iinfin</code>	$\phi$	<code>\nvinfty</code>		

TABLE 279: stix Primes

$'$	<code>\prime</code>	$\backslash$	<code>\backprime</code>
$''$	<code>\dprime</code>	$\backslash\backslash$	<code>\backdprime</code>
$'''$	<code>\trprime</code>	$\backslash\backslash\backslash$	<code>\backtrprime</code>
$''''$	<code>\qprime</code>		



TABLE 280: stix Empty Sets

$\emptyset$	<code>\emptysetset</code>	$\bar{\emptyset}$	<code>\emptysetsetobar</code>	$\emptyset$	<code>\varnothing</code>
$\emptyset$	<code>\emptysetsetoarr</code>	$\emptyset$	<code>\emptysetsetocirc</code>		
$\emptyset$	<code>\emptysetsetoarrl</code>	$\emptyset$	<code>\revemptysetset</code>		

TABLE 281:  $\mathcal{AMS}$  Angles

$\sphericalangle$	<code>\angle</code>	$\sphericalangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
-------------------	---------------------	-------------------	-----------------------------	-------------------	------------------------------

TABLE 282: MnSymbol Angles

$\sphericalangle$	<code>\angle</code>	$\sphericalangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
-------------------	---------------------	-------------------	-----------------------------	-------------------	------------------------------

TABLE 283: fdsymbol Angles

$\sphericalangle$	<code>\angle</code>	$\sphericalangle$	<code>\revangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\sphericalangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\revmeasuredangle</code>	$\sphericalangle$	<code>\sphericalangledown</code>
$\sphericalangle$	<code>\measuredrightangle</code>	$\sphericalangle$	<code>\rightangle</code>	$\sphericalangle$	<code>\sphericalangleleft</code>
$\sphericalangle$	<code>\measuredrightangledot</code>	$\sphericalangle$	<code>\rightanglesquare</code>	$\sphericalangle$	<code>\sphericalangleup</code>

fdsymbol defines `\measuredangleleft` as a synonym for `\revmeasuredangle`; `\revsphericalangle` and `\gtlpar` as synonyms for `\sphericalangleleft`; `\rightanglesqr` as a synonym for `\rightanglesquare`; and `\rightangledot` as a synonym for `\measuredrightangledot`.

TABLE 284: boisik Angles

$\sphericalangle$	<code>\angle</code>	$\sphericalangle$	<code>\rightangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\sphericalangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\rightangledot</code>		
$\sphericalangle$	<code>\measuredrightangle</code>	$\sphericalangle$	<code>\rightanglesqr</code>		

TABLE 285: stix Angles

$\sphericalangle$	<code>\angdnr</code>	$\sphericalangle$	<code>\measanglerutone</code>	$\sphericalangle$	<code>\rightangledot</code>
$\sphericalangle$	<code>\angle</code>	$\sphericalangle$	<code>\measangleultonw</code>	$\sphericalangle$	<code>\rightanglesqr</code>
$\sphericalangle$	<code>\angles</code>	$\sphericalangle$	<code>\measangleurtone</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\sphericalangle$	<code>\angleubar</code>	$\sphericalangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\sphericalangleup</code>
$\sphericalangle$	<code>\gtlpar</code>	$\sphericalangle$	<code>\measuredangleleft</code>	$\sphericalangle$	<code>\threeangle</code>
$\sphericalangle$	<code>\measangledtosw</code>	$\sphericalangle$	<code>\measuredrightangle</code>	$\sphericalangle$	<code>\turnangle</code>
$\sphericalangle$	<code>\measangledrtose</code>	$\sphericalangle$	<code>\rangledownzigzagarrow</code>	$\sphericalangle$	<code>\wideangledown</code>
$\sphericalangle$	<code>\measangleldtosw</code>	$\sphericalangle$	<code>\revangle</code>	$\sphericalangle$	<code>\wideangleup</code>
$\sphericalangle$	<code>\measanglelutonw</code>	$\sphericalangle$	<code>\revangleubar</code>		
$\sphericalangle$	<code>\measanglerdtose</code>	$\sphericalangle$	<code>\rightangle</code>		

TABLE 286: Miscellaneous L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Math Symbols

$\aleph$	<code>\aleph</code>	$\square$	<code>\Box*</code> <sup>†</sup>	$\nabla$	<code>\nabla</code>	$\triangle$	<code>\triangle</code>
$\emptyset$	<code>\emptyset</code> <sup>‡</sup>	$\diamond$	<code>\Diamond*</code>	$\neg$	<code>\neg</code>		
$\angle$	<code>\angle</code>	$\infty$	<code>\infty</code>	$\prime$	<code>\prime</code>		
$\backslash$	<code>\backslash</code>	$\mho$	<code>\mho*</code>	$\surd$	<code>\surd</code>		

\* Not predefined in L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>. Use one of the packages `latexsym`, `amsmath`, `amssymb`, `txfonts`, `pxfonts`, or `wasysym`. Note, however, that `amsmath` and `amssymb` define `\Diamond` to produce the same glyph as `\lozenge` (“ $\diamond$ ”); the other packages produce a squarer `\Diamond` as depicted above.

† To use `\Box`—or any other symbol—as an end-of-proof (Q.E.D.) marker, consider using the `ntheorem` package, which properly juxtaposes a symbol with the end of the proof text.

‡ Many people prefer the look of  $\mathcal{A}\mathcal{M}\mathcal{S}$ ’s `\varnothing` (“ $\emptyset$ ”, Table 287) to that of L<sup>A</sup>T<sub>E</sub>X’s `\emptyset`.

TABLE 287: Miscellaneous  $\mathcal{A}\mathcal{M}\mathcal{S}$  Math Symbols

$\backprime$	<code>\backprime</code>	$\blacktriangledown$	<code>\blacktriangledown</code>	$\mho$	<code>\mho</code>
$\bigstar$	<code>\bigstar</code>	$\diagdown$	<code>\diagdown</code>	$\square$	<code>\square</code>
$\blacklozenge$	<code>\blacklozenge</code>	$\diagup$	<code>\diagup</code>	$\blacktriangledown$	<code>\blacktriangledown</code>
$\blacksquare$	<code>\blacksquare</code>	$\eth$	<code>\eth</code>	$\varnothing$	<code>\varnothing</code>
$\blacktriangle$	<code>\blacktriangle</code>	$\lozenge$	<code>\lozenge</code>	$\vartriangle$	<code>\vartriangle</code>

TABLE 288: Miscellaneous `wasysym` Math Symbols

$\square$	<code>\Box</code>	$\diamond$	<code>\Diamond</code>	$\mho$	<code>\mho*</code>	$\varangle$	<code>\varangle</code>
-----------	-------------------	------------	-----------------------	--------	--------------------	-------------	------------------------

\* `wasysym` also defines an `\agem0` symbol, which is the same glyph as `\mho` but is intended for use in text mode.

TABLE 289: Miscellaneous `txfonts`/`pxfonts` Math Symbols

$\blacklozenge$	<code>\Diamondblack</code>	$\lambda$	<code>\lambdabar</code>
$\diamond$	<code>\Diamonddot</code>	$\lambda$	<code>\lambdaslash</code>

TABLE 290: Miscellaneous `mathabx` Math Symbols

$\circ$	<code>\degree</code>	$\ulcorner$	<code>\fourth</code>	$\sphericalangle$	<code>\measuredangle</code>	$\parallel$	<code>\second</code>
$\diagdown$	<code>\diagdown</code>	$\#$	<code>\hash</code>	$\pitchfork$	<code>\pitchfork</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\diagup$	<code>\diagup</code>	$\infty$	<code>\infty</code>	$\propto$	<code>\propto</code>	$\parallel$	<code>\third</code>
$\oslash$	<code>\diameter</code>	$\times$	<code>\leftthreetimes</code>	$\times$	<code>\rightthreetimes</code>	$\#$	<code>\varhash</code>

TABLE 291: Miscellaneous MnSymbol Math Symbols

$\neg$	<code>\backneg</code>	$\emptyset$	<code>\diameter</code>	$\neg$	<code>\invneg</code>	$\neg$	<code>\neg</code>
$\backprime$	<code>\backprime</code>	$\infty$	<code>\infty</code>	$\text{✖}$	<code>\maltese</code>	$\prime$	<code>\prime</code>
$\checkmark$	<code>\checkmark</code>	$\neg$	<code>\invbackneg</code>	$\nabla$	<code>\nabla</code>	$f$	<code>\smallint</code>

MnSymbol defines `\emptyset` and `\varnothing` as synonyms for `\diameter`; `\lnot` and `\minushookdown` as synonyms for `\neg`; `\minushookup` as a synonym for `\invneg`; `\hookdownminus` as a synonym for `\backneg`; and, `\hookupminus` as a synonym for `\invbackneg`.

TABLE 292: Miscellaneous Internal MnSymbol Math Symbols

$\dots$	<code>\partialvardint</code>	$\dots$	<code>\partialvartint</code>
$\smile$	<code>\partialvardlanddownint</code>	$\smile$	<code>\partialvartlanddownint</code>
$\frown$	<code>\partialvardlandupint</code>	$\frown$	<code>\partialvartlandupint</code>
$\circlearrowleft$	<code>\partialvardlcircleleftint</code>	$\circlearrowleft$	<code>\partialvartlcircleleftint</code>
$\circlearrowright$	<code>\partialvardlclircrightint</code>	$\circlearrowright$	<code>\partialvartlclircrightint</code>
$\bigcirc$	<code>\partialvardoint</code>	$\bigcirc$	<code>\partialvartoint</code>
$\smallcirc$	<code>\partialvardoint</code>	$\smallcirc$	<code>\partialvartoint</code>
$\circlearrowleft$	<code>\partialvardrcircleleftint</code>	$\circlearrowleft$	<code>\partialvartrcircleleftint</code>
$\circlearrowright$	<code>\partialvardrcircrightint</code>	$\circlearrowright$	<code>\partialvartrcircrightint</code>
$\text{—}$	<code>\partialvardstrokedint</code>	$\text{—}$	<code>\partialvartstrokedint</code>
$\Sigma$	<code>\partialvardsumint</code>	$\Sigma$	<code>\partialvartsumint</code>

These symbols are intended to be used internally by MnSymbol to construct the integrals appearing in Table 79 on page 46 but can nevertheless be used in isolation.

TABLE 293: Miscellaneous fdsymbol Math Symbols

$\neg$	<code>\backneg</code>	$\infty$	<code>\infty</code>	$\prime$	<code>\prime</code>
$\backprime$	<code>\backprime</code>	$\neg$	<code>\invneg</code>	$\emptyset$	<code>\reemptyset</code>
$\checkmark$	<code>\checkmark</code>	$\text{✖}$	<code>\maltese</code>	$\nabla$	<code>\sector</code>
$\emptyset$	<code>\emptyset</code>	$\neg$	<code>\neg</code>	$f$	<code>\smallint</code>

fdsymbol defines `\hookdownminus` as a synonym for `\backneg`; `\invneg` and `\invnot` as synonyms for `\backneg`; `\lnot` and `\minushookdown` as synonyms for `\neg`; `\turnedbackneg` as a synonym for `\intprodr`; `\turnedneg` as a synonym for `\intprod`; and `\diameter` and `\varnothing` as synonyms for `\emptyset`.

TABLE 294: Miscellaneous boisik Math Symbols

$\varepsilon$	<code>\backepsilon</code>	$\text{+}$	<code>\hermitmatrix</code>	$\not\perp$	<code>\notbot</code>
$\backprime$	<code>\backprime</code>	$\infty$	<code>\iinfin</code>	$\not\top$	<code>\nottop</code>
$\checkmark$	<code>\checkmark</code>	$\neg$	<code>\invnot</code>	$\text{!}$	<code>\riota</code>
$\square$	<code>\dalambert</code>	$\lambda$	<code>\lambdabar</code>	$\sim$	<code>\sinewave</code>
$\diagdown$	<code>\diagdown</code>	$\lambda$	<code>\lambdaslash</code>	$\emptyset$	<code>\varnothing</code>
$\diagup$	<code>\diagup</code>	$\text{✖}$	<code>\maltese</code>		

TABLE 295: Miscellaneous stix Math Symbols

$\sim$	<code>\accurrent</code>	$\dagger$	<code>\hermitmatrix</code>	$\P$	<code>\PropertyLine</code>
$\backslash$	<code>\backslashslash</code>	$\cdot$	<code>\hyphenbullet</code>	$\blacksquare$	<code>\QED</code>
$\equiv$	<code>\bbrktbrk</code>	$\rightsquigarrow$	<code>\hzigzag</code>	$??$	<code>\Question</code>
$\perp$	<code>\bigbot</code>	$\Delta$	<code>\increment</code>	$\times$	<code>\rdiagovfdiag</code>
$\equiv$	<code>\biginterleave</code>	$\blacksquare$	<code>\inversebullet</code>	$\bowtie$	<code>\rightouterjoin</code>
$\top$	<code>\bigtop</code>	$\neg$	<code>\invnot</code>	$\lrcorner$	<code>\sansLmirrored</code>
$\blacksmiley$	<code>\blacksmiley</code>	$\Join$	<code>\Join</code>	$\lrcorner$	<code>\sansLturned</code>
$\lrcorner$	<code>\bracevert</code>	$\square$	<code>\laplac</code>	$\sim$	<code>\sinewave</code>
$\wedge$	<code>\caretinsert</code>	$\bowtie$	<code>\leftouterjoin</code>	$\text{—}$	<code>\strns</code>
$\checkmark$	<code>\checkmark</code>	$\lrcorner$	<code>\llarc</code>	$\dagger$	<code>\thermod</code>
$\blacktriangleright$	<code>\conictaper</code>	$\smile$	<code>\lrarc</code>	$\topcirc$	<code>\topcir</code>
$\text{!}$	<code>\danger</code>	$\text{!}$	<code>\maltese</code>	$\text{!}$	<code>\turnednot</code>
$\diagdown$	<code>\diagdown</code>	$\S$	<code>\mathsection</code>	$\text{—}$	<code>\ubrbrak</code>
$\diagup$	<code>\diagup</code>	$\text{—}$	<code>\mathvisiblespace</code>	$\lrcorner$	<code>\ularc</code>
$\emptyset$	<code>\diameter</code>	$\nabla$	<code>\nabla</code>	$\smile$	<code>\urarc</code>
$*$	<code>\dingasterisk</code>	$\neg$	<code>\neg*</code>	$\#$	<code>\viewdata</code>
$\text{!}$	<code>\elinters</code>	$\text{—}$	<code>\obrbrak</code>	$\text{!}$	<code>\vzigzag</code>
$\eth$	<code>\eth</code>	$\perp$	<code>\perps</code>	$\text{!}$	<code>\yen</code>
$!!$	<code>\Exclam</code>	$\text{—}$	<code>\postalmark</code>	$\text{!}$	<code>\zcmp</code>
$\times$	<code>\fdiagovrdiag</code>	$\smile$	<code>\proflines</code>	$\gg$	<code>\zpipe</code>
$\bowtie$	<code>\fullouterjoin</code>	$\triangle$	<code>\profsurf</code>	$\uparrow$	<code>\zproject</code>

\* stix defines `\lnot` as a synonym for `\neg`.

TABLE 296: Miscellaneous textcomp Text-mode Math Symbols

$^\circ$	<code>\textdegree*</code>	$\frac{1}{2}$	<code>\textonehalf†</code>	$\frac{3}{4}$	<code>\textthreequarters†</code>
$\div$	<code>\textdiv</code>	$\frac{1}{4}$	<code>\textonequarter†</code>	$^3$	<code>\textthreesuperior</code>
$/$	<code>\textfractionsolidus</code>	$^1$	<code>\textonesuperior</code>	$\times$	<code>\texttimes</code>
$\neg$	<code>\textlnot</code>	$\pm$	<code>\textpm</code>	$^2$	<code>\texttwosuperior</code>
$\text{—}$	<code>\textminus</code>	$\sqrt{\quad}$	<code>\textsurd</code>		

\* If you prefer a larger degree symbol you might consider defining one as `\ensuremath{\text{“}\circ\text{”}}`.

† `nicefrac` (part of the `units` package) or the newer `xfrac` package can be used to construct vulgar fractions like “1/2”, “1/4”, “3/4”, and even “c/o”.

TABLE 297: Miscellaneous fge Math Symbols

$\backslash$	<code>\fgebackslash</code>	$\frown$	<code>\fgecap</code>	$\smile$	<code>\fgecupacute</code>	$\sphericalangle$	<code>\fgeangle</code>
$\perp$	<code>\fgebaracute</code>	$\frown$	<code>\fgecapbar</code>	$\sphericalangle$	<code>\fgecupbar</code>	$\text{—}$	<code>\fgeupbracket</code>
$\approx$	<code>\fgebarcap</code>	$\smile$	<code>\fgecup</code>	$\infty$	<code>\fgeinfty</code>		

TABLE 298: Miscellaneous mathdesign Math Symbols

L `\rightangle`

TABLE 299: Math Alphabets

Font sample	Generating command	Required package
ABCdef123	<code>\mathrm{ABCdef123}</code>	<i>none</i>
<i>ABCdef123</i>	<code>\mathit{ABCdef123}</code>	<i>none</i>
<i>ABCdef123</i>	<code>\mathnormal{ABCdef123}</code>	<i>none</i>
<i>ABC</i>	<code>\mathcal{ABC}</code>	<i>none</i>
<i>ABC</i>	<code>\mathscr{ABC}</code>	mathrsfs
	<i>or</i> <code>\mathcal{ABC}</code>	calrsfs
<i>ABC</i>	<code>\mathcal{ABC}</code>	euscript with the <code>mathcal</code> option
	<i>or</i> <code>\mathscr{ABC}</code>	euscript with the <code>mathscr</code> option
<i>ABC</i>	<code>\mathcal{ABC}</code>	rsfs
	<i>or</i> <code>\mathscr{ABC}</code>	rsfs with the <code>scr</code> option
<i>ABC</i>	<code>\mathcal{ABC}</code>	urwchancal*
	<i>or</i> <code>\mathscr{ABC}</code>	urwchancal* with the <code>mathscr</code> option
ABC	<code>\mathbb{ABC}</code>	amsfonts, <sup>§</sup> amssymb, txfonts, or pxfonts
ABC	<code>\varmathbb{ABC}</code>	txfonts or pxfonts
ABCdef123	<code>\mathbb{ABCdef123}</code>	bbold or mathbbol <sup>†</sup>
ABCdef123	<code>\mathbb{ABCdef123}</code>	mbboard <sup>†</sup>
ABCdef12	<code>\mathbbm{ABCdef12}</code>	bbm
ABCdef12	<code>\mathbbmss{ABCdef12}</code>	bbm
ABCdef12	<code>\mathbbmtt{ABCdef12}</code>	bbm
ABC1	<code>\mathds{ABC1}</code>	dsfont
ABC1	<code>\mathds{ABC1}</code>	dsfont with the <code>sans</code> option
ABC	<code>\symA\symB\symC</code>	china2e <sup>‡</sup>
$\frac{ABC}{def123}$	<code>\mathfrak{ABCdef123}</code>	eufrak
$\frac{ABC}{def123}$	<code>\textfrak{ABCdef123}</code>	yfonts <sup>¶</sup>
$\frac{ABC}{def123}$	<code>\textswab{ABCdef123}</code>	yfonts <sup>¶</sup>
$\frac{ABC}{def123}$	<code>\textgoth{ABCdef123}</code>	yfonts <sup>¶</sup>

\* `urwchancal` redefines `\mathcal` or `\mathscr` to use Zapf Chancery as the calligraphic or script font. However, like all `\mathcal` and `\mathscr` commands shown in Table 299, these support only uppercase letters. An alternative is to put “`\DeclareMathAlphabet{\mathpzc}{OT1}{pzc}{m}{it}`” in your document’s preamble to make `\mathpzc` typeset a wider set of characters in Zapf Chancery. Unfortunately, with this technique accents, superscripts, and subscripts don’t align as well as they do with `urwchancal`.

As a similar trick, you can typeset the Calligra font’s script “*z*” (or other calligraphic symbols) in math mode by loading the `calligra` package and putting “`\DeclareMathAlphabet{\mathcalligra}{T1}{calligra}{m}{n}`” in your document’s preamble to make `\mathcalligra` typeset its argument in the Calligra font. (You may also want to specify “`\DeclareFontShape{T1}{calligra}{m}{n}{<->s*[2.2]callig15}{}`” to set Calligra at 2.2 times its design size for a better blend with typical body fonts.)

† The `mathbbol` package defines some additional blackboard bold characters: parentheses, square brackets, angle brackets, and—if the `bbgreek` option is passed to `mathbbol`—Greek letters. For instance, “ $\langle[\alpha\beta\gamma]\rangle$ ” is produced by “`\mathbb{\Langle\lbrack\lparen\bbalpha\bbbeta\bbgamma\Rparen\rbrack\Rangle}`”.

`mboard` extends the blackboard bold symbol set significantly further. It supports not only the Greek alphabet—including “Greek-like” symbols such as `\bbnabla` (“ $\nabla$ ”)—but also *all* punctuation marks, various currency symbols such as `\bbdollar` (“\$”) and `\bbeuro` (“€”), and the Hebrew alphabet (e.g., “`\bbfinalnun\bbbyod\bbqof\bbpe`” → “װײַזײַט”).

‡ The `\sym...` commands provided by the `GfA2e` package are actually text-mode commands. They are included in Table 299 because they resemble the blackboard-bold symbols that appear in the rest of the table. In addition to the 26 letters of the English alphabet, `GfA2e` provides three unlauded blackboard-bold letters: `\symAE` (“Å”), `\symOE` (“Ö”), and `\symUE` (“Ü”). Note that `GfA2e` does provide math-mode commands for the most common number-set symbols. These are presented in Table 179 on page 95.

¶ As their `\text...` names imply, the fonts provided by the `yfonts` package are actually text fonts. They are included in Table 299 because they are frequently used in a mathematical context.

§ An older (i.e., prior to 1991) version of the `AMS`’s fonts rendered  $\mathbb{C}$ ,  $\mathbb{N}$ ,  $\mathbb{R}$ ,  $\mathbb{S}$ , and  $\mathbb{Z}$  as  $\mathbb{C}$ ,  $\mathbb{N}$ ,  $\mathbb{R}$ ,  $\mathbb{S}$ , and  $\mathbb{Z}$ . As some people prefer the older glyphs—much to the `AMS`’s surprise—and because those glyphs fail to build under modern versions of METAFONT, Berthold Horn uploaded PostScript fonts for the older blackboard-bold glyphs to CTAN, to the `fonts/msym10` directory. As of this writing, however, there are no  $\text{\LaTeX} 2_{\epsilon}$  packages for utilizing the now-obsolete glyphs.

## 4 Science and technology symbols

This section lists symbols that are employed in various branches of science and engineering.









TABLE 300: gensymb Symbols Defined to Work in Both Math and Text Mode

°C	<code>\celsius</code>	μ	<code>\micro</code>	‰	<code>\perthousand</code>
°	<code>\degree</code>	Ω	<code>\ohm</code>		

TABLE 301: wasysym Electrical and Physical Symbols



~	<code>\AC</code>	≈	<code>\VHF</code>	f	<code>\photon</code>	F	<code>\HF</code>	⊗	<code>\gluon</code>
---	------------------	---	-------------------	---	----------------------	---	------------------	---	---------------------

TABLE 302: ifsym Pulse Diagram Symbols

	<code>\FallingEdge</code>		<code>\LongPulseLow</code>		<code>\PulseLow</code>		<code>\ShortPulseHigh</code>
	<code>\LongPulseHigh</code>		<code>\PulseHigh</code>		<code>\RaisingEdge</code>		<code>\ShortPulseLow</code>

In addition, within `\textifsym{...}`, the following codes are valid:

<code>_ l</code>	<code>- m</code>	<code>¯ h</code>	<code>¯ d</code>	<code>&lt; &lt;</code>	<code>&gt; &gt;</code>
<code>_ L</code>	<code>- M</code>	<code>¯ H</code>	<code>¯ D</code>	<code>&lt; &lt;&lt;</code>	<code>&gt; &gt;&gt;</code>

This enables one to write “`\textifsym{mm<DDD>mm}`” to get “” or “`\textifsym{L|H|L|H|L}`” to get “”. See also the `timing` package, which provides a wide variety of pulse-diagram symbols within an environment designed specifically for typesetting pulse diagrams.

Finally, `\textifsym` supports the display of segmented digits, as would appear on an LCD: “`\textifsym{-123.456}`” produces “- 123,456”. “`\textifsym{b}`” outputs a blank with the same width as an “8”.

TABLE 303: ar Aspect Ratio Symbol

$\mathcal{R}$	<code>\AR</code>
---------------	------------------

TABLE 304: textcomp Text-mode Science and Engineering Symbols

°C	<code>\textcelsius</code>	∅	<code>\textmho</code>	μ	<code>\textmu</code>	Ω	<code>\textohm</code>
----	---------------------------	---	-----------------------	---	----------------------	---	-----------------------



TABLE 305: steinmetz Extensible Phasor Symbol

`/abc` `\phase{abc}`

The `\phase` command uses the `pict2e` package to draw a horizontally and vertically scalable Steinmetz phasor symbol. Consequently, `\phase` works only with those `TEX` backends supported by `pict2e`. See the `pict2e` documentation for more information.

TABLE 306: wasysym Astronomical Symbols























































	<code>\mercury</code>		<code>\earth</code>		<code>\jupiter</code>		<code>\uranus</code>		<code>\pluto</code>
	<code>\venus</code>		<code>\mars</code>		<code>\saturn</code>		<code>\neptune</code>		
	<code>\astrosun</code>		<code>\fullmoon</code>		<code>\leftmoon</code>		<code>\newmoon</code>		<code>\rightmoon</code>
	<code>\aries</code>		<code>\cancer</code>		<code>\libra</code>		<code>\aquarius</code>		
	<code>\taurus</code>		<code>\leo</code>		<code>\scorpio</code>		<code>\capricornus</code>		
	<code>\gemini</code>		<code>\virgo</code>		<code>\sagittarius</code>		<code>\pisces</code>		
	<code>\ascnode</code>		<code>\descnode</code>		<code>\conjunction</code>		<code>\opposition</code>		<code>\vernal</code>

TABLE 307: marvosym Astronomical Symbols

	<code>\Mercury</code>		<code>\Earth</code>		<code>\Jupiter</code>		<code>\Uranus</code>		<code>\Pluto</code>
	<code>\Venus</code>		<code>\Mars</code>		<code>\Saturn</code>		<code>\Neptune</code>		
	<code>\Moon</code>		<code>\Sun</code>						
	<code>\Aries</code>		<code>\Cancer</code>		<code>\Libra</code>		<code>\Capricorn</code>		
	<code>\Taurus</code>		<code>\Leo</code>		<code>\Scorpio</code>		<code>\Aquarius</code>		
	<code>\Gemini</code>		<code>\Virgo</code>		<code>\Sagittarius</code>		<code>\Pisces</code>		

Note that `\Aries... \Pisces` can also be specified with `\Zodiac{1}... \Zodiac{12}`.

TABLE 308: fontawesome Astronomical Symbols






	<code>\faMars</code>		<code>\faMoon0</code>		<code>\faVenus</code>
	<code>\faMercury</code>		<code>\faSun0</code>		

TABLE 309: `mathabx` Astronomical Symbols

$\text{\textcircled{M}}$	<code>\Mercury</code>	$\oplus$	<code>\Earth</code>	$\text{\textcircled{J}}$	<code>\Jupiter</code>	$\text{\textcircled{U}}$	<code>\Uranus</code>	$\text{\textcircled{P}}$	<code>\Pluto</code>
$\text{\textcircled{V}}$	<code>\Venus</code>	$\text{\textcircled{M}}$	<code>\Mars</code>	$\text{\textcircled{S}}$	<code>\Saturn</code>	$\text{\textcircled{N}}$	<code>\Neptune</code>	$\text{\textcircled{E}}$	<code>\varEarth</code>
$\bigcirc$	<code>\fullmoon</code>	$\text{\textcircled{L}}$	<code>\leftmoon</code>	$\bullet$	<code>\newmoon</code>	$\text{\textcircled{R}}$	<code>\rightmoon</code>	$\text{\textcircled{S}}$	<code>\Sun</code>
$\text{\textcircled{A}}$	<code>\Aries</code>	$\text{\textcircled{T}}$	<code>\Taurus</code>	$\text{\textcircled{G}}$	<code>\Gemini</code>				

`mathabx` also defines `\girl` as an alias for `\Venus`, `\boy` as an alias for `\Mars`, and `\Moon` as an alias for `\leftmoon`.

TABLE 310: `stix` Astronomical Symbols

$\text{\textcircled{S}}$	<code>\astrosun</code>	$\text{\textcircled{L}}$	<code>\leftmoon</code>	$\text{\textcircled{R}}$	<code>\rightmoon</code>	$\text{\textcircled{S}}$	<code>\sun</code>
--------------------------	------------------------	--------------------------	------------------------	--------------------------	-------------------------	--------------------------	-------------------

TABLE 311: starfont Astronomical Symbols

☿	\Mercury	♂	\Mars	♅	\Uranus	♁	\varTerra
♀	\Venus	♃	\Jupiter	♆	\Neptune	♁	\varUranus
♁	\Terra	♄	\Saturn	♇	\Pluto	♇	\varPluto
☉	\Sun	☾	\Moon	☾	\varMoon		
♄	\Cupido	♁	\Zeus	♁	\Apollon	♁	\Vulkanus
♁	\Hades	♁	\Kronos	♁	\Admetos	♁	\Poseidon
♁	\Lilith	♁	\NorthNode	♁	\SouthNode		
♁	\Amor	♁	\Eros	♁	\Juno	♁	\Sappho
♁	\Ceres	♁	\Hidalgo	♁	\Pallas	♁	\Vesta
♁	\Chiron	♁	\Hygiea	♁	\Psyche		
♁	\Fortune						
♈	\Aries	♌	\Leo	♐	\Sagittarius	♏	\varCapricorn
♉	\Taurus	♍	\Virgo	♑	\Capricorn		
♊	\Gemini	♎	\Libra	♒	\Aquarius		
♋	\Cancer	♏	\Scorpio	♓	\Pisces		
♌	\Conjunction	♏	\Square	♏	\Semisextile		
♌	\Opposition	♏	\Sextile	♏	\Semisquare		
♌	\Trine	♏	\Quincunx	♏	\Sesquiquadrate		
♏	\ASC	♏	\EastPoint	♏	\MC		
♏	\DSC	♏	\IC	♏	\Vertex		
♏	\Direct	♏	\Retrograde	♏	\Station		
♏	\Air	♏	\Earth	♏	\Fire	♏	\Water
♏	\Natal	♏	\Pentagram	♏	\Radix		

TABLE 312: wasysym APL Symbols

☐	\APLbox	☐	\APLin	*	\APLstar
☐	\APLcomment	☐	\APLleftarrowbox	△	\APLup
▽	\APLdown	⊗	\APLlog	☐	\APLuparrowbox
☐	\APLdownarrowbox	-	\APLminus	↖	\notbackslash
☐	\APLinput	☐	\APLrightarrowbox	≠	\notslash
∘	\APLcirc{a}	⊗	\APLnot{a}	⊥	\APLvert{a}

TABLE 313: stix APL Symbols

	<code>\APLboxquestion</code>	$\nabla$	<code>\APLnotbackslash</code>
	<code>\APLboxupcaret</code>	$\neq$	<code>\APLnotslash</code>

TABLE 314: apl APL Symbols

	<code>\AB</code>	∞	<code>\DD</code>	∇	<code>\GD</code>	†	<code>\LK</code>	∇	<code>\PD</code>	↑	<code>\UA</code>	$\underline{G}$	<code>\ZG</code>	$\underline{Q}$	<code>\ZQ</code>
α	<code>\AM</code>	⊥	<code>\DE</code>	≥	<code>\GE</code>	○	<code>\LO</code>	∏	<code>\QQ</code>	–	<code>\US</code>	$\underline{H}$	<code>\ZH</code>	$\underline{R}$	<code>\ZR</code>
\	<code>\BL</code>	∇	<code>\DL</code>	→	<code>\GO</code>	∩	<code>\LU</code>	}	<code>\RB</code>	U	<code>\UU</code>	$\underline{I}$	<code>\ZI</code>	$\underline{S}$	<code>\ZS</code>
□	<code>\BX</code>	◇	<code>\DM</code>	△	<code>\GU</code>	≠	<code>\NE</code>	†	<code>\RK</code>	⊥	<code>\XQ</code>	$\underline{J}$	<code>\ZJ</code>	$\underline{T}$	<code>\ZT</code>
\	<code>\CB</code>	⊠	<code>\DQ</code>	±	<code>\IB</code>	–	<code>\NG</code>	ρ	<code>\RO</code>	$\underline{A}$	<code>\ZA</code>	$\underline{K}$	<code>\ZK</code>	$\underline{U}$	<code>\ZU</code>
⌈	<code>\CE</code>	∩	<code>\DU</code>	~	<code>\IO</code>	★	<code>\NN</code>	∩	<code>\RU</code>	$\underline{B}$	<code>\ZB</code>	$\underline{L}$	<code>\ZL</code>	$\underline{V}$	<code>\ZV</code>
⊇	<code>\CO</code>	τ	<code>\EN</code>	{	<code>\LB</code>	∇	<code>\NR</code>	φ	<code>\RV</code>	$\underline{C}$	<code>\ZC</code>	$\underline{M}$	<code>\ZM</code>	$\underline{W}$	<code>\ZW</code>
○	<code>\CR</code>	∈	<code>\EP</code>	△	<code>\LD</code>	~	<code>\NT</code>	○	<code>\SO</code>	$\underline{D}$	<code>\ZD</code>	$\underline{N}$	<code>\ZN</code>	$\underline{X}$	<code>\ZX</code>
/	<code>\CS</code>	⊥	<code>\FL</code>	≤	<code>\LE</code>	ω	<code>\OM</code>	SS	<code>\SS</code>	$\underline{E}$	<code>\ZE</code>	$\underline{O}$	<code>\ZO</code>	$\underline{Y}$	<code>\ZY</code>
↓	<code>\DA</code>	∇	<code>\FM</code>	⊕	<code>\LG</code>	v	<code>\OR</code>	∅	<code>\TR</code>	$\underline{F}$	<code>\ZF</code>	$\underline{P}$	<code>\ZP</code>	$\underline{Z}$	<code>\ZZ</code>

TABLE 315: marvosym Computer Hardware Symbols

	<code>\ComputerMouse</code>		<code>\ParallelPort</code>		<code>\SerialInterface</code>
	<code>\Keyboard</code>		<code>\Printer</code>		<code>\SerialPort</code>

TABLE 316: keystroke Computer Keys

	<code>\Alt</code>		<code>\Enter*</code>		<code>\PrtSc*</code>
	<code>\AltGr</code>		<code>\Esc*</code>		<code>\RArrow</code>
	<code>\Break*</code>		<code>\Home*</code>		<code>\Return</code>
	<code>\BSpace<sup>†</sup></code>		<code>\Ins*</code>		<code>\Scroll*</code>
	<code>\Ctrl*</code>		<code>\LArrow</code>		<code>\Shift*</code>
	<code>\DArrow</code>		<code>\NumLock</code>		<code>\Spacebar</code>
	<code>\Del*</code>		<code>\PgDown*</code>		<code>\Tab<sup>†</sup></code>
	<code>\End*</code>		<code>\PgUp*</code>		<code>\UArrow</code>

\* Changes based on the language option passed to the `keystroke` package. For example, the `german` option makes `\Del` produce “” instead of “”.

† These symbols utilize the `rotating` package and therefore display improperly in most DVI viewers.


























The `\keystroke` command draws a key with an arbitrary label. For example, “`\keystroke{F7}`” produces “”.

TABLE 317: ascii Control Characters (CP437)

☉	\SOH	■	\BS	*	\SI	—	\SYN	↔	\GS
●	\STX	○	\HT	▶	\DLE	‡	\ETB	▲	\RS
♥	\ETX	◼	\LF	◀	\DCa	↑	\CAN	—	\US
◆	\EOT	♂	\VT	‡	\DCb	↓	\EM		
♣	\ENQ	♀	\FF	!!	\DCc	→	\SUB		
♠	\ACK	⊙	\CR	‡	\DCd	←	\ESC		
•	\BEL	◦	\SO	§	\NAK	⌞	\FS		
△	\DEL	⋈	\NBSP	⋈	\NUL	‡	\splitvert		

Code Page 437 (CP437), which was first utilized by the original IBM PC, uses the symbols \SOH through \US to depict ASCII characters 1–31 and \DEL to depict ASCII character 127. The \NUL symbol, not part of CP437, represents ASCII character 0. \NBSP, also not part of CP437, represents a nonbreaking space. \splitvert is merely the “|” character drawn as it was on the IBM PC.

TABLE 318: logic Logic Gates

	\ANDd		\BUFu		\NANDl		\ORd
	\ANDl		\BusWidth		\NANDr		\ORl
	\ANDr		\INVd		\NANDu		\ORr
	\ANDu		\INVl		\NORd		\ORu
	\BUFd		\INVr		\NORl		
	\BUF1		\INVu		\NORr		
	\BUFr		\NANDd		\NORu		

The `logic` package implements the digital logic-gate symbols specified by the U.S. Department of Defense’s MIL-STD-806 standard. Note that on CTAN, the package is *called* `logic`, but the package is *loaded* using `\usepackage{milstd}`. (There was already a—completely unrelated—`milstd` package on CTAN at the time of `logic`’s release.) Consequently, package details are listed under `milstd` in Table 521 and Table 522 on page 243.

TABLE 319: marvosym Communication Symbols

	<code>\Email</code>		<code>\fax</code>		<code>\Faxmachine</code>		<code>\Lightning</code>		<code>\Pickup</code>
	<code>\EmailCT</code>		<code>\FAX</code>		<code>\Letter</code>		<code>\Mobilefone</code>		<code>\Telefon</code>

TABLE 320: marvosym Engineering Symbols

	<code>\Beam</code>		<code>\Force</code>		<code>\Octosteel</code>		<code>\RoundedTTsteel</code>
	<code>\Bearing</code>		<code>\Hexasteel</code>		<code>\Rectpipe</code>		<code>\Squarepipe</code>
	<code>\Circpipe</code>		<code>\Lefttorque</code>		<code>\Rectsteel</code>		<code>\Squaresteel</code>
	<code>\Circsteel</code>		<code>\Lineload</code>		<code>\Righttorque</code>		<code>\Tsteel</code>
	<code>\Fixedbearing</code>		<code>\Loosebearing</code>		<code>\RoundedLsteel*</code>		<code>\TTsteel</code>
	<code>\Flatsteel</code>		<code>\Lsteel</code>		<code>\RoundedTsteel*</code>		

\* `\RoundedLsteel` and `\RoundedTsteel` seem to be swapped, at least in the 2000/05/01 version of marvosym.

TABLE 321: wasysym Biological Symbols

`\female` `\male`

TABLE 322: stix Biological Symbols

`\female` `\male`  
`\Hermaphrodite` `\neuter`

TABLE 323: marvosym Biological Symbols

	<code>\FEMALE</code>		<code>\FemaleMale</code>		<code>\Male</code>		<code>\Neutral</code>
	<code>\Female</code>		<code>\Hermaphrodite</code>		<code>\MALE</code>		
	<code>\FemaleFemale</code>		<code>\HERMAPHRODITE</code>		<code>\MaleMale</code>		

TABLE 324: fontawesome Biological Symbols
























	<code>\faGenderless</code>		<code>\faMarsStrokeH</code>		<code>\faTransgenderAlt</code>
	<code>\faMars</code>		<code>\faMarsStrokeV</code>		<code>\faVenus</code>
	<code>\faMarsDouble</code>		<code>\faNeuter</code>		<code>\faVenusDouble</code>
	<code>\faMarsStroke</code>		<code>\faTransgender</code>		<code>\faVenusMars</code>

fontawesome defines `\faIntersex` as a synonym for `\faTransgender`

TABLE 325: marvosym Safety-related Symbols

	<code>\Biohazard</code>		<code>\CEsign</code>		<code>\Explosionsafe</code>		<code>\Radioactivity</code>
	<code>\BSEfree</code>		<code>\Estatically</code>		<code>\Laserbeam</code>		<code>\Stopsign</code>















TABLE 326: feyn Feynman Diagram Symbols

	<code>\bigbosonloop</code>	<code>-</code>	<code>\hfermion</code>		<code>\smallbosonloopV</code>		
	<code>\bigbosonloopA</code>		<code>\shfermion</code>	<code>\</code>	<code>\wfermion</code>		
	<code>\bigbosonloopV</code>		<code>\smallbosonloop</code>	<code>=</code>	<code>\whfermion</code>		
	<code>\gvcropped</code>		<code>\smallbosonloopA</code>				
<code>&gt;</code>	<code>\feyn{a}</code>	<code>/</code>	<code>\feyn{fu}</code>		<code>\feyn{glS}</code>	<code>...</code>	<code>\feyn{hs}</code>
<code>o</code>	<code>\feyn{c}</code>	<code> </code>	<code>\feyn{fv}</code>		<code>\feyn{glu}</code>	<code>/</code>	<code>\feyn{hu}</code>
<code>-</code>	<code>\feyn{f}</code>		<code>\feyn{g}</code>		<code>\feyn{gu}</code>	<code>=</code>	<code>\feyn{m}</code>
<code>\</code>	<code>\feyn{fd}</code>		<code>\feyn{g1}</code>		<code>\feyn{gv}</code>	<code>=</code>	<code>\feyn{ms}</code>
	<code>\feyn{fl}</code>		<code>\feyn{gd}</code>		<code>\feyn{gvs}</code>		<code>\feyn{p}</code>
	<code>\feyn{flS}</code>		<code>\feyn{gl}</code>		<code>\feyn{h}</code>		<code>\feyn{P}</code>
<code>-</code>	<code>\feyn{fs}</code>		<code>\feyn{glB}</code>	<code>\</code>	<code>\feyn{hd}</code>	<code>x</code>	<code>\feyn{x}</code>

All other arguments to the `\feyn` command produce a “ $\mathcal{Q}$ ” symbol.

The feyn package provides various commands for composing the preceding symbols into complete Feynman diagrams. See the feyn documentation for examples and additional information.

TABLE 327: svrsymbols Physics Ideograms

$\mu^+$	<code>\antimuon</code>		<code>\experimentalsym</code>	$p^+$	<code>\proton</code>
$\bar{\nu}$	<code>\antineutrino</code>		<code>\fermion</code>	$q$	<code>\quark</code>
$\bar{n}$	<code>\antineutron</code>		<code>\graphene</code>	$b$	<code>\quarkb</code>
$p^-$	<code>\antiproton</code>	$h^+$	<code>\hole</code>	$c$	<code>\quarkc</code>
$\bar{q}$	<code>\antiquark</code>		<code>\ion</code>	$d$	<code>\quarkd</code>
$\bar{b}$	<code>\antiquarkb</code>		<code>\method</code>	$s$	<code>\quarks</code>
$\bar{c}$	<code>\antiquarkc</code>	$\mu^-$	<code>\muon</code>	$t$	<code>\quarkt</code>
$\bar{d}$	<code>\antiquarkd</code>	$\nu$	<code>\neutrino</code>	$u$	<code>\quarku</code>
$\bar{s}$	<code>\antiquarks</code>	$n^0$	<code>\neutron</code>	$R$	<code>\reference</code>
$\bar{t}$	<code>\antiquarkt</code>		<code>\nucleus</code>		<code>\solid</code>
$\bar{u}$	<code>\antiquarku</code>		<code>\orbit</code>		<code>\spin</code>
$\star$	<code>\assumption</code>	$F$	<code>\phonon</code>		<code>\spindown</code>
	<code>\atom</code>	$f$	<code>\photon</code>	$\Phi$	<code>\surface</code>
$e^-$	<code>\electron</code>		<code>\plasmon</code>	$\gamma$	<code>\varphoton</code>
$\boxplus$	<code>\errorsym</code>		<code>\polaron</code>		<code>\water</code>
$\rightarrow h^+$	<code>\exciton</code>	$e^+$	<code>\positron</code>		

## 5 Dingbats

Dingbats are symbols such as stars, arrows, and geometric shapes. They are commonly used as bullets in itemized lists or, more generally, as a means to draw attention to the text that follows.

The `pifont` dingbat package warrants special mention. Among other capabilities, `pifont` provides a  $\text{\LaTeX}$  interface to the Zapf Dingbats font (one of the standard 35 PostScript fonts). However, rather than name each of the dingbats individually, `pifont` merely provides a single `\ding` command, which outputs the character that lies at a given position in the font. The consequence is that the `pifont` symbols can't be listed by name in this document's index, so be mindful of that fact when searching for a particular symbol.

TABLE 328: `bbding` Arrows






	<code>\ArrowBoldDownRight</code>		<code>\ArrowBoldRightShort</code>		<code>\ArrowBoldUpRight</code>
	<code>\ArrowBoldRightCircled</code>		<code>\ArrowBoldRightStrobe</code>		

TABLE 329: `pifont` Arrows











































	<code>\ding{212}</code>		<code>\ding{221}</code>		<code>\ding{230}</code>		<code>\ding{239}</code>		<code>\ding{249}</code>
	<code>\ding{213}</code>		<code>\ding{222}</code>		<code>\ding{231}</code>		<code>\ding{241}</code>		<code>\ding{250}</code>
	<code>\ding{214}</code>		<code>\ding{223}</code>		<code>\ding{232}</code>		<code>\ding{242}</code>		<code>\ding{251}</code>
	<code>\ding{215}</code>		<code>\ding{224}</code>		<code>\ding{233}</code>		<code>\ding{243}</code>		<code>\ding{252}</code>
	<code>\ding{216}</code>		<code>\ding{225}</code>		<code>\ding{234}</code>		<code>\ding{244}</code>		<code>\ding{253}</code>
	<code>\ding{217}</code>		<code>\ding{226}</code>		<code>\ding{235}</code>		<code>\ding{245}</code>		<code>\ding{254}</code>
	<code>\ding{218}</code>		<code>\ding{227}</code>		<code>\ding{236}</code>		<code>\ding{246}</code>		
	<code>\ding{219}</code>		<code>\ding{228}</code>		<code>\ding{237}</code>		<code>\ding{247}</code>		
	<code>\ding{220}</code>		<code>\ding{229}</code>		<code>\ding{238}</code>		<code>\ding{248}</code>		



TABLE 330: adfsymbols Arrows

➤	<code>\adfarrowe1</code>	↗	<code>\adfarrowne1</code>	⤵	<code>\adfarrows1</code>	↘	<code>\adfarrowsw1</code>
→	<code>\adfarrowe2</code>	↖	<code>\adfarrowne2</code>	↓	<code>\adfarrows2</code>	↙	<code>\adfarrowsw2</code>
➤	<code>\adfarrowe3</code>	↗	<code>\adfarrowne3</code>	⤵	<code>\adfarrows3</code>	↘	<code>\adfarrowsw3</code>
➤	<code>\adfarrowe4</code>	↗	<code>\adfarrowne4</code>	⤵	<code>\adfarrows4</code>	↘	<code>\adfarrowsw4</code>
→	<code>\adfarrowe5</code>	↖	<code>\adfarrowne5</code>	↓	<code>\adfarrows5</code>	↙	<code>\adfarrowsw5</code>
➤	<code>\adfarrowe6</code>	↗	<code>\adfarrowne6</code>	⤵	<code>\adfarrows6</code>	↘	<code>\adfarrowsw6</code>
↑	<code>\adfarrown1</code>	↖	<code>\adfarrownw1</code>	↘	<code>\adfarrowse1</code>	←	<code>\adfarrownw1</code>
↑	<code>\adfarrown2</code>	↖	<code>\adfarrownw2</code>	↘	<code>\adfarrowse2</code>	←	<code>\adfarrownw2</code>
↑	<code>\adfarrown3</code>	↖	<code>\adfarrownw3</code>	↘	<code>\adfarrowse3</code>	←	<code>\adfarrownw3</code>
↑	<code>\adfarrown4</code>	↖	<code>\adfarrownw4</code>	↘	<code>\adfarrowse4</code>	←	<code>\adfarrownw4</code>
↑	<code>\adfarrown5</code>	↖	<code>\adfarrownw5</code>	↘	<code>\adfarrowse5</code>	←	<code>\adfarrownw5</code>
↑	<code>\adfarrown6</code>	↖	<code>\adfarrownw6</code>	↘	<code>\adfarrowse6</code>	←	<code>\adfarrownw6</code>
	↔	<code>\adfhalfarrowleft</code>		↔	<code>\adfhalfarrowright</code>		
	↔	<code>\adfhalfarrowleftsolid</code>		↔	<code>\adfhalfarrowrightsolid</code>		

Technically, the digit at the end of each `\adfarrow<dir><digit>` command is a macro argument, not part of the command name.

The preceding symbols can also be produced by passing a number or a style/direction pair to the `\adfarrow` command. For example, both `\adfarrow{19}` and `\adfarrow[comic]{east}` produce “➤”. See the `adfsymbols` documentation for more information.

TABLE 331: adorn Arrows

↔	<code>\adfhalfleftarrow</code>	➤	<code>\adfhalfrightarrowhead</code>
↔	<code>\adfhalfleftarrowhead</code>	↔	<code>\adleftarrowhead</code>
➤	<code>\adfhalfrightarrow</code>	➤	<code>\adrightarrowhead</code>

TABLE 332: arev Arrows

➤	<code>\arrowbullet</code>
---	---------------------------

TABLE 333: fontawesome Arrows

⬇	<code>\faArrowCircleDown</code>	⬇	<code>\faArrowDown</code>	⬇	<code>\faLongArrowDown</code>
⬅	<code>\faArrowCircleLeft</code>	⬅	<code>\faArrowLeft</code>	⬅	<code>\faLongArrowLeft</code>
⬇	<code>\faArrowCircleODown</code>	➡	<code>\faArrowRight</code>	➡	<code>\faLongArrowRight</code>
⬅	<code>\faArrowCircleOLeft</code>	↕	<code>\faArrows</code>	↑	<code>\faLongArrowUp</code>
⬆	<code>\faArrowCircleORight</code>	⌘	<code>\faArrowsAlt</code>	↻	<code>\faRepeat</code>
⬆	<code>\faArrowCircleOUp</code>	↔	<code>\faArrowsH</code>	↺	<code>\faUndo</code>
➡	<code>\faArrowCircleRight</code>	⬇	<code>\faArrowsV</code>		
⬆	<code>\faArrowCircleUp</code>	⬆	<code>\faArrowUp</code>		

fontawesome defines `\faRotateLeft` as a synonym for `\faUndo` and `\faRotateRight` as a synonym for `\faRepeat`.

TABLE 334: fontawesome Chevrons









	<code>\faChevronCircleDown</code>		<code>\faChevronCircleUp</code>		<code>\faChevronRight</code>
	<code>\faChevronCircleLeft</code>		<code>\faChevronDown</code>		<code>\faChevronUp</code>
	<code>\faChevronCircleRight</code>		<code>\faChevronLeft</code>		

TABLE 335: marvosym Scissors






	<code>\CutLeft</code>		<code>\CuttingLine</code>		<code>\RightScissors</code>
	<code>\CutRight</code>		<code>\LeftScissors</code>		

TABLE 336: bbding Scissors









	<code>\ScissorHollowLeft</code>		<code>\ScissorLeftBrokenTop</code>
	<code>\ScissorHollowRight</code>		<code>\ScissorRight</code>
	<code>\ScissorLeft</code>		<code>\ScissorRightBrokenBottom</code>
	<code>\ScissorLeftBrokenBottom</code>		<code>\ScissorRightBrokenTop</code>

TABLE 337: pifont Scissors

	<code>\ding{33}</code>		<code>\ding{34}</code>		<code>\ding{35}</code>		<code>\ding{36}</code>
---	------------------------	---	------------------------	---	------------------------	---	------------------------

TABLE 338: dingbat Pencils



	<code>\largepencil</code>		<code>\smallpencil</code>
---	---------------------------	---	---------------------------

TABLE 339: arev Pencils

	<code>\pencil</code>
---	----------------------

TABLE 340: fontawesome Pencils




	<code>\faPencil</code>		<code>\faPencilSquare</code>		<code>\faPencilSquare0</code>
---	------------------------	---	------------------------------	---	-------------------------------

TABLE 341: bbding Pencils and Nibs











	<code>\NibLeft</code>		<code>\PencilLeft</code>		<code>\PencilRightDown</code>
	<code>\NibRight</code>		<code>\PencilLeftDown</code>		<code>\PencilRightUp</code>
	<code>\NibSolidLeft</code>		<code>\PencilLeftUp</code>		
	<code>\NibSolidRight</code>		<code>\PencilRight</code>		

TABLE 342: pifont Pencils and Nibs






 \ding{46}  \ding{47}  \ding{48}  \ding{49}  \ding{50}

TABLE 343: dingbat Fists








 \leftpointright	 \rightpointleft	 \rightpointright
 \leftthumbsdown	 \rightthumbsdown	
 \leftthumbsup	 \rightthumbsup	

TABLE 344: bbding Fists










 \HandCuffLeft	 \HandCuffRightUp	 \HandPencilLeft
 \HandCuffLeftUp	 \HandLeft	 \HandRight
 \HandCuffRight	 \HandLeftUp	 \HandRightUp

TABLE 345: pifont Fists

 \ding{42}  \ding{43}  \ding{44}  \ding{45}

TABLE 346: fourier Fists

 \lefthand  \righthand

TABLE 347: arev Fists

















 \pointright

TABLE 348: fontawesome Fists

 \faHandLizard0	 \faHandPaper0	 \faHandSpock0
 \faHandODown	 \faHandPeace0	 \faThumbsDown
 \faHandOLeft	 \faHandPointer0	 \faThumbsODown
 \faHandORight	 \faHandRock0	 \faThumbsOUp
 \faHandOUp	 \faHandScissors0	 \faThumbsUp

fontawesome defines \faHandGrab0 as a synonym for \faHandRock0 and \faHandStop0 as a synonym for \faHandPaper0.

TABLE 349: bbding Crosses and Plusses

†	<code>\Cross</code>	†	<code>\CrossOpenShadow</code>	+	<code>\PlusOutline</code>
†	<code>\CrossBoldOutline</code>	†	<code>\CrossOutline</code>	+	<code>\PlusThinCenterOpen</code>
†	<code>\CrossClowerTips</code>	+	<code>\Plus</code>		
†	<code>\CrossMaltese</code>	+	<code>\PlusCenterOpen</code>		

TABLE 350: pifont Crosses and Plusses

+	<code>\ding{57}</code>	+	<code>\ding{59}</code>	†	<code>\ding{61}</code>	†	<code>\ding{63}</code>
+	<code>\ding{58}</code>	+	<code>\ding{60}</code>	†	<code>\ding{62}</code>	†	<code>\ding{64}</code>

TABLE 351: adfsymbols Crosses and Plusses

*	<code>\adfbullet{4}</code>	*	<code>\adfbullet{6}</code>	*	<code>\adfbullet{8}</code>	*	<code>\adfbullet{10}</code>
*	<code>\adfbullet{5}</code>	*	<code>\adfbullet{7}</code>	*	<code>\adfbullet{9}</code>		

TABLE 352: arev Crosses

†	<code>\eastcross</code>	†	<code>\westcross</code>
---	-------------------------	---	-------------------------

TABLE 353: bbding Xs and Check Marks

✓	<code>\Checkmark</code>	✗	<code>\XSolid</code>	✗	<code>\XSolidBrush</code>
✓	<code>\CheckmarkBold</code>	✗	<code>\XSolidBold</code>		

TABLE 354: pifont Xs and Check Marks

✓	<code>\ding{51}</code>	✗	<code>\ding{53}</code>	✗	<code>\ding{55}</code>
✓	<code>\ding{52}</code>	✗	<code>\ding{54}</code>	✗	<code>\ding{56}</code>

TABLE 355: wasysym Xs and Check Marks

☑	<code>\CheckedBox</code>	□	<code>\Square</code>	☒	<code>\XBox</code>
---	--------------------------	---	----------------------	---	--------------------

TABLE 356: marvosym Xs and Check Marks

☑	<code>\Checkedbox</code>	☒	<code>\CrossedBox*</code>	□	<code>\HollowBox</code>
---	--------------------------	---	---------------------------	---	-------------------------

\* marvosym defines `\Crossedbox` as a synonym for `\CrossedBox`.

TABLE 357: arev Xs and Check Marks

✓ \ballotcheck ✗ \ballotx

TABLE 358: fontawesome Xs and Check Marks

✓	\faCheck	☑	\faCheckSquare	⊗	\faTimesCircle
⊙	\faCheckCircle	☑	\faCheckSquareO	⊗	\faTimesCircleO
⊙	\faCheckCircleO	✕	\faTimes*		

\* fontawesome defines both \faClose and \faRemove as synonyms for \faTimes.

TABLE 359: pifont Circled Numerals

①	\ding{172}	①	\ding{182}	①	\ding{192}	①	\ding{202}
②	\ding{173}	②	\ding{183}	②	\ding{193}	②	\ding{203}
③	\ding{174}	③	\ding{184}	③	\ding{194}	③	\ding{204}
④	\ding{175}	④	\ding{185}	④	\ding{195}	④	\ding{205}
⑤	\ding{176}	⑤	\ding{186}	⑤	\ding{196}	⑤	\ding{206}
⑥	\ding{177}	⑥	\ding{187}	⑥	\ding{197}	⑥	\ding{207}
⑦	\ding{178}	⑦	\ding{188}	⑦	\ding{198}	⑦	\ding{208}
⑧	\ding{179}	⑧	\ding{189}	⑧	\ding{199}	⑧	\ding{209}
⑨	\ding{180}	⑨	\ding{190}	⑨	\ding{200}	⑨	\ding{210}
⑩	\ding{181}	⑩	\ding{191}	⑩	\ding{201}	⑩	\ding{211}

pifont (part of the psnfss package) provides a `dingautolist` environment which resembles `enumerate` but uses circled numbers as bullets.<sup>4</sup> See the psnfss documentation for more information.

TABLE 360: wasysym Stars

☆ \davidstar ✖ \hexstar ✖ \varhexstar

---

<sup>4</sup>In fact, `dingautolist` can use any set of consecutive Zapf Dingbats symbols.

TABLE 361: bbding Stars, Flowers, and Similar Shapes

















































	<code>\Asterisk</code>		<code>\FiveFlowerPetal</code>		<code>\JackStar</code>
	<code>\AsteriskBold</code>		<code>\FiveStar</code>		<code>\JackStarBold</code>
	<code>\AsteriskCenterOpen</code>		<code>\FiveStarCenterOpen</code>		<code>\SixFlowerAlternate</code>
	<code>\AsteriskRoundedEnds</code>		<code>\FiveStarConvex</code>		<code>\SixFlowerAltPetal</code>
	<code>\AsteriskThin</code>		<code>\FiveStarLines</code>		<code>\SixFlowerOpenCenter</code>
	<code>\AsteriskThinCenterOpen</code>		<code>\FiveStarOpen</code>		<code>\SixFlowerPetalDotted</code>
	<code>\DavidStar</code>		<code>\FiveStarOpenCircled</code>		<code>\SixFlowerPetalRemoved</code>
	<code>\DavidStarSolid</code>		<code>\FiveStarOpenDotted</code>		<code>\SixFlowerRemovedOpenPetal</code>
	<code>\EightAsterisk</code>		<code>\FiveStarOutline</code>		<code>\SixStar</code>
	<code>\EightFlowerPetal</code>		<code>\FiveStarOutlineHeavy</code>		<code>\SixteenStarLight</code>
	<code>\EightFlowerPetalRemoved</code>		<code>\FiveStarShadow</code>		<code>\Snowflake</code>
	<code>\EightStar</code>		<code>\FourAsterisk</code>		<code>\SnowflakeChevron</code>
	<code>\EightStarBold</code>		<code>\FourCloverOpen</code>		<code>\SnowflakeChevronBold</code>
	<code>\EightStarConvex</code>		<code>\FourCloverSolid</code>		<code>\Sparkle</code>
	<code>\EightStarTaper</code>		<code>\FourStar</code>		<code>\SparkleBold</code>
	<code>\FiveFlowerOpen</code>		<code>\FourStarOpen</code>		<code>\TwelveStar</code>

TABLE 362: pifont Stars, Flowers, and Similar Shapes












































	<code>\ding{65}</code>		<code>\ding{74}</code>		<code>\ding{83}</code>		<code>\ding{92}</code>		<code>\ding{101}</code>
	<code>\ding{66}</code>		<code>\ding{75}</code>		<code>\ding{84}</code>		<code>\ding{93}</code>		<code>\ding{102}</code>
	<code>\ding{67}</code>		<code>\ding{76}</code>		<code>\ding{85}</code>		<code>\ding{94}</code>		<code>\ding{103}</code>
	<code>\ding{68}</code>		<code>\ding{77}</code>		<code>\ding{86}</code>		<code>\ding{95}</code>		<code>\ding{104}</code>
	<code>\ding{69}</code>		<code>\ding{78}</code>		<code>\ding{87}</code>		<code>\ding{96}</code>		<code>\ding{105}</code>
	<code>\ding{70}</code>		<code>\ding{79}</code>		<code>\ding{88}</code>		<code>\ding{97}</code>		<code>\ding{106}</code>
	<code>\ding{71}</code>		<code>\ding{80}</code>		<code>\ding{89}</code>		<code>\ding{98}</code>		<code>\ding{107}</code>
	<code>\ding{72}</code>		<code>\ding{81}</code>		<code>\ding{90}</code>		<code>\ding{99}</code>		
	<code>\ding{73}</code>		<code>\ding{82}</code>		<code>\ding{91}</code>		<code>\ding{100}</code>		

TABLE 363: adfsymbols Stars, Flowers, and Similar Shapes




















	<code>\adfbullet{1}</code>		<code>\adfbullet{13}</code>		<code>\adfbullet{18}</code>		<code>\adfbullet{23}</code>
	<code>\adfbullet{2}</code>		<code>\adfbullet{14}</code>		<code>\adfbullet{19}</code>		<code>\adfbullet{24}</code>
	<code>\adfbullet{3}</code>		<code>\adfbullet{15}</code>		<code>\adfbullet{20}</code>		<code>\adfbullet{25}</code>
	<code>\adfbullet{11}</code>		<code>\adfbullet{16}</code>		<code>\adfbullet{21}</code>		<code>\adfbullet{26}</code>
	<code>\adfbullet{12}</code>		<code>\adfbullet{17}</code>		<code>\adfbullet{22}</code>		

TABLE 364: adorn Stars











	<code>\adfast{1}</code>		<code>\adfast{3}</code>		<code>\adfast{5}</code>		<code>\adfast{7}</code>		<code>\adfast{9}</code>
	<code>\adfast{2}</code>		<code>\adfast{4}</code>		<code>\adfast{6}</code>		<code>\adfast{8}</code>		<code>\adfast{10}</code>

TABLE 365: fontawesome Stars

★ `\faStar` ☆ `\faStarHalf` ☆ `\faStarHalf0` ☆ `\faStar0`

fontawesome defines both `\faStarHalfEmpty` and `\faStarHalfFull` as synonyms for `\faStarHalf0`.

TABLE 366: fourier Fleurons and Flowers


















	<code>\aldine</code>		<code>\decoone</code>		<code>\floweroneright</code>
	<code>\aldineleft</code>		<code>\decosix</code>		<code>\leafleft</code>
	<code>\aldineright</code>		<code>\decothreeleft</code>		<code>\leafNE</code>
	<code>\aldinesmall</code>		<code>\decothreeright</code>		<code>\leafright</code>
	<code>\decofourleft</code>		<code>\decotwo</code>		<code>\starredbullet</code>
	<code>\decofourright</code>		<code>\floweroneleft</code>		

TABLE 367: adorn Fleurons and Flowers































	<code>\adfdownhalfleafleft</code>		<code>\adfdownhalfleafright</code>
	<code>\adfdownleafleft</code>		<code>\adfdownleafright</code>
	<code>\adfflatdownhalfleafleft</code>		<code>\adfflatdownhalfleafright</code>
	<code>\adfflatdownoutlineleafleft</code>		<code>\adfflatdownoutlineleafright</code>
	<code>\adfflatleafleft</code>		<code>\adfflatleafright</code>
	<code>\adfflatleafoutlineleft</code>		<code>\adfflatleafoutlineright</code>
	<code>\adfflatleafsolidleft</code>		<code>\adfflatleafsolidright</code>
	<code>\adfflowerleft</code>		<code>\adfflowerright</code>
	<code>\adfhalfleafleft</code>		<code>\adfhalfleafright</code>
	<code>\adfhangingleafleft</code>		<code>\adfhangingleafright</code>
	<code>\adfleafleft</code>		<code>\adfleafright</code>
	<code>\adfoutlineleafleft</code>		<code>\adfoutlineleafright</code>
	<code>\adfsmallhangingleafleft</code>		<code>\adfsmallhangingleafright</code>
	<code>\adfsmallleafleft</code>		<code>\adfsmallleafright</code>
	<code>\adfsolidleafleft</code>		<code>\adfsolidleafright</code>

TABLE 368: wasysym Geometric Shapes

○ <code>\Circle</code>	◐ <code>\LEFTcircle</code>	◯ <code>\octagon</code>	◑ <code>\RIGHTcircle</code>
● <code>\CIRCLE</code>	◓ <code>\LEFTCIRCLE</code>	◕ <code>\pentagon</code>	◔ <code>\RIGHTCIRCLE</code>
◊ <code>\hexagon</code>	◑ <code>\Leftcircle</code>	◒ <code>\Rightcircle</code>	◕ <code>\varhexagon</code>

TABLE 369: MnSymbol Geometric Shapes

★	<code>\filledlargestar</code>	◇	<code>\largelozenge</code>	◇	<code>\medlozenge</code>
◆	<code>\filledlozenge</code>	☆	<code>\largepentagram</code>	☆	<code>\medstarofdavid</code>
◆	<code>\filledmedlozenge</code>	□	<code>\largesquare</code>	◇	<code>\smalllozenge</code>
○	<code>\largecircle</code>	☆	<code>\largestar</code>		
◇	<code>\largediamond</code>	☆	<code>\largestarofdavid</code>		

MnSymbol defines `\bigcirc` as a synonym for `\largecircle`; `\bigstar` as a synonym for `\filledlargestar`; `\lozenge` as a synonym for `\medlozenge`; and, `\blacklozenge` as a synonym for `\filledmedlozenge`.

TABLE 370: fdsymbol Geometric Shapes

●	<code>\largeblackcircle</code>	▽	<code>\largetriangledown</code>	◇	<code>\medlozenge</code>
■	<code>\largeblacksquare</code>	△	<code>\largetriangleup</code>	◆	<code>\smallblacklozenge</code>
★	<code>\largeblackstar</code>	☆	<code>\largewhitestar</code>	◇	<code>\smalllozenge</code>
○	<code>\largecircle</code>	◇	<code>\lozengeminus</code>	☆	<code>\starofdavid</code>
□	<code>\largesquare</code>	◆	<code>\medblacklozenge</code>		

fdsymbol defines synonyms for almost all of the preceding symbols:

○	<code>\bigcirc</code>	■	<code>\lgblksquare</code>	◇	<code>\mdlgwhtlozenge</code>
★	<code>\bigstar</code>	○	<code>\lgwhtcircle</code>	◇	<code>\mdwhtlozenge</code>
▽	<code>\bigtriangledown</code>	□	<code>\lgwhtsquare</code>	◆	<code>\smbklozenge</code>
△	<code>\bigtriangleup</code>	◇	<code>\lozenge</code>	◇	<code>\smwhtlozenge</code>
◆	<code>\blacklozenge</code>	◆	<code>\mdblklozenge</code>		
●	<code>\lgblkcircle</code>	◆	<code>\mdlgbklozenge</code>		

TABLE 371: boisik Geometric Shapes

★	<code>\bigstar</code>	◇	<code>\diamond</code>	▽	<code>\triangledown</code>
◆	<code>\blacklozenge</code>	◇	<code>\lozenge</code>	◁	<code>\triangleleft</code>
■	<code>\blacksquare</code>	◇	<code>\lozengedot</code>	▷	<code>\triangleright</code>
▲	<code>\blacktriangle</code>	□	<code>\square</code>	◁	<code>\varlrrtriangle</code>
▼	<code>\blacktriangledown</code>	*	<code>\star</code>		



TABLE 372: stix Geometric Shapes

	<code>\acwopencirclearrow</code>		<code>\downtriangleleftblack</code>		<code>\smalltriangleleft</code>
	<code>\barovernorthwestarrow</code>		<code>\downtrianglerightblack</code>		<code>\smalltriangleright</code>
	<code>\benzenr</code>		<code>\enclosecircle</code>		<code>\smbldiamond</code>
	<code>\bigblacktriangledown</code>		<code>\enclosediamond</code>		<code>\smbloklozenge</code>
	<code>\bigblacktriangleup</code>		<code>\enclosesquare</code>		<code>\smbllksquare</code>
	<code>\bigstar</code>		<code>\enclosetriangle</code>		<code>\smwhitestar</code>
	<code>\bigtriangledown</code>		<code>\errbarblackcircle</code>		<code>\smwhtcircle</code>
	<code>\bigtriangleleft</code>		<code>\errbarblackdiamond</code>		<code>\smwhtdiamond</code>
	<code>\bigtriangleup</code>		<code>\errbarblacksquare</code>		<code>\smwhtlozenge</code>
	<code>\bigwhitestar</code>		<code>\errbarcircle</code>		<code>\smwhtsquare</code>
	<code>\blackcircledownarrow</code>		<code>\errbardiamond</code>		<code>\sqlozenge</code>
	<code>\blackcircledrightdot</code>		<code>\errbarsquare</code>		<code>\squarebotblack</code>
	<code>\blackcircledtwodots</code>		<code>\fisheye</code>		<code>\squarecrossfill</code>
	<code>\blackcircleulquadwhite</code>		<code>\fltns</code>		<code>\squarehfill</code>
	<code>\blackdiamonddownarrow</code>		<code>\hexagon</code>		<code>\squarehvfill</code>
	<code>\blackinwhitediamond</code>		<code>\hexagonblack</code>		<code>\squareleftblack</code>
	<code>\blackinwhitesquare</code>		<code>\house</code>		<code>\squarellblack</code>
	<code>\blacklefthalfcircle</code>		<code>\hrectangle</code>		<code>\squarellquad</code>
	<code>\blacklozenge</code>		<code>\hrectangleblack</code>		<code>\squarelrblack</code>
	<code>\blackpointerleft</code>		<code>\inversewhitecircle</code>		<code>\squarelrquad</code>
	<code>\blackpointerright</code>		<code>\invwhitelowerhalfcircle</code>		<code>\squareneswfill</code>
	<code>\blackrighthalfcircle</code>		<code>\invwhiteupperhalfcircle</code>		<code>\squarenwsefill</code>
	<code>\blacktriangle</code>		<code>\lgblkcircle</code>		<code>\squarerightblack</code>
	<code>\blacktriangledown</code>		<code>\lgblksquare</code>		<code>\squaretopblack</code>
	<code>\blacktriangleleft</code>		<code>\lgwhtcircle</code>		<code>\squareulblack</code>
	<code>\blacktriangleright</code>		<code>\lgwhtsquare</code>		<code>\squareulquad</code>
	<code>\blkhorzoval</code>		<code>\llblacktriangle</code>		<code>\squareurblack</code>
	<code>\blkvertoval</code>		<code>\lltriangle</code>		<code>\squareurquad</code>
	<code>\botsemicircle</code>		<code>\lrblacktriangle</code>		<code>\squarevfill</code>
	<code>\boxonbox</code>		<code>\lrtriangle</code>		<code>\squoval</code>
	<code>\bullseye</code>		<code>\mdblkcircle</code>		<code>\topsemicircle</code>
	<code>\circ</code>		<code>\mdblkdiamond</code>		<code>\trapezium</code>
	<code>\circlebottomhalfblack</code>		<code>\mdblklozenge</code>		<code>\trianglecdot</code>
	<code>\circledbullet</code>		<code>\mdblksquare</code>		<code>\triangledown</code>
	<code>\circledownarrow</code>		<code>\mdlglblkcircle</code>		<code>\triangleleftblack</code>
	<code>\circledrightdot</code>		<code>\mdlglblkdiamond</code>		<code>\triangleodot</code>
	<code>\circledstar</code>		<code>\mdlglblksquare</code>		<code>\trianglerightblack</code>
	<code>\circledtwodots</code>		<code>\mdlglgwhtdiamond</code>		<code>\triangles</code>
	<code>\circledwhitebullet</code>		<code>\mdlglgwhtlozenge</code>		<code>\triangleubar</code>
	<code>\circlelefthalfblack</code>		<code>\mdlglgwhtsquare</code>		<code>\ulblacktriangle</code>
	<code>\circlellquad</code>		<code>\mdsmbblkcircle</code>		<code>\ultriangle</code>
	<code>\circlelrquad</code>		<code>\mdsmbblksquare</code>		<code>\uparrowoncircle</code>
	<code>\circlelighthalfblack</code>		<code>\mdsmwhtcircle</code>		<code>\urblacktriangle</code>
	<code>\circletophalfblack</code>		<code>\mdsmwhtsquare</code>		<code>\urtriangle</code>
	<code>\circleulquad</code>		<code>\mdwhtcircle</code>		<code>\varhexagon</code>
	<code>\circleurquad</code>		<code>\mdwhtdiamond</code>		<code>\varhexagonblack</code>
	<code>\circleurquadblack</code>		<code>\mdwhtlozenge</code>		<code>\varhexagonlronds</code>

(continued on next page)

(continued from previous page)

	<code>\circleftvertfill</code>		<code>\mdwhtsquare</code>		<code>\varlrtriangle</code>
	<code>\cirE</code>		<code>\medblackstar</code>		<code>\varstar</code>
	<code>\cirscir</code>		<code>\medwhitestar</code>		<code>\vrectangle</code>
	<code>\cwopencirclearrow</code>		<code>\parallelogram</code>		<code>\vrectangleblack</code>
	<code>\diamondbotblack</code>		<code>\parallelogramblack</code>		<code>\vysmblksquare</code>
	<code>\diamondcdot</code>		<code>\pentagon</code>		<code>\vysmwhtsquare</code>
	<code>\diamondleftblack</code>		<code>\pentagonblack</code>		<code>\whiteinwhitetriangle</code>
	<code>\diamondrightblack</code>		<code>\rightpentagon</code>		<code>\whitepointerleft</code>
	<code>\diamondtopblack</code>		<code>\rightpentagonblack</code>		<code>\whitepointerright</code>
	<code>\dottedcircle</code>		<code>\smallblacktriangleleft</code>		<code>\wthorzoval</code>
	<code>\dottedsquare</code>		<code>\smallblacktriangleright</code>		<code>\whtvtoval</code>

stix defines `\diamond` as a synonym for `\smwhtdiamond`, `\blacksquare` as a synonym for `\mdlgblksquare`, `\square` and `\Box` as synonyms for `\mdlgwhtsquare`, `\triangle` and `\varbigtriangleup` as synonyms for `\bigtriangleup`, `\rhd` as a synonym for `\vartriangleright`, `\varbigtriangledown` as a synonym for `\bigtriangledown`, `\lhd` as a synonym for `\vartriangleleft`, `\Diamond` and `\lozenge` as synonyms for `\mglgwhtlozenge`, `\bigcirc` as a synonym for `\mglgwhtcircle`, `\circ` as a synonym for `\smwhtcircle`. and `\mdlgblklozenge` as a synonym for `\blacklozenge`.

TABLE 373: ifsym Geometric Shapes

	<code>\BigCircle</code>		<code>\FilledBigTriangleRight</code>		<code>\SmallCircle</code>
	<code>\BigCross</code>		<code>\FilledBigTriangleUp</code>		<code>\SmallCross</code>
	<code>\BigDiamondshape</code>		<code>\FilledCircle</code>		<code>\SmallDiamondshape</code>
	<code>\BigHBar</code>		<code>\FilledDiamondShadowA</code>		<code>\SmallHBar</code>
	<code>\BigLowerDiamond</code>		<code>\FilledDiamondShadowC</code>		<code>\SmallLowerDiamond</code>
	<code>\BigRightDiamond</code>		<code>\FilledDiamondshape</code>		<code>\SmallRightDiamond</code>
	<code>\BigSquare</code>		<code>\FilledSmallCircle</code>		<code>\SmallSquare</code>
	<code>\BigTriangleDown</code>		<code>\FilledSmallDiamondshape</code>		<code>\SmallTriangleDown</code>
	<code>\BigTriangleLeft</code>		<code>\FilledSmallSquare</code>		<code>\SmallTriangleLeft</code>
	<code>\BigTriangleRight</code>		<code>\FilledSmallTriangleDown</code>		<code>\SmallTriangleRight</code>
	<code>\BigTriangleUp</code>		<code>\FilledSmallTriangleLeft</code>		<code>\SmallTriangleUp</code>
	<code>\BigVBar</code>		<code>\FilledSmallTriangleRight</code>		<code>\SmallVBar</code>
	<code>\Circle</code>		<code>\FilledSmallTriangleUp</code>		<code>\SpinDown</code>
	<code>\Cross</code>		<code>\FilledSquare</code>		<code>\SpinUp</code>
	<code>\DiamondShadowA</code>		<code>\FilledSquareShadowA</code>		<code>\Square</code>
	<code>\DiamondShadowB</code>		<code>\FilledSquareShadowC</code>		<code>\SquareShadowA</code>
	<code>\DiamondShadowC</code>		<code>\FilledTriangleDown</code>		<code>\SquareShadowB</code>
	<code>\Diamondshape</code>		<code>\FilledTriangleLeft</code>		<code>\SquareShadowC</code>
	<code>\FilledBigCircle</code>		<code>\FilledTriangleRight</code>		<code>\TriangleDown</code>

(continued on next page)

(continued from previous page)

◆	<code>\FilledBigDiamondshape</code>	▲	<code>\FilledTriangleUp</code>	◁	<code>\TriangleLeft</code>
■	<code>\FilledBigSquare</code>	—	<code>\HBar</code>	▷	<code>\TriangleRight</code>
▼	<code>\FilledBigTriangleDown</code>	◇	<code>\LowerDiamond</code>	△	<code>\TriangleUp</code>
◀	<code>\FilledBigTriangleLeft</code>	◊	<code>\RightDiamond</code>		<code>\VBar</code>

The ifsym documentation points out that one can use `\rlap` to combine some of the above into useful, new symbols. For example, `\BigCircle` and `\FilledSmallCircle` combine to give “●”. Likewise, `\Square` and `\Cross` combine to give “⊠”. See Section 10.3 for more information about constructing new symbols out of existing symbols.

TABLE 374: bbding Geometric Shapes

○	<code>\CircleShadow</code>		<code>\Rectangle</code>	◻	<code>\SquareShadowTopLeft</code>
●	<code>\CircleSolid</code>	■	<code>\RectangleBold</code>	◻	<code>\SquareShadowTopRight</code>
◆	<code>\DiamondSolid</code>		<code>\RectangleThin</code>	■	<code>\SquareSolid</code>
◊	<code>\Ellipse</code>	◻	<code>\Square</code>	▼	<code>\TriangleDown</code>
◊	<code>\EllipseShadow</code>	◻	<code>\SquareCastShadowBottomRight</code>	▲	<code>\TriangleUp</code>
●	<code>\EllipseSolid</code>	◻	<code>\SquareCastShadowTopLeft</code>		
◐	<code>\HalfCircleLeft</code>	◻	<code>\SquareCastShadowTopRight</code>		
◑	<code>\HalfCircleRight</code>	◻	<code>\SquareShadowBottomRight</code>		

TABLE 375: pifont Geometric Shapes

●	<code>\ding{108}</code>	◻	<code>\ding{111}</code>	◻	<code>\ding{114}</code>	◆	<code>\ding{117}</code>		<code>\ding{121}</code>
○	<code>\ding{109}</code>	◻	<code>\ding{112}</code>	▲	<code>\ding{115}</code>	◑	<code>\ding{119}</code>	■	<code>\ding{122}</code>
■	<code>\ding{110}</code>	◻	<code>\ding{113}</code>	▼	<code>\ding{116}</code>		<code>\ding{120}</code>		

TABLE 376: universa Geometric Shapes

●	<code>\baucircle</code>	■	<code>\bausquare</code>	▲	<code>\bautriangle</code>
---	-------------------------	---	-------------------------	---	---------------------------

TABLE 377: adfsymbols Geometric Shapes

•	<code>\adfbullet{27}</code>	▶	<code>\adfbullet{32}</code>	•	<code>\adfbullet{43}</code>	✦	<code>\adfbullet{48}</code>
•	<code>\adfbullet{28}</code>	▲	<code>\adfbullet{33}</code>	•	<code>\adfbullet{44}</code>	✦	<code>\adfbullet{49}</code>
■	<code>\adfbullet{29}</code>	▼	<code>\adfbullet{34}</code>	◦	<code>\adfbullet{45}</code>	✦	<code>\adfbullet{50}</code>
◆	<code>\adfbullet{30}</code>	•	<code>\adfbullet{41}</code>	▪	<code>\adfbullet{46}</code>	◊	<code>\adfbullet{51}</code>
◀	<code>\adfbullet{31}</code>	•	<code>\adfbullet{42}</code>	▪	<code>\adfbullet{47}</code>	◦	<code>\adfbullet{52}</code>

TABLE 378: fontawesome Geometric Shapes

● `\faCircle`    ○ `\faCircle0Notch`    ⊙ `\faDotCircle0`    ◻ `\faSquare0`  
 ○ `\faCircle0`    ○ `\faCircleThin`    ■ `\faSquare`

TABLE 379: L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Playing-Card Suits

♣ `\clubsuit`    ♦ `\diamondsuit`    ♥ `\heartsuit`    ♠ `\spadesuit`

TABLE 380: txfonts/pxfonts Playing-Card Suits

♣ `\varclubsuit`    ♦ `\vardiamondsuit`    ♥ `\varheartsuit`    ♠ `\varspadesuit`

TABLE 381: MnSymbol Playing-Card Suits

♣ `\clubsuit`    ♦ `\diamondsuit`    ♥ `\heartsuit`    ♠ `\spadesuit`

TABLE 382: fdsymbol Playing-Card Suits

♣ `\clubsuit`    ♥ `\heartsuit`    ♦ `\vardiamondsuit`  
 ♦ `\diamondsuit`    ♠ `\spadesuit`    ♥ `\varheartsuit`

TABLE 383: boisik Playing-Card Suits

♣ `\clubsuit`    ♦ `\diamondsuit`    ♥ `\heartsuit`    ♠ `\spadesuit`

TABLE 384: stix Playing-Card Suits

♣ `\clubsuit`    ♥ `\heartsuit`    ♣ `\varclubsuit`    ♥ `\varheartsuit`  
 ♦ `\diamondsuit`    ♠ `\spadesuit`    ♦ `\vardiamondsuit`    ♠ `\varspadesuit`

TABLE 385: arev Playing-Card Suits

♣ `\varclub`    ♦ `\vardiamond`    ♥ `\varheart`    ♠ `\varspade`

TABLE 386: adorn Flourishes























	<code>\adfclosedflourishleft</code>		<code>\adfclosedflourishright</code>
	<code>\adfdoubleflourishleft</code>		<code>\adfdoubleflourishright</code>
	<code>\adfdoublesharpflourishleft</code>		<code>\adfdoublesharpflourishright</code>
	<code>\adfflourishleft</code>		<code>\adfflourishright</code>
	<code>\adfflourishlefthdouble</code>		<code>\adfflourishrightdouble</code>
	<code>\adfopenflourishleft</code>		<code>\adfopenflourishright</code>
	<code>\adfsharpflourishleft</code>		<code>\adfsharpflourishright</code>
	<code>\adsickleflourishleft</code>		<code>\adsickleflourishright</code>
	<code>\adfsingleflourishleft</code>		<code>\adfsingleflourishright</code>
	<code>\adftripleflourishleft</code>		<code>\adftripleflourishright</code>
	<code>\adfwavesleft</code>		<code>\adfwavesright</code>

TABLE 387: Miscellaneous dingbat Dingbats










	<code>\anchor</code>		<code>\eye</code>		<code>\Sborder</code>
	<code>\carriagereturn</code>		<code>\filledsquarewithdots</code>		<code>\squarewithdots</code>
	<code>\checkmark</code>		<code>\satellitedish</code>		<code>\Zborder</code>

TABLE 388: Miscellaneous bbding Dingbats

	<code>\Envelope</code>		<code>\Peace</code>		<code>\PhoneHandset</code>		<code>\SunshineOpenCircled</code>
	<code>\OrnamentDiamondSolid</code>		<code>\Phone</code>		<code>\Plane</code>		<code>\Tape</code>

TABLE 389: Miscellaneous pifont Dingbats















	<code>\ding{37}</code>		<code>\ding{40}</code>		<code>\ding{164}</code>		<code>\ding{167}</code>		<code>\ding{171}</code>
	<code>\ding{38}</code>		<code>\ding{41}</code>		<code>\ding{165}</code>		<code>\ding{168}</code>		<code>\ding{169}</code>
	<code>\ding{39}</code>		<code>\ding{118}</code>		<code>\ding{166}</code>		<code>\ding{170}</code>		

TABLE 390: Miscellaneous adorn Dingbats

	<code>\adfbullet</code>		<code>\adfdiamond</code>		<code>\adfgee</code>		<code>\adfS</code>		<code>\adfsquare</code>
---	-------------------------	---	--------------------------	---	----------------------	--	--------------------	---	-------------------------

## 6 Ancient languages

This section presents letters and ideograms from various ancient scripts. Some of these symbols may also be useful in other typesetting contexts because of their pictorial nature.

TABLE 391: phaistos Symbols from the Phaistos Disk



















































































	<code>\PHarrow</code>		<code>\PHeagle</code>		<code>\PHplumedHead</code>
	<code>\PHbee</code>		<code>\PHflute</code>		<code>\PHram</code>
	<code>\PHbeehive</code>		<code>\PHgauntlet</code>		<code>\PHrosette</code>
	<code>\PHboomerang</code>		<code>\PHgrater</code>		<code>\PHsaw</code>
	<code>\PHbow</code>		<code>\PHhelmet</code>		<code>\PHshield</code>
	<code>\PHbullLeg</code>		<code>\PHhide</code>		<code>\PHship</code>
	<code>\PHcaptive</code>		<code>\PHhorn</code>		<code>\PHsling</code>
	<code>\PHcarpentryPlane</code>		<code>\PHlid</code>		<code>\PHsmallAxe</code>
	<code>\PHcat</code>		<code>\PHlily</code>		<code>\PHstrainer</code>
	<code>\PHchild</code>		<code>\PHmanacles</code>		<code>\PHtattooedHead</code>
	<code>\PHclub</code>		<code>\PHmattock</code>		<code>\PHtiara</code>
	<code>\PHcolumn</code>		<code>\PHoxBack</code>		<code>\PHtunny</code>
	<code>\PHcomb</code>		<code>\PHpapyrus</code>		<code>\PHvine</code>
	<code>\PHdolium</code>		<code>\PHpedestrian</code>		<code>\PHwavyBand</code>
	<code>\PHdove</code>		<code>\PHplaneTree</code>		<code>\PHwoman</code>

TABLE 392: protosem Proto-Semitic Characters

	<code>\Aaleph</code>		<code>\AAhe</code>		<code>\Akaph</code>		<code>\Asamekh</code>		<code>\Aresh</code>
	<code>\AAaleph</code>		<code>\Azayin</code>		<code>\AAkaph</code>		<code>\Ape</code>		<code>\Ashin</code>
	<code>\Abeth</code>		<code>\Avav</code>		<code>\Alamed</code>		<code>\AApe</code>		<code>\Ahelmet</code>
	<code>\AAbeth</code>		<code>\Aheth</code>		<code>\AAlamed</code>		<code>\Asade</code>		<code>\AAhelmet</code>
	<code>\Agimel</code>		<code>\AAheth</code>		<code>\Amem</code>		<code>\AAsade</code>		<code>\Atav</code>
	<code>\Adaleth</code>		<code>\Ateth</code>		<code>\Anun</code>		<code>\Aqoph</code>		
	<code>\AAdaleth</code>		<code>\Ayod</code>		<code>\Aayin</code>		<code>\AAqoph</code>		
	<code>\Ahe</code>		<code>\AAyod</code>		<code>\AAayin</code>		<code>\Aresh</code>		

The `protosem` package defines abbreviated control sequences for each of the above. In addition, single-letter shortcuts can be used within the argument to the `\textproto` command (e.g., “`\textproto{Pakyn}`” produces “אכפלמנשקפא”). See the `protosem` documentation for more information.

TABLE 393: hieroglf Hieroglyphics

	<code>\HA</code>		<code>\HI</code>		<code>\Hn</code>		<code>\HT</code>
	<code>\Ha</code>		<code>\Hi</code>		<code>\HO</code>		<code>\Ht</code>
	<code>\HB</code>		<code>\Hibl</code>		<code>\Ho</code>		<code>\Htongue</code>
	<code>\Hb</code>		<code>\Hibp</code>		<code>\Hp</code>		<code>\HU</code>
	<code>\Hc</code>		<code>\Hibs</code>		<code>\HP</code>		<code>\Hu</code>
	<code>\HC</code>		<code>\Hibw</code>		<code>\Hplural</code>		<code>\HV</code>
	<code>\HD</code>		<code>\HJ</code>		<code>\Hplus</code>		<code>\Hv</code>
	<code>\Hd</code>		<code>\Hj</code>		<code>\HQ</code>		<code>\Hvbar</code>
	<code>\Hdual</code>		<code>\Hk</code>		<code>\Hq</code>		<code>\Hw</code>
	<code>\He</code>		<code>\HK</code>		<code>\Hquery</code>		<code>\HW</code>
	<code>\HE</code>		<code>\HL</code>		<code>\HR</code>		<code>\HX</code>
	<code>\Hf</code>		<code>\HL</code>		<code>\Hr</code>		<code>\Hx</code>
	<code>\HF</code>		<code>\Hm</code>		<code>\Hs</code>		<code>\HY</code>
	<code>\HG</code>		<code>\HM</code>		<code>\HS</code>		<code>\Hy</code>
	<code>\Hg</code>		<code>\Hman</code>		<code>\Hscribe</code>		<code>\Hz</code>
	<code>\Hh</code>		<code>\Hms</code>		<code>\Hslash</code>		<code>\HZ</code>
	<code>\HH</code>		<code>\HN</code>		<code>\Hsv</code>		
	<code>\Hone</code>		<code>\Hhundred</code>		<code>\HXthousand</code>		<code>\Hmillion</code>
	<code>\Hten</code>		<code>\Hthousand</code>		<code>\HCthousand</code>		

The `hieroglf` package defines alternate control sequences and single-letter shortcuts for each of the above which can be used within the argument to the `\textpmhg` command (e.g., “`\textpmhg{Pakin}`” produces “”). See the `hieroglf` documentation for more information.

TABLE 394: linearA Linear A Script

	<code>\LinearAI</code>		<code>\LinearAXCIX</code>		<code>\LinearACXCVII</code>		<code>\LinearACCXCV</code>
	<code>\LinearAII</code>		<code>\LinearAC</code>		<code>\LinearACXCVIII</code>		<code>\LinearACCXCVI</code>
	<code>\LinearAIII</code>		<code>\LinearACI</code>		<code>\LinearACXCIX</code>		<code>\LinearACCXCVII</code>
	<code>\LinearAIV</code>		<code>\LinearACII</code>		<code>\LinearACC</code>		<code>\LinearACCXCVIII</code>
	<code>\LinearAV</code>		<code>\LinearACIII</code>		<code>\LinearACCI</code>		<code>\LinearACCXCIX</code>
	<code>\LinearAVI</code>		<code>\LinearACIV</code>		<code>\LinearACCII</code>		<code>\LinearACCC</code>
	<code>\LinearAVII</code>		<code>\LinearACV</code>		<code>\LinearACCIII</code>		<code>\LinearACCCI</code>
	<code>\LinearAVIII</code>		<code>\LinearACVI</code>		<code>\LinearACCIV</code>		<code>\LinearACCCII</code>
	<code>\LinearAIX</code>		<code>\LinearACVII</code>		<code>\LinearACCV</code>		<code>\LinearACCCIII</code>

(continued on next page)

(continued from previous page)

H	\LinearAX	𐄀	\LinearACVIII	𐄀	\LinearACCVI	𐄀	\LinearACCCIV
⊕	\LinearAXI	𐄁	\LinearACIX	𐄁	\LinearACCVII	𐄁	\LinearACCCV
𐄂	\LinearAXII	𐄂	\LinearACX	𐄂	\LinearACCVIII	𐄂	\LinearACCCVI
𐄃	\LinearAXIII	𐄃	\LinearACXI	𐄃	\LinearACCVIX	𐄃	\LinearACCCVII
𐄄	\LinearAXIV	𐄄	\LinearACXII	𐄄	\LinearACCVX	𐄄	\LinearACCCVIII
∧	\LinearAXV	𐄅	\LinearACXIII	𐄅	\LinearACCVXI	𐄅	\LinearACCCIX
𐄆	\LinearAXVI	𐄆	\LinearACXIV	𐄆	\LinearACCVXII	𐄆	\LinearACCCX
⊙	\LinearAXVII	𐄇	\LinearACXV	𐄇	\LinearACCVXIII	𐄇	\LinearACCCXI
𐄈	\LinearAXVIII	𐄈	\LinearACXVI	𐄈	\LinearACCVXIV	𐄈	\LinearACCCXII
𐄉	\LinearAXIX	𐄉	\LinearACXVII	𐄉	\LinearACCVXV	𐄉	\LinearACCCXIII
𐄊	\LinearAXX	𐄊	\LinearACXVIII	𐄊	\LinearACCVXVI	𐄊	\LinearACCCXIV
∆	\LinearAXXI	𐄋	\LinearACXIX	𐄋	\LinearACCVXVII	𐄋	\LinearACCCXV
目	\LinearAXXII	𐄌	\LinearACXX	𐄌	\LinearACCVXVIII	𐄌	\LinearACCCXVI
𐄍	\LinearAXXIII	𐄍	\LinearACXXI	𐄍	\LinearACCVXIX	𐄍	\LinearACCCXVII
𐄎	\LinearAXXIV	𐄎	\LinearACXXII	𐄎	\LinearACCVXX	𐄎	\LinearACCCXVIII
𐄏	\LinearAXXV	𐄏	\LinearACXXIII	𐄏	\LinearACCVXXI	𐄏	\LinearACCCXIX
𐄐	\LinearAXXVI	𐄐	\LinearACXXIV	𐄐	\LinearACCVXXII	𐄐	\LinearACCCXX
本	\LinearAXXVII	𐄑	\LinearACXXV	𐄑	\LinearACCVXXIII	𐄑	\LinearACCCXXI
巴	\LinearAXXVIII	𐄒	\LinearACXXVI	𐄒	\LinearACCVXXIV	𐄒	\LinearACCCXXII
∂	\LinearAXXIX	𐄓	\LinearACXXVII	𐄓	\LinearACCVXXV	𐄓	\LinearACCCXXIII
囧	\LinearAXXX	𐄔	\LinearACXXVIII	𐄔	\LinearACCVXXVI	𐄔	\LinearACCCXXIV
𐄕	\LinearAXXXI	𐄕	\LinearACXXIX	𐄕	\LinearACCVXXVII	𐄕	\LinearACCCXXV
𐄖	\LinearAXXXII	𐄖	\LinearACXXX	𐄖	\LinearACCVXXVIII	𐄖	\LinearACCCXXVI
𐄗	\LinearAXXXIII	𐄗	\LinearACXXXI	𐄗	\LinearACCVXXIX	𐄗	\LinearACCCXXVII
𐄘	\LinearAXXXIV	𐄘	\LinearACXXXII	𐄘	\LinearACCVXXX	𐄘	\LinearACCCXXVIII
∂	\LinearAXXXV	𐄙	\LinearACXXXIII	𐄙	\LinearACCVXXXI	𐄙	\LinearACCCXXIX
𐄚	\LinearAXXXVI	𐄚	\LinearACXXXIV	𐄚	\LinearACCVXXXII	𐄚	\LinearACCCXXX
𐄛	\LinearAXXXVII	𐄛	\LinearACXXXV	𐄛	\LinearACCVXXXIII	𐄛	\LinearACCCXXXI
𐄜	\LinearAXXXVIII	𐄜	\LinearACXXXVI	𐄜	\LinearACCVXXXIV	𐄜	\LinearACCCXXXII
𐄝	\LinearAXXXIX	𐄝	\LinearACXXXVII	𐄝	\LinearACCVXXXV	𐄝	\LinearACCCXXXIII
𐄞	\LinearAXL	𐄞	\LinearACXXXVIII	𐄞	\LinearACCVXXXVI	𐄞	\LinearACCCXXXIV
𐄟	\LinearAXLI	𐄟	\LinearACXXXIX	𐄟	\LinearACCVXXXVII	𐄟	\LinearACCCXXXV
𐄠	\LinearAXLII	𐄠	\LinearACXL	𐄠	\LinearACCVXXXVIII	𐄠	\LinearACCCXXXVI
𐄡	\LinearAXLIII	𐄡	\LinearACXLI	𐄡	\LinearACCVXXXIX	𐄡	\LinearACCCXXXVII
𐄢	\LinearAXLIV	𐄢	\LinearACXLII	𐄢	\LinearACCVXL	𐄢	\LinearACCCXXXVIII
米	\LinearAXLV	𐄣	\LinearACXLIII	𐄣	\LinearACCVXLI	𐄣	\LinearACCCXXXIX
𐄤	\LinearAXLVI	𐄤	\LinearACXLIV	𐄤	\LinearACCVXLII	𐄤	\LinearACCCXL
𐄥	\LinearAXLVII	𐄥	\LinearACXLV	𐄥	\LinearACCVXLIII	𐄥	\LinearACCCXLI
𐄦	\LinearAXLVIII	𐄦	\LinearACXLVI	𐄦	\LinearACCVXLIV	𐄦	\LinearACCCXLII
𐄧	\LinearAXLIX	𐄧	\LinearACXLVII	𐄧	\LinearACCVXLV	𐄧	\LinearACCCXLIII
王	\LinearAL	𐄨	\LinearACXLVIII	𐄨	\LinearACCVXLVI	𐄨	\LinearACCCXLIV
𐄩	\LinearALI	𐄩	\LinearACXLIX	𐄩	\LinearACCVXLVII	𐄩	\LinearACCCXLV
𐄪	\LinearALII	𐄪	\LinearACL	𐄪	\LinearACCVXLVIII	𐄪	\LinearACCCXLVI
𐄫	\LinearALIII	𐄫	\LinearACLI	𐄫	\LinearACCVXLIX	𐄫	\LinearACCCXLVII
𐄬	\LinearALIV	𐄬	\LinearACLII	𐄬	\LinearACCVXLX	𐄬	\LinearACCCXLVIII
𐄭	\LinearALV	𐄭	\LinearACLIII	𐄭	\LinearACCVXLI	𐄭	\LinearACCCXLIX
𐄮	\LinearALVI	𐄮	\LinearACLIV	𐄮	\LinearACCVXLII	𐄮	\LinearACCCXL
∂	\LinearALVII	𐄯	\LinearACLV	𐄯	\LinearACCVXLIII	𐄯	\LinearACCCXLI
𐄰	\LinearALVIII	𐄰	\LinearACLVI	𐄰	\LinearACCVXLIV	𐄰	\LinearACCCXLII

(continued on next page)



(continued from previous page)

𐌱	\LinearALIX	𐌲	\LinearACLVII	𐌳	\LinearACCLV	𐌴	\LinearACCLIII
𐌲	\LinearALX	𐌳	\LinearACLVIII	𐌴	\LinearACCLVI	𐌵	\LinearACCLIV
𐌳	\LinearALXI	𐌴	\LinearACLIX	𐌵	\LinearACCLVII	𐌶	\LinearACCLV
𐌴	\LinearALXII	𐌵	\LinearACLX	𐌶	\LinearACCLVIII	𐌷	\LinearACCLVI
𐌵	\LinearALXIII	𐌶	\LinearACLXI	𐌷	\LinearACCLIX	𐌸	\LinearACCLVII
𐌶	\LinearALXIV	𐌷	\LinearACLXII	𐌸	\LinearACCLX	𐌹	\LinearACCLVIII
𐌷	\LinearALXV	𐌸	\LinearACLXIII	𐌹	\LinearACCLXI	𐌺	\LinearACCLIX
𐌸	\LinearALXVI	𐌹	\LinearACLXIV	𐌻	\LinearACCLXII	𐌻	\LinearACCLX
𐌹	\LinearALXVII	𐌺	\LinearACLXV	𐌼	\LinearACCLXIII	𐌽	\LinearACCLXI
𐌺	\LinearALXVIII	𐌻	\LinearACLXVI	𐌽	\LinearACCLXIV	𐌾	\LinearACCLXII
𐌻	\LinearALXIX	𐌼	\LinearACLXVII	𐌾	\LinearACCLXV	𐌿	\LinearACCLXIII
𐌼	\LinearALXX	𐌽	\LinearACLXVIII	𐌿	\LinearACCLXVI	𐍀	\LinearACCLXIV
𐌽	\LinearALXXI	𐌾	\LinearACLXIX	𐍀	\LinearACCLXVII	𐍁	\LinearACCLXV
𐌾	\LinearALXXII	𐌿	\LinearACLXX	𐍁	\LinearACCLXVIII	𐍂	\LinearACCLXVI
𐌿	\LinearALXXIII	𐍀	\LinearACLXXI	𐍂	\LinearACCLXIX	𐍃	\LinearACCLXVII
𐍀	\LinearALXXIV	𐍁	\LinearACLXXII	𐍃	\LinearACCLXX	𐍄	\LinearACCLXVIII
𐍁	\LinearALXXV	𐍂	\LinearACLXXIII	𐍄	\LinearACCLXXI	𐍅	\LinearACCLXIX
𐍂	\LinearALXXVI	𐍃	\LinearACLXXIV	𐍅	\LinearACCLXXII	𐍆	\LinearACCLXX
𐍃	\LinearALXXVII	𐍄	\LinearACLXXV	𐍆	\LinearACCLXXIII	𐍇	\LinearACCLXXI
𐍄	\LinearALXXVIII	𐍅	\LinearACLXXVI	𐍇	\LinearACCLXXIV	𐍈	\LinearACCLXXII
𐍅	\LinearALXXIX	𐍆	\LinearACLXXVII	𐍈	\LinearACCLXXV	𐍉	\LinearACCLXXIII
𐍆	\LinearALXXX	𐍇	\LinearACLXXVIII	𐍉	\LinearACCLXXVI	𐍊	\LinearACCLXXIV
𐍇	\LinearALXXXI	𐍈	\LinearACLXXIX	𐍊	\LinearACCLXXVII	𐍋	\LinearACCLXXV
𐍈	\LinearALXXXII	𐍉	\LinearACLXXX	𐍋	\LinearACCLXXVIII	𐍌	\LinearACCLXXVI
𐍉	\LinearALXXXIII	𐍊	\LinearACLXXXI	𐍌	\LinearACCLXXIX	𐍍	\LinearACCLXXVII
𐍊	\LinearALXXXIV	𐍋	\LinearACLXXXII	𐍍	\LinearACCLXXX	𐍎	\LinearACCLXXVIII
𐍋	\LinearALXXXV	𐍌	\LinearACLXXXIII	𐍎	\LinearACCLXXXI	𐍏	\LinearACCLXXIX
𐍌	\LinearALXXXVI	𐍍	\LinearACLXXXIV	𐍏	\LinearACCLXXXII	𐍐	\LinearACCLXXX
𐍍	\LinearALXXXVII	𐍎	\LinearACLXXXV	𐍐	\LinearACCLXXXIII	𐍑	\LinearACCLXXXI
𐍎	\LinearALXXXVIII	𐍏	\LinearACLXXXVI	𐍑	\LinearACCLXXXIV	𐍒	\LinearACCLXXXII
𐍏	\LinearALXXXIX	𐍐	\LinearACLXXXVII	𐍒	\LinearACCLXXXV	𐍓	\LinearACCLXXXIII
𐍐	\LinearALXXXX	𐍑	\LinearACLXXXVIII	𐍓	\LinearACCLXXXVI	𐍔	\LinearACCLXXXIV
𐍑	\LinearAXCI	𐍒	\LinearACLXXXIX	𐍔	\LinearACCLXXXVII	𐍕	\LinearACCLXXXV
𐍒	\LinearAXCII	𐍓	\LinearACLXXXX	𐍕	\LinearACCLXXXVIII	𐍖	\LinearACCLXXXVI
𐍓	\LinearAXCIII	𐍔	\LinearACXCI	𐍖	\LinearACCLXXXIX	𐍗	\LinearACCLXXXVII
𐍔	\LinearAXCIV	𐍕	\LinearACXCII	𐍗	\LinearACCLXXXX	𐍘	\LinearACCLXXXVIII
𐍕	\LinearAXCV	𐍖	\LinearACXCIII	𐍘	\LinearACXCII	𐍙	\LinearACCLXXXIX
𐍖	\LinearAXCVI	𐍗	\LinearACXCIV	𐍙	\LinearACXCIII		
𐍗	\LinearAXCVII	𐍘	\LinearACXCV	𐍚	\LinearACXCIV		
𐍘	\LinearAXCVIII	𐍙	\LinearACXCVI	𐍛	\LinearACXCIV		

TABLE 395: linearb Linear B Basic and Optional Letters

	<code>\Ba</code>		<code>\Bja</code>		<code>\Bmu</code>		<code>\Bpte</code>		<code>\Broii</code>		<code>\Bto</code>
	<code>\Baii</code>		<code>\Bje</code>		<code>\Bna</code>		<code>\Bpu</code>		<code>\Bru</code>		<code>\Btu</code>
	<code>\Baiii</code>		<code>\Bjo</code>		<code>\Bne</code>		<code>\Bpuii</code>		<code>\Bsa</code>		<code>\Btwo</code>
	<code>\Bau</code>		<code>\Bju</code>		<code>\Bni</code>		<code>\Bqa</code>		<code>\Bse</code>		<code>\Bu</code>
	<code>\Bda</code>		<code>\Bka</code>		<code>\Bno</code>		<code>\Bqe</code>		<code>\Bsi</code>		<code>\Bwa</code>
	<code>\Bde</code>		<code>\Bke</code>		<code>\Bnu</code>		<code>\Bqi</code>		<code>\Bso</code>		<code>\Bwe</code>
	<code>\Bdi</code>		<code>\Bki</code>		<code>\Bnwa</code>		<code>\Bqo</code>		<code>\Bsu</code>		<code>\Bwi</code>
	<code>\Bdo</code>		<code>\Bko</code>		<code>\Bo</code>		<code>\Bra</code>		<code>\Bswa</code>		<code>\Bwo</code>
	<code>\Bdu</code>		<code>\Bku</code>		<code>\Bpa</code>		<code>\Braii</code>		<code>\Bswi</code>		<code>\Bza</code>
	<code>\Bdwe</code>		<code>\Bma</code>		<code>\Bpaiii</code>		<code>\Braiii</code>		<code>\Bta</code>		<code>\Bze</code>
	<code>\Bdwo</code>		<code>\Bme</code>		<code>\Bpe</code>		<code>\Bre</code>		<code>\Btaii</code>		<code>\Bzo</code>
	<code>\Be</code>		<code>\Bmi</code>		<code>\Bpi</code>		<code>\Bri</code>		<code>\Bte</code>		
	<code>\Bi</code>		<code>\Bmo</code>		<code>\Bpo</code>		<code>\Bro</code>		<code>\Bti</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textlinb{\Bpa\Bki\Bna}`” and “`\textlinb{pcn}`” produce “ $\text{𐀓} \text{𐀛} \text{𐀙}$ ”, for example. See the linearb documentation for more information.

TABLE 396: linearb Linear B Numerals

<code>\BNi</code>		<code>\BNvii</code>		<code>\BNxl</code>		<code>\BNc</code>		<code>\BNdcc</code>	
<code>\BNii</code>		<code>\BNviii</code>		<code>\BNl</code>		<code>\BNcc</code>		<code>\BNdccc</code>	
<code>\BNiii</code>		<code>\BNix</code>		<code>\BNlx</code>		<code>\BNccc</code>		<code>\BNcm</code>	
<code>\BNiv</code>		<code>\BNx</code>		<code>\BNlxx</code>		<code>\BNcd</code>		<code>\BNm</code>	
<code>\BNv</code>		<code>\BNxx</code>		<code>\BNlxxx</code>		<code>\BNd</code>			
<code>\BNvi</code>		<code>\BNxxx</code>		<code>\BNxc</code>		<code>\BNdc</code>			







































These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 397: linearb Linear B Weights and Measures

	<code>\BPtalent</code>		<code>\BPvolb</code>		<code>\BPvolcf</code>		<code>\BPwtb</code>		<code>\BPwtd</code>
	<code>\BPvola</code>		<code>\BPvolcd</code>		<code>\BPwta</code>		<code>\BPwtc</code>		














These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 398: linearb Linear B Ideograms

	<code>\BPamphora</code>		<code>\BPchassis</code>		<code>\BPman</code>		<code>\BPwheat</code>
	<code>\BParrow</code>		<code>\BPcloth</code>		<code>\BPnanny</code>		<code>\BPwheel</code>
	<code>\BPbarley</code>		<code>\BPcow</code>		<code>\BPolive</code>		<code>\BPwine</code>
	<code>\BPbilly</code>		<code>\BPCup</code>		<code>\BPox</code>		<code>\BPwineeiih</code>
	<code>\BPboar</code>		<code>\BPewe</code>		<code>\BPpig</code>		<code>\BPwineeiiih</code>
	<code>\BPbronze</code>		<code>\BPfoal</code>		<code>\BPram</code>		<code>\BPwineeivh</code>
	<code>\BPbull</code>		<code>\BPgoat</code>		<code>\BPsheep</code>		<code>\BPwoman</code>
	<code>\BPcauldroni</code>		<code>\BPgoblet</code>		<code>\BPsow</code>		<code>\BPwool</code>
	<code>\BPcauldronii</code>		<code>\BPgold</code>		<code>\BPspear</code>		
	<code>\BPchariot</code>		<code>\BPhorse</code>		<code>\BPsword</code>		



























































These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 399: linearb Unidentified Linear B Symbols

	<code>\BUi</code>		<code>\BUiv</code>		<code>\BUvii</code>		<code>\BUx</code>		<code>\Btwe</code>
	<code>\BUii</code>		<code>\BUv</code>		<code>\BUviii</code>		<code>\BUxi</code>		
	<code>\BUiii</code>		<code>\BUvi</code>		<code>\BUix</code>		<code>\BUxii</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 400: cyriot Cypriot Letters

	<code>\Ca</code>		<code>\Cku</code>		<code>\Cmu</code>		<code>\Cpo</code>		<code>\Cso</code>		<code>\Cwi</code>
	<code>\Ce</code>		<code>\Cla</code>		<code>\Cna</code>		<code>\Cpu</code>		<code>\Csu</code>		<code>\Cwo</code>
	<code>\Cga</code>		<code>\Cle</code>		<code>\Cne</code>		<code>\Cra</code>		<code>\Cta</code>		<code>\Cxa</code>
	<code>\Ci</code>		<code>\Cli</code>		<code>\Cni</code>		<code>\Cre</code>		<code>\Cte</code>		<code>\Cxe</code>
	<code>\Cja</code>		<code>\Clo</code>		<code>\Cno</code>		<code>\Cri</code>		<code>\Cti</code>		<code>\Cya</code>
	<code>\Cjo</code>		<code>\Clu</code>		<code>\Cnu</code>		<code>\Cro</code>		<code>\Cto</code>		<code>\Cyo</code>
	<code>\Cka</code>		<code>\Cma</code>		<code>\Co</code>		<code>\Cru</code>		<code>\Ctu</code>		<code>\Cza</code>
	<code>\Cke</code>		<code>\Cme</code>		<code>\Cpa</code>		<code>\Csa</code>		<code>\Cu</code>		<code>\Czo</code>
	<code>\Cki</code>		<code>\Cmi</code>		<code>\Cpe</code>		<code>\Cse</code>		<code>\Cwa</code>		
	<code>\Cko</code>		<code>\Cmo</code>		<code>\Cpi</code>		<code>\Csi</code>		<code>\Cwe</code>		

These symbols must appear either within the argument to `\textcypr` or following the `\cyprfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textcypr{\Cpa\Cki\Cna}`” and “`\textcypr{pcn}`” produce “ $\overset{\curvearrowright}{\text{†}}\overset{\curvearrowright}{\text{I}}\overset{\curvearrowright}{\text{T}}$ ”, for example. See the cyriot documentation for more information.

TABLE 401: sarabian South Arabian Letters

◦	<code>\SAa</code>	Ⲁ	<code>\SAz</code>	ⲁ	<code>\SAm</code>	Ⲃ	<code>\SAsd</code>	ⲃ	<code>\SAdb</code>
◻	<code>\SAb</code>	Ⲅ	<code>\SAhd</code>	ⲅ	<code>\SAn</code>	Ⲇ	<code>\SAq</code>	ⲇ	<code>\SATb</code>
◻	<code>\SAg</code>	Ⲉ	<code>\SATd</code>	ⲉ	<code>\SAs</code>	Ⲋ	<code>\SAr</code>	ⲋ	<code>\SAga</code>
Ⲍ	<code>\SAd</code>	ⲍ	<code>\SAy</code>	Ⲏ	<code>\SAf</code>	ⲏ	<code>\SAsv</code>	Ⲑ	<code>\SAzd</code>
ⲑ	<code>\SAh</code>	Ⲓ	<code>\SAk</code>	ⲓ	<code>\SAlq</code>	Ⲕ	<code>\SAt</code>	ⲕ	<code>\SAsa</code>
Ⲗ	<code>\SAw</code>	ⲗ	<code>\SAl</code>	Ⲙ	<code>\SAo</code>	ⲙ	<code>\SAhu</code>	Ⲏ	<code>\SAdd</code>

These symbols must appear either within the argument to `\textsarab` or following the `\sarabfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textsarab{\SAb\Sak\SAn}`” and “`\textsarab{bkn}`” produce “ⲁⲒⲓ”, for example. See the sarabian documentation for more information.

TABLE 402: teubner Archaic Greek Letters and Greek Numerals

Ϟ	<code>\Coppa†</code>	Ϛ	<code>\Digamma*</code>	ϛ	<code>\sampi*</code>	Ϝ	<code>\varstigma</code>
ϙ	<code>\coppa†</code>	ϛ	<code>\koppa*</code>	Ϟ	<code>\Stigma</code>		
Ϛ	<code>\digamma*,‡</code>	ϛ	<code>\Sampi</code>	Ϝ	<code>\stigma*</code>		

\* Technically, these symbols do not require `teubner`; it is sufficient to load the `babel` package with the `greek` option (upon which `teubner` depends)—but use `\qoppa` for `\koppa` and `\ddigamma` for `\digamma`.

† For compatibility with other naming conventions `teubner` defines `\Koppa` as a synonym for `\Coppa` and `\varcoppa` as a synonym for `\coppa`.

‡ If both `teubner` and `amssymb` are loaded, `teubner`’s `\digamma` replaces `amssymb`’s `\digamma`, regardless of package-loading order.

TABLE 403: boisik Archaic Greek Letters and Greek Numerals

$F$	<code>\Digamma</code>	$\rho$	<code>\qoppa</code>	$\varsigma$	<code>\stigma</code>	$\varpi$	<code>\varsampi</code>
$f$	<code>\digamma</code>	$\rho$	<code>\Qoppa</code>	$\zeta$	<code>\Stigma</code>		
$\eta$	<code>\heta</code>	$\varpi$	<code>\Sampi</code>	$\rho$	<code>\vardigamma</code>		
$H$	<code>\Heta</code>	$\varpi$	<code>\sampi</code>	$\varpi$	<code>\Varsampi</code>		

TABLE 404: epiolmec Epi-Olmec Script

	\EOafter		\EOMiddle		\EOStarWarrior
	\EOandThen		\EOmonster		\EOstep
	\EOAppear		\EOMountain		\EOSu
	\EOBeardMask		\EOMuu		\EOsu
	\EOBedeck		\EOna		\EOsun
	\EOBlood		\EOne		\EOSuu
	\EObrace		\EOni		\EOSuu
	\EObuilding		\EOnow		\Eota
	\EOBundle		\EOnu		\Eote
	\EOChop		\EOnuu		\EOthrone
	\EOChronI		\EOofficerI		\Eoti
	\EOCloth		\EOofficerII		\EOtime
	\EODealWith		\EOofficerIII		\EOTime
	\EODeer		\EOofficerIV		\EOTitle
	\EOeat		\EOpa		\EOTitleII
	\EOflint		\EOpak		\EOTitleIV
	\EOflower		\EOPatron		\Eoto
	\EOFold		\EOPatronII		\Eotu
	\EOGod		\EOpe		\Eotuki
	\EOGoUp		\EOpenis		\Eotukpa
	\EOgovernor		\EOpi		\Eoturtle
	\EOGuise		\EOPierce		\Eotuu
	\EOHallow		\EOPlant		\Eotza
	\EOja		\EOPlay		\Eotze
	\EOjaguar		\EOpo		\Eotzetze
	\EOje		\EOpriest		\Eotzi
	\EOji		\EOPrince		\Eotzu
	\EOJI		\EOpu		\Eotzuu

(continued on next page)

(continued from previous page)




















































































	\E0jo		\E0puu		\E0undef
	\E0ju		\E0puuk		\E0varBeardMask
	\E0kak		\E0Rain		\E0varja
	\E0ke		\E0Sa		\E0varji
	\E0ki		\E0sa		\E0varki
	\E0kij		\E0sacrifice		\E0varkuu
	\E0King		\E0Saw		\E0varni
	\E0knottedCloth		\E0Scorpius		\E0varpa
	\E0knottedClothStraps		\E0set		\E0varSi
	\E0ko		\E0si		\E0varsi
	\E0ku		\E0Si		\E0vartzza
	\E0kuu		\E0sing		\E0varwuu
	\E0LetBlood		\E0Sini		\E0varYear
	\E0loinCloth		\E0skin		\E0wa
	\E0longLipII		\E0Sky		\E0we
	\E0Lord		\E0skyAnimal		\E0wi
	\E0Lose		\E0skyPillar		\E0wo
	\E0ma		\E0snake		\E0wuu
	\E0macaw		\E0So		\E0ya
	\E0macawI		\E0Span		\E0yaj
	\E0me		\E0Sprinkle		\E0ye
	\E0mexNew		\E0star		\E0Year
	\E0mi		\E0starWarrior		\E0yuu

TABLE 405: epiolmec Epi-Olmec Numerals

	\E0zero		\E0vi		\E0xii		\E0xviii
	\E0i		\E0vii		\E0xiii		\E0xix
	\E0ii		\E0viii		\E0xiv		\E0xx
	\E0iii		\E0ix		\E0xv		
	\E0iv		\E0x		\E0xvi		
	\E0v		\E0xi		\E0xvii		

## 7 Musical symbols

The following symbols are used to typeset musical notation. The *lilyglyphs* package provides a large subset of the symbols in this section. Note, however, that *lilyglyphs* depends upon the *fontspec* package, OpenType (*.otf*) fonts, and some PDF graphics and therefore works only with Lua $\LaTeX$  or Xe $\LaTeX$ .

TABLE 406:  $\LaTeX 2_{\epsilon}$  Musical Symbols

$\flat$  `\flat`  $\natural$  `\natural`  $\sharp$  `\sharp`

TABLE 407: *textcomp* Musical Symbols

$\text{musicalnote}$  `\textmusicalnote`

TABLE 408: *wasysym* Musical Symbols

$\text{eighthnote}$  `\eighthnote`  $\text{halfnote}$  `\halfnote`  $\text{twonotes}$  `\twonotes`  $\text{fullnote}$  `\fullnote`  $\text{quarternote}$  `\quarternote`

TABLE 409: *MnSymbol* Musical Symbols

$\flat$  `\flat`  $\natural$  `\natural`  $\sharp$  `\sharp`

TABLE 410: *fdsymbol* Musical Symbols

$\flat$  `\flat`  $\natural$  `\natural`  $\sharp$  `\sharp`

TABLE 411: *boisik* Musical Symbols

$\flat$  `\flat`  $\natural$  `\natural`  $\sharp$  `\sharp`























































TABLE 412: *stix* Musical Symbols

$\text{eighthnote}$  `\eighthnote`  $\natural$  `\natural`  $\sharp$  `\sharp`  
 $\flat$  `\flat`  $\text{quarternote}$  `\quarternote`  $\text{twonotes}$  `\twonotes`

TABLE 413: *arev* Musical Symbols

$\text{quarternote}$  `\quarternote`  $\text{eighthnote}$  `\eighthnote`  $\text{sixteenthnote}$  `\sixteenthnote`





TABLE 414: MusiX<sub>TEX</sub> Musical Symbols

	<code>\allabreve</code>		<code>\lsf</code>		<code>\shake</code>
	<code>\altoclef</code>		<code>\lsfz</code>		<code>\Shake</code>
	<code>\backturn</code>		<code>\maxima</code>		<code>\Shakel</code>
	<code>\bassclef</code>		<code>\meterplus</code>		<code>\Shakene</code>
	<code>\caesura</code>		<code>\mordent</code>		<code>\Shakenw</code>
	<code>\coda</code>		<code>\Mordent</code>		<code>\Shakesw</code>
	<code>\Coda</code>		<code>\PAUSE</code>		<code>\smallaltoclef</code>
	<code>\Dep</code>		<code>\PAuse</code>		<code>\smallbassclef</code>
	<code>\doublethumb</code>		<code>\pause</code>		<code>\smalltrebleclef</code>
	<code>\downbow</code>		<code>\Ped</code>		<code>\sPed</code>
	<code>\ds</code>		<code>\qp</code>		<code>\trebleclef</code>
	<code>\duevolte</code>		<code>\qqs</code>		<code>\trill</code>
	<code>\fermatadown</code>		<code>\qs</code>		<code>\turn</code>
	<code>\fermataup</code>		<code>\reverseallabreve</code>		<code>\upbow</code>
	<code>\flageolett</code>		<code>\reverseC</code>		<code>\usf</code>
	<code>\hpause</code>		<code>\sDep</code>		<code>\usfz</code>
	<code>\hs</code>		<code>\Segno</code>		<code>\wq</code>
	<code>\longa</code>		<code>\segno</code>		<code>\wqq</code>

All of these symbols are intended to be used in the context of typesetting musical scores. See the MusiX<sub>TEX</sub> documentation for more information.






























TABLE 415: MusiX<sub>TEX</sub> Alternative Clefs

	<code>\drumclef</code>		<code>\gregorianFclef</code>
	<code>\gregorianCclef</code>		<code>\oldGclef</code>






In addition to MusiX<sub>TEX</sub>, `\drumclef` requires the `musixper` package; `\oldGclef` requires the `musixlit` package; and both `\gregorianCclef` and `\gregorianFclef` require the `musixgre` package. Together with MusiX<sub>TEX</sub>, these packages provide a complete system for typesetting percussion notation (`musixper`), liturgical music (`musixlit`), and Gregorian chants (`musixgre`, including the staves and all of the necessary neumes. See the MusiX<sub>TEX</sub> documentation for more information.

TABLE 416: harmony Musical Symbols

	<code>\AAcht</code>		<code>\DDohne</code>		<code>\Halb</code>		<code>\SechBR</code>		<code>&gt; \VM</code>
	<code>\Acht</code>		<code>\Dohne</code>		<code>\HaPa</code>		<code>\SechBr</code>		<code>\Zwdr</code>
	<code>\AchtBL</code>		<code>\Ds</code>		<code>\Pu</code>		<code>\SePa</code>		<code>\ZwPa</code>
	<code>\AchtBR</code>		<code>\DS</code>		<code>\Sech</code>		<code>&lt; \UB</code>		
	<code>\AcPa</code>		<code>\Ganz</code>		<code>\SechBL</code>		<code>\Vier</code>		
	<code>\DD</code>		<code>\GaPa</code>		<code>\SechBl</code>		<code>\ViPa</code>		

The MusiX<sub>TEX</sub> package must be installed to use harmony.

TABLE 417: harmony Musical Accents

































	<code>\Ferli{A}\Ferli{a}</code> *		<code>\Ohne{A}\Ohne{a}</code> *
	<code>\Fermi{A}\Fermi{a}</code>		<code>\Umd{A}\Umd{a}</code> *
	<code>\Kr{A}\Kr{a}</code>		

\* These symbols take an optional argument which shifts the accent either horizontally or vertically (depending on the command) by the given distance.

In addition to the accents shown above, `\HH` is a special accent command that accepts five period-separated characters and typesets them such that “`\HH.X.a.b.c.d.`” produces “ $X_a^b$ ”. All arguments except the first can be omitted: “`\HH.X....`” produces “ $X$ ”. `\Takt` takes two arguments and composes them into a musical time signature. For example, “`\Takt{12}{8}`” produces “ $\frac{12}{8}$ ”. As two special cases, “`\Takt{c}{0}`” produces “ $\mathbf{C}$ ” and “`\Takt{c}{1}`” produces “ $\mathbf{C}$ ”.

The MusiX<sub>TEX</sub> package must be installed to use harmony.

TABLE 418: *lily<sup>g</sup>ly<sup>ps</sup>* Single Notes

	<code>\eighthNote</code>		<code>\quarterNoteDottedDown</code>
	<code>\eighthNoteDotted</code>		<code>\quarterNoteDown</code>
	<code>\eighthNoteDottedDouble</code>		<code>\sixteenthNote</code>
	<code>\eighthNoteDottedDoubleDown</code>		<code>\sixteenthNoteDotted</code>
	<code>\eighthNoteDottedDown</code>		<code>\sixteenthNoteDottedDouble</code>
	<code>\eighthNoteDown</code>		<code>\sixteenthNoteDottedDoubleDown</code>
	<code>\halfNote</code>		<code>\sixteenthNoteDottedDown</code>
	<code>\halfNoteDotted</code>		<code>\sixteenthNoteDown</code>
	<code>\halfNoteDottedDouble</code>		<code>\thirtysecondNote</code>
	<code>\halfNoteDottedDoubleDown</code>		<code>\thirtysecondNoteDotted</code>
	<code>\halfNoteDottedDown</code>		<code>\thirtysecondNoteDottedDouble</code>
	<code>\halfNoteDown</code>		<code>\thirtysecondNoteDottedDoubleDown</code>
	<code>\quarterNote</code>		<code>\thirtysecondNoteDottedDown</code>
	<code>\quarterNoteDotted</code>		<code>\thirtysecondNoteDown</code>
	<code>\quarterNoteDottedDouble</code>		<code>\wholeNote</code>
	<code>\quarterNoteDottedDoubleDown</code>		<code>\wholeNoteDotted</code>

*lily<sup>g</sup>ly<sup>ps</sup>* defines synonyms for all of the preceding symbols:




































	<code>\crotchet</code>		<code>\minimDottedDown</code>
	<code>\crotchetDotted</code>		<code>\minimDown</code>
	<code>\crotchetDottedDouble</code>		<code>\quaver</code>
	<code>\crotchetDottedDoubleDown</code>		<code>\quaverDotted</code>
	<code>\crotchetDottedDown</code>		<code>\quaverDottedDouble</code>
	<code>\crotchetDown</code>		<code>\quaverDottedDoubleDown</code>
	<code>\demisemi quaver</code>		<code>\quaverDottedDown</code>
	<code>\demisemi quaverDotted</code>		<code>\quaverDown</code>
	<code>\demisemi quaverDottedDouble</code>		<code>\semibreve</code>
	<code>\demisemi quaverDottedDoubleDown</code>		<code>\semibreveDotted</code>
	<code>\demisemi quaverDottedDown</code>		<code>\semiquaver</code>
	<code>\demisemi quaverDown</code>		<code>\semiquaverDotted</code>
	<code>\minim</code>		<code>\semiquaverDottedDouble</code>
	<code>\minimDotted</code>		<code>\semiquaverDottedDoubleDown</code>
	<code>\minimDottedDouble</code>		<code>\semiquaverDottedDown</code>
	<code>\minimDottedDoubleDown</code>		<code>\semiquaverDown</code>

TABLE 419: *lily $\ell$ yp $\flat$ s* Beamed Notes

	<code>\twoBeamedQuavers</code>		<code>\threeBeamedQuaversII</code>
	<code>\threeBeamedQuavers</code>		<code>\threeBeamedQuaversIII</code>
	<code>\threeBeamedQuaversI</code>		

TABLE 420: *lily $\ell$ yp $\flat$ s* Clefs

	<code>\clefC</code>		<code>\clefF</code>		<code>\clefG</code>
---	---------------------	---	---------------------	---	---------------------

Each of these symbols provides a smaller, “inline” form (`\clefCInline`, `\clefFInline`, and `\clefGInline`, respectively) intended for use within a paragraph. See the *lily $\ell$ yp $\flat$ s* documentation for more information.

TABLE 421: *lily $\ell$ yp $\flat$ s* Time Signatures

	<code>\lilyTimeC</code>		<code>\lilyTimeCHalf</code>
---	-------------------------	---	-----------------------------

*lily $\ell$ yp $\flat$ s* also provides a `\lilyTimeSignature` command that lets a user typeset single and compound time signatures by specifying a numerator and a denominator. See the *lily $\ell$ yp $\flat$ s* documentation for more information.

TABLE 422: *lily $\ell$ yp $\flat$ s* Accidentals























	<code>\doublesharp</code>		<code>\sharpArrowdown</code>
	<code>\flat</code>		<code>\sharpArrowup</code>
	<code>\flatflat</code>		<code>\sharpSlashslashslashStem</code>
	<code>\natural</code>		<code>\sharpSlashslashslashStemstem</code>
	<code>\sharp</code>		<code>\sharpSlashslashStem</code>
	<code>\sharpArrowboth</code>		<code>\sharpSlashslashStemstemstem</code>

TABLE 423: *lilyglyphs* Rests

	<code>\crotchetRest</code>		<code>\quaverRestDotted</code>
	<code>\crotchetRestDotted</code>		<code>\semiquaverRest</code>
	<code>\halfNoteRest</code>		<code>\semiquaverRestDotted</code>
	<code>\halfNoteRestDotted</code>		<code>\wholeNoteRest</code>
	<code>\quaverRest</code>		<code>\wholeNoteRestDotted</code>

Multiply dotted rests can be produced with the `\lilyPrintMoreDots` command. See the *lilyglyphs* documentation for more information.

TABLE 424: *lilyglyphs* Dynamics Letters

<i><b>f</b></i>	<code>\lilyDynamics{f}</code>	<i>r</i>	<code>\lilyDynamics{r}</code>
<i><b>p</b></i>	<code>\lilyDynamics{p}</code>	<i>s</i>	<code>\lilyDynamics{s}</code>
<i><b>m</b></i>	<code>\lilyDynamics{m}</code>	<i>z</i>	<code>\lilyDynamics{z}</code>
<i><b>rf</b></i>	<code>\lilyRF</code>	<i><b>rfz</b></i>	<code>\lilyRFZ</code>

These letters and the digits 0–9 are the only alphanumerics defined by *lilyglyphs*'s underlying Emmentaler fonts.

TABLE 425: *lilyglyphs* Dynamics Symbols

	<code>\crescHairpin</code>		<code>\decrescHairpin</code>
---	----------------------------	---	------------------------------

TABLE 426: *lilyglyphs* Articulations











	<code>\lilyAccent</code>		<code>\marcato</code>		<code>\staccatissimo</code>
	<code>\lilyEspressivo</code>		<code>\marcatoDown</code>		<code>\tenuto</code>
	<code>\lilyStaccato</code>		<code>\portato</code>		
	<code>\lilyThumb</code>		<code>\portatoDown</code>		

TABLE 427: *lilyglyphs* Scripts


	<code>\fermata</code>
---	-----------------------

TABLE 428: *lilyglyphs* Accordion Notation








	<code>\accordionBayanBass</code>		<code>\accordionOldEE</code>		<code>\accordionStdBass</code>
	<code>\accordionDiscant</code>		<code>\accordionPull</code>		
	<code>\accordionFreeBass</code>		<code>\accordionPush</code>		

TABLE 429: *lilyglyphs* Named Time Signatures

♃	<code>\lilyGlyph{timesig.C22}</code>	ϕ	<code>\lilyGlyph{timesig.mensural98}</code>
♄	<code>\lilyGlyph{timesig.C44}</code>	♃	<code>\lilyGlyph{timesig.neomensural22}</code>
♅	<code>\lilyGlyph{timesig.mensural22}</code>	♄	<code>\lilyGlyph{timesig.neomensural24}</code>
♆	<code>\lilyGlyph{timesig.mensural24}</code>	♅	<code>\lilyGlyph{timesig.neomensural32}</code>
♇	<code>\lilyGlyph{timesig.mensural32}</code>	♆	<code>\lilyGlyph{timesig.neomensural34}</code>
♈	<code>\lilyGlyph{timesig.mensural34}</code>	♇	<code>\lilyGlyph{timesig.neomensural44}</code>
♉	<code>\lilyGlyph{timesig.mensural44}</code>	♈	<code>\lilyGlyph{timesig.neomensural48}</code>
♊	<code>\lilyGlyph{timesig.mensural48}</code>	♉	<code>\lilyGlyph{timesig.neomensural64}</code>
♋	<code>\lilyGlyph{timesig.mensural64}</code>	♊	<code>\lilyGlyph{timesig.neomensural68}</code>
♌	<code>\lilyGlyph{timesig.mensural68}</code>	♋	<code>\lilyGlyph{timesig.neomensural68alt}</code>
♍	<code>\lilyGlyph{timesig.mensural68alt}</code>	♌	<code>\lilyGlyph{timesig.neomensural94}</code>
♎	<code>\lilyGlyph{timesig.mensural94}</code>	♍	<code>\lilyGlyph{timesig.neomensural98}</code>

*lilyglyphs* defines shorter names for a few of these symbols. See Table 421.

TABLE 430: *lilyglyphs* Named Scripts

⤴	<code>\lilyGlyph{scripts.arpeggio}</code>	⤴	<code>\lilyGlyph{scripts.prallmordent}</code>
⤴	<code>\lilyGlyph{scripts.arpeggio.arrow.1}</code>	⤴	<code>\lilyGlyph{scripts.prallprall}</code>
⤴	<code>\lilyGlyph{scripts.arpeggio.arrow.M1}</code>	⤴	<code>\lilyGlyph{scripts.prallup}</code>
.	<code>\lilyGlyph{scripts.augmentum}</code>	,	<code>\lilyGlyph{scripts.rcomma}</code>
§	<code>\lilyGlyph{scripts.barline.kievan}</code>	∞	<code>\lilyGlyph{scripts.reverseturn}</code>
//	<code>\lilyGlyph{scripts.caesura.curved}</code>	/	<code>\lilyGlyph{scripts.rvarcomma}</code>
//	<code>\lilyGlyph{scripts.caesura.straight}</code>	‰	<code>\lilyGlyph{scripts.segno}</code>
.	<code>\lilyGlyph{scripts.circulus}</code>	>	<code>\lilyGlyph{scripts.sforzato}</code>
⊕	<code>\lilyGlyph{scripts.coda}</code>	⊕	<code>\lilyGlyph{scripts.snappizzicato}</code>
.	<code>\lilyGlyph{scripts.daccentus}</code>	.	<code>\lilyGlyph{scripts.staccato}</code>
☺	<code>\lilyGlyph{scripts.dfermata}</code>	+	<code>\lilyGlyph{scripts.stopped}</code>
⏏	<code>\lilyGlyph{scripts.dlongfermata}</code>	-	<code>\lilyGlyph{scripts.tenuto}</code>
v	<code>\lilyGlyph{scripts.dmarcato}</code>	⊖	<code>\lilyGlyph{scripts.thumb}</code>
⏏	<code>\lilyGlyph{scripts.downbow}</code>	✓	<code>\lilyGlyph{scripts.tickmark}</code>
⤴	<code>\lilyGlyph{scripts.downmordent}</code>	⤴	<code>\lilyGlyph{scripts.trilelement}</code>
⤴	<code>\lilyGlyph{scripts.downprall}</code>	tr	<code>\lilyGlyph{scripts.trill}</code>
n	<code>\lilyGlyph{scripts.dpedalheel}</code>	~	<code>\lilyGlyph{scripts.trill_element}</code>
^	<code>\lilyGlyph{scripts.dpedaltoe}</code>	∞	<code>\lilyGlyph{scripts.turn}</code>
τ	<code>\lilyGlyph{scripts.dportato}</code>	.	<code>\lilyGlyph{scripts.uaccentus}</code>
.	<code>\lilyGlyph{scripts.dsemicirculus}</code>	☺	<code>\lilyGlyph{scripts.ufermata}</code>
V	<code>\lilyGlyph{scripts.dshortfermata}</code>	⏏	<code>\lilyGlyph{scripts.ulongfermata}</code>
§	<code>\lilyGlyph{scripts.dsignumcongruentiae}</code>	^	<code>\lilyGlyph{scripts.umarcato}</code>
,	<code>\lilyGlyph{scripts.dstaccatissimo}</code>	V	<code>\lilyGlyph{scripts.upbow}</code>
⏏	<code>\lilyGlyph{scripts.dverylongfermata}</code>	u	<code>\lilyGlyph{scripts.upedalheel}</code>
<>	<code>\lilyGlyph{scripts.espr}</code>	v	<code>\lilyGlyph{scripts.upedaltoe}</code>

(continued on next page)

(continued from previous page)

◦	<code>\lilyGlyph{scripts.flageolet}</code>	♯	<code>\lilyGlyph{scripts.upmordent}</code>
♯	<code>\lilyGlyph{scripts.halfopen}</code>	⋮	<code>\lilyGlyph{scripts.uportato}</code>
♠	<code>\lilyGlyph{scripts.halfopenvertical}</code>	♯	<code>\lilyGlyph{scripts.upprall}</code>
.	<code>\lilyGlyph{scripts.ictus}</code>	⋮	<code>\lilyGlyph{scripts.usemicirculus}</code>
⌒	<code>\lilyGlyph{scripts.lcomma}</code>	∧	<code>\lilyGlyph{scripts.ushortfermata}</code>
⋈	<code>\lilyGlyph{scripts.lineprall}</code>	⌚	<code>\lilyGlyph{scripts.usignumcongruentiae}</code>
/	<code>\lilyGlyph{scripts.lvarcomma}</code>	,	<code>\lilyGlyph{scripts.ustaccatissimo}</code>
♯	<code>\lilyGlyph{scripts.mordent}</code>	⏏	<code>\lilyGlyph{scripts.uverylongfermata}</code>
◦	<code>\lilyGlyph{scripts.open}</code>	♯	<code>\lilyGlyph{scripts.varcoda}</code>
		⋈	
⋈	<code>\lilyGlyph{scripts.prall}</code>	⋈	<code>\lilyGlyph{scripts.varsegno}</code>
♯	<code>\lilyGlyph{scripts.pralldown}</code>		


`lilyglyphs` defines `\fermata` as a shorter name for “” than `\lilyGlyph{scripts.ufermata}`. See Table 427.

TABLE 431: `lilyglyphs` Named Rests

—	<code>\lilyGlyph{rests.0}</code>	⋈	<code>\lilyGlyph{rests.4mensural}</code>
.	<code>\lilyGlyph{rests.0mensural}</code>	⋈	<code>\lilyGlyph{rests.4neomensural}</code>
.	<code>\lilyGlyph{rests.0neomensural}</code>	⋈	<code>\lilyGlyph{rests.5}</code>
—	<code>\lilyGlyph{rests.0o}</code>	⋈	<code>\lilyGlyph{rests.6}</code>
—	<code>\lilyGlyph{rests.1}</code>	⋈	<code>\lilyGlyph{rests.7}</code>
.	<code>\lilyGlyph{rests.1mensural}</code>	■	<code>\lilyGlyph{rests.M1}</code>
.	<code>\lilyGlyph{rests.1neomensural}</code>	,	<code>\lilyGlyph{rests.M1mensural}</code>
—	<code>\lilyGlyph{rests.1o}</code>	,	<code>\lilyGlyph{rests.M1neomensural}</code>
⋈	<code>\lilyGlyph{rests.2}</code>	⋈	<code>\lilyGlyph{rests.M1o}</code>
⋈	<code>\lilyGlyph{rests.2classical}</code>	⋈	<code>\lilyGlyph{rests.M2}</code>
⋈	<code>\lilyGlyph{rests.2mensural}</code>	⋈	<code>\lilyGlyph{rests.M2mensural}</code>
⋈	<code>\lilyGlyph{rests.2neomensural}</code>	⋈	<code>\lilyGlyph{rests.M2neomensural}</code>
⋈	<code>\lilyGlyph{rests.3}</code>	⋈	<code>\lilyGlyph{rests.M3}</code>
⋈	<code>\lilyGlyph{rests.3mensural}</code>	⋈	<code>\lilyGlyph{rests.M3mensural}</code>
⋈	<code>\lilyGlyph{rests.3neomensural}</code>	⋈	<code>\lilyGlyph{rests.M3neomensural}</code>
⋈	<code>\lilyGlyph{rests.4}</code>		

`lilyglyphs` defines shorter names for a few of these symbols. See Table 423.

TABLE 432: `lilyglyphs` Named Pedals

♯	<code>\lilyGlyph{pedal.*}</code>	-	<code>\lilyGlyph{pedal.M}</code>
.	<code>\lilyGlyph{pedal..}</code>	⋈	<code>\lilyGlyph{pedal.P}</code>
⋈	<code>\lilyGlyph{pedal.d}</code>	⋈	<code>\lilyGlyph{pedal.Ped}</code>
e	<code>\lilyGlyph{pedal.e}</code>		



















































TABLE 433: *lilyglyphs* Named Flags

⌋	<code>\lilyGlyph{flags.d3}</code>	⌋	<code>\lilyGlyph{flags.mensuralu03}</code>
⌋	<code>\lilyGlyph{flags.d4}</code>	⌋	<code>\lilyGlyph{flags.mensuralu04}</code>
⌋	<code>\lilyGlyph{flags.d5}</code>	⌋	<code>\lilyGlyph{flags.mensuralu05}</code>
⌋	<code>\lilyGlyph{flags.d6}</code>	⌋	<code>\lilyGlyph{flags.mensuralu06}</code>
⌋	<code>\lilyGlyph{flags.d7}</code>	⌋	<code>\lilyGlyph{flags.mensuralu13}</code>
⌋	<code>\lilyGlyph{flags.dgrace}</code>	⌋	<code>\lilyGlyph{flags.mensuralu14}</code>
⌋	<code>\lilyGlyph{flags.mensurald03}</code>	⌋	<code>\lilyGlyph{flags.mensuralu15}</code>
⌋	<code>\lilyGlyph{flags.mensurald04}</code>	⌋	<code>\lilyGlyph{flags.mensuralu16}</code>
⌋	<code>\lilyGlyph{flags.mensurald05}</code>	⌋	<code>\lilyGlyph{flags.mensuralu23}</code>
⌋	<code>\lilyGlyph{flags.mensurald06}</code>	⌋	<code>\lilyGlyph{flags.mensuralu24}</code>
⌋	<code>\lilyGlyph{flags.mensurald13}</code>	⌋	<code>\lilyGlyph{flags.mensuralu25}</code>
⌋	<code>\lilyGlyph{flags.mensurald14}</code>	⌋	<code>\lilyGlyph{flags.mensuralu26}</code>
⌋	<code>\lilyGlyph{flags.mensurald15}</code>	⌋	<code>\lilyGlyph{flags.u3}</code>
⌋	<code>\lilyGlyph{flags.mensurald16}</code>	⌋	<code>\lilyGlyph{flags.u4}</code>
⌋	<code>\lilyGlyph{flags.mensurald23}</code>	⌋	<code>\lilyGlyph{flags.u5}</code>
⌋	<code>\lilyGlyph{flags.mensurald24}</code>	⌋	<code>\lilyGlyph{flags.u6}</code>
⌋	<code>\lilyGlyph{flags.mensurald25}</code>	⌋	<code>\lilyGlyph{flags.u7}</code>
⌋	<code>\lilyGlyph{flags.mensurald26}</code>	⌋	<code>\lilyGlyph{flags.ugrace}</code>

TABLE 434: *lilyglyphs* Named Custodes

⌋	<code>\lilyGlyph{custodes.hufnagel.d0}</code>	⌋	<code>\lilyGlyph{custodes.mensural.d0}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.d1}</code>	⌋	<code>\lilyGlyph{custodes.mensural.d1}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.d2}</code>	⌋	<code>\lilyGlyph{custodes.mensural.d2}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.u0}</code>	⌋	<code>\lilyGlyph{custodes.mensural.u0}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.u1}</code>	⌋	<code>\lilyGlyph{custodes.mensural.u1}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.u2}</code>	⌋	<code>\lilyGlyph{custodes.mensural.u2}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.d0}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.d0}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.d1}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.d1}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.d2}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.d2}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.u0}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.u0}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.u1}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.u1}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.u2}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.u2}</code>

TABLE 435: *lilyglyphs* Named Clefs

	<code>\lilyGlyph{clefs.blackmensural.c}</code>		<code>\lilyGlyph{clefs.mensural.g_change}</code>
	<code>\lilyGlyph{clefs.blackmensural.c_change}</code>		<code>\lilyGlyph{clefs.neomensural.c}</code>
	<code>\lilyGlyph{clefs.C}</code>		<code>\lilyGlyph{clefs.neomensural.c_change}</code>
	<code>\lilyGlyph{clefs.C_change}</code>		<code>\lilyGlyph{clefs.percussion}</code>
	<code>\lilyGlyph{clefs.F}</code>		<code>\lilyGlyph{clefs.percussion_change}</code>
	<code>\lilyGlyph{clefs.F_change}</code>		<code>\lilyGlyph{clefs.petrucci.c1}</code>
	<code>\lilyGlyph{clefs.G}</code>		<code>\lilyGlyph{clefs.petrucci.c1_change}</code>
	<code>\lilyGlyph{clefs.G_change}</code>		<code>\lilyGlyph{clefs.petrucci.c2}</code>
	<code>\lilyGlyph{clefs.hufnagel.do}</code>		<code>\lilyGlyph{clefs.petrucci.c2_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.do.fa}</code>		<code>\lilyGlyph{clefs.petrucci.c3}</code>
	<code>\lilyGlyph{clefs.hufnagel.do.fa_change}</code>		<code>\lilyGlyph{clefs.petrucci.c3_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.c4}</code>
	<code>\lilyGlyph{clefs.hufnagel.fa}</code>		<code>\lilyGlyph{clefs.petrucci.c4_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.fa_change}</code>		<code>\lilyGlyph{clefs.petrucci.c5}</code>
	<code>\lilyGlyph{clefs.kievan.do}</code>		<code>\lilyGlyph{clefs.petrucci.c5_change}</code>
	<code>\lilyGlyph{clefs.kievan.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.f}</code>
	<code>\lilyGlyph{clefs.medicaea.do}</code>		<code>\lilyGlyph{clefs.petrucci.f_change}</code>
	<code>\lilyGlyph{clefs.medicaea.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.g}</code>
	<code>\lilyGlyph{clefs.medicaea.fa}</code>		<code>\lilyGlyph{clefs.petrucci.g_change}</code>
	<code>\lilyGlyph{clefs.medicaea.fa_change}</code>		<code>\lilyGlyph{clefs.tab}</code>
	<code>\lilyGlyph{clefs.mensural.c}</code>		<code>\lilyGlyph{clefs.tab_change}</code>
	<code>\lilyGlyph{clefs.mensural.c_change}</code>		<code>\lilyGlyph{clefs.vaticana.do}</code>
	<code>\lilyGlyph{clefs.mensural.f}</code>		<code>\lilyGlyph{clefs.vaticana.do_change}</code>
	<code>\lilyGlyph{clefs.mensural.f_change}</code>		<code>\lilyGlyph{clefs.vaticana.fa}</code>
	<code>\lilyGlyph{clefs.mensural.g}</code>		<code>\lilyGlyph{clefs.vaticana.fa_change}</code>

*lilyglyphs* defines shorter names for a few of these symbols. See Table 420.



TABLE 436: *lilyglyphs* Named Noteheads

◦	<code>\lilyGlyph{noteheads.d0doFunk}</code>
◡	<code>\lilyGlyph{noteheads.d0fa}</code>
◢	<code>\lilyGlyph{noteheads.d0faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d0faThin}</code>
◊	<code>\lilyGlyph{noteheads.d0miFunk}</code>
◀	<code>\lilyGlyph{noteheads.d0reFunk}</code>
◁	<code>\lilyGlyph{noteheads.d0tiFunk}</code>
▲	<code>\lilyGlyph{noteheads.d1do}</code>
◦	<code>\lilyGlyph{noteheads.d1doFunk}</code>
◢	<code>\lilyGlyph{noteheads.d1doThin}</code>
◣	<code>\lilyGlyph{noteheads.d1doWalker}</code>
◡	<code>\lilyGlyph{noteheads.d1fa}</code>
◢	<code>\lilyGlyph{noteheads.d1faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d1faThin}</code>
◢	<code>\lilyGlyph{noteheads.d1faWalker}</code>
◊	<code>\lilyGlyph{noteheads.d1miFunk}</code>
◦	<code>\lilyGlyph{noteheads.d1re}</code>
◀	<code>\lilyGlyph{noteheads.d1reFunk}</code>
◦	<code>\lilyGlyph{noteheads.d1reThin}</code>
◣	<code>\lilyGlyph{noteheads.d1reWalker}</code>
◊	<code>\lilyGlyph{noteheads.d1ti}</code>
◁	<code>\lilyGlyph{noteheads.d1tiFunk}</code>
◊	<code>\lilyGlyph{noteheads.d1tiThin}</code>
◀	<code>\lilyGlyph{noteheads.d1tiWalker}</code>
◢	<code>\lilyGlyph{noteheads.d1triangle}</code>
▲	<code>\lilyGlyph{noteheads.d2do}</code>
●	<code>\lilyGlyph{noteheads.d2doFunk}</code>
▲	<code>\lilyGlyph{noteheads.d2doThin}</code>
■	<code>\lilyGlyph{noteheads.d2doWalker}</code>
◡	<code>\lilyGlyph{noteheads.d2fa}</code>
◢	<code>\lilyGlyph{noteheads.d2faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d2faThin}</code>
◢	<code>\lilyGlyph{noteheads.d2faWalker}</code>
⌈	<code>\lilyGlyph{noteheads.d2kievan}</code>
●	<code>\lilyGlyph{noteheads.d2re}</code>
◀	<code>\lilyGlyph{noteheads.d2reFunk}</code>
●	<code>\lilyGlyph{noteheads.d2reThin}</code>
◀	<code>\lilyGlyph{noteheads.d2reWalker}</code>
◊	<code>\lilyGlyph{noteheads.d2ti}</code>
◀	<code>\lilyGlyph{noteheads.d2tiFunk}</code>
◊	<code>\lilyGlyph{noteheads.d2tiThin}</code>
◀	<code>\lilyGlyph{noteheads.d2tiWalker}</code>
◢	<code>\lilyGlyph{noteheads.d2triangle}</code>
⌈	<code>\lilyGlyph{noteheads.d3kievan}</code>
⌈	<code>\lilyGlyph{noteheads.dM2}</code>
⌈	<code>\lilyGlyph{noteheads.dM2blackmensural}</code>

*(continued on next page)*

(continued from previous page)

♩ \lilyGlyph{noteheads.dM2mensural}  
♩ \lilyGlyph{noteheads.dM2neomensural}  
♩ \lilyGlyph{noteheads.dM2semimensural}  
♩ \lilyGlyph{noteheads.dM3blackmensural}  
♩ \lilyGlyph{noteheads.dM3mensural}  
♩ \lilyGlyph{noteheads.dM3neomensural}  
♩ \lilyGlyph{noteheads.dM3semimensural}  
♩ \lilyGlyph{noteheads.drM2mensural}  
♩ \lilyGlyph{noteheads.drM2neomensural}  
♩ \lilyGlyph{noteheads.drM2semimensural}  
♩ \lilyGlyph{noteheads.drM3mensural}  
♩ \lilyGlyph{noteheads.drM3neomensural}  
♩ \lilyGlyph{noteheads.drM3semimensural}  
○ \lilyGlyph{noteheads.s0}  
◊ \lilyGlyph{noteheads.s0blackmensural}  
◊ \lilyGlyph{noteheads.s0blackpetrucci}  
⊗ \lilyGlyph{noteheads.s0cross}  
◊ \lilyGlyph{noteheads.s0diamond}  
▲ \lilyGlyph{noteheads.s0do}  
▲ \lilyGlyph{noteheads.s0doThin}  
▴ \lilyGlyph{noteheads.s0doWalker}  
▾ \lilyGlyph{noteheads.s0faWalker}  
◊ \lilyGlyph{noteheads.s0harmonic}  
⬥ \lilyGlyph{noteheads.s0kievan}  
◻ \lilyGlyph{noteheads.s0la}  
◻ \lilyGlyph{noteheads.s0laFunk}  
◻ \lilyGlyph{noteheads.s0laThin}  
◻ \lilyGlyph{noteheads.s0laWalker}  
◊ \lilyGlyph{noteheads.s0mensural}  
◊ \lilyGlyph{noteheads.s0mi}  
◊ \lilyGlyph{noteheads.s0miMirror}  
◊ \lilyGlyph{noteheads.s0miThin}  
◊ \lilyGlyph{noteheads.s0miWalker}  
◊ \lilyGlyph{noteheads.s0neomensural}  
◊ \lilyGlyph{noteheads.s0petrucci}  
◊ \lilyGlyph{noteheads.s0re}  
◊ \lilyGlyph{noteheads.s0reThin}  
◊ \lilyGlyph{noteheads.s0reWalker}  
◊ \lilyGlyph{noteheads.s0slash}  
◊ \lilyGlyph{noteheads.s0sol}  
◊ \lilyGlyph{noteheads.s0solFunk}  
◊ \lilyGlyph{noteheads.s0ti}  
◊ \lilyGlyph{noteheads.s0tiThin}  
◊ \lilyGlyph{noteheads.s0tiWalker}  
◊ \lilyGlyph{noteheads.s0triangle}  
◊ \lilyGlyph{noteheads.s1}  
◊ \lilyGlyph{noteheads.s1blackpetrucci}  
⊗ \lilyGlyph{noteheads.s1cross}

(continued on next page)

*(continued from previous page)*

♠ \lilyGlyph{noteheads.s1diamond}  
† \lilyGlyph{noteheads.s1kievan}  
▣ \lilyGlyph{noteheads.s1la}  
◻ \lilyGlyph{noteheads.s1laFunk}  
◻ \lilyGlyph{noteheads.s1laThin}  
◻ \lilyGlyph{noteheads.s1laWalker}  
◊ \lilyGlyph{noteheads.s1mensural}  
◊ \lilyGlyph{noteheads.s1mi}  
◊ \lilyGlyph{noteheads.s1miMirror}  
◊ \lilyGlyph{noteheads.s1miThin}  
◊ \lilyGlyph{noteheads.s1miWalker}  
◊ \lilyGlyph{noteheads.s1neomensural}  
◊ \lilyGlyph{noteheads.s1petrucci}  
// \lilyGlyph{noteheads.s1slash}  
♭ \lilyGlyph{noteheads.s1sol}  
♭ \lilyGlyph{noteheads.s1solFunk}  
• \lilyGlyph{noteheads.s2}  
◆ \lilyGlyph{noteheads.s2blackpetrucci}  
× \lilyGlyph{noteheads.s2cross}  
♠ \lilyGlyph{noteheads.s2diamond}  
◆ \lilyGlyph{noteheads.s2harmonic}  
■ \lilyGlyph{noteheads.s2la}  
■ \lilyGlyph{noteheads.s2laFunk}  
■ \lilyGlyph{noteheads.s2laThin}  
■ \lilyGlyph{noteheads.s2laWalker}  
• \lilyGlyph{noteheads.s2mensural}  
◊ \lilyGlyph{noteheads.s2mi}  
◊ \lilyGlyph{noteheads.s2miFunk}  
◊ \lilyGlyph{noteheads.s2miMirror}  
◊ \lilyGlyph{noteheads.s2miThin}  
◊ \lilyGlyph{noteheads.s2miWalker}  
◊ \lilyGlyph{noteheads.s2neomensural}  
◊ \lilyGlyph{noteheads.s2petrucci}  
/ \lilyGlyph{noteheads.s2slash}  
• \lilyGlyph{noteheads.s2sol}  
• \lilyGlyph{noteheads.s2solFunk}  
⊗ \lilyGlyph{noteheads.s2xcircle}  
♯ \lilyGlyph{noteheads.shufnagel.lpes}  
♯ \lilyGlyph{noteheads.shufnagel.punctum}  
† \lilyGlyph{noteheads.shufnagel.virga}  
♯ \lilyGlyph{noteheads.sM1}  
♯ \lilyGlyph{noteheads.sM1blackmensural}  
♯ \lilyGlyph{noteheads.sM1double}  
♯ \lilyGlyph{noteheads.sM1kievan}  
♯ \lilyGlyph{noteheads.sM1mensural}  
♯ \lilyGlyph{noteheads.sM1neomensural}  
♯ \lilyGlyph{noteheads.sM1semimensural}  
♯ \lilyGlyph{noteheads.sM2blackligmensural}  
♯ \lilyGlyph{noteheads.sM2kievan}

*(continued on next page)*

(continued from previous page)

⌌ \lilyGlyph{noteheads.sm2ligmensural}  
⌌ \lilyGlyph{noteheads.sm2semiligmensural}  
⌌ \lilyGlyph{noteheads.sm3blackligmensural}  
⌌ \lilyGlyph{noteheads.sm3ligmensural}  
⌌ \lilyGlyph{noteheads.sm3semiligmensural}  
◊ \lilyGlyph{noteheads.smedicaea.inclinatum}  
▪ \lilyGlyph{noteheads.smedicaea.punctum}  
┌ \lilyGlyph{noteheads.smedicaea.rvirga}  
└ \lilyGlyph{noteheads.smedicaea.virga}  
└ \lilyGlyph{noteheads.sr1kievan}  
⌌ \lilyGlyph{noteheads.srM1mensural}  
⌌ \lilyGlyph{noteheads.srM1neomensural}  
⌌ \lilyGlyph{noteheads.srM1semimensural}  
⌌ \lilyGlyph{noteheads.srM2ligmensural}  
⌌ \lilyGlyph{noteheads.srM2semiligmensural}  
⌌ \lilyGlyph{noteheads.srM3ligmensural}  
⌌ \lilyGlyph{noteheads.srM3semiligmensural}  
· \lilyGlyph{noteheads.ssolesmes.auct.asc}  
· \lilyGlyph{noteheads.ssolesmes.auct.desc}  
· \lilyGlyph{noteheads.ssolesmes.incl.auctum}  
· \lilyGlyph{noteheads.ssolesmes.incl.parvum}  
· \lilyGlyph{noteheads.ssolesmes.oriscus}  
· \lilyGlyph{noteheads.ssolesmes.stropha}  
· \lilyGlyph{noteheads.ssolesmes.stropha.aucta}  
└ \lilyGlyph{noteheads.svaticana.cephalicus}  
· \lilyGlyph{noteheads.svaticana.epiphonus}  
· \lilyGlyph{noteheads.svaticana.inclinatum}  
▪ \lilyGlyph{noteheads.svaticana.inner.cephalicus}  
▪ \lilyGlyph{noteheads.svaticana.linea.punctum}  
◻ \lilyGlyph{noteheads.svaticana.linea.punctum.cavum}  
▪ \lilyGlyph{noteheads.svaticana.lpes}  
· \lilyGlyph{noteheads.svaticana.plica}  
▪ \lilyGlyph{noteheads.svaticana.punctum}  
◻ \lilyGlyph{noteheads.svaticana.punctum.cavum}  
· \lilyGlyph{noteheads.svaticana.quilisma}  
· \lilyGlyph{noteheads.svaticana.reverse.plica}  
· \lilyGlyph{noteheads.svaticana.reverse.vplica}  
▪ \lilyGlyph{noteheads.svaticana.upes}  
· \lilyGlyph{noteheads.svaticana.vepiphonus}  
▪ \lilyGlyph{noteheads.svaticana.vlpes}  
· \lilyGlyph{noteheads.svaticana.vplica}  
▪ \lilyGlyph{noteheads.svaticana.vupes}  
◊ \lilyGlyph{noteheads.u0doFunk}  
◊ \lilyGlyph{noteheads.u0fa}  
◊ \lilyGlyph{noteheads.u0faFunk}  
◊ \lilyGlyph{noteheads.u0faThin}  
◊ \lilyGlyph{noteheads.u0miFunk}  
◊ \lilyGlyph{noteheads.u0reFunk}  
◊ \lilyGlyph{noteheads.u0tiFunk}

(continued on next page)

(continued from previous page)

▲ \lilyGlyph{noteheads.u1do}  
▷ \lilyGlyph{noteheads.u1doFunk}  
△ \lilyGlyph{noteheads.u1doThin}  
◁ \lilyGlyph{noteheads.u1doWalker}  
∇ \lilyGlyph{noteheads.u1fa}  
∇ \lilyGlyph{noteheads.u1faFunk}  
∇ \lilyGlyph{noteheads.u1faThin}  
∇ \lilyGlyph{noteheads.u1faWalker}  
◊ \lilyGlyph{noteheads.u1miFunk}  
◊ \lilyGlyph{noteheads.u1re}  
▽ \lilyGlyph{noteheads.u1reFunk}  
◊ \lilyGlyph{noteheads.u1reThin}  
▷ \lilyGlyph{noteheads.u1reWalker}  
◊ \lilyGlyph{noteheads.u1ti}  
◊ \lilyGlyph{noteheads.u1tiFunk}  
◊ \lilyGlyph{noteheads.u1tiThin}  
▽ \lilyGlyph{noteheads.u1tiWalker}  
▽ \lilyGlyph{noteheads.u1triangle}  
▲ \lilyGlyph{noteheads.u2do}  
▷ \lilyGlyph{noteheads.u2doFunk}  
▲ \lilyGlyph{noteheads.u2doThin}  
▷ \lilyGlyph{noteheads.u2doWalker}  
∇ \lilyGlyph{noteheads.u2fa}  
∇ \lilyGlyph{noteheads.u2faFunk}  
∇ \lilyGlyph{noteheads.u2faThin}  
∇ \lilyGlyph{noteheads.u2faWalker}  
┌ \lilyGlyph{noteheads.u2kievan}  
● \lilyGlyph{noteheads.u2re}  
▽ \lilyGlyph{noteheads.u2reFunk}  
● \lilyGlyph{noteheads.u2reThin}  
▷ \lilyGlyph{noteheads.u2reWalker}  
◊ \lilyGlyph{noteheads.u2ti}  
▷ \lilyGlyph{noteheads.u2tiFunk}  
◊ \lilyGlyph{noteheads.u2tiThin}  
▽ \lilyGlyph{noteheads.u2tiWalker}  
▽ \lilyGlyph{noteheads.u2triangle}  
◁ \lilyGlyph{noteheads.u3kievan}  
┌ \lilyGlyph{noteheads.uM2}  
┌ \lilyGlyph{noteheads.uM2blackmensural}  
┌ \lilyGlyph{noteheads.uM2mensural}  
┌ \lilyGlyph{noteheads.uM2neomensural}  
┌ \lilyGlyph{noteheads.uM2semimensural}  
┌ \lilyGlyph{noteheads.uM3blackmensural}  
┌ \lilyGlyph{noteheads.uM3mensural}  
┌ \lilyGlyph{noteheads.uM3neomensural}  
┌ \lilyGlyph{noteheads.uM3semimensural}  
┌ \lilyGlyph{noteheads.urM2mensural}

(continued on next page)

(continued from previous page)

	<code>\lilyGlyph{noteheads.urM2neomensural}</code>
	<code>\lilyGlyph{noteheads.urM2semimensural}</code>
	<code>\lilyGlyph{noteheads.urM3mensural}</code>
	<code>\lilyGlyph{noteheads.urM3neomensural}</code>
	<code>\lilyGlyph{noteheads.urM3semimensural}</code>

TABLE 437: *lilyglyphs* Named Accordion Symbols

	<code>\lilyGlyph{accordion.bayanbass}</code>		<code>\lilyGlyph{accordion.oldEE}</code>
	<code>\lilyGlyph{accordion.discant}</code>		<code>\lilyGlyph{accordion.pull}</code>
	<code>\lilyGlyph{accordion.dot}</code>		<code>\lilyGlyph{accordion.push}</code>
	<code>\lilyGlyph{accordion.freebass}</code>		<code>\lilyGlyph{accordion.stdbass}</code>

*lilyglyphs* defines shorter names for all of these symbols except `\lilyGlyph{accordion.dot}`. See Table 428.

TABLE 438: *lilyglyphs* Named Accidentals

	<code>\lilyGlyph{accidentals.doublsharp}</code>
	<code>\lilyGlyph{accidentals.flat}</code>
	<code>\lilyGlyph{accidentals.flat.arrowboth}</code>
	<code>\lilyGlyph{accidentals.flat.arrowdown}</code>
	<code>\lilyGlyph{accidentals.flat.arrowup}</code>
	<code>\lilyGlyph{accidentals.flat.slash}</code>
	<code>\lilyGlyph{accidentals.flat.slashslash}</code>
	<code>\lilyGlyph{accidentals.flatflat}</code>
	<code>\lilyGlyph{accidentals.flatflat.slash}</code>
	<code>\lilyGlyph{accidentals.hufnagelM1}</code>
	<code>\lilyGlyph{accidentals.kievan1}</code>
	<code>\lilyGlyph{accidentals.kievanM1}</code>
	<code>\lilyGlyph{accidentals.leftparen}</code>
	<code>\lilyGlyph{accidentals.medicaeaM1}</code>
	<code>\lilyGlyph{accidentals.mensural1}</code>
	<code>\lilyGlyph{accidentals.mensuralM1}</code>
	<code>\lilyGlyph{accidentals.mirroredflat}</code>
	<code>\lilyGlyph{accidentals.mirroredflat.backslash}</code>

(continued on next page)

(continued from previous page)

```

♭ \lilyGlyph{accidentals.mirroredflat.flat}
♮ \lilyGlyph{accidentals.natural}
↕ \lilyGlyph{accidentals.natural.arrowboth}
↘ \lilyGlyph{accidentals.natural.arrowdown}
↗ \lilyGlyph{accidentals.natural.arrowup}
) \lilyGlyph{accidentals.rightparen}
# \lilyGlyph{accidentals.sharp}
↕# \lilyGlyph{accidentals.sharp.arrowboth}
↘# \lilyGlyph{accidentals.sharp.arrowdown}
↗# \lilyGlyph{accidentals.sharp.arrowup}
# \lilyGlyph{accidentals.sharp slasheslash.stem}
## \lilyGlyph{accidentals.sharp slasheslash.stemstem}
### \lilyGlyph{accidentals.sharp slasheslashslash.stem}
#### \lilyGlyph{accidentals.sharp slasheslashslash.stemstem}
# \lilyGlyph{accidentals.vaticana0}
# \lilyGlyph{accidentals.vaticanaM1}

```

`lilyllypbs` defines shorter names for a few of these symbols. See Table 422.

TABLE 439: `lilyllypbs` Named Arrowheads

```

▶ \lilyGlyph{arrowheads.close.01} > \lilyGlyph{arrowheads.open.01}
◀ \lilyGlyph{arrowheads.close.0M1} < \lilyGlyph{arrowheads.open.0M1}
▲ \lilyGlyph{arrowheads.close.11} ^ \lilyGlyph{arrowheads.open.11}
▼ \lilyGlyph{arrowheads.close.1M1} v \lilyGlyph{arrowheads.open.1M1}

```

TABLE 440: `lilyllypbs` Named Alphanumerics and Punctuation

```

0 \lilyGlyph{zero}    4 \lilyGlyph{four}    8 \lilyGlyph{eight}
1 \lilyGlyph{one}    5 \lilyGlyph{five}    9 \lilyGlyph{nine}
2 \lilyGlyph{two}    6 \lilyGlyph{six}
3 \lilyGlyph{three}  7 \lilyGlyph{seven}

f \lilyGlyph{f}      p \lilyGlyph{p}      s \lilyGlyph{s}
m \lilyGlyph{m}      r \lilyGlyph{r}      z \lilyGlyph{z}

, \lilyGlyph{comma}  . \lilyGlyph{period}
- \lilyGlyph{hyphen} + \lilyGlyph{plus}

```

See Table 424 for an alternative way to typeset dynamics letters. `lilyllypbs` additionally provides a `\lilyText` command that can be useful for typesetting groups of the preceding symbols. See the `lilyllypbs` documentation for more information.

TABLE 441: Miscellaneous *lilyglyphs* Named Musical Symbols

$\backslash$	<code>\lilyGlyph{brackettips.down}</code>	.	<code>\lilyGlyph{dots.dotvaticana}</code>
$\swarrow$	<code>\lilyGlyph{brackettips.up}</code>	—	<code>\lilyGlyph{ties.lyric.default}</code>
.	<code>\lilyGlyph{dots.dot}</code>	—	<code>\lilyGlyph{ties.lyric.short}</code>
•	<code>\lilyGlyph{dots.dotkievan}</code>		



## 8 Other symbols

The following are all the symbols that didn't fit neatly or unambiguously into any of the previous sections. (Do weather symbols belong under "Science and technology"? Should dice be considered "mathematics"?) While some of the tables contain clearly related groups of symbols (e.g., symbols related to various board games), others represent motley assortments of whatever the font designer felt like drawing.

TABLE 442: textcomp Genealogical Symbols


*	<code>\textborn</code>	∅	<code>\textdivorced</code>	∞	<code>\textmarried</code>
†	<code>\textdied</code>		<code>\textleaf</code>		

TABLE 443: wasysym General Symbols






















	<code>\ataribox</code>		<code>\clock</code>		<code>\LEFTarrow</code>		<code>\RIGHTarrow</code>
	<code>\bell</code>	$\emptyset$	<code>\diameter</code>		<code>\leftturn</code>		<code>\rightturn</code>
	<code>\blacksmiley</code>		<code>\DOWNarrow</code>		<code>\lightning</code>		<code>\smiley</code>
	<code>\Bowtie</code>		<code>\frownie</code>		<code>\phone</code>		<code>\sun</code>
	<code>\brokenvert</code>		<code>\invdiameter</code>		<code>\pointer</code>		<code>\UParrow</code>
	<code>\checked</code>		<code>\kreuz</code>		<code>\recorder</code>		<code>\wasylotzenge</code>

TABLE 444: manfnt Dangerous Bend Symbols

	<code>\dbend</code>		<code>\lhdbend</code>		<code>\reversedvideobend</code>
---	---------------------	---	-----------------------	---	---------------------------------

Note that these symbols descend far beneath the baseline. `manfnt` also defines non-descending versions, which it calls, correspondingly, `\textdbend`, `\textlhdbend`, and `\textreversedvideobend`.

TABLE 445: Miscellaneous manfnt Symbols























	<code>\manboldkidney</code>		<code>\manpenkidney</code>
	<code>\manconcentriccircles</code>		<code>\manquadrifolium</code>
	<code>\manconcentricdiamond</code>		<code>\manquartercircle</code>
	<code>\mancone</code>		<code>\manrotatedquadrifolium</code>
	<code>\mancube</code>		<code>\manrotatedquartercircle</code>
	<code>\manerrarrow</code>		<code>\manstar</code>
	<code>\manfilledquartercircle</code>		<code>\mantiltppennib</code>
	<code>\manhpennib</code>		<code>\mantriangledown</code>
	<code>\manimpossiblecube</code>		<code>\mantriangleright</code>
	<code>\mankidney</code>		<code>\mantriangleup</code>
	<code>\manlhpenkidney</code>		<code>\manvpennib</code>

TABLE 446: marvosym Media Control Symbols

▶	\Forward	▼	\MoveDown	◀◀	\RewindToIndex	▲	\ToTop
▶▶	\ForwardToEnd	▲	\MoveUp	◀	\RewindToStart		
▶▶▶	\ForwardToIndex	◀	\Rewind	▼	\ToBottom		

TABLE 447: marvosym Laundry Symbols

	\AtForty		\Handwash		\ShortNinetyFive
	\AtNinetyFive		\IroningI		\ShortSixty
	\AtSixty		\IroningII		\ShortThirty
△	\Bleech		\IroningIII		\SpecialForty
Ⓐ	\CleaningA	⊗	\NoBleech	◻	\Tumbler
Ⓕ	\CleaningF	⊗	\NoChemicalCleaning		\WashCotton
Ⓖ	\CleaningFF		\NoIroning		\WashSynthetics
Ⓖ	\CleaningP		\NoTumbler		\WashWool
Ⓖ	\CleaningPP		\ShortFifty		
	\Dontwash		\ShortForty		

TABLE 448: marvosym Information Symbols

	\Bicycle	♂	\Gentsroom	☞	\PointingHand
	\ClockLogo		\Industry	♿	\Wheelchair
	\Coffeecup	ℹ	\Info	☞	\WritingHand
	\Football	♀	\Ladiesroom		

TABLE 449: Other marvosym Symbols

†	\Ankh		\Bouquet	♥	\Heart	☰	\PeaceDove
	\Bat	☩	\Celtcross	♂	\ManFace	☺	\Smiley
	\BOLogo	⊗	\CircledA	⚠	\MineSign	♀	\WomanFace
	\BOLogoL	†	\Cross	♁	\Mundus	☯	\Yinyang
	\BOLogoP	☹	\Frowny	@	\MVAt		

TABLE 450: Miscellaneous universa Symbols






















	\bauforms		\bauhead
--	-----------	--	----------


TABLE 451: Miscellaneous fourier Symbols

	\bomb	☹	\grimace	☞	\textthing*	⌘	\textxswup*
	\danger	⊖	\noway	⌘	\textxswdown*		

\* fourier defines math-mode synonyms for a few of the preceding symbols: \thething (“☞”), \xswsup (“⌘”), and \xswdown (“⌘”).

TABLE 452: ifsym Weather Symbols

	<code>\Cloud</code>		<code>\Hail</code>		<code>\Sleet</code>		<code>\WeakRain</code>
	<code>\FilledCloud</code>		<code>\HalfSun</code>		<code>\Snow</code>		<code>\WeakRainCloud</code>
	<code>\FilledRainCloud</code>		<code>\Lightning</code>		<code>\SnowCloud</code>		<code>\FilledSnowCloud</code>
	<code>\FilledSunCloud</code>		<code>\NoSun</code>		<code>\Sun</code>		
	<code>\FilledWeakRainCloud</code>		<code>\Rain</code>		<code>\SunCloud</code>		
	<code>\Fog</code>		<code>\RainCloud</code>		<code>\ThinFog</code>		

In addition, `\Thermo{0}.. \Thermo{6}` produce thermometers that are between 0/6 and 6/6 full of mercury: 


Similarly, `\wind{<sun>}{<angle>}{<strength>}` will draw wind symbols with a given amount of sun (0–4), a given angle (in degrees), and a given strength in km/h (0–100). For example, `\wind{0}{0}{0}` produces “

TABLE 453: ifsym Alpine Symbols

























	<code>\SummitSign</code>		<code>\Summit</code>		<code>\SurveySign</code>		<code>\HalfFilledHut</code>
	<code>\StoneMan</code>		<code>\Mountain</code>		<code>\Joch</code>		<code>\VarSummit</code>
	<code>\Hut</code>		<code>\IceMountain</code>		<code>\Flag</code>		
	<code>\FilledHut</code>		<code>\VarMountain</code>		<code>\VarFlag</code>		
	<code>\Village</code>		<code>\VarIceMountain</code>		<code>\Tent</code>		

TABLE 454: ifsym Clocks

	<code>\Interval</code>		<code>\StopWatchStart</code>		<code>\VarClock</code>		<code>\Wecker</code>
	<code>\StopWatchEnd</code>		<code>\Taschenuhr</code>		<code>\VarTaschenuhr</code>		


ifsym also exports a `\showclock` macro. `\showclock{<hours>}{<minutes>}` outputs a clock displaying the corresponding time. For instance, “`\showclock{5}{40}`” produces “

TABLE 455: Other ifsym Symbols
















	<code>\FilledSectioningDiamond</code>		<code>\Letter</code>		<code>\Radiation</code>
	<code>\Fire</code>		<code>\PaperLandscape</code>		<code>\SectioningDiamond</code>
	<code>\Irritant</code>		<code>\PaperPortrait</code>		<code>\Telephone</code>
	<code>\Cube{1}</code>		<code>\Cube{3}</code>		<code>\Cube{5}</code>
	<code>\Cube{2}</code>		<code>\Cube{4}</code>		<code>\Cube{6}</code>
	<code>\StrokeOne</code>		<code>\StrokeThree</code>		<code>\StrokeFive</code>
	<code>\StrokeTwo</code>		<code>\StrokeFour</code>		

TABLE 456: clock Clocks

<code>\ClockStyle</code>	<code>\ClockFramefalse</code>	<code>\ClockFrametrue</code>
0		
1		
2		
3		

The clock package provides a `\clock` command to typeset an arbitrary time on an analog clock (and `\clocktime` to typeset the document’s build time). For example, the clocks in the above table were produced with `\clock{15}{41}`. Clock symbols are composed from a font of clock-face fragments using one of four values for `\ClockStyle` and either `\ClockFramefalse` or `\ClockFrametrue` as illustrated above. See the clock documentation for more information.

TABLE 457: epsdice Dice

	<code>\epsdice{1}</code>		<code>\epsdice{3}</code>		<code>\epsdice{5}</code>
	<code>\epsdice{2}</code>		<code>\epsdice{4}</code>		<code>\epsdice{6}</code>

TABLE 458: hhcount Dice

	<code>\fcdice{1}</code>		<code>\fcdice{3}</code>		<code>\fcdice{5}</code>
	<code>\fcdice{2}</code>		<code>\fcdice{4}</code>		<code>\fcdice{6}</code>

The `\fcdice` command accepts values larger than 6. For example, “`\fcdice{47}`” produces “”.

TABLE 459: stix Dice

	<code>\dicei</code>		<code>\diceiii</code>		<code>\dicev</code>
	<code>\diceii</code>		<code>\diceiv</code>		<code>\dicevi</code>

TABLE 460: `bullcntr` Tally Markers

<code>\bullcntr{⟨1⟩}</code>		<code>\bullcntr{⟨4⟩}</code>		<code>\bullcntr{⟨7⟩}</code>	
<code>\bullcntr{⟨2⟩}</code>		<code>\bullcntr{⟨5⟩}</code>		<code>\bullcntr{⟨8⟩}</code>	
<code>\bullcntr{⟨3⟩}</code>		<code>\bullcntr{⟨6⟩}</code>		<code>\bullcntr{⟨9⟩}</code>	

The notation for `\bullcntr` used in the above bears explanation. `\bullcntr` does not take a number as its argument but rather a  $\text{\LaTeX}$  counter, whose value it uses to typeset a tally marker. “`\bullcntr{⟨3⟩}`”, for example, means to invoke `\bullcntr` with a counter whose value is 3. (`\bullcntr` usage is therefore akin to that of  $\text{\LaTeX}$ ’s `\fnsymbol`.) The intention is to use `\bullcntr` indirectly via the `bullenum` package’s `bullenum` environment, which is a variation on the `enumerate` environment that uses `\bullcntr` to typeset the labels.

To typeset individual tally markers, one can define a helper command:

```

\newcounter{bull}
\newcommand{\showbullcntr}[1]{%
  \setcounter{bull}{#1}%
  \bullcntr{bull}%
}

```

`bullcntr`’s package options `smallctrbull`, `largectrbull`, and `heartctrbull` and corresponding commands `\smallctrbull`, `\largectrbull`, and `\heartctrbull` control the formatting of each tally marker:

	small	large	heart
<code>\bullcntr{⟨5⟩}</code>			

The default is `smartctrbull` (`\smartctrbull`), which maps counter values 1–5 to large pips and 6–9 to small pips. It is also possible to use arbitrary symbols for `\bullcntr`’s pips. See the `bullcntr` documentation for more information.

TABLE 461: `hhcount` Tally Markers

<code>  \fcscore{1}</code>	<code>    \fcscore{3}</code>	<code>### \fcscore{5}</code>
<code>   \fcscore{2}</code>	<code>     \fcscore{4}</code>	

The `\fcscore` command accepts values larger than 5. For example, “`\fcscore{47}`” produces “`### ### ### ### ### ### ### ### ###`”.

TABLE 462: `dozenal` Tally Markers

<code>  \tally{1}</code>	<code>⊐ \tally{3}</code>	<code>⊑ \tally{5}</code>
<code>⊒ \tally{2}</code>	<code>⊓ \tally{4}</code>	<code>⊔ \tally{6}</code>

TABLE 463: skull Symbols


 \skull
































TABLE 464: Non-Mathematical mathabx Symbols

‡ \rip

TABLE 465: skak Chess Informator Symbols











$\bar{+}$	\bbetter	$\circ$	\doublepawns	$\circ\circ$	\seppawns
$-+$	\bdecisive	$\perp$	\ending	$O-O$	\shortcastling
$\cup$	\betteris	$=$	\equal	$\oplus$	\timelimit
$\boxplus$	\bishoppair	$\leftrightarrow$	\file	$\infty$	\unclear
$\bar{+}$	\bupperhand	$\gg$	\kside	$\circ\circ$	\unitedpawns
$\times$	\capturesymbol	$O-O-O$	\longcastling	$R$	\various
$O$	\castlingchar	$\times$	\markera	$\pm$	\wbetter
$-$	\castlinghyphen	$O$	\markerb	$+ -$	\wdecisive
$\boxplus$	\centre	$\#$	\mate	$\times$	\weakpt
$+$	\checksymbol	$>$	\morepawns	$\perp$	\with
$RR$	\chesscomment	$\circ$	\moreroom	$\rightarrow$	\withattack
$\parallel$	\chessetc	$N$	\novelty	$\triangle$	\withidea
$-$	\chesssee	$\square$	\onlymove	$\uparrow$	\withinit
$\infty$	\compensation	$\blacksquare$	\opposbishops	$\perp$	\without
$\leftrightarrow$	\counterplay	$\circ$	\passedpawn	$\pm$	\wupperhand
$\circ$	\devadvantage	$\ll$	\qside	$\odot$	\zugzwang
$\nearrow$	\diagonal	$\blacksquare$	\samebishops		

TABLE 466: skak Chess Pieces and Chessboard Squares

	<code>\BlackBishopOnBlack</code>		<code>\BlackRookOnBlack</code>		<code>\WhiteKingOnBlack</code>
	<code>\BlackBishopOnWhite</code>		<code>\BlackRookOnWhite</code>		<code>\WhiteKingOnWhite</code>
	<code>\BlackEmptySquare</code>		<code>\symbishop</code>		<code>\WhiteKnightOnBlack</code>
	<code>\BlackKingOnBlack</code>		<code>\symking</code>		<code>\WhiteKnightOnWhite</code>
	<code>\BlackKingOnWhite</code>		<code>\symknight</code>		<code>\WhitePawnOnBlack</code>
	<code>\BlackKnightOnBlack</code>		<code>\sympawn</code>		<code>\WhitePawnOnWhite</code>
	<code>\BlackKnightOnWhite</code>		<code>\symqueen</code>		<code>\WhiteQueenOnBlack</code>
	<code>\BlackPawnOnBlack</code>		<code>\symrook</code>		<code>\WhiteQueenOnWhite</code>
	<code>\BlackPawnOnWhite</code>		<code>\WhiteBishopOnBlack</code>		<code>\WhiteRookOnBlack</code>
	<code>\BlackQueenOnBlack</code>		<code>\WhiteBishopOnWhite</code>		<code>\WhiteRookOnWhite</code>
	<code>\BlackQueenOnWhite</code>		<code>\WhiteEmptySquare</code>		

The skak package also provides commands for drawing complete chessboards. See the skak documentation for more information.













TABLE 467: igo Go Symbols













	<code>\blackstone[\igocircle]</code>		<code>\whitestone[\igocircle]</code>
	<code>\blackstone[\igocross]</code>		<code>\whitestone[\igocross]</code>
	<code>\blackstone[\igonone]</code>		<code>\whitestone[\igonone]</code>
	<code>\blackstone[\igosquare]</code>		<code>\whitestone[\igosquare]</code>
	<code>\blackstone[\igotriangle]</code>		<code>\whitestone[\igotriangle]</code>

In addition to the symbols shown above, igo's `\blackstone` and `\whitestone` commands accept numbers from 1 to 99 and display them circled as **1**, **2**, **3**, ..., **99** and ①, ②, ③, ..., ⑨⑨, respectively.

The igo package is intended to typeset complete Go boards (goban). See the igo documentation for more information.


























































TABLE 468: go Go Symbols

	<code>\botborder</code>		<code>\lftbotcorner</code>		<code>\rttopcorner</code>
	<code>\empty</code>		<code>\lfttopcorner</code>		<code>\square</code>
	<code>\hoshi</code>		<code>\rtborder</code>		<code>\topborder</code>
	<code>\lftborder</code>		<code>\rtbotcorner</code>		<code>\triangle</code>

In addition to the board fragments and stones shown above, `go`'s `\black` and `\white` commands accept numbers from 1 to 253 and display them circled as , , , ...,  and , , , ..., , respectively. `\black` and `\white` additionally accept `\square` and `\triangle` as arguments, producing  and  for `\black` and  and  for `\white`.

The `go` package is intended to typeset complete Go boards (goban). See the `go` documentation for more information.

TABLE 469: metre Metrical Symbols

	<code>\a</code>		<code>\bBm</code>		<code>\cc</code>		<code>\Mbb</code>		<code>\Pppp</code>		<code>\t</code>
	<code>\B</code>		<code>\bbm</code>		<code>\Ccc</code>		<code>\mbbx</code>		<code>\pppp</code>		<code>\tsbm</code>
	<code>\b</code>		<code>\BBm</code>		<code>\m</code>		<code>\oo</code>		<code>\Ppppp</code>		<code>\tsmb</code>
	<code>\Bb</code>		<code>\bbmb</code>		<code>\M</code>		<code>\p</code>		<code>\ppppp</code>		<code>\tsmm</code>
	<code>\BB</code>		<code>\bbmx</code>		<code>\ma</code>		<code>\pm</code>		<code>\ps</code>		<code>\vppm</code>
	<code>\bb</code>		<code>\bm</code>		<code>\Mb</code>		<code>\pp</code>		<code>\pxp</code>		<code>\vpppm</code>
	<code>\bB</code>		<code>\Bm</code>		<code>\mb</code>		<code>\Pp</code>		<code>\Pxp</code>		<code>\x</code>
	<code>\bba</code>		<code>\c</code>		<code>\mBb</code>		<code>\ppm</code>		<code>\R</code>		
	<code>\bbb</code>		<code>\C</code>		<code>\mbB</code>		<code>\ppp</code>		<code>\r</code>		
	<code>\BBm</code>		<code>\Cc</code>		<code>\mbb</code>		<code>\Ppp</code>		<code>\T</code>		

The preceding symbols are valid only within the argument to the `metre` command.

TABLE 470: metre Small and Large Metrical Symbols



























	<code>\anaclasis</code>		<code>\Anaclasis</code>
	<code>\antidiple</code>		<code>\Antidiple</code>
	<code>\antidiple*</code>		<code>\Antidiple*</code>
	<code>\antisigma</code>		<code>\Antisigma</code>
	<code>\asteriscus</code>		<code>\Asteriscus</code>
	<code>\catalexis</code>		<code>\Catalexis</code>
	<code>\diple</code>		<code>\Diple</code>
	<code>\diple*</code>		<code>\Diple*</code>
	<code>\obelus</code>		<code>\Obelus</code>
	<code>\obelus*</code>		<code>\Obelus*</code>
	<code>\respondens</code>		<code>\Respondens</code>
	<code>\terminus</code>		<code>\Terminus</code>
	<code>\terminus*</code>		<code>\Terminus*</code>



TABLE 471: teubner Metrical Symbols








∞	<code>\aeolicbii</code>	∩	<code>\barbrevis</code>	+	<code>\ipercatal</code>
∞∞	<code>\aeolicbiii</code>	∪	<code>\bbrevis</code>	—	<code>\longa</code>
∞∞∞	<code>\aeolicbiv</code>	∩	<code>\brevis</code>	∩	<code>\ubarbbrevis</code>
×	<code>\anceps</code>	^	<code>\catal</code>	∩	<code>\ubarbrevis</code>
⌘	<code>\ancepsdbrevis</code>	∩	<code>\corona</code>	∩	<code>\ubarsbrevis</code>
⌘	<code>\banceps</code>	∩	<code>\coronainv</code>	∩	<code>\ubrevislonga</code>
∩	<code>\barbbrevis</code>	H	<code>\hiatus</code>		

The `teubner` package provides a `\newmetrics` command that helps users combine the preceding symbols as well as other `teubner` symbols. For example, the predefined `\pentam` symbol uses `\newmetrics` to juxtapose six `\longas`, two `\barbbrevises`, four `\brevises`, and a `\dBar` into “`—∩—∩—||—∩—∩—`”. See the `teubner` documentation for more information.

TABLE 472: dictsym Dictionary Symbols

✈	<code>\dsaeronautical</code>	†	<code>\dscommercial</code>	⚕	<code>\dsmedical</code>
🌾	<code>\dsagricultural</code>	🏰	<code>\ds heraldical</code>	✈	<code>\dsmilitary</code>
🏠	<code>\dsarchitectural</code>	⚖	<code>\dsjuridical</code>	🚂	<code>\dsrailways</code>
🌿	<code>\dsbiological</code>	📖	<code>\dsliterary</code>	⊕	<code>\dstechnical</code>
🧪	<code>\dschemical</code>	ℵ	<code>\ds mathematical</code>		

TABLE 473: simpsons Characters from *The Simpsons*

	<code>\Bart</code>		<code>\Homer</code>		<code>\Maggie</code>		<code>\SNPP</code>
	<code>\Burns</code>		<code>\Lisa</code>		<code>\Marge</code>		

The location of the characters’ pupils can be controlled with the `\Goofy` command. See *A METAFONT of ‘Simpsons’ characters* [Che97] for more information. Also, each of the above can be prefixed with `\Left` to make the character face left instead of right:







































TABLE 474: pmboxdraw Box-Drawing Symbols

	<code>\textblock</code>	$\vrule$	<code>\textSFli</code>	$\vrule\vrule$	<code>\textSFxli</code>	$\vrule\vrule\vrule$	<code>\textSFxxiii</code>
	<code>\textdkshade</code>	$\vrule$	<code>\textSFlii</code>	$\vrule\vrule$	<code>\textSFxlii</code>	$\vrule\vrule\vrule$	<code>\textSFxxiv</code>
	<code>\textdnblock</code>	$\vrule\vrule$	<code>\textSFliii</code>	$=$	<code>\textSFxliii</code>	$\vrule\vrule\vrule$	<code>\textSFxxv</code>
	<code>\textlfblock</code>	$\vrule\vrule\vrule$	<code>\textSFliv</code>	$\vrule\vrule\vrule$	<code>\textSFxliv</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFxxvi</code>
	<code>\textltshade</code>	$\vrule\vrule\vrule$	<code>\textSFv</code>	$\vrule\vrule\vrule$	<code>\textSFxlix</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFxxvii</code>
	<code>\textrtblock</code>	$\vrule\vrule\vrule$	<code>\textSFvi</code>	$\vrule\vrule\vrule$	<code>\textSFxlv</code>	$\vrule\vrule\vrule\vrule$	<code>\textSFxxviii</code>
$\lrcorner$	<code>\textSFi</code>	$\perp$	<code>\textSFvii</code>	$\vrule\vrule$	<code>\textSFxlvii</code>	$\vrule\vrule\vrule$	<code>\textSFxxxix</code>
$\llcorner$	<code>\textSFii</code>	$\vdash$	<code>\textSFviii</code>	$\vrule\vrule$	<code>\textSFxlviii</code>	$\vrule\vrule\vrule$	<code>\textSFxxxvi</code>
$\lrcorner$	<code>\textSFiii</code>	$-$	<code>\textSFx</code>	$\vrule\vrule$	<code>\textSFxlviii</code>	$\vrule\vrule\vrule$	<code>\textSFxxxvii</code>
$\lrcorner$	<code>\textSFiv</code>	$ $	<code>\textSFxi</code>	$\vrule\vrule$	<code>\textSFxx</code>	$\vrule\vrule\vrule$	<code>\textSFxxxviii</code>
$\vdash$	<code>\textSFix</code>	$\vdash$	<code>\textSFxix</code>	$\vrule\vrule$	<code>\textSFxxi</code>		<code>\textshade</code>
$\vrule$	<code>\textSF1</code>	$\vrule\vrule$	<code>\textSFxl</code>	$\vrule\vrule$	<code>\textSFxxii</code>		<code>\textupblock</code>

Code Page 437 (CP437), which was first utilized by the original IBM PC, contains the set of box-drawing symbols (sides, corners, and intersections of single- and double-ruled boxes) shown above in character positions 176–223. These symbols also appear in the Unicode Box Drawing and Block Element tables.










































The `pmboxdraw` package draws the CP437 box-drawing symbols using  $\TeX$  rules (specifically, `\vrule`) instead of with a font and thereby provides the ability to alter both rule width and the separation between rules. See the `pmboxdraw` documentation for more information.

TABLE 475: staves Magical Staves

	<code>\staveI</code>		<code>\staveXXIV</code>		<code>\staveXLVII</code>
	<code>\staveII</code>		<code>\staveXXV</code>		<code>\staveXLVIII</code>
	<code>\staveIII</code>		<code>\staveXXVI</code>		<code>\staveXLIX</code>
	<code>\staveIV</code>		<code>\staveXXVII</code>		<code>\staveL</code>
	<code>\staveV</code>		<code>\staveXXVIII</code>		<code>\staveLI</code>
	<code>\staveVI</code>		<code>\staveXXIX</code>		<code>\staveLII</code>
	<code>\staveVII</code>		<code>\staveXXX</code>		<code>\staveLIII</code>
	<code>\staveVIII</code>		<code>\staveXXXI</code>		<code>\staveLIV</code>
	<code>\staveIX</code>		<code>\staveXXXII</code>		<code>\staveLV</code>

(continued on next page)

(continued from previous page)

	<code>\staveX</code>		<code>\staveXXXIII</code>		<code>\staveLVI</code>
	<code>\staveXI</code>		<code>\staveXXXIV</code>		<code>\staveLVII</code>
	<code>\staveXII</code>		<code>\staveXXXV</code>		<code>\staveLVIII</code>
	<code>\staveXIII</code>		<code>\staveXXXVI</code>		<code>\staveLIX</code>
	<code>\staveXIV</code>		<code>\staveXXXVII</code>		<code>\staveLX</code>
	<code>\staveXV</code>		<code>\staveXXXVIII</code>		<code>\staveLXI</code>
	<code>\staveXVI</code>		<code>\staveXXXIX</code>		<code>\staveLXII</code>
	<code>\staveXVII</code>		<code>\staveXL</code>		<code>\staveLXIII</code>
	<code>\staveXVIII</code>		<code>\staveXLI</code>		<code>\staveLXIV</code>
	<code>\staveXIX</code>		<code>\staveXLII</code>		<code>\staveLXV</code>
	<code>\staveXX</code>		<code>\staveXLIII</code>		<code>\staveLXVI</code>
	<code>\staveXXI</code>		<code>\staveXLIV</code>		<code>\staveLXVII</code>
	<code>\staveXXII</code>		<code>\staveXLV</code>		<code>\staveLXVIII</code>
	<code>\staveXXIII</code>		<code>\staveXLVI</code>		


The meanings of these symbols are described on the Web site for the Museum of Icelandic Sorcery and Witchcraft at [http://www.galdrasynning.is/index.php?option=com\\_content&task=category&sectionid=5&id=18&Itemid=60](http://www.galdrasynning.is/index.php?option=com_content&task=category&sectionid=5&id=18&Itemid=60) (TinyURL: <http://tinyurl.com/25979m>). For example, `\staveL` (“”) is intended to ward off ghosts and evil spirits.

TABLE 476: pigpen Cipher Symbols



























	<code>{\pigpenfont A}</code>		<code>{\pigpenfont J}</code>		<code>{\pigpenfont S}</code>
	<code>{\pigpenfont B}</code>		<code>{\pigpenfont K}</code>		<code>{\pigpenfont T}</code>
	<code>{\pigpenfont C}</code>		<code>{\pigpenfont L}</code>		<code>{\pigpenfont U}</code>
	<code>{\pigpenfont D}</code>		<code>{\pigpenfont M}</code>		<code>{\pigpenfont V}</code>
	<code>{\pigpenfont E}</code>		<code>{\pigpenfont N}</code>		<code>{\pigpenfont W}</code>
	<code>{\pigpenfont F}</code>		<code>{\pigpenfont O}</code>		<code>{\pigpenfont X}</code>
	<code>{\pigpenfont G}</code>		<code>{\pigpenfont P}</code>		<code>{\pigpenfont Y}</code>
	<code>{\pigpenfont H}</code>		<code>{\pigpenfont Q}</code>		<code>{\pigpenfont Z}</code>
	<code>{\pigpenfont I}</code>		<code>{\pigpenfont R}</code>		

TABLE 477: GifA2e Phases of the Moon

	<code>\MoonPha{1}</code>		<code>\MoonPha{2}</code>		<code>\MoonPha{3}</code>		<code>\MoonPha{4}</code>
---	--------------------------	---	--------------------------	---	--------------------------	---	--------------------------

TABLE 478:  $\text{\Gp}$  Recycling Symbols


 `\Greenpoint`

TABLE 479: `marvosym` Recycling Symbols






 `\PackingWaste`  `\Recycling`

TABLE 480: `recycle` Recycling Symbols

 `\recycle`  `\Recycle`

 `\RECYCLE`

The METAFONT code that implements the recycling symbols shown above is, in the words of its author, “awful code [that] doesn’t even put the logo in a box (properly)”. Expect to receive “Inconsistent equation (off by  $\langle number \rangle$ )” errors from METAFONT. Fortunately, if you tell METAFONT to proceed past those errors (e.g., by pressing Enter after each one or by specifying “-interaction=nonstopmode” on the METAFONT command line) it should produce a valid font.

The commands listed above should be used within a group (e.g., “`{\recycle}`”) because they exhibit the side effect of *changing* the font to the recycle font.

TABLE 481: Other  $\text{\Gp}$  Symbols

























 `\Info`  `\Request`  
 `\Postbox`  `\Telephone`

TABLE 482: soyombo Soyombo Symbols

	<code>\Soyombo</code>		<code>\sA*</code>		<code>\s0*</code>
---	-----------------------	---	-------------------	---	-------------------

\* These symbols require that the Soyombo font be active (“`{\soyombo ... }`”).

TABLE 483: knitting Knitting Symbols

$\wedge$	<code>\textknit{!}</code>	$\rightarrow$	<code>\textknit{[}</code>		<code>\textknit{Q}</code>
	<code>\textknit{"}</code>	$\leftarrow$	<code>\textknit{]}</code>		<code>\textknit{q}</code>
$\backslash$	<code>\textknit{(}</code>	$\uparrow$	<code>\textknit{A}</code>	$\nearrow$	<code>\textknit{R}</code>
$/$	<code>\textknit{)}</code>	$\uparrow$	<code>\textknit{a}</code>	$\swarrow$	<code>\textknit{r}</code>
$*$	<code>\textknit{*}</code>		<code>\textknit{B}</code>	$\leftarrow$	<code>\textknit{S}</code>
$ $	<code>\textknit{-}</code>		<code>\textknit{b}</code>	$\rightarrow$	<code>\textknit{s}</code>
	<code>\textknit{2}</code>	$\nabla$	<code>\textknit{E}</code>		<code>\textknit{T}</code>
	<code>\textknit{3}</code>		<code>\textknit{F}</code>		<code>\textknit{t}</code>
$\lambda$	<code>\textknit{4}</code>	$\frown$	<code>\textknit{f}</code>		<code>\textknit{U}</code>
$\sphericalangle$	<code>\textknit{5}</code>	$\uparrow$	<code>\textknit{H}</code>	$\sphericalangle$	<code>\textknit{u}</code>
$\nabla$	<code>\textknit{6}</code>	$\downarrow$	<code>\textknit{h}</code>		<code>\textknit{V}</code>
$\sphericalangle$	<code>\textknit{7}</code>		<code>\textknit{I}</code>	$\nabla$	<code>\textknit{v}</code>
$\sphericalangle$	<code>\textknit{8}</code>		<code>\textknit{i}</code>		<code>\textknit{W}</code>
	<code>\textknit{9}</code>		<code>\textknit{J}</code>	$\nabla$	<code>\textknit{w}</code>
	<code>\textknit{:}</code>	$\nwarrow$	<code>\textknit{j}</code>		<code>\textknit{X}</code>
	<code>\textknit{;}</code>	$\searrow$	<code>\textknit{L}</code>		<code>\textknit{x}</code>
$\sphericalangle$	<code>\textknit{&lt;}</code>	$\lambda$	<code>\textknit{l}</code>	$\nabla$	<code>\textknit{Y}</code>
$-$	<code>\textknit{=}</code>		<code>\textknit{M}</code>	$\sphericalangle$	<code>\textknit{y}</code>
$\sphericalangle$	<code>\textknit{&gt;}</code>	$m$	<code>\textknit{m}</code>		<code>\textknit{Z}</code>
$\bullet$	<code>\textknit{@}</code>	$\circ$	<code>\textknit{0}</code>		<code>\textknit{z}</code>

The knitting package is intended to typeset complete knitting charts. See the knitting documentation for more information.


Some symbols behave differently when used as part of a sequence. For example, contrast `\textknit{1}` (“ $\uparrow$ ”), `\textknit{11}` (“ $\uparrow\uparrow$ ”), and `\textknit{111}` (“ $\uparrow\uparrow\uparrow$ ”). Similarly, contrast `\textknit{"}` (“ $\curvearrowright$ ”) and `\textknit{""}` (“ $\curvearrowleft$ ”). Again, see the knitting documentation for more information.

TABLE 484: CountriesOfEurope Country Maps

	<code>\Albania</code>		<code>\Latvia</code>
	<code>\Andorra</code>		<code>\Liechtenstein</code>
	<code>\Austria</code>		<code>\Lithuania</code>
	<code>\Belarus</code>		<code>\Luxembourg</code>
	<code>\Belgium</code>		<code>\Macedonia</code>
	<code>\Bosnia</code>		<code>\Malta</code>
	<code>\Bulgaria</code>		<code>\Moldova</code>
	<code>\Croatia</code>		<code>\Montenegro</code>
	<code>\Czechia</code>		<code>\Netherlands</code>
	<code>\Denmark</code>		<code>\Norway</code>
	<code>\Estonia</code>		<code>\Poland</code>
	<code>\Finland</code>		<code>\Portugal</code>
	<code>\France</code>		<code>\Romania</code>

*(continued on next page)*

*(continued from previous page)*



The preceding commands work only when the `CountriesOfEurope` font family is active. For convenience, the package defines a `\CountriesOfEuropeFamily` command that switches to that font family.


By default, countries are drawn in the current font size. Hence, `{\CountriesOfEuropeFamily\France}` draws a nearly unrecognizable “”. For clarity of presentation, Table 484 scales each glyph to 72 pt. via an explicit `\fontsize{72}{72}`. An alternative is to specify the scaled package option to scale all country glyphs by a given factor of the font size.

TABLE 485: Miscellaneous arev Symbols















	<code>\anchor</code>		<code>\invsmileface</code>		<code>\skull</code>		<code>\warning</code>
	<code>\biohazard</code>		<code>\radiation</code>		<code>\smileface</code>		<code>\yinyang</code>
	<code>\heavyqleft</code>		<code>\recycle</code>		<code>\steaming</code>		
	<code>\heavyqright</code>		<code>\sadface</code>		<code>\swords</code>		

TABLE 486: cookingsymbols Cooking Symbols

























	<code>\Bottomheat</code>		<code>\Fork</code>		<code>\Knife</code>		<code>\Topbottomheat</code>
	<code>\Dish</code>		<code>\Gasstove</code>		<code>\Oven</code>		<code>\Topheat</code>
	<code>\Fanoven</code>		<code>\Gloves</code>		<code>\Spoon</code>		





















TABLE 487: tikzsymbols Cooking Symbols

	<code>\bakingplate</code>		<code>\eggbeater</code>		<code>\peeler</code>		<code>\trident</code>
	<code>\blender</code>		<code>\fryingpan</code>		<code>\pot</code>		
	<code>\bowl</code>		<code>\oven</code>		<code>\sieve</code>		
	<code>\cooker</code>		<code>\pan</code>		<code>\squeezer</code>		

tikzsymbols defines German-language aliases for each of the above: `\Backblech` for `\bakingplate`, `\Bratpfanne` for `\fryingpan`, `\Dreizack` for `\trident`, `\Herd` for `\cooker`, `\Kochtopf` for `\pot`, `\Ofen` for `\oven`, `\Pfanne` for `\pan`, `\Purierstab` for `\blender`, `\Saftpresse` for `\squeezer`, `\Schaler` for `\peeler`, `\Schneebesen` for `\eggbeater`, `\Schussel` for `\bowl`, and `\Sieb` for `\sieve`.

All tikzsymbols symbols are implemented with TikZ graphics, not with a font.


















TABLE 488: tikzsymbols Emoticons

	<code>\Annoey</code>		<code>\Neutrey</code>		<code>\rWalley</code>		<code>\Vomey</code>
	<code>\Cat</code>		<code>\NiceReapey</code>		<code>\Sadey</code>		<code>\Walley</code>
	<code>\Cooley</code>		<code>\Ninja</code>		<code>\Sey</code>		<code>\Winkey</code>
	<code>\Innocey</code>		<code>\Nursey</code>		<code>\Smiley</code>		<code>\wInnocey</code>
	<code>\Laughey</code>		<code>\oldWinkey</code>		<code>\Tongey</code>		<code>\Xey</code>

All tikzsymbols symbols are implemented with TikZ graphics, not with a font. Hence, symbols like `\Ninja` can include color. In fact, most of the commands shown above accept one or more color arguments for further customization. See the tikzsymbols documentation for more information.








TABLE 489: tikzsymbols 3D Emoticons

	<code>\dAnnoey</code>		<code>\dNinja</code>		<code>\dSmiley</code>		<code>\dXey</code>
	<code>\dCooley</code>		<code>\dNursey</code>		<code>\dTongey</code>		<code>\olddWinkey</code>
	<code>\dInnocey</code>		<code>\drWalley</code>		<code>\dVomey</code>		
	<code>\dLaughey</code>		<code>\dSadey</code>		<code>\dWalley</code>		
	<code>\dNeutrey</code>		<code>\dSey</code>		<code>\dWinkey</code>		










All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font. Hence, all of the symbols shown above can include color. In fact, each command in Table 489 accepts one or more color arguments for further customization. See the `tikzsymbols` documentation for more information.

TABLE 490: tikzsymbols Trees

	<code>\Autummtree</code>		<code>\Summertree</code>		<code>\WorstTree</code>
	<code>\Springtree</code>		<code>\Wintertree</code>		

All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font. Hence, all of the symbols shown above can include color. `tikzsymbols` additionally defines a `\BasicTree` command that supports customization of trunk and leaf colors. See the `tikzsymbols` documentation for more information.

TABLE 491: Miscellaneous tikzsymbols Symbols

	<code>\Bed</code>		<code>\Chair</code>		<code>\Fire</code>		<code>\Snowman</code>		<code>\Tribar</code>
	<code>\Candle</code>		<code>\Coffeecup</code>		<code>\Moai</code>		<code>\Strichmaxerl</code>		

All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font. `\Tribar` supports customization of the fill color for each bar. `\Strichmaxerl` supports customization of the angles at which the stick figure's arms and legs are drawn. See the `tikzsymbols` documentation for more information.

TABLE 492: Miscellaneous bclogo Symbols

	<code>\bcattention</code>		<code>\bcetoile</code>		<code>\bcpanchant</code>
	<code>\bcbombe</code>		<code>\bcfemme</code>		<code>\bcpeaceandlove</code>
	<code>\bcbook</code>		<code>\bcfeujaune</code>		<code>\bcpluie</code>

*(continued on next page)*

(continued from previous page)

	<code>\bccalendrier</code>		<code>\bcfeurouge</code>		<code>\bcplume</code>
	<code>\bccle</code>		<code>\bcfeutricolore</code>		<code>\bcpoisson</code>
	<code>\bcclefa</code>		<code>\bcfeuvert</code>		<code>\bcquestion</code>
	<code>\bcclesol</code>		<code>\bcfleur</code>		<code>\bcrecyclage</code>
	<code>\bccoeur</code>		<code>\bchomme</code>		<code>\bcrosevents</code>
	<code>\bccrayon</code>		<code>\bchorloge</code>		<code>\bcsmbh</code>
	<code>\bccube</code>		<code>\bcicosaedre</code>		<code>\bcsmmh</code>
	<code>\bcdallemagne</code>		<code>\bcinfo</code>		<code>\bcsoleil</code>
	<code>\bcdanger</code>		<code>\bcinterdit</code>		<code>\bcspadesuit</code>
	<code>\bcdautriche</code>		<code>\bclampe</code>		<code>\bcstop</code>
	<code>\bcdbelgique</code>		<code>\bcloupe</code>		<code>\bctakecare</code>
	<code>\bcdbulgarie</code>		<code>\bcneige</code>		<code>\bctetraedre</code>
	<code>\bcdfrance</code>		<code>\bcnote</code>		<code>\bctrefle</code>
	<code>\bcditalie</code>		<code>\bcnucleaire</code>		<code>\bctrombone</code>
	<code>\bcdluxembourg</code>		<code>\bcocetaedre</code>		<code>\bcvaletcoeur</code>
	<code>\bcdodecaedre</code>		<code>\bcoeil</code>		<code>\bcvelo</code>
	<code>\bcdpaysbas</code>		<code>\bcorne</code>		<code>\bcyin</code>
	<code>\bcdz</code>		<code>\bcours</code>		
	<code>\bceclaircie</code>		<code>\bcoutil</code>		

All `bclogo` symbols are implemented with `TikZ` (or alternatively, `PSTricks`) graphics, not with a font. This is how the symbols shown above can include color.

TABLE 493: fontawesome Web-Related Icons

	<code>\fa500px</code>		<code>\faFemale</code>		<code>\faPlane</code>
	<code>\faAdjust</code>		<code>\faFighterJet</code>		<code>\faPlay</code>
	<code>\faAdn</code>		<code>\faFile</code>		<code>\faPlayCircle</code>
	<code>\faAlignCenter</code>		<code>\faFileArchive0</code>		<code>\faPlayCircle0</code>
	<code>\faAlignJustify</code>		<code>\faFileAudio0</code>		<code>\faPlug</code>
	<code>\faAlignLeft</code>		<code>\faFileCode0</code>		<code>\faPlus</code>
	<code>\faAlignRight</code>		<code>\faFileExcel0</code>		<code>\faPlusCircle</code>
	<code>\faAmazon</code>		<code>\faFileImage0</code>		<code>\faPlusSquare</code>
	<code>\faAmbulance</code>		<code>\faFile0</code>		<code>\faPlusSquare0</code>
	<code>\faAnchor</code>		<code>\faFilePdf0</code>		<code>\faPowerOff</code>
	<code>\faAndroid</code>		<code>\faFilePowerpoint0</code>		<code>\faPrint</code>
	<code>\faAngellist</code>		<code>\faFiles0</code>		<code>\faPuzzlePiece</code>
	<code>\faAngleDoubleDown</code>		<code>\faFileText</code>		<code>\faQq</code>
	<code>\faAngleDoubleLeft</code>		<code>\faFileText0</code>		<code>\faQrcode</code>
	<code>\faAngleDoubleRight</code>		<code>\faFileVideo0</code>		<code>\faQuestion</code>
	<code>\faAngleDoubleUp</code>		<code>\faFileWord0</code>		<code>\faQuestionCircle</code>
	<code>\faAngleDown</code>		<code>\faFilm</code>		<code>\faQuoteLeft</code>
	<code>\faAngleLeft</code>		<code>\faFilter</code>		<code>\faQuoteRight</code>
	<code>\faAngleRight</code>		<code>\faFire</code>		<code>\faRandom</code>
	<code>\faAngleUp</code>		<code>\faFireExtinguisher</code>		<code>\faRebel</code>
	<code>\faApple</code>		<code>\faFirefox</code>		<code>\faRecycle</code>
	<code>\faArchive</code>		<code>\faFlag</code>		<code>\faReddit</code>
	<code>\faAreaChart</code>		<code>\faFlagChecked</code>		<code>\faRedditSquare</code>
	<code>\faAsterisk</code>		<code>\faFlag0</code>		<code>\faRefresh</code>
	<code>\faAt</code>		<code>\faFlask</code>		<code>\faRenren</code>
	<code>\faBackward</code>		<code>\faFlickr</code>		<code>\faReply</code>
	<code>\faBalanceScale</code>		<code>\faFloppy0</code>		<code>\faReplyAll</code>
	<code>\faBan</code>		<code>\faFolder</code>		<code>\faRetweet</code>
	<code>\faBarChart</code>		<code>\faFolder0</code>		<code>\faRoad</code>
	<code>\faBarcode</code>		<code>\faFolderOpen</code>		<code>\faRocket</code>
	<code>\faBars</code>		<code>\faFolderOpen0</code>		<code>\faRss</code>
	<code>\faBatteryEmpty</code>		<code>\faFont</code>		<code>\faRssSquare</code>
	<code>\faBatteryFull</code>		<code>\faFonticons</code>		<code>\faSafari</code>
	<code>\faBatteryHalf</code>		<code>\faForumbee</code>		<code>\faScissors</code>
	<code>\faBatteryQuarter</code>		<code>\faForward</code>		<code>\faSearch</code>
	<code>\faBatteryThreeQuarters</code>		<code>\faFoursquare</code>		<code>\faSearchMinus</code>
	<code>\faBed</code>		<code>\faFrown0</code>		<code>\faSearchPlus</code>
	<code>\faBeer</code>		<code>\faFutbol0</code>		<code>\faSellsy</code>
	<code>\faBehance</code>		<code>\faGamepad</code>		<code>\faServer</code>
	<code>\faBehanceSquare</code>		<code>\faGavel</code>		<code>\faShare</code>
	<code>\faBell</code>		<code>\faGetPocket</code>		<code>\faShareAlt</code>
	<code>\faBell0</code>		<code>\faGg</code>		<code>\faShareAltSquare</code>
	<code>\faBellSlash</code>		<code>\faGgCircle</code>		<code>\faShareSquare</code>
	<code>\faBellSlash0</code>		<code>\faGift</code>		<code>\faShareSquare0</code>
	<code>\faBicycle</code>		<code>\faGit</code>		<code>\faShield</code>
	<code>\faBinoculars</code>		<code>\faGithub</code>		<code>\faShip</code>
	<code>\faBirthdayCake</code>		<code>\faGithubAlt</code>		<code>\faShirtsinbulk</code>

(continued on next page)

(continued from previous page)

	\faBitbucket		\faGithubSquare		\faShoppingCart
	\faBitbucketSquare		\faGitSquare		\faSignal
	\faBlackTie		\faGlass		\faSignIn
	\faBold		\faGlobe		\faSignOut
	\faBolt		\faGoogle		\faSimplybuilt
	\faBomb		\faGooglePlus		\faSitemap
	\faBook		\faGooglePlusSquare		\faSkyatlas
	\faBookmark		\faGoogleWallet		\faSkype
	\faBookmark0		\faGraduationCap		\faSlack
	\faBriefcase		\faGratipay		\faSliders
	\faBug		\faHackerNews		\faSlideshare
	\faBuilding		\faHdd0		\faSmile0
	\faBuilding0		\faHeader		\faSort
	\faBullhorn		\faHeadphones		\faSortAlphaAsc
	\faBullseye		\faHeart		\faSortAlphaDesc
	\faBus		\faHeartbeat		\faSortAmountAsc
	\faBuysellads		\faHeart0		\faSortAmountDesc
	\faCalculator		\faHistory		\faSortAsc
	\faCalendar		\faHome		\faSortDesc
	\faCalendarCheck0		\faHospital0		\faSortNumericAsc
	\faCalendarMinus0		\faHourglass		\faSortNumericDesc
	\faCalendar0		\faHourglassEnd		\faSoundcloud
	\faCalendarPlus0		\faHourglassHalf		\faSpaceShuttle
	\faCalendarTimes0		\faHourglass0		\faSpinner
	\faCamera		\faHourglassStart		\faSpoon
	\faCameraRetro		\faHouzz		\faSpotify
	\faCar		\faHSquare		\faStackExchange
	\faCaretDown		\faHtml5		\faStackOverflow
	\faCaretLeft		\faICursor		\faSteam
	\faCaretRight		\faInbox		\faSteamSquare
	\faCaretSquare0Down		\faIndent		\faStepBackward
	\faCaretSquare0Left		\faIndustry		\faStepForward
	\faCaretSquare0Right		\faInfo		\faStethoscope
	\faCaretSquare0Up		\faInfoCircle		\faStickyNote
	\faCaretUp		\faInstagram		\faStickyNote0
	\faCartArrowDown		\faInternetExplorer		\faStop
	\faCartPlus		\faIoxhost		\faStreetView
	\faCc		\faItalic		\faStrikethrough
	\faCcAmex		\faJoomla		\faStumbleupon
	\faCcDinersClub		\faJsFiddle		\faStumbleuponCircle
	\faCcDiscover		\faKey		\faSubscript
	\faCcJcb		\faKeyboard0		\faSubway
	\faCcMastercard		\faLanguage		\faSuitcase
	\faCcPaypal		\faLaptop		\faSuperscript
	\faCcStripe		\faLastfm		\faTable
	\faCcVisa		\faLastfmSquare		\faTablet
	\faCertificate		\faLeaf		\faTachometer
	\faChainBroken		\faLeanpub		\faTag
	\faChild		\faLemon0		\faTags






















































(continued on next page)

(continued from previous page)

	\faChrome		\faLevelDown		\faTasks
	\faClipboard		\faLevelUp		\faTaxi
	\faClockO		\faLifeRing		\faTelevision
	\faClone		\faLightbulbO		\faTencentWeibo
	\faCloud		\faLineChart		\faTerminal
	\faCloudDownload		\faLink		\faTextHeight
	\faCloudUpload		\faLinkedin		\faTextWidth
	\faCode		\faLinkedinSquare		\faTh
	\faCodeFork		\faLinux		\faThLarge
	\faCodepen		\faList		\faThList
	\faCoffee		\faListAlt		\faThumbTack
	\faCog		\faList01		\faTicket
	\faCogs		\faListUl		\faTint
	\faColumns		\faLocationArrow		\faToggleOff
	\faComment		\faLock		\faToggleOn
	\faCommenting		\faMagic		\faTrain
	\faCommentingO		\faMagnet		\faTrash
	\faCommentO		\faMale		\faTrashO
	\faComments		\faMap		\faTree
	\faCommentsO		\faMapMarker		\faTrello
	\faCompass		\faMapO		\faTripadvisor
	\faCompress		\faMapPin		\faTrophy
	\faConnectdevelop		\faMapSigns		\faTruck
	\faContao		\faMaxcdn		\faTty
	\faCreditCard		\faMeanpath		\faTumblr
	\faCrop		\faMedium		\faTumblrSquare
	\faCrosshairs		\faMedkit		\faTwitch
	\faCss3		\faMehO		\faTwitter
	\faCube		\faMicrophone		\faTwitterSquare
	\faCubes		\faMicrophoneSlash		\faUmbrella
	\faCutlery		\faMinus		\faUnderline
	\faDashcube		\faMinusCircle		\faUniversity
	\faDatabase		\faMinusSquare		\faUnlock
	\faDelicious		\faMinusSquareO		\faUnlockAlt
	\faDesktop		\faMobile		\faUpload
	\faDeviantart		\faMoney		\faUser
	\faDiamond		\faMotorcycle		\faUserMd
	\faDigg		\faMousePointer		\faUserPlus
	\faDownload		\faMusic		\faUsers
	\faDribbble		\faNewspaperO		\faUserSecret
	\faDropbox		\faObjectGroup		\faUserTimes
	\faDrupal		\faObjectUngroup		\faVideoCamera
	\faEject		\faOdnoklassniki		\faVimeo
	\faEllipsisH		\faOdnoklassnikiSquare		\faVimeoSquare
	\faEllipsisV		\faOpencart		\faVine
	\faEmpire		\faOpenid		\faVk
	\faEnvelope		\faOpera		\faVolumeDown
	\faEnvelopeO		\faOptinMonster		\faVolumeOff
	\faEnvelopeSquare		\faOutdent		\faVolumeUp

(continued on next page)

(continued from previous page)

	<code>\faEraser</code>		<code>\faPagelines</code>		<code>\faWeibo</code>
	<code>\faExchange</code>		<code>\faPaintBrush</code>		<code>\faWeixin</code>
	<code>\faExclamation</code>		<code>\faPaperclip</code>		<code>\faWhatsapp</code>
	<code>\faExclamationCircle</code>		<code>\faPaperPlane</code>		<code>\faWheelchair</code>
	<code>\faExclamationTriangle</code>		<code>\faPaperPlane0</code>		<code>\faWifi</code>
	<code>\faExpand</code>		<code>\faParagraph</code>		<code>\faWikipediaW</code>
	<code>\faExpeditedssl</code>		<code>\faPause</code>		<code>\faWindows</code>
	<code>\faExternalLink</code>		<code>\faPaw</code>		<code>\faWordpress</code>
	<code>\faExternalLinkSquare</code>		<code>\faPaypal</code>		<code>\faWrench</code>
	<code>\faEye</code>		<code>\faPhone</code>		<code>\faXing</code>
	<code>\faEyedropper</code>		<code>\faPhoneSquare</code>		<code>\faXingSquare</code>
	<code>\faEyeSlash</code>		<code>\faPicture0</code>		<code>\faYahoo</code>
	<code>\faFacebook</code>		<code>\faPieChart</code>		<code>\faYCombinator</code>
	<code>\faFacebookOfficial</code>		<code>\faPiedPiper</code>		<code>\faYelp</code>
	<code>\faFacebookSquare</code>		<code>\faPiedPiperAlt</code>		<code>\faYoutube</code>
	<code>\faFastBackward</code>		<code>\faPinterest</code>		<code>\faYoutubePlay</code>
	<code>\faFastForward</code>		<code>\faPinterestP</code>		<code>\faYoutubeSquare</code>
	<code>\faFax</code>		<code>\faPinterestSquare</code>		

fontawesome defines synonyms for many of the preceding symbols:
































































	<code>\faAutomobile</code>		<code>\faFileZip0</code>		<code>\faRa</code>
	<code>\faBank</code>		<code>\faFlash</code>		<code>\faReorder</code>
	<code>\faBarChart0</code>		<code>\faGe</code>		<code>\faSave</code>
	<code>\faBattery0</code>		<code>\faGear</code>		<code>\faSend</code>
	<code>\faBattery1</code>		<code>\faGears</code>		<code>\faSend0</code>
	<code>\faBattery2</code>		<code>\faGittip</code>		<code>\faSoccerBall0</code>
	<code>\faBattery3</code>		<code>\faGroup</code>		<code>\faSortDown</code>
	<code>\faBattery4</code>		<code>\faHotel</code>		<code>\faSortUp</code>
	<code>\faCab</code>		<code>\faImage</code>		<code>\faSupport</code>
	<code>\faChain</code>		<code>\faInstitution</code>		<code>\faToggleDown</code>
	<code>\faCopy</code>		<code>\faLegal</code>		<code>\faToggleLeft</code>
	<code>\faCut</code>		<code>\faLifeBouy</code>		<code>\faToggleRight</code>
	<code>\faDashboard</code>		<code>\faLifeSaver</code>		<code>\faToggleUp</code>
	<code>\faDedent</code>		<code>\faMailForward</code>		<code>\faTv</code>
	<code>\faEdit</code>		<code>\faMailReply</code>		<code>\faUnlink</code>
	<code>\faFacebookF</code>		<code>\faMailReplyAll</code>		<code>\faUnsorted</code>
	<code>\faFeed</code>		<code>\faMobilePhone</code>		<code>\faWarning</code>
	<code>\faFileMovie0</code>		<code>\faMortarBoard</code>		<code>\faWechat</code>
	<code>\faFilePhoto0</code>		<code>\faNavicon</code>		<code>\faYc</code>
	<code>\faFilePicture0</code>		<code>\faPaste</code>		<code>\faYCombinatorSquare</code>
	<code>\faFileSound0</code>		<code>\faPhoto</code>		<code>\faYcSquare</code>

TABLE 494: rubikcube Rubik’s Cube Rotations

	<code>\rrhD</code>		<code>\rrhF</code>		<code>\rrhLw</code>		<code>\rrhRw</code>		<code>\rrhU</code>
	<code>\rrhDa</code>		<code>\rrhFp</code>		<code>\rrhLwp</code>		<code>\rrhRwp</code>		<code>\rrhUa</code>
	<code>\rrhDap</code>		<code>\rrhFw</code>		<code>\rrhM</code>		<code>\rrhSd</code>		<code>\rrhUap</code>
	<code>\rrhDp</code>		<code>\rrhFwp</code>		<code>\rrhMp</code>		<code>\rrhSdp</code>		<code>\rrhUp</code>
	<code>\rrhDs</code>		<code>\rrhL</code>		<code>\rrhR</code>		<code>\rrhSl</code>		<code>\rrhUs</code>
	<code>\rrhDsp</code>		<code>\rrhLa</code>		<code>\rrhRa</code>		<code>\rrhSlp</code>		<code>\rrhUsp</code>
	<code>\rrhDw</code>		<code>\rrhLap</code>		<code>\rrhRap</code>		<code>\rrhSr</code>		<code>\rrhUw</code>
	<code>\rrhDwp</code>		<code>\rrhLp</code>		<code>\rrhRp</code>		<code>\rrhSrp</code>		<code>\rrhUwp</code>
	<code>\rrhE</code>		<code>\rrhLs</code>		<code>\rrhRs</code>		<code>\rrhSu</code>		
	<code>\rrhEp</code>		<code>\rrhLsp</code>		<code>\rrhRsp</code>		<code>\rrhSup</code>		

All `rubikcube` symbols are implemented with `TikZ` graphics, not with a font. In addition to the symbols shown above, the `rubikcube` package defines commands for combinations of textual and graphical representations of rotations (e.g., `\textRubikUa` produces “**U**<sub>a</sub> ) as well as commands that produce colored illustrations of Rubik’s Cube configurations and rotations. See the `rubikcube` documentation for more information.

## 9 Fonts with minimal L<sup>A</sup>T<sub>E</sub>X support

The symbol fonts shown in this section are provided without a corresponding L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> style file that assigns a convenient name to each glyph. Consequently, each glyph must be accessed by number. To help with this, the `pifont` package defines a `\Pisymbol` command that typesets a specified character by number from a specified L<sup>A</sup>T<sub>E</sub>X font family. Alas, most of the fonts in this section do not even define a L<sup>A</sup>T<sub>E</sub>X font family. Hence, except where otherwise specified, a document will need to include code like the following in its preamble:

```
\usepackage{pifont}
\DeclareFontFamily{U}{\langle name \rangle}{}
\DeclareFontShape{U}{\langle name \rangle}{m}{n}{<-> \langle font \rangle}{}

```

where *font* is the name of the `.tfm` font file (or `.mf` font file, from which a `.tfm` font file can be generated automatically), and *name* is a name to use to refer to that font. It's generally good practice to use the name of the font file for *name*, as in the following:

```
\usepackage{pifont}
\DeclareFontFamily{U}{hands}{}
\DeclareFontShape{U}{hands}{m}{n}{<-> hands}{}

```

TABLE 495: hands Fists





	<code>\Pisymbol{hands}{65}</code>		<code>\Pisymbol{hands}{67}</code>
	<code>\Pisymbol{hands}{66}</code>		<code>\Pisymbol{hands}{68}</code>

TABLE 496: greenpoint Recycling Symbols






































	<code>\Pisymbol{greenpoint}{71}</code>
---	--

TABLE 497: nkarta Map Symbols

	<code>\Pisymbol{nkarta}{33}</code>		<code>\Pisymbol{nkarta}{96}</code>		<code>\Pisymbol{nkarta}{193}</code>
	<code>\Pisymbol{nkarta}{34}</code>		<code>\Pisymbol{nkarta}{97}</code>		<code>\Pisymbol{nkarta}{194}</code>
	<code>\Pisymbol{nkarta}{35}</code>		<code>\Pisymbol{nkarta}{98}</code>		<code>\Pisymbol{nkarta}{195}</code>
	<code>\Pisymbol{nkarta}{36}</code>		<code>\Pisymbol{nkarta}{99}</code>		<code>\Pisymbol{nkarta}{196}</code>
	<code>\Pisymbol{nkarta}{37}</code>		<code>\Pisymbol{nkarta}{100}</code>		<code>\Pisymbol{nkarta}{197}</code>
	<code>\Pisymbol{nkarta}{38}</code>		<code>\Pisymbol{nkarta}{101}</code>		<code>\Pisymbol{nkarta}{198}</code>
	<code>\Pisymbol{nkarta}{39}</code>		<code>\Pisymbol{nkarta}{102}</code>		<code>\Pisymbol{nkarta}{199}</code>
	<code>\Pisymbol{nkarta}{40}</code>		<code>\Pisymbol{nkarta}{103}</code>		<code>\Pisymbol{nkarta}{200}</code>
	<code>\Pisymbol{nkarta}{41}</code>		<code>\Pisymbol{nkarta}{104}</code>		<code>\Pisymbol{nkarta}{201}</code>
	<code>\Pisymbol{nkarta}{42}</code>		<code>\Pisymbol{nkarta}{105}</code>		<code>\Pisymbol{nkarta}{202}</code>
	<code>\Pisymbol{nkarta}{43}</code>		<code>\Pisymbol{nkarta}{106}</code>		<code>\Pisymbol{nkarta}{203}</code>
	<code>\Pisymbol{nkarta}{44}</code>		<code>\Pisymbol{nkarta}{107}</code>		<code>\Pisymbol{nkarta}{204}</code>

(continued on next page)



(continued from previous page)

	<code>\Pisymbol{nkarta}{45}</code>		<code>\Pisymbol{nkarta}{108}</code>		<code>\Pisymbol{nkarta}{205}</code>
	<code>\Pisymbol{nkarta}{46}</code>		<code>\Pisymbol{nkarta}{109}</code>		<code>\Pisymbol{nkarta}{206}</code>
	<code>\Pisymbol{nkarta}{47}</code>		<code>\Pisymbol{nkarta}{110}</code>		<code>\Pisymbol{nkarta}{207}</code>
	<code>\Pisymbol{nkarta}{48}</code>		<code>\Pisymbol{nkarta}{111}</code>		<code>\Pisymbol{nkarta}{208}</code>
	<code>\Pisymbol{nkarta}{49}</code>		<code>\Pisymbol{nkarta}{112}</code>		<code>\Pisymbol{nkarta}{209}</code>
	<code>\Pisymbol{nkarta}{50}</code>		<code>\Pisymbol{nkarta}{113}</code>		<code>\Pisymbol{nkarta}{210}</code>
	<code>\Pisymbol{nkarta}{51}</code>		<code>\Pisymbol{nkarta}{114}</code>		<code>\Pisymbol{nkarta}{211}</code>
	<code>\Pisymbol{nkarta}{52}</code>		<code>\Pisymbol{nkarta}{115}</code>		<code>\Pisymbol{nkarta}{212}</code>
	<code>\Pisymbol{nkarta}{53}</code>		<code>\Pisymbol{nkarta}{116}</code>		<code>\Pisymbol{nkarta}{213}</code>
	<code>\Pisymbol{nkarta}{54}</code>		<code>\Pisymbol{nkarta}{117}</code>		<code>\Pisymbol{nkarta}{214}</code>
	<code>\Pisymbol{nkarta}{55}</code>		<code>\Pisymbol{nkarta}{118}</code>		<code>\Pisymbol{nkarta}{215}</code>
	<code>\Pisymbol{nkarta}{56}</code>		<code>\Pisymbol{nkarta}{119}</code>		<code>\Pisymbol{nkarta}{216}</code>
	<code>\Pisymbol{nkarta}{57}</code>		<code>\Pisymbol{nkarta}{120}</code>		<code>\Pisymbol{nkarta}{217}</code>
	<code>\Pisymbol{nkarta}{58}</code>		<code>\Pisymbol{nkarta}{121}</code>		<code>\Pisymbol{nkarta}{218}</code>
	<code>\Pisymbol{nkarta}{59}</code>		<code>\Pisymbol{nkarta}{122}</code>		<code>\Pisymbol{nkarta}{219}</code>
	<code>\Pisymbol{nkarta}{60}</code>		<code>\Pisymbol{nkarta}{123}</code>		<code>\Pisymbol{nkarta}{220}</code>
	<code>\Pisymbol{nkarta}{61}</code>		<code>\Pisymbol{nkarta}{124}</code>		<code>\Pisymbol{nkarta}{221}</code>
	<code>\Pisymbol{nkarta}{62}</code>		<code>\Pisymbol{nkarta}{125}</code>		<code>\Pisymbol{nkarta}{222}</code>
	<code>\Pisymbol{nkarta}{63}</code>		<code>\Pisymbol{nkarta}{126}</code>		<code>\Pisymbol{nkarta}{223}</code>
	<code>\Pisymbol{nkarta}{64}</code>		<code>\Pisymbol{nkarta}{161}</code>		<code>\Pisymbol{nkarta}{224}</code>
	<code>\Pisymbol{nkarta}{65}</code>		<code>\Pisymbol{nkarta}{162}</code>		<code>\Pisymbol{nkarta}{225}</code>
	<code>\Pisymbol{nkarta}{66}</code>		<code>\Pisymbol{nkarta}{163}</code>		<code>\Pisymbol{nkarta}{226}</code>
	<code>\Pisymbol{nkarta}{67}</code>		<code>\Pisymbol{nkarta}{164}</code>		<code>\Pisymbol{nkarta}{227}</code>
	<code>\Pisymbol{nkarta}{68}</code>		<code>\Pisymbol{nkarta}{165}</code>		<code>\Pisymbol{nkarta}{228}</code>
	<code>\Pisymbol{nkarta}{69}</code>		<code>\Pisymbol{nkarta}{166}</code>		<code>\Pisymbol{nkarta}{229}</code>
	<code>\Pisymbol{nkarta}{70}</code>		<code>\Pisymbol{nkarta}{167}</code>		<code>\Pisymbol{nkarta}{230}</code>
	<code>\Pisymbol{nkarta}{71}</code>		<code>\Pisymbol{nkarta}{168}</code>		<code>\Pisymbol{nkarta}{231}</code>
	<code>\Pisymbol{nkarta}{72}</code>		<code>\Pisymbol{nkarta}{169}</code>		<code>\Pisymbol{nkarta}{232}</code>
	<code>\Pisymbol{nkarta}{73}</code>		<code>\Pisymbol{nkarta}{170}</code>		<code>\Pisymbol{nkarta}{233}</code>
	<code>\Pisymbol{nkarta}{74}</code>		<code>\Pisymbol{nkarta}{171}</code>		<code>\Pisymbol{nkarta}{234}</code>
	<code>\Pisymbol{nkarta}{75}</code>		<code>\Pisymbol{nkarta}{172}</code>		<code>\Pisymbol{nkarta}{235}</code>
	<code>\Pisymbol{nkarta}{76}</code>		<code>\Pisymbol{nkarta}{173}</code>		<code>\Pisymbol{nkarta}{236}</code>
	<code>\Pisymbol{nkarta}{77}</code>		<code>\Pisymbol{nkarta}{174}</code>		<code>\Pisymbol{nkarta}{237}</code>
	<code>\Pisymbol{nkarta}{78}</code>		<code>\Pisymbol{nkarta}{175}</code>		<code>\Pisymbol{nkarta}{238}</code>
	<code>\Pisymbol{nkarta}{79}</code>		<code>\Pisymbol{nkarta}{176}</code>		<code>\Pisymbol{nkarta}{239}</code>
	<code>\Pisymbol{nkarta}{80}</code>		<code>\Pisymbol{nkarta}{177}</code>		<code>\Pisymbol{nkarta}{240}</code>
	<code>\Pisymbol{nkarta}{81}</code>		<code>\Pisymbol{nkarta}{178}</code>		<code>\Pisymbol{nkarta}{241}</code>
	<code>\Pisymbol{nkarta}{82}</code>		<code>\Pisymbol{nkarta}{179}</code>		<code>\Pisymbol{nkarta}{242}</code>
	<code>\Pisymbol{nkarta}{83}</code>		<code>\Pisymbol{nkarta}{180}</code>		<code>\Pisymbol{nkarta}{243}</code>
	<code>\Pisymbol{nkarta}{84}</code>		<code>\Pisymbol{nkarta}{181}</code>		<code>\Pisymbol{nkarta}{244}</code>
	<code>\Pisymbol{nkarta}{85}</code>		<code>\Pisymbol{nkarta}{182}</code>		<code>\Pisymbol{nkarta}{245}</code>
	<code>\Pisymbol{nkarta}{86}</code>		<code>\Pisymbol{nkarta}{183}</code>		<code>\Pisymbol{nkarta}{246}</code>
	<code>\Pisymbol{nkarta}{87}</code>		<code>\Pisymbol{nkarta}{184}</code>		<code>\Pisymbol{nkarta}{247}</code>
	<code>\Pisymbol{nkarta}{88}</code>		<code>\Pisymbol{nkarta}{185}</code>		<code>\Pisymbol{nkarta}{248}</code>
	<code>\Pisymbol{nkarta}{89}</code>		<code>\Pisymbol{nkarta}{186}</code>		<code>\Pisymbol{nkarta}{249}</code>
	<code>\Pisymbol{nkarta}{90}</code>		<code>\Pisymbol{nkarta}{187}</code>		<code>\Pisymbol{nkarta}{250}</code>
	<code>\Pisymbol{nkarta}{91}</code>		<code>\Pisymbol{nkarta}{188}</code>		<code>\Pisymbol{nkarta}{251}</code>

(continued on next page)

(continued from previous page)





	<code>\Pisymbol{nkarta}{92}</code>	☒	<code>\Pisymbol{nkarta}{189}</code>	◼	<code>\Pisymbol{nkarta}{252}</code>
	<code>\Pisymbol{nkarta}{93}</code>	×	<code>\Pisymbol{nkarta}{190}</code>	▼	<code>\Pisymbol{nkarta}{253}</code>
	<code>\Pisymbol{nkarta}{94}</code>	○	<code>\Pisymbol{nkarta}{191}</code>	▶	<code>\Pisymbol{nkarta}{254}</code>
	<code>\Pisymbol{nkarta}{95}</code>	✳	<code>\Pisymbol{nkarta}{192}</code>		

TABLE 498: moonphase Astronomical Symbols















































































	<code>\Pisymbol{moonphase}{0}</code>		<code>\Pisymbol{moonphase}{2}</code>
	<code>\Pisymbol{moonphase}{1}</code>		<code>\Pisymbol{moonphase}{3}</code>

TABLE 499: astrosym Astronomical Symbols

	<code>\Pisymbol{astrosym}{0}</code>		<code>\Pisymbol{astrosym}{132}</code>
	<code>\Pisymbol{astrosym}{1}</code>		<code>\Pisymbol{astrosym}{133}</code>
	<code>\Pisymbol{astrosym}{2}</code>		<code>\Pisymbol{astrosym}{134}</code>
	<code>\Pisymbol{astrosym}{3}</code>		<code>\Pisymbol{astrosym}{135}</code>
	<code>\Pisymbol{astrosym}{4}</code>		<code>\Pisymbol{astrosym}{136}</code>
	<code>\Pisymbol{astrosym}{5}</code>		<code>\Pisymbol{astrosym}{137}</code>
	<code>\Pisymbol{astrosym}{6}</code>		<code>\Pisymbol{astrosym}{138}</code>
	<code>\Pisymbol{astrosym}{7}</code>		<code>\Pisymbol{astrosym}{139}</code>
	<code>\Pisymbol{astrosym}{8}</code>		<code>\Pisymbol{astrosym}{140}</code>
	<code>\Pisymbol{astrosym}{9}</code>		<code>\Pisymbol{astrosym}{141}</code>
	<code>\Pisymbol{astrosym}{10}</code>		<code>\Pisymbol{astrosym}{142}</code>
	<code>\Pisymbol{astrosym}{11}</code>		<code>\Pisymbol{astrosym}{143}</code>
	<code>\Pisymbol{astrosym}{12}</code>		<code>\Pisymbol{astrosym}{144}</code>
	<code>\Pisymbol{astrosym}{13}</code>		<code>\Pisymbol{astrosym}{145}</code>
	<code>\Pisymbol{astrosym}{14}</code>		<code>\Pisymbol{astrosym}{146}</code>
	<code>\Pisymbol{astrosym}{15}</code>		<code>\Pisymbol{astrosym}{147}</code>
	<code>\Pisymbol{astrosym}{16}</code>		<code>\Pisymbol{astrosym}{148}</code>
	<code>\Pisymbol{astrosym}{17}</code>		<code>\Pisymbol{astrosym}{149}</code>
	<code>\Pisymbol{astrosym}{18}</code>		<code>\Pisymbol{astrosym}{150}</code>
	<code>\Pisymbol{astrosym}{19}</code>		<code>\Pisymbol{astrosym}{151}</code>













































































(continued on next page)

(continued from previous page)

	<code>\Pisymbol{astroSYM}{20}</code>		<code>\Pisymbol{astroSYM}{152}</code>
	<code>\Pisymbol{astroSYM}{21}</code>		<code>\Pisymbol{astroSYM}{153}</code>
	<code>\Pisymbol{astroSYM}{22}</code>		<code>\Pisymbol{astroSYM}{154}</code>
	<code>\Pisymbol{astroSYM}{23}</code>		<code>\Pisymbol{astroSYM}{155}</code>
	<code>\Pisymbol{astroSYM}{24}</code>		<code>\Pisymbol{astroSYM}{156}</code>
	<code>\Pisymbol{astroSYM}{25}</code>		<code>\Pisymbol{astroSYM}{157}</code>
	<code>\Pisymbol{astroSYM}{26}</code>		<code>\Pisymbol{astroSYM}{158}</code>
	<code>\Pisymbol{astroSYM}{27}</code>		<code>\Pisymbol{astroSYM}{159}</code>
	<code>\Pisymbol{astroSYM}{28}</code>		<code>\Pisymbol{astroSYM}{160}</code>
	<code>\Pisymbol{astroSYM}{29}</code>		<code>\Pisymbol{astroSYM}{161}</code>
	<code>\Pisymbol{astroSYM}{30}</code>		<code>\Pisymbol{astroSYM}{162}</code>
	<code>\Pisymbol{astroSYM}{31}</code>		<code>\Pisymbol{astroSYM}{163}</code>
	<code>\Pisymbol{astroSYM}{32}</code>		<code>\Pisymbol{astroSYM}{164}</code>
	<code>\Pisymbol{astroSYM}{33}</code>		<code>\Pisymbol{astroSYM}{165}</code>
	<code>\Pisymbol{astroSYM}{34}</code>		<code>\Pisymbol{astroSYM}{166}</code>
	<code>\Pisymbol{astroSYM}{35}</code>		<code>\Pisymbol{astroSYM}{167}</code>
	<code>\Pisymbol{astroSYM}{36}</code>		<code>\Pisymbol{astroSYM}{168}</code>
	<code>\Pisymbol{astroSYM}{37}</code>		<code>\Pisymbol{astroSYM}{169}</code>
	<code>\Pisymbol{astroSYM}{38}</code>		<code>\Pisymbol{astroSYM}{178}</code>
	<code>\Pisymbol{astroSYM}{39}</code>		<code>\Pisymbol{astroSYM}{179}</code>
	<code>\Pisymbol{astroSYM}{40}</code>		<code>\Pisymbol{astroSYM}{180}</code>
	<code>\Pisymbol{astroSYM}{41}</code>		<code>\Pisymbol{astroSYM}{181}</code>
	<code>\Pisymbol{astroSYM}{42}</code>		<code>\Pisymbol{astroSYM}{182}</code>
	<code>\Pisymbol{astroSYM}{43}</code>		<code>\Pisymbol{astroSYM}{183}</code>
	<code>\Pisymbol{astroSYM}{44}</code>		<code>\Pisymbol{astroSYM}{184}</code>
	<code>\Pisymbol{astroSYM}{45}</code>		<code>\Pisymbol{astroSYM}{185}</code>
	<code>\Pisymbol{astroSYM}{46}</code>		<code>\Pisymbol{astroSYM}{186}</code>
	<code>\Pisymbol{astroSYM}{47}</code>		<code>\Pisymbol{astroSYM}{187}</code>
	<code>\Pisymbol{astroSYM}{48}</code>		<code>\Pisymbol{astroSYM}{188}</code>
	<code>\Pisymbol{astroSYM}{49}</code>		<code>\Pisymbol{astroSYM}{189}</code>
	<code>\Pisymbol{astroSYM}{50}</code>		<code>\Pisymbol{astroSYM}{190}</code>
	<code>\Pisymbol{astroSYM}{51}</code>		<code>\Pisymbol{astroSYM}{191}</code>
	<code>\Pisymbol{astroSYM}{52}</code>		<code>\Pisymbol{astroSYM}{200}</code>
	<code>\Pisymbol{astroSYM}{53}</code>		<code>\Pisymbol{astroSYM}{201}</code>
	<code>\Pisymbol{astroSYM}{54}</code>		<code>\Pisymbol{astroSYM}{202}</code>
	<code>\Pisymbol{astroSYM}{55}</code>		<code>\Pisymbol{astroSYM}{203}</code>
	<code>\Pisymbol{astroSYM}{56}</code>		<code>\Pisymbol{astroSYM}{204}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{astroSYM}{57}</code>		<code>\Pisymbol{astroSYM}{205}</code>
	<code>\Pisymbol{astroSYM}{58}</code>		<code>\Pisymbol{astroSYM}{206}</code>
	<code>\Pisymbol{astroSYM}{59}</code>		<code>\Pisymbol{astroSYM}{207}</code>
	<code>\Pisymbol{astroSYM}{60}</code>		<code>\Pisymbol{astroSYM}{208}</code>
	<code>\Pisymbol{astroSYM}{61}</code>		<code>\Pisymbol{astroSYM}{209}</code>
	<code>\Pisymbol{astroSYM}{62}</code>		<code>\Pisymbol{astroSYM}{210}</code>
	<code>\Pisymbol{astroSYM}{63}</code>		<code>\Pisymbol{astroSYM}{211}</code>
	<code>\Pisymbol{astroSYM}{64}</code>		<code>\Pisymbol{astroSYM}{212}</code>
	<code>\Pisymbol{astroSYM}{65}</code>		<code>\Pisymbol{astroSYM}{213}</code>
	<code>\Pisymbol{astroSYM}{66}</code>		<code>\Pisymbol{astroSYM}{214}</code>
	<code>\Pisymbol{astroSYM}{67}</code>		<code>\Pisymbol{astroSYM}{215}</code>
	<code>\Pisymbol{astroSYM}{68}</code>		<code>\Pisymbol{astroSYM}{216}</code>
	<code>\Pisymbol{astroSYM}{69}</code>		<code>\Pisymbol{astroSYM}{217}</code>
	<code>\Pisymbol{astroSYM}{90}</code>		<code>\Pisymbol{astroSYM}{218}</code>
	<code>\Pisymbol{astroSYM}{91}</code>		<code>\Pisymbol{astroSYM}{219}</code>
	<code>\Pisymbol{astroSYM}{92}</code>		<code>\Pisymbol{astroSYM}{220}</code>
	<code>\Pisymbol{astroSYM}{93}</code>		<code>\Pisymbol{astroSYM}{221}</code>
	<code>\Pisymbol{astroSYM}{94}</code>		<code>\Pisymbol{astroSYM}{222}</code>
	<code>\Pisymbol{astroSYM}{95}</code>		<code>\Pisymbol{astroSYM}{223}</code>
	<code>\Pisymbol{astroSYM}{100}</code>		<code>\Pisymbol{astroSYM}{224}</code>
	<code>\Pisymbol{astroSYM}{101}</code>		<code>\Pisymbol{astroSYM}{225}</code>
	<code>\Pisymbol{astroSYM}{102}</code>		<code>\Pisymbol{astroSYM}{226}</code>
	<code>\Pisymbol{astroSYM}{103}</code>		<code>\Pisymbol{astroSYM}{227}</code>
	<code>\Pisymbol{astroSYM}{104}</code>		<code>\Pisymbol{astroSYM}{228}</code>
	<code>\Pisymbol{astroSYM}{105}</code>		<code>\Pisymbol{astroSYM}{229}</code>
	<code>\Pisymbol{astroSYM}{106}</code>		<code>\Pisymbol{astroSYM}{230}</code>
	<code>\Pisymbol{astroSYM}{107}</code>		<code>\Pisymbol{astroSYM}{231}</code>
	<code>\Pisymbol{astroSYM}{108}</code>		<code>\Pisymbol{astroSYM}{232}</code>
	<code>\Pisymbol{astroSYM}{109}</code>		<code>\Pisymbol{astroSYM}{233}</code>
	<code>\Pisymbol{astroSYM}{110}</code>		<code>\Pisymbol{astroSYM}{234}</code>
	<code>\Pisymbol{astroSYM}{111}</code>		<code>\Pisymbol{astroSYM}{235}</code>
	<code>\Pisymbol{astroSYM}{112}</code>		<code>\Pisymbol{astroSYM}{236}</code>
	<code>\Pisymbol{astroSYM}{113}</code>		<code>\Pisymbol{astroSYM}{237}</code>
	<code>\Pisymbol{astroSYM}{114}</code>		<code>\Pisymbol{astroSYM}{238}</code>
	<code>\Pisymbol{astroSYM}{115}</code>		<code>\Pisymbol{astroSYM}{239}</code>
	<code>\Pisymbol{astroSYM}{116}</code>		<code>\Pisymbol{astroSYM}{240}</code>
	<code>\Pisymbol{astroSYM}{117}</code>		<code>\Pisymbol{astroSYM}{241}</code>
	<code>\Pisymbol{astroSYM}{118}</code>		<code>\Pisymbol{astroSYM}{242}</code>

(continued on next page)

(continued from previous page)


























































































	<code>\Pisymbol{astroSYM}{119}</code>		<code>\Pisymbol{astroSYM}{243}</code>
	<code>\Pisymbol{astroSYM}{120}</code>		<code>\Pisymbol{astroSYM}{244}</code>
	<code>\Pisymbol{astroSYM}{121}</code>		<code>\Pisymbol{astroSYM}{245}</code>
	<code>\Pisymbol{astroSYM}{122}</code>		<code>\Pisymbol{astroSYM}{246}</code>
	<code>\Pisymbol{astroSYM}{123}</code>		<code>\Pisymbol{astroSYM}{247}</code>
	<code>\Pisymbol{astroSYM}{124}</code>		<code>\Pisymbol{astroSYM}{248}</code>
	<code>\Pisymbol{astroSYM}{125}</code>		<code>\Pisymbol{astroSYM}{249}</code>
	<code>\Pisymbol{astroSYM}{126}</code>		<code>\Pisymbol{astroSYM}{250}</code>
	<code>\Pisymbol{astroSYM}{127}</code>		<code>\Pisymbol{astroSYM}{251}</code>
	<code>\Pisymbol{astroSYM}{128}</code>		<code>\Pisymbol{astroSYM}{252}</code>
	<code>\Pisymbol{astroSYM}{129}</code>		<code>\Pisymbol{astroSYM}{253}</code>
	<code>\Pisymbol{astroSYM}{130}</code>		<code>\Pisymbol{astroSYM}{254}</code>
	<code>\Pisymbol{astroSYM}{131}</code>		<code>\Pisymbol{astroSYM}{255}</code>



TABLE 500: webomints Decorative Borders

	<code>\Pisymbol{WebOMintsGD}{47}</code>		<code>\Pisymbol{WebOMintsGD}{87}</code>
	<code>\Pisymbol{WebOMintsGD}{48}</code>		<code>\Pisymbol{WebOMintsGD}{88}</code>
	<code>\Pisymbol{WebOMintsGD}{49}</code>		<code>\Pisymbol{WebOMintsGD}{89}</code>
	<code>\Pisymbol{WebOMintsGD}{50}</code>		<code>\Pisymbol{WebOMintsGD}{90}</code>
	<code>\Pisymbol{WebOMintsGD}{51}</code>		<code>\Pisymbol{WebOMintsGD}{91}</code>
	<code>\Pisymbol{WebOMintsGD}{52}</code>		<code>\Pisymbol{WebOMintsGD}{93}</code>
	<code>\Pisymbol{WebOMintsGD}{53}</code>		<code>\Pisymbol{WebOMintsGD}{97}</code>
	<code>\Pisymbol{WebOMintsGD}{54}</code>		<code>\Pisymbol{WebOMintsGD}{98}</code>
	<code>\Pisymbol{WebOMintsGD}{55}</code>		<code>\Pisymbol{WebOMintsGD}{99}</code>
	<code>\Pisymbol{WebOMintsGD}{56}</code>		<code>\Pisymbol{WebOMintsGD}{100}</code>
	<code>\Pisymbol{WebOMintsGD}{57}</code>		<code>\Pisymbol{WebOMintsGD}{101}</code>
	<code>\Pisymbol{WebOMintsGD}{65}</code>		<code>\Pisymbol{WebOMintsGD}{102}</code>
	<code>\Pisymbol{WebOMintsGD}{66}</code>		<code>\Pisymbol{WebOMintsGD}{103}</code>
	<code>\Pisymbol{WebOMintsGD}{67}</code>		<code>\Pisymbol{WebOMintsGD}{104}</code>
	<code>\Pisymbol{WebOMintsGD}{68}</code>		<code>\Pisymbol{WebOMintsGD}{105}</code>
	<code>\Pisymbol{WebOMintsGD}{69}</code>		<code>\Pisymbol{WebOMintsGD}{106}</code>
	<code>\Pisymbol{WebOMintsGD}{70}</code>		<code>\Pisymbol{WebOMintsGD}{107}</code>
	<code>\Pisymbol{WebOMintsGD}{71}</code>		<code>\Pisymbol{WebOMintsGD}{108}</code>
	<code>\Pisymbol{WebOMintsGD}{72}</code>		<code>\Pisymbol{WebOMintsGD}{109}</code>
	<code>\Pisymbol{WebOMintsGD}{73}</code>		<code>\Pisymbol{WebOMintsGD}{110}</code>
	<code>\Pisymbol{WebOMintsGD}{74}</code>		<code>\Pisymbol{WebOMintsGD}{111}</code>
	<code>\Pisymbol{WebOMintsGD}{75}</code>		<code>\Pisymbol{WebOMintsGD}{112}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{WebOMintsGD}{76}</code>		<code>\Pisymbol{WebOMintsGD}{113}</code>
	<code>\Pisymbol{WebOMintsGD}{77}</code>		<code>\Pisymbol{WebOMintsGD}{114}</code>
	<code>\Pisymbol{WebOMintsGD}{78}</code>		<code>\Pisymbol{WebOMintsGD}{115}</code>
	<code>\Pisymbol{WebOMintsGD}{79}</code>		<code>\Pisymbol{WebOMintsGD}{116}</code>
	<code>\Pisymbol{WebOMintsGD}{80}</code>		<code>\Pisymbol{WebOMintsGD}{117}</code>
	<code>\Pisymbol{WebOMintsGD}{81}</code>		<code>\Pisymbol{WebOMintsGD}{118}</code>
	<code>\Pisymbol{WebOMintsGD}{82}</code>		<code>\Pisymbol{WebOMintsGD}{119}</code>
	<code>\Pisymbol{WebOMintsGD}{83}</code>		<code>\Pisymbol{WebOMintsGD}{120}</code>
	<code>\Pisymbol{WebOMintsGD}{84}</code>		<code>\Pisymbol{WebOMintsGD}{121}</code>
	<code>\Pisymbol{WebOMintsGD}{85}</code>		<code>\Pisymbol{WebOMintsGD}{122}</code>
	<code>\Pisymbol{WebOMintsGD}{86}</code>		

webomints provides a `uwebo.fd` font-definition file. Instead of using `pifont` and `\Pisymbol` to typeset a glyph, a document can select the `webomints` font directly. For example, `{\usefont{U}{webo}{xl}{n}\char73\char74}`—alternatively, `{\usefont{U}{webo}{xl}{n}IJ}`—will typeset “ ”. This can be useful for typesetting a number of `webomints` glyphs in a row.

The `niceframe` package can be used to typeset decorative frames using fonts such as `webomints`.

TABLE 501: `umranda` Decorative Borders

	<code>\Pisymbol{umranda}{0}</code>		<code>\Pisymbol{umranda}{34}</code>		<code>\Pisymbol{umranda}{68}</code>
	<code>\Pisymbol{umranda}{1}</code>		<code>\Pisymbol{umranda}{35}</code>		<code>\Pisymbol{umranda}{69}</code>
	<code>\Pisymbol{umranda}{2}</code>		<code>\Pisymbol{umranda}{36}</code>		<code>\Pisymbol{umranda}{70}</code>
	<code>\Pisymbol{umranda}{3}</code>		<code>\Pisymbol{umranda}{37}</code>		<code>\Pisymbol{umranda}{71}</code>
	<code>\Pisymbol{umranda}{4}</code>		<code>\Pisymbol{umranda}{38}</code>		<code>\Pisymbol{umranda}{72}</code>
	<code>\Pisymbol{umranda}{5}</code>		<code>\Pisymbol{umranda}{39}</code>		<code>\Pisymbol{umranda}{73}</code>
	<code>\Pisymbol{umranda}{6}</code>		<code>\Pisymbol{umranda}{40}</code>		<code>\Pisymbol{umranda}{74}</code>
	<code>\Pisymbol{umranda}{7}</code>		<code>\Pisymbol{umranda}{41}</code>		<code>\Pisymbol{umranda}{75}</code>
	<code>\Pisymbol{umranda}{8}</code>		<code>\Pisymbol{umranda}{42}</code>		<code>\Pisymbol{umranda}{76}</code>
	<code>\Pisymbol{umranda}{9}</code>		<code>\Pisymbol{umranda}{43}</code>		<code>\Pisymbol{umranda}{77}</code>
	<code>\Pisymbol{umranda}{10}</code>		<code>\Pisymbol{umranda}{44}</code>		<code>\Pisymbol{umranda}{78}</code>
	<code>\Pisymbol{umranda}{11}</code>		<code>\Pisymbol{umranda}{45}</code>		<code>\Pisymbol{umranda}{79}</code>
	<code>\Pisymbol{umranda}{12}</code>		<code>\Pisymbol{umranda}{46}</code>		<code>\Pisymbol{umranda}{80}</code>
	<code>\Pisymbol{umranda}{13}</code>		<code>\Pisymbol{umranda}{47}</code>		<code>\Pisymbol{umranda}{81}</code>
	<code>\Pisymbol{umranda}{14}</code>		<code>\Pisymbol{umranda}{48}</code>		<code>\Pisymbol{umranda}{82}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{umranda}{15}</code>		<code>\Pisymbol{umranda}{49}</code>		<code>\Pisymbol{umranda}{83}</code>
	<code>\Pisymbol{umranda}{16}</code>		<code>\Pisymbol{umranda}{50}</code>		<code>\Pisymbol{umranda}{84}</code>
	<code>\Pisymbol{umranda}{17}</code>		<code>\Pisymbol{umranda}{51}</code>		<code>\Pisymbol{umranda}{85}</code>
	<code>\Pisymbol{umranda}{18}</code>		<code>\Pisymbol{umranda}{52}</code>		<code>\Pisymbol{umranda}{86}</code>
	<code>\Pisymbol{umranda}{19}</code>		<code>\Pisymbol{umranda}{53}</code>		<code>\Pisymbol{umranda}{87}</code>
	<code>\Pisymbol{umranda}{20}</code>		<code>\Pisymbol{umranda}{54}</code>		<code>\Pisymbol{umranda}{88}</code>
	<code>\Pisymbol{umranda}{21}</code>		<code>\Pisymbol{umranda}{55}</code>		<code>\Pisymbol{umranda}{89}</code>
	<code>\Pisymbol{umranda}{22}</code>		<code>\Pisymbol{umranda}{56}</code>		<code>\Pisymbol{umranda}{90}</code>
	<code>\Pisymbol{umranda}{23}</code>		<code>\Pisymbol{umranda}{57}</code>		<code>\Pisymbol{umranda}{91}</code>
	<code>\Pisymbol{umranda}{24}</code>		<code>\Pisymbol{umranda}{58}</code>		<code>\Pisymbol{umranda}{92}</code>
	<code>\Pisymbol{umranda}{25}</code>		<code>\Pisymbol{umranda}{59}</code>		<code>\Pisymbol{umranda}{93}</code>
	<code>\Pisymbol{umranda}{26}</code>		<code>\Pisymbol{umranda}{60}</code>		<code>\Pisymbol{umranda}{94}</code>
	<code>\Pisymbol{umranda}{27}</code>		<code>\Pisymbol{umranda}{61}</code>		<code>\Pisymbol{umranda}{95}</code>
	<code>\Pisymbol{umranda}{28}</code>		<code>\Pisymbol{umranda}{62}</code>		<code>\Pisymbol{umranda}{96}</code>
	<code>\Pisymbol{umranda}{29}</code>		<code>\Pisymbol{umranda}{63}</code>		<code>\Pisymbol{umranda}{97}</code>
	<code>\Pisymbol{umranda}{30}</code>		<code>\Pisymbol{umranda}{64}</code>		<code>\Pisymbol{umranda}{98}</code>
	<code>\Pisymbol{umranda}{31}</code>		<code>\Pisymbol{umranda}{65}</code>		<code>\Pisymbol{umranda}{99}</code>
	<code>\Pisymbol{umranda}{32}</code>		<code>\Pisymbol{umranda}{66}</code>		<code>\Pisymbol{umranda}{100}</code>
	<code>\Pisymbol{umranda}{33}</code>		<code>\Pisymbol{umranda}{67}</code>		<code>\Pisymbol{umranda}{101}</code>

The niceframe package can be used to typeset decorative frames using fonts such as umranda.

TABLE 502: umrandb Decorative Borders

	<code>\Pisymbol{umrandb}{0}</code>		<code>\Pisymbol{umrandb}{42}</code>		<code>\Pisymbol{umrandb}{84}</code>
	<code>\Pisymbol{umrandb}{1}</code>		<code>\Pisymbol{umrandb}{43}</code>		<code>\Pisymbol{umrandb}{85}</code>
	<code>\Pisymbol{umrandb}{2}</code>		<code>\Pisymbol{umrandb}{44}</code>		<code>\Pisymbol{umrandb}{86}</code>
	<code>\Pisymbol{umrandb}{3}</code>		<code>\Pisymbol{umrandb}{45}</code>		<code>\Pisymbol{umrandb}{87}</code>
	<code>\Pisymbol{umrandb}{4}</code>		<code>\Pisymbol{umrandb}{46}</code>		<code>\Pisymbol{umrandb}{88}</code>
	<code>\Pisymbol{umrandb}{5}</code>		<code>\Pisymbol{umrandb}{47}</code>		<code>\Pisymbol{umrandb}{89}</code>
	<code>\Pisymbol{umrandb}{6}</code>		<code>\Pisymbol{umrandb}{48}</code>		<code>\Pisymbol{umrandb}{90}</code>
	<code>\Pisymbol{umrandb}{7}</code>		<code>\Pisymbol{umrandb}{49}</code>		<code>\Pisymbol{umrandb}{91}</code>
	<code>\Pisymbol{umrandb}{8}</code>		<code>\Pisymbol{umrandb}{50}</code>		<code>\Pisymbol{umrandb}{92}</code>
	<code>\Pisymbol{umrandb}{9}</code>		<code>\Pisymbol{umrandb}{51}</code>		<code>\Pisymbol{umrandb}{93}</code>

(continued on next page)

















(continued from previous page)

	<code>\Pisymbol{umrandb}{10}</code>		<code>\Pisymbol{umrandb}{52}</code>		<code>\Pisymbol{umrandb}{94}</code>
	<code>\Pisymbol{umrandb}{11}</code>		<code>\Pisymbol{umrandb}{53}</code>		<code>\Pisymbol{umrandb}{95}</code>
	<code>\Pisymbol{umrandb}{12}</code>		<code>\Pisymbol{umrandb}{54}</code>		<code>\Pisymbol{umrandb}{96}</code>
	<code>\Pisymbol{umrandb}{13}</code>		<code>\Pisymbol{umrandb}{55}</code>		<code>\Pisymbol{umrandb}{97}</code>
	<code>\Pisymbol{umrandb}{14}</code>		<code>\Pisymbol{umrandb}{56}</code>		<code>\Pisymbol{umrandb}{98}</code>
	<code>\Pisymbol{umrandb}{15}</code>		<code>\Pisymbol{umrandb}{57}</code>		<code>\Pisymbol{umrandb}{99}</code>
	<code>\Pisymbol{umrandb}{16}</code>		<code>\Pisymbol{umrandb}{58}</code>		<code>\Pisymbol{umrandb}{100}</code>
	<code>\Pisymbol{umrandb}{17}</code>		<code>\Pisymbol{umrandb}{59}</code>		<code>\Pisymbol{umrandb}{101}</code>
	<code>\Pisymbol{umrandb}{18}</code>		<code>\Pisymbol{umrandb}{60}</code>		<code>\Pisymbol{umrandb}{102}</code>
	<code>\Pisymbol{umrandb}{19}</code>		<code>\Pisymbol{umrandb}{61}</code>		<code>\Pisymbol{umrandb}{103}</code>
	<code>\Pisymbol{umrandb}{20}</code>		<code>\Pisymbol{umrandb}{62}</code>		<code>\Pisymbol{umrandb}{104}</code>
	<code>\Pisymbol{umrandb}{21}</code>		<code>\Pisymbol{umrandb}{63}</code>		<code>\Pisymbol{umrandb}{105}</code>
	<code>\Pisymbol{umrandb}{22}</code>		<code>\Pisymbol{umrandb}{64}</code>		<code>\Pisymbol{umrandb}{106}</code>
	<code>\Pisymbol{umrandb}{23}</code>		<code>\Pisymbol{umrandb}{65}</code>		<code>\Pisymbol{umrandb}{107}</code>
	<code>\Pisymbol{umrandb}{24}</code>		<code>\Pisymbol{umrandb}{66}</code>		<code>\Pisymbol{umrandb}{108}</code>
	<code>\Pisymbol{umrandb}{25}</code>		<code>\Pisymbol{umrandb}{67}</code>		<code>\Pisymbol{umrandb}{109}</code>
	<code>\Pisymbol{umrandb}{26}</code>		<code>\Pisymbol{umrandb}{68}</code>		<code>\Pisymbol{umrandb}{110}</code>
	<code>\Pisymbol{umrandb}{27}</code>		<code>\Pisymbol{umrandb}{69}</code>		<code>\Pisymbol{umrandb}{111}</code>
	<code>\Pisymbol{umrandb}{28}</code>		<code>\Pisymbol{umrandb}{70}</code>		<code>\Pisymbol{umrandb}{112}</code>
	<code>\Pisymbol{umrandb}{29}</code>		<code>\Pisymbol{umrandb}{71}</code>		<code>\Pisymbol{umrandb}{113}</code>
	<code>\Pisymbol{umrandb}{30}</code>		<code>\Pisymbol{umrandb}{72}</code>		<code>\Pisymbol{umrandb}{114}</code>
	<code>\Pisymbol{umrandb}{31}</code>		<code>\Pisymbol{umrandb}{73}</code>		<code>\Pisymbol{umrandb}{115}</code>
	<code>\Pisymbol{umrandb}{32}</code>		<code>\Pisymbol{umrandb}{74}</code>		<code>\Pisymbol{umrandb}{116}</code>
	<code>\Pisymbol{umrandb}{33}</code>		<code>\Pisymbol{umrandb}{75}</code>		<code>\Pisymbol{umrandb}{117}</code>
	<code>\Pisymbol{umrandb}{34}</code>		<code>\Pisymbol{umrandb}{76}</code>		<code>\Pisymbol{umrandb}{118}</code>
	<code>\Pisymbol{umrandb}{35}</code>		<code>\Pisymbol{umrandb}{77}</code>		<code>\Pisymbol{umrandb}{119}</code>
	<code>\Pisymbol{umrandb}{36}</code>		<code>\Pisymbol{umrandb}{78}</code>		<code>\Pisymbol{umrandb}{120}</code>
	<code>\Pisymbol{umrandb}{37}</code>		<code>\Pisymbol{umrandb}{79}</code>		<code>\Pisymbol{umrandb}{121}</code>
	<code>\Pisymbol{umrandb}{38}</code>		<code>\Pisymbol{umrandb}{80}</code>		<code>\Pisymbol{umrandb}{122}</code>
	<code>\Pisymbol{umrandb}{39}</code>		<code>\Pisymbol{umrandb}{81}</code>		<code>\Pisymbol{umrandb}{123}</code>
	<code>\Pisymbol{umrandb}{40}</code>		<code>\Pisymbol{umrandb}{82}</code>		
	<code>\Pisymbol{umrandb}{41}</code>		<code>\Pisymbol{umrandb}{83}</code>		

The niceframe package can be used to typeset decorative frames using fonts such as umrandb.



TABLE 503: dingbat Decorative Borders






















	<code>\Pisymbol{dingbat}{69}</code>		<code>\Pisymbol{dingbat}{97}</code>
	<code>\Pisymbol{dingbat}{70}</code>		<code>\Pisymbol{dingbat}{98}</code>
	<code>\Pisymbol{dingbat}{71}</code>		<code>\Pisymbol{dingbat}{99}</code>
	<code>\Pisymbol{dingbat}{72}</code>		<code>\Pisymbol{dingbat}{100}</code>
	<code>\Pisymbol{dingbat}{74}</code>		<code>\Pisymbol{dingbat}{101}</code>
	<code>\Pisymbol{dingbat}{75}</code>		<code>\Pisymbol{dingbat}{102}</code>
	<code>\Pisymbol{dingbat}{76}</code>		<code>\Pisymbol{dingbat}{103}</code>
	<code>\Pisymbol{dingbat}{77}</code>		<code>\Pisymbol{dingbat}{104}</code>

The preceding table is incomplete in that it includes only unnamed dingbat symbols. Named symbols are included in Table 343 and Table 387 (both intermixed with symbols from the `ark10` font).

The `dingbat` package includes a `udingbat.fd` file so a document does not need to specify the `\DeclareFontFamily` and `\DeclareFontShape` commands list at the beginning of Section 9.








































































































The `niceframe` package can be used to typeset decorative frames using fonts such as `dingbat`.

TABLE 504: knot Celtic Knots

	<code>\Pisymbol{knot1}{48}</code>		<code>\Pisymbol{knot1}{68}</code>		<code>\Pisymbol{knot1}{84}</code>
	<code>\Pisymbol{knot1}{49}</code>		<code>\Pisymbol{knot1}{69}</code>		<code>\Pisymbol{knot1}{85}</code>
	<code>\Pisymbol{knot1}{50}</code>		<code>\Pisymbol{knot1}{70}</code>		<code>\Pisymbol{knot1}{86}</code>
	<code>\Pisymbol{knot1}{51}</code>		<code>\Pisymbol{knot1}{71}</code>		<code>\Pisymbol{knot1}{87}</code>
	<code>\Pisymbol{knot1}{52}</code>		<code>\Pisymbol{knot1}{72}</code>		<code>\Pisymbol{knot1}{88}</code>
	<code>\Pisymbol{knot1}{53}</code>		<code>\Pisymbol{knot1}{73}</code>		<code>\Pisymbol{knot1}{96}</code>
	<code>\Pisymbol{knot1}{58}</code>		<code>\Pisymbol{knot1}{74}</code>		<code>\Pisymbol{knot1}{97}</code>


















(continued on next page)
















































(continued from previous page)








































	<code>\Pisymbol{knot1}{59}</code>		<code>\Pisymbol{knot1}{75}</code>		<code>\Pisymbol{knot1}{98}</code>
	<code>\Pisymbol{knot1}{60}</code>		<code>\Pisymbol{knot1}{76}</code>		<code>\Pisymbol{knot1}{99}</code>
	<code>\Pisymbol{knot1}{61}</code>		<code>\Pisymbol{knot1}{77}</code>		<code>\Pisymbol{knot1}{100}</code>
	<code>\Pisymbol{knot1}{62}</code>		<code>\Pisymbol{knot1}{78}</code>		<code>\Pisymbol{knot1}{101}</code>
	<code>\Pisymbol{knot1}{63}</code>		<code>\Pisymbol{knot1}{79}</code>		<code>\Pisymbol{knot1}{102}</code>
	<code>\Pisymbol{knot1}{64}</code>		<code>\Pisymbol{knot1}{80}</code>		<code>\Pisymbol{knot1}{103}</code>
	<code>\Pisymbol{knot1}{65}</code>		<code>\Pisymbol{knot1}{81}</code>		<code>\Pisymbol{knot1}{104}</code>
	<code>\Pisymbol{knot1}{66}</code>		<code>\Pisymbol{knot1}{82}</code>		<code>\Pisymbol{knot1}{105}</code>
	<code>\Pisymbol{knot1}{67}</code>		<code>\Pisymbol{knot1}{83}</code>		
	<code>\Pisymbol{knot2}{48}</code>		<code>\Pisymbol{knot2}{68}</code>		<code>\Pisymbol{knot2}{84}</code>
	<code>\Pisymbol{knot2}{49}</code>		<code>\Pisymbol{knot2}{69}</code>		<code>\Pisymbol{knot2}{85}</code>
	<code>\Pisymbol{knot2}{50}</code>		<code>\Pisymbol{knot2}{70}</code>		<code>\Pisymbol{knot2}{86}</code>
	<code>\Pisymbol{knot2}{51}</code>		<code>\Pisymbol{knot2}{71}</code>		<code>\Pisymbol{knot2}{87}</code>
	<code>\Pisymbol{knot2}{52}</code>		<code>\Pisymbol{knot2}{72}</code>		<code>\Pisymbol{knot2}{88}</code>
	<code>\Pisymbol{knot2}{53}</code>		<code>\Pisymbol{knot2}{73}</code>		<code>\Pisymbol{knot2}{96}</code>
	<code>\Pisymbol{knot2}{58}</code>		<code>\Pisymbol{knot2}{74}</code>		<code>\Pisymbol{knot2}{97}</code>
	<code>\Pisymbol{knot2}{59}</code>		<code>\Pisymbol{knot2}{75}</code>		<code>\Pisymbol{knot2}{98}</code>
	<code>\Pisymbol{knot2}{60}</code>		<code>\Pisymbol{knot2}{76}</code>		<code>\Pisymbol{knot2}{99}</code>
	<code>\Pisymbol{knot2}{61}</code>		<code>\Pisymbol{knot2}{77}</code>		<code>\Pisymbol{knot2}{100}</code>
	<code>\Pisymbol{knot2}{62}</code>		<code>\Pisymbol{knot2}{78}</code>		<code>\Pisymbol{knot2}{101}</code>
	<code>\Pisymbol{knot2}{63}</code>		<code>\Pisymbol{knot2}{79}</code>		<code>\Pisymbol{knot2}{102}</code>
	<code>\Pisymbol{knot2}{64}</code>		<code>\Pisymbol{knot2}{80}</code>		<code>\Pisymbol{knot2}{103}</code>
	<code>\Pisymbol{knot2}{65}</code>		<code>\Pisymbol{knot2}{81}</code>		<code>\Pisymbol{knot2}{104}</code>
	<code>\Pisymbol{knot2}{66}</code>		<code>\Pisymbol{knot2}{82}</code>		<code>\Pisymbol{knot2}{105}</code>
	<code>\Pisymbol{knot2}{67}</code>		<code>\Pisymbol{knot2}{83}</code>		
	<code>\Pisymbol{knot3}{48}</code>		<code>\Pisymbol{knot3}{68}</code>		<code>\Pisymbol{knot3}{84}</code>
	<code>\Pisymbol{knot3}{49}</code>		<code>\Pisymbol{knot3}{69}</code>		<code>\Pisymbol{knot3}{85}</code>
	<code>\Pisymbol{knot3}{50}</code>		<code>\Pisymbol{knot3}{70}</code>		<code>\Pisymbol{knot3}{86}</code>
	<code>\Pisymbol{knot3}{51}</code>		<code>\Pisymbol{knot3}{71}</code>		<code>\Pisymbol{knot3}{87}</code>
	<code>\Pisymbol{knot3}{52}</code>		<code>\Pisymbol{knot3}{72}</code>		<code>\Pisymbol{knot3}{88}</code>
	<code>\Pisymbol{knot3}{53}</code>		<code>\Pisymbol{knot3}{73}</code>		<code>\Pisymbol{knot3}{96}</code>
	<code>\Pisymbol{knot3}{58}</code>		<code>\Pisymbol{knot3}{74}</code>		<code>\Pisymbol{knot3}{97}</code>
	<code>\Pisymbol{knot3}{59}</code>		<code>\Pisymbol{knot3}{75}</code>		<code>\Pisymbol{knot3}{98}</code>
	<code>\Pisymbol{knot3}{60}</code>		<code>\Pisymbol{knot3}{76}</code>		<code>\Pisymbol{knot3}{99}</code>
	<code>\Pisymbol{knot3}{61}</code>		<code>\Pisymbol{knot3}{77}</code>		<code>\Pisymbol{knot3}{100}</code>

(continued on next page)

(continued from previous page)



































































































	<code>\Pisymbol{knot3}{62}</code>		<code>\Pisymbol{knot3}{78}</code>		<code>\Pisymbol{knot3}{101}</code>
	<code>\Pisymbol{knot3}{63}</code>		<code>\Pisymbol{knot3}{79}</code>		<code>\Pisymbol{knot3}{102}</code>
	<code>\Pisymbol{knot3}{64}</code>		<code>\Pisymbol{knot3}{80}</code>		<code>\Pisymbol{knot3}{103}</code>
	<code>\Pisymbol{knot3}{65}</code>		<code>\Pisymbol{knot3}{81}</code>		<code>\Pisymbol{knot3}{104}</code>
	<code>\Pisymbol{knot3}{66}</code>		<code>\Pisymbol{knot3}{82}</code>		<code>\Pisymbol{knot3}{105}</code>
	<code>\Pisymbol{knot3}{67}</code>		<code>\Pisymbol{knot3}{83}</code>		

	<code>\Pisymbol{knot4}{48}</code>		<code>\Pisymbol{knot4}{68}</code>		<code>\Pisymbol{knot4}{84}</code>
	<code>\Pisymbol{knot4}{49}</code>		<code>\Pisymbol{knot4}{69}</code>		<code>\Pisymbol{knot4}{85}</code>
	<code>\Pisymbol{knot4}{50}</code>		<code>\Pisymbol{knot4}{70}</code>		<code>\Pisymbol{knot4}{86}</code>
	<code>\Pisymbol{knot4}{51}</code>		<code>\Pisymbol{knot4}{71}</code>		<code>\Pisymbol{knot4}{87}</code>
	<code>\Pisymbol{knot4}{52}</code>		<code>\Pisymbol{knot4}{72}</code>		<code>\Pisymbol{knot4}{88}</code>
	<code>\Pisymbol{knot4}{53}</code>		<code>\Pisymbol{knot4}{73}</code>		<code>\Pisymbol{knot4}{96}</code>
	<code>\Pisymbol{knot4}{58}</code>		<code>\Pisymbol{knot4}{74}</code>		<code>\Pisymbol{knot4}{97}</code>
	<code>\Pisymbol{knot4}{59}</code>		<code>\Pisymbol{knot4}{75}</code>		<code>\Pisymbol{knot4}{98}</code>
	<code>\Pisymbol{knot4}{60}</code>		<code>\Pisymbol{knot4}{76}</code>		<code>\Pisymbol{knot4}{99}</code>
	<code>\Pisymbol{knot4}{61}</code>		<code>\Pisymbol{knot4}{77}</code>		<code>\Pisymbol{knot4}{100}</code>
	<code>\Pisymbol{knot4}{62}</code>		<code>\Pisymbol{knot4}{78}</code>		<code>\Pisymbol{knot4}{101}</code>
	<code>\Pisymbol{knot4}{63}</code>		<code>\Pisymbol{knot4}{79}</code>		<code>\Pisymbol{knot4}{102}</code>
	<code>\Pisymbol{knot4}{64}</code>		<code>\Pisymbol{knot4}{80}</code>		<code>\Pisymbol{knot4}{103}</code>
	<code>\Pisymbol{knot4}{65}</code>		<code>\Pisymbol{knot4}{81}</code>		<code>\Pisymbol{knot4}{104}</code>
	<code>\Pisymbol{knot4}{66}</code>		<code>\Pisymbol{knot4}{82}</code>		<code>\Pisymbol{knot4}{105}</code>
	<code>\Pisymbol{knot4}{67}</code>		<code>\Pisymbol{knot4}{83}</code>		

	<code>\Pisymbol{knot5}{48}</code>		<code>\Pisymbol{knot5}{68}</code>		<code>\Pisymbol{knot5}{84}</code>
	<code>\Pisymbol{knot5}{49}</code>		<code>\Pisymbol{knot5}{69}</code>		<code>\Pisymbol{knot5}{85}</code>
	<code>\Pisymbol{knot5}{50}</code>		<code>\Pisymbol{knot5}{70}</code>		<code>\Pisymbol{knot5}{86}</code>
	<code>\Pisymbol{knot5}{51}</code>		<code>\Pisymbol{knot5}{71}</code>		<code>\Pisymbol{knot5}{87}</code>
	<code>\Pisymbol{knot5}{52}</code>		<code>\Pisymbol{knot5}{72}</code>		<code>\Pisymbol{knot5}{88}</code>
	<code>\Pisymbol{knot5}{53}</code>		<code>\Pisymbol{knot5}{73}</code>		<code>\Pisymbol{knot5}{96}</code>
	<code>\Pisymbol{knot5}{58}</code>		<code>\Pisymbol{knot5}{74}</code>		<code>\Pisymbol{knot5}{97}</code>
	<code>\Pisymbol{knot5}{59}</code>		<code>\Pisymbol{knot5}{75}</code>		<code>\Pisymbol{knot5}{98}</code>
	<code>\Pisymbol{knot5}{60}</code>		<code>\Pisymbol{knot5}{76}</code>		<code>\Pisymbol{knot5}{99}</code>
	<code>\Pisymbol{knot5}{61}</code>		<code>\Pisymbol{knot5}{77}</code>		<code>\Pisymbol{knot5}{100}</code>
	<code>\Pisymbol{knot5}{62}</code>		<code>\Pisymbol{knot5}{78}</code>		<code>\Pisymbol{knot5}{101}</code>
	<code>\Pisymbol{knot5}{63}</code>		<code>\Pisymbol{knot5}{79}</code>		<code>\Pisymbol{knot5}{102}</code>
	<code>\Pisymbol{knot5}{64}</code>		<code>\Pisymbol{knot5}{80}</code>		<code>\Pisymbol{knot5}{103}</code>



(continued on next page)

(continued from previous page)








	<code>\Pisymbol{knot5}{65}</code>		<code>\Pisymbol{knot5}{81}</code>		<code>\Pisymbol{knot5}{104}</code>
	<code>\Pisymbol{knot5}{66}</code>		<code>\Pisymbol{knot5}{82}</code>		<code>\Pisymbol{knot5}{105}</code>
	<code>\Pisymbol{knot5}{67}</code>		<code>\Pisymbol{knot5}{83}</code>		
	<code>\Pisymbol{knot6}{48}</code>		<code>\Pisymbol{knot6}{68}</code>		<code>\Pisymbol{knot6}{84}</code>
	<code>\Pisymbol{knot6}{49}</code>		<code>\Pisymbol{knot6}{69}</code>		<code>\Pisymbol{knot6}{85}</code>
	<code>\Pisymbol{knot6}{50}</code>		<code>\Pisymbol{knot6}{70}</code>		<code>\Pisymbol{knot6}{86}</code>
	<code>\Pisymbol{knot6}{51}</code>		<code>\Pisymbol{knot6}{71}</code>		<code>\Pisymbol{knot6}{87}</code>
	<code>\Pisymbol{knot6}{52}</code>		<code>\Pisymbol{knot6}{72}</code>		<code>\Pisymbol{knot6}{88}</code>
	<code>\Pisymbol{knot6}{53}</code>		<code>\Pisymbol{knot6}{73}</code>		<code>\Pisymbol{knot6}{96}</code>
	<code>\Pisymbol{knot6}{58}</code>		<code>\Pisymbol{knot6}{74}</code>		<code>\Pisymbol{knot6}{97}</code>
	<code>\Pisymbol{knot6}{59}</code>		<code>\Pisymbol{knot6}{75}</code>		<code>\Pisymbol{knot6}{98}</code>
	<code>\Pisymbol{knot6}{60}</code>		<code>\Pisymbol{knot6}{76}</code>		<code>\Pisymbol{knot6}{99}</code>
	<code>\Pisymbol{knot6}{61}</code>		<code>\Pisymbol{knot6}{77}</code>		<code>\Pisymbol{knot6}{100}</code>
	<code>\Pisymbol{knot6}{62}</code>		<code>\Pisymbol{knot6}{78}</code>		<code>\Pisymbol{knot6}{101}</code>
	<code>\Pisymbol{knot6}{63}</code>		<code>\Pisymbol{knot6}{79}</code>		<code>\Pisymbol{knot6}{102}</code>
	<code>\Pisymbol{knot6}{64}</code>		<code>\Pisymbol{knot6}{80}</code>		<code>\Pisymbol{knot6}{103}</code>
	<code>\Pisymbol{knot6}{65}</code>		<code>\Pisymbol{knot6}{81}</code>		<code>\Pisymbol{knot6}{104}</code>
	<code>\Pisymbol{knot6}{66}</code>		<code>\Pisymbol{knot6}{82}</code>		<code>\Pisymbol{knot6}{105}</code>
	<code>\Pisymbol{knot6}{67}</code>		<code>\Pisymbol{knot6}{83}</code>		
	<code>\Pisymbol{knot7}{48}</code>		<code>\Pisymbol{knot7}{68}</code>		<code>\Pisymbol{knot7}{84}</code>
	<code>\Pisymbol{knot7}{49}</code>		<code>\Pisymbol{knot7}{69}</code>		<code>\Pisymbol{knot7}{85}</code>
	<code>\Pisymbol{knot7}{50}</code>		<code>\Pisymbol{knot7}{70}</code>		<code>\Pisymbol{knot7}{86}</code>
	<code>\Pisymbol{knot7}{51}</code>		<code>\Pisymbol{knot7}{71}</code>		<code>\Pisymbol{knot7}{87}</code>
	<code>\Pisymbol{knot7}{52}</code>		<code>\Pisymbol{knot7}{72}</code>		<code>\Pisymbol{knot7}{88}</code>
	<code>\Pisymbol{knot7}{53}</code>		<code>\Pisymbol{knot7}{73}</code>		<code>\Pisymbol{knot7}{96}</code>
	<code>\Pisymbol{knot7}{58}</code>		<code>\Pisymbol{knot7}{74}</code>		<code>\Pisymbol{knot7}{97}</code>
	<code>\Pisymbol{knot7}{59}</code>		<code>\Pisymbol{knot7}{75}</code>		<code>\Pisymbol{knot7}{98}</code>
	<code>\Pisymbol{knot7}{60}</code>		<code>\Pisymbol{knot7}{76}</code>		<code>\Pisymbol{knot7}{99}</code>
	<code>\Pisymbol{knot7}{61}</code>		<code>\Pisymbol{knot7}{77}</code>		<code>\Pisymbol{knot7}{100}</code>
	<code>\Pisymbol{knot7}{62}</code>		<code>\Pisymbol{knot7}{78}</code>		<code>\Pisymbol{knot7}{101}</code>
	<code>\Pisymbol{knot7}{63}</code>		<code>\Pisymbol{knot7}{79}</code>		<code>\Pisymbol{knot7}{102}</code>
	<code>\Pisymbol{knot7}{64}</code>		<code>\Pisymbol{knot7}{80}</code>		<code>\Pisymbol{knot7}{103}</code>
	<code>\Pisymbol{knot7}{65}</code>		<code>\Pisymbol{knot7}{81}</code>		<code>\Pisymbol{knot7}{104}</code>
	<code>\Pisymbol{knot7}{66}</code>		<code>\Pisymbol{knot7}{82}</code>		<code>\Pisymbol{knot7}{105}</code>

(continued on next page)

(continued from previous page)

 `\Pisymbol{knot7}{67}`  `\Pisymbol{knot7}{83}`

The following is an example of a basic knot, using `\usefont{U}{knot(number)}{m}{n}` to change fonts for multiple characters instead of `\Pisymbol` to typeset one character at a time. Note that all of the characters in the knot fonts lie conveniently within the range of printable ASCII characters.

Input	knot1	knot2	knot3	knot4	knot5	knot6	knot7
CDB							
FHG							
@EA							






















The niceframe package can be used to typeset decorative frames using fonts such as knot, especially using characters 48–63 of each font variant.

TABLE 505: dancers Dancing Men

	<code>\Pisymbol{dancers}{0}</code>		<code>\Pisymbol{dancers}{86}</code>		<code>\Pisymbol{dancers}{172}</code>
	<code>\Pisymbol{dancers}{1}</code>		<code>\Pisymbol{dancers}{87}</code>		<code>\Pisymbol{dancers}{173}</code>
	<code>\Pisymbol{dancers}{2}</code>		<code>\Pisymbol{dancers}{88}</code>		<code>\Pisymbol{dancers}{174}</code>
	<code>\Pisymbol{dancers}{3}</code>		<code>\Pisymbol{dancers}{89}</code>		<code>\Pisymbol{dancers}{175}</code>
	<code>\Pisymbol{dancers}{4}</code>		<code>\Pisymbol{dancers}{90}</code>		<code>\Pisymbol{dancers}{176}</code>
	<code>\Pisymbol{dancers}{5}</code>		<code>\Pisymbol{dancers}{91}</code>		<code>\Pisymbol{dancers}{177}</code>
	<code>\Pisymbol{dancers}{6}</code>		<code>\Pisymbol{dancers}{92}</code>		<code>\Pisymbol{dancers}{178}</code>
	<code>\Pisymbol{dancers}{7}</code>		<code>\Pisymbol{dancers}{93}</code>		<code>\Pisymbol{dancers}{179}</code>
	<code>\Pisymbol{dancers}{8}</code>		<code>\Pisymbol{dancers}{94}</code>		<code>\Pisymbol{dancers}{180}</code>
	<code>\Pisymbol{dancers}{9}</code>		<code>\Pisymbol{dancers}{95}</code>		<code>\Pisymbol{dancers}{181}</code>
	<code>\Pisymbol{dancers}{10}</code>		<code>\Pisymbol{dancers}{96}</code>		<code>\Pisymbol{dancers}{182}</code>
	<code>\Pisymbol{dancers}{11}</code>		<code>\Pisymbol{dancers}{97}</code>		<code>\Pisymbol{dancers}{183}</code>
	<code>\Pisymbol{dancers}{12}</code>		<code>\Pisymbol{dancers}{98}</code>		<code>\Pisymbol{dancers}{184}</code>
	<code>\Pisymbol{dancers}{13}</code>		<code>\Pisymbol{dancers}{99}</code>		<code>\Pisymbol{dancers}{185}</code>
	<code>\Pisymbol{dancers}{14}</code>		<code>\Pisymbol{dancers}{100}</code>		<code>\Pisymbol{dancers}{186}</code>
	<code>\Pisymbol{dancers}{15}</code>		<code>\Pisymbol{dancers}{101}</code>		<code>\Pisymbol{dancers}{187}</code>
	<code>\Pisymbol{dancers}{16}</code>		<code>\Pisymbol{dancers}{102}</code>		<code>\Pisymbol{dancers}{188}</code>


(continued on next page)

(continued from previous page)

 \Pisymbol{dancers}{17}	 \Pisymbol{dancers}{103}	 \Pisymbol{dancers}{189}
 \Pisymbol{dancers}{18}	 \Pisymbol{dancers}{104}	 \Pisymbol{dancers}{190}
 \Pisymbol{dancers}{19}	 \Pisymbol{dancers}{105}	 \Pisymbol{dancers}{191}
 \Pisymbol{dancers}{20}	 \Pisymbol{dancers}{106}	 \Pisymbol{dancers}{192}
 \Pisymbol{dancers}{21}	 \Pisymbol{dancers}{107}	 \Pisymbol{dancers}{193}
 \Pisymbol{dancers}{22}	 \Pisymbol{dancers}{108}	 \Pisymbol{dancers}{194}
 \Pisymbol{dancers}{23}	 \Pisymbol{dancers}{109}	 \Pisymbol{dancers}{195}
 \Pisymbol{dancers}{24}	 \Pisymbol{dancers}{110}	 \Pisymbol{dancers}{196}
 \Pisymbol{dancers}{25}	 \Pisymbol{dancers}{111}	 \Pisymbol{dancers}{197}
 \Pisymbol{dancers}{26}	 \Pisymbol{dancers}{112}	 \Pisymbol{dancers}{198}
 \Pisymbol{dancers}{27}	 \Pisymbol{dancers}{113}	 \Pisymbol{dancers}{199}
 \Pisymbol{dancers}{28}	 \Pisymbol{dancers}{114}	 \Pisymbol{dancers}{200}
 \Pisymbol{dancers}{29}	 \Pisymbol{dancers}{115}	 \Pisymbol{dancers}{201}
 \Pisymbol{dancers}{30}	 \Pisymbol{dancers}{116}	 \Pisymbol{dancers}{202}
 \Pisymbol{dancers}{31}	 \Pisymbol{dancers}{117}	 \Pisymbol{dancers}{203}
 \Pisymbol{dancers}{32}	 \Pisymbol{dancers}{118}	 \Pisymbol{dancers}{204}
 \Pisymbol{dancers}{33}	 \Pisymbol{dancers}{119}	 \Pisymbol{dancers}{205}
 \Pisymbol{dancers}{34}	 \Pisymbol{dancers}{120}	 \Pisymbol{dancers}{206}
 \Pisymbol{dancers}{35}	 \Pisymbol{dancers}{121}	 \Pisymbol{dancers}{207}
 \Pisymbol{dancers}{36}	 \Pisymbol{dancers}{122}	 \Pisymbol{dancers}{208}
 \Pisymbol{dancers}{37}	 \Pisymbol{dancers}{123}	 \Pisymbol{dancers}{209}
 \Pisymbol{dancers}{38}	 \Pisymbol{dancers}{124}	 \Pisymbol{dancers}{210}
 \Pisymbol{dancers}{39}	 \Pisymbol{dancers}{125}	 \Pisymbol{dancers}{211}
 \Pisymbol{dancers}{40}	 \Pisymbol{dancers}{126}	 \Pisymbol{dancers}{212}
 \Pisymbol{dancers}{41}	 \Pisymbol{dancers}{127}	 \Pisymbol{dancers}{213}
 \Pisymbol{dancers}{42}	 \Pisymbol{dancers}{128}	 \Pisymbol{dancers}{214}
 \Pisymbol{dancers}{43}	 \Pisymbol{dancers}{129}	 \Pisymbol{dancers}{215}
 \Pisymbol{dancers}{44}	 \Pisymbol{dancers}{130}	 \Pisymbol{dancers}{216}
 \Pisymbol{dancers}{45}	 \Pisymbol{dancers}{131}	 \Pisymbol{dancers}{217}
 \Pisymbol{dancers}{46}	 \Pisymbol{dancers}{132}	 \Pisymbol{dancers}{218}
 \Pisymbol{dancers}{47}	 \Pisymbol{dancers}{133}	 \Pisymbol{dancers}{219}
 \Pisymbol{dancers}{48}	 \Pisymbol{dancers}{134}	 \Pisymbol{dancers}{220}














(continued on next page)

(continued from previous page)

 \Pisymbol{dancers}{49}	 \Pisymbol{dancers}{135}	 \Pisymbol{dancers}{221}
 \Pisymbol{dancers}{50}	 \Pisymbol{dancers}{136}	 \Pisymbol{dancers}{222}
 \Pisymbol{dancers}{51}	 \Pisymbol{dancers}{137}	 \Pisymbol{dancers}{223}
 \Pisymbol{dancers}{52}	 \Pisymbol{dancers}{138}	 \Pisymbol{dancers}{224}
 \Pisymbol{dancers}{53}	 \Pisymbol{dancers}{139}	 \Pisymbol{dancers}{225}
 \Pisymbol{dancers}{54}	 \Pisymbol{dancers}{140}	 \Pisymbol{dancers}{226}
 \Pisymbol{dancers}{55}	 \Pisymbol{dancers}{141}	 \Pisymbol{dancers}{227}
 \Pisymbol{dancers}{56}	 \Pisymbol{dancers}{142}	 \Pisymbol{dancers}{228}
 \Pisymbol{dancers}{57}	 \Pisymbol{dancers}{143}	 \Pisymbol{dancers}{229}
 \Pisymbol{dancers}{58}	 \Pisymbol{dancers}{144}	 \Pisymbol{dancers}{230}
 \Pisymbol{dancers}{59}	 \Pisymbol{dancers}{145}	 \Pisymbol{dancers}{231}
 \Pisymbol{dancers}{60}	 \Pisymbol{dancers}{146}	 \Pisymbol{dancers}{232}
 \Pisymbol{dancers}{61}	 \Pisymbol{dancers}{147}	 \Pisymbol{dancers}{233}
 \Pisymbol{dancers}{62}	 \Pisymbol{dancers}{148}	 \Pisymbol{dancers}{234}
 \Pisymbol{dancers}{63}	 \Pisymbol{dancers}{149}	 \Pisymbol{dancers}{235}
 \Pisymbol{dancers}{64}	 \Pisymbol{dancers}{150}	 \Pisymbol{dancers}{236}
 \Pisymbol{dancers}{65}	 \Pisymbol{dancers}{151}	 \Pisymbol{dancers}{237}
 \Pisymbol{dancers}{66}	 \Pisymbol{dancers}{152}	 \Pisymbol{dancers}{238}
 \Pisymbol{dancers}{67}	 \Pisymbol{dancers}{153}	 \Pisymbol{dancers}{239}
 \Pisymbol{dancers}{68}	 \Pisymbol{dancers}{154}	 \Pisymbol{dancers}{240}
 \Pisymbol{dancers}{69}	 \Pisymbol{dancers}{155}	 \Pisymbol{dancers}{241}
 \Pisymbol{dancers}{70}	 \Pisymbol{dancers}{156}	 \Pisymbol{dancers}{242}
 \Pisymbol{dancers}{71}	 \Pisymbol{dancers}{157}	 \Pisymbol{dancers}{243}
 \Pisymbol{dancers}{72}	 \Pisymbol{dancers}{158}	 \Pisymbol{dancers}{244}
 \Pisymbol{dancers}{73}	 \Pisymbol{dancers}{159}	 \Pisymbol{dancers}{245}
 \Pisymbol{dancers}{74}	 \Pisymbol{dancers}{160}	 \Pisymbol{dancers}{246}
 \Pisymbol{dancers}{75}	 \Pisymbol{dancers}{161}	 \Pisymbol{dancers}{247}
 \Pisymbol{dancers}{76}	 \Pisymbol{dancers}{162}	 \Pisymbol{dancers}{248}
 \Pisymbol{dancers}{77}	 \Pisymbol{dancers}{163}	 \Pisymbol{dancers}{249}
 \Pisymbol{dancers}{78}	 \Pisymbol{dancers}{164}	 \Pisymbol{dancers}{250}
 \Pisymbol{dancers}{79}	 \Pisymbol{dancers}{165}	 \Pisymbol{dancers}{251}
 \Pisymbol{dancers}{80}	 \Pisymbol{dancers}{166}	 \Pisymbol{dancers}{252}















































(continued on next page)

(continued from previous page)

	<code>\Pisymbol{dancers}{81}</code>		<code>\Pisymbol{dancers}{167}</code>		<code>\Pisymbol{dancers}{253}</code>
	<code>\Pisymbol{dancers}{82}</code>		<code>\Pisymbol{dancers}{168}</code>		<code>\Pisymbol{dancers}{254}</code>
	<code>\Pisymbol{dancers}{83}</code>		<code>\Pisymbol{dancers}{169}</code>		<code>\Pisymbol{dancers}{255}</code>
	<code>\Pisymbol{dancers}{84}</code>		<code>\Pisymbol{dancers}{170}</code>		
	<code>\Pisymbol{dancers}{85}</code>		<code>\Pisymbol{dancers}{171}</code>		

Fans of Sherlock Holmes mysteries will recognize these glyphs as forming the substitution cipher featured in Sir Arthur Conan Doyle's *The Adventure of the Dancing Men* (1903).

TABLE 506: semaphor Semaphore Alphabet

	<code>\Pisymbol{smfpr10}{34}</code>		<code>\Pisymbol{smfpr10}{116}</code>		<code>\Pisymbol{smfpr10}{184}</code>
	<code>\Pisymbol{smfpr10}{35}</code>		<code>\Pisymbol{smfpr10}{117}</code>		<code>\Pisymbol{smfpr10}{185}</code>
	<code>\Pisymbol{smfpr10}{36}</code>		<code>\Pisymbol{smfpr10}{118}</code>		<code>\Pisymbol{smfpr10}{186}</code>
	<code>\Pisymbol{smfpr10}{42}</code>		<code>\Pisymbol{smfpr10}{119}</code>		<code>\Pisymbol{smfpr10}{187}</code>
	<code>\Pisymbol{smfpr10}{46}</code>		<code>\Pisymbol{smfpr10}{120}</code>		<code>\Pisymbol{smfpr10}{192}</code>
	<code>\Pisymbol{smfpr10}{48}</code>		<code>\Pisymbol{smfpr10}{121}</code>		<code>\Pisymbol{smfpr10}{193}</code>
	<code>\Pisymbol{smfpr10}{49}</code>		<code>\Pisymbol{smfpr10}{122}</code>		<code>\Pisymbol{smfpr10}{194}</code>
	<code>\Pisymbol{smfpr10}{50}</code>		<code>\Pisymbol{smfpr10}{126}</code>		<code>\Pisymbol{smfpr10}{195}</code>
	<code>\Pisymbol{smfpr10}{51}</code>		<code>\Pisymbol{smfpr10}{128}</code>		<code>\Pisymbol{smfpr10}{196}</code>
	<code>\Pisymbol{smfpr10}{52}</code>		<code>\Pisymbol{smfpr10}{129}</code>		<code>\Pisymbol{smfpr10}{197}</code>
	<code>\Pisymbol{smfpr10}{53}</code>		<code>\Pisymbol{smfpr10}{130}</code>		<code>\Pisymbol{smfpr10}{199}</code>
	<code>\Pisymbol{smfpr10}{54}</code>		<code>\Pisymbol{smfpr10}{131}</code>		<code>\Pisymbol{smfpr10}{200}</code>
	<code>\Pisymbol{smfpr10}{55}</code>		<code>\Pisymbol{smfpr10}{132}</code>		<code>\Pisymbol{smfpr10}{201}</code>
	<code>\Pisymbol{smfpr10}{56}</code>		<code>\Pisymbol{smfpr10}{133}</code>		<code>\Pisymbol{smfpr10}{202}</code>
	<code>\Pisymbol{smfpr10}{57}</code>		<code>\Pisymbol{smfpr10}{134}</code>		<code>\Pisymbol{smfpr10}{203}</code>
	<code>\Pisymbol{smfpr10}{65}</code>		<code>\Pisymbol{smfpr10}{135}</code>		<code>\Pisymbol{smfpr10}{204}</code>
	<code>\Pisymbol{smfpr10}{66}</code>		<code>\Pisymbol{smfpr10}{136}</code>		<code>\Pisymbol{smfpr10}{205}</code>
	<code>\Pisymbol{smfpr10}{67}</code>		<code>\Pisymbol{smfpr10}{137}</code>		<code>\Pisymbol{smfpr10}{206}</code>
	<code>\Pisymbol{smfpr10}{68}</code>		<code>\Pisymbol{smfpr10}{138}</code>		<code>\Pisymbol{smfpr10}{207}</code>
	<code>\Pisymbol{smfpr10}{69}</code>		<code>\Pisymbol{smfpr10}{139}</code>		<code>\Pisymbol{smfpr10}{209}</code>
	<code>\Pisymbol{smfpr10}{70}</code>		<code>\Pisymbol{smfpr10}{140}</code>		<code>\Pisymbol{smfpr10}{210}</code>
	<code>\Pisymbol{smfpr10}{71}</code>		<code>\Pisymbol{smfpr10}{142}</code>		<code>\Pisymbol{smfpr10}{211}</code>
	<code>\Pisymbol{smfpr10}{72}</code>		<code>\Pisymbol{smfpr10}{143}</code>		<code>\Pisymbol{smfpr10}{212}</code>
	<code>\Pisymbol{smfpr10}{73}</code>		<code>\Pisymbol{smfpr10}{144}</code>		<code>\Pisymbol{smfpr10}{213}</code>
	<code>\Pisymbol{smfpr10}{74}</code>		<code>\Pisymbol{smfpr10}{145}</code>		<code>\Pisymbol{smfpr10}{214}</code>
	<code>\Pisymbol{smfpr10}{75}</code>		<code>\Pisymbol{smfpr10}{146}</code>		<code>\Pisymbol{smfpr10}{216}</code>
	<code>\Pisymbol{smfpr10}{76}</code>		<code>\Pisymbol{smfpr10}{147}</code>		<code>\Pisymbol{smfpr10}{217}</code>
	<code>\Pisymbol{smfpr10}{77}</code>		<code>\Pisymbol{smfpr10}{148}</code>		<code>\Pisymbol{smfpr10}{218}</code>

(continued on next page)



(continued from previous page)

♣	\Pisymbol{smfpr10}{78}	♣	\Pisymbol{smfpr10}{149}	♣	\Pisymbol{smfpr10}{219}
♣	\Pisymbol{smfpr10}{79}	♣	\Pisymbol{smfpr10}{150}	♣	\Pisymbol{smfpr10}{220}
♣	\Pisymbol{smfpr10}{80}	♣	\Pisymbol{smfpr10}{151}	♣	\Pisymbol{smfpr10}{221}
♣	\Pisymbol{smfpr10}{81}	♣	\Pisymbol{smfpr10}{152}	♣	\Pisymbol{smfpr10}{224}
♣	\Pisymbol{smfpr10}{82}	♣	\Pisymbol{smfpr10}{153}	♣	\Pisymbol{smfpr10}{225}
♣	\Pisymbol{smfpr10}{83}	♣	\Pisymbol{smfpr10}{154}	♣	\Pisymbol{smfpr10}{226}
♣	\Pisymbol{smfpr10}{84}	♣	\Pisymbol{smfpr10}{155}	♣	\Pisymbol{smfpr10}{227}
♣	\Pisymbol{smfpr10}{85}	♣	\Pisymbol{smfpr10}{157}	♣	\Pisymbol{smfpr10}{228}
♣	\Pisymbol{smfpr10}{86}	♣	\Pisymbol{smfpr10}{158}	♣	\Pisymbol{smfpr10}{229}
♣	\Pisymbol{smfpr10}{87}	♣	\Pisymbol{smfpr10}{160}	♣	\Pisymbol{smfpr10}{231}
♣	\Pisymbol{smfpr10}{88}	♣	\Pisymbol{smfpr10}{161}	♣	\Pisymbol{smfpr10}{232}
♣	\Pisymbol{smfpr10}{89}	♣	\Pisymbol{smfpr10}{162}	♣	\Pisymbol{smfpr10}{233}
♣	\Pisymbol{smfpr10}{90}	♣	\Pisymbol{smfpr10}{163}	♣	\Pisymbol{smfpr10}{234}
♣	\Pisymbol{smfpr10}{97}	♣	\Pisymbol{smfpr10}{164}	♣	\Pisymbol{smfpr10}{235}
♣	\Pisymbol{smfpr10}{98}	♣	\Pisymbol{smfpr10}{165}	♣	\Pisymbol{smfpr10}{236}
♣	\Pisymbol{smfpr10}{99}	♣	\Pisymbol{smfpr10}{166}	♣	\Pisymbol{smfpr10}{237}
♣	\Pisymbol{smfpr10}{100}	♣	\Pisymbol{smfpr10}{167}	♣	\Pisymbol{smfpr10}{238}
♣	\Pisymbol{smfpr10}{101}	♣	\Pisymbol{smfpr10}{168}	♣	\Pisymbol{smfpr10}{239}
♣	\Pisymbol{smfpr10}{102}	♣	\Pisymbol{smfpr10}{169}	♣	\Pisymbol{smfpr10}{241}
♣	\Pisymbol{smfpr10}{103}	♣	\Pisymbol{smfpr10}{170}	♣	\Pisymbol{smfpr10}{242}
♣	\Pisymbol{smfpr10}{104}	♣	\Pisymbol{smfpr10}{171}	♣	\Pisymbol{smfpr10}{243}
♣	\Pisymbol{smfpr10}{105}	♣	\Pisymbol{smfpr10}{172}	♣	\Pisymbol{smfpr10}{244}
♣	\Pisymbol{smfpr10}{106}	♣	\Pisymbol{smfpr10}{174}	♣	\Pisymbol{smfpr10}{245}
♣	\Pisymbol{smfpr10}{107}	♣	\Pisymbol{smfpr10}{175}	♣	\Pisymbol{smfpr10}{246}
♣	\Pisymbol{smfpr10}{108}	♣	\Pisymbol{smfpr10}{176}	♣	\Pisymbol{smfpr10}{248}
♣	\Pisymbol{smfpr10}{109}	♣	\Pisymbol{smfpr10}{177}	♣	\Pisymbol{smfpr10}{249}
♣	\Pisymbol{smfpr10}{110}	♣	\Pisymbol{smfpr10}{178}	♣	\Pisymbol{smfpr10}{250}
♣	\Pisymbol{smfpr10}{111}	♣	\Pisymbol{smfpr10}{179}	♣	\Pisymbol{smfpr10}{251}
♣	\Pisymbol{smfpr10}{112}	♣	\Pisymbol{smfpr10}{180}	♣	\Pisymbol{smfpr10}{252}
♣	\Pisymbol{smfpr10}{113}	♣	\Pisymbol{smfpr10}{181}	♣	\Pisymbol{smfpr10}{253}
♣	\Pisymbol{smfpr10}{114}	♣	\Pisymbol{smfpr10}{182}		
♣	\Pisymbol{smfpr10}{115}	♣	\Pisymbol{smfpr10}{183}		

semaphor provides a `semaf.fd` font-definition file. Instead of using `pifont` and `\Pisymbol` to typeset a glyph, a document can select the `semaphor` fonts directly, although this does require putting `\input{semaf.fd}` in the document’s preamble. For example, `{\usefont{OT1}{smfp}{m}{n}Hello}` will typeset “♣♣♣♣♣”. This can be useful for typesetting complete messages. Roman, bold, monospace, slanted, and bold+slanted styles are all supported.

In addition, `semaphor` provides three variations of each font: a “person” version (`smfpr10`), which is what is illustrated in the preceding table, a “pillar” version (`smfr10`), which shows the flags on a pillar rather than being held by a person, and an “empty” version (`smfer10`), which shows only the flags and no pillar or person. Contrast these variations of the letter “H”:



TABLE 507: cryst Crystallography Symbols

◦	\Pisymbol{cryst}{0}	⬤	\Pisymbol{cryst}{63}	↘	\Pisymbol{cryst}{138}
◐	\Pisymbol{cryst}{2}	◀	\Pisymbol{cryst}{64}	↙	\Pisymbol{cryst}{139}
▲	\Pisymbol{cryst}{3}	↖	\Pisymbol{cryst}{65}	◼	\Pisymbol{cryst}{140}
◆	\Pisymbol{cryst}{4}	◉	\Pisymbol{cryst}{66}	⬆	\Pisymbol{cryst}{141}
⊖	\Pisymbol{cryst}{5}	↘	\Pisymbol{cryst}{75}	↗	\Pisymbol{cryst}{142}
●	\Pisymbol{cryst}{6}	↘	\Pisymbol{cryst}{77}	⬇	\Pisymbol{cryst}{143}
→	\Pisymbol{cryst}{7}	↘	\Pisymbol{cryst}{78}	↙	\Pisymbol{cryst}{145}
→	\Pisymbol{cryst}{8}	↘	\Pisymbol{cryst}{79}	↙	\Pisymbol{cryst}{147}
→	\Pisymbol{cryst}{9}	◼	\Pisymbol{cryst}{80}	↘	\Pisymbol{cryst}{148}
◦	\Pisymbol{cryst}{10}	◼	\Pisymbol{cryst}{81}	↙	\Pisymbol{cryst}{149}
∅	\Pisymbol{cryst}{12}	◼	\Pisymbol{cryst}{82}	↓	\Pisymbol{cryst}{155}
●	\Pisymbol{cryst}{15}	◼	\Pisymbol{cryst}{83}	↓	\Pisymbol{cryst}{157}
◐	\Pisymbol{cryst}{20}	◼	\Pisymbol{cryst}{84}	↓	\Pisymbol{cryst}{158}
◑	\Pisymbol{cryst}{21}	↘	\Pisymbol{cryst}{85}	↓	\Pisymbol{cryst}{159}
◒	\Pisymbol{cryst}{22}	↘	\Pisymbol{cryst}{87}	↘	\Pisymbol{cryst}{175}
◓	\Pisymbol{cryst}{24}	↘	\Pisymbol{cryst}{88}	↘	\Pisymbol{cryst}{177}
↗	\Pisymbol{cryst}{25}	↘	\Pisymbol{cryst}{89}	↘	\Pisymbol{cryst}{178}
↗	\Pisymbol{cryst}{27}	↘	\Pisymbol{cryst}{95}	↘	\Pisymbol{cryst}{179}
↗	\Pisymbol{cryst}{28}	↘	\Pisymbol{cryst}{97}	↘	\Pisymbol{cryst}{185}
↗	\Pisymbol{cryst}{29}	↘	\Pisymbol{cryst}{98}	↘	\Pisymbol{cryst}{187}
▲	\Pisymbol{cryst}{30}	↘	\Pisymbol{cryst}{99}	↘	\Pisymbol{cryst}{188}
▲	\Pisymbol{cryst}{31}	⊕	\Pisymbol{cryst}{102}	↘	\Pisymbol{cryst}{189}
▲	\Pisymbol{cryst}{32}	⊕	\Pisymbol{cryst}{103}	↘	\Pisymbol{cryst}{195}
↗	\Pisymbol{cryst}{35}	⬆	\Pisymbol{cryst}{104}	↘	\Pisymbol{cryst}{197}
⊕	\Pisymbol{cryst}{36}	←	\Pisymbol{cryst}{105}	↘	\Pisymbol{cryst}{198}
↗	\Pisymbol{cryst}{37}	←	\Pisymbol{cryst}{107}	↘	\Pisymbol{cryst}{199}
↗	\Pisymbol{cryst}{38}	←	\Pisymbol{cryst}{108}	⊕	\Pisymbol{cryst}{202}
↗	\Pisymbol{cryst}{39}	←	\Pisymbol{cryst}{109}	⊕	\Pisymbol{cryst}{203}
◊	\Pisymbol{cryst}{40}	⊕	\Pisymbol{cryst}{112}	⬇	\Pisymbol{cryst}{204}
◆	\Pisymbol{cryst}{41}	⊕	\Pisymbol{cryst}{113}	⊕	\Pisymbol{cryst}{210}
◆	\Pisymbol{cryst}{42}	⊕	\Pisymbol{cryst}{120}	⊕	\Pisymbol{cryst}{212}
◆	\Pisymbol{cryst}{43}	⊕	\Pisymbol{cryst}{121}	⊕	\Pisymbol{cryst}{213}
■	\Pisymbol{cryst}{44}	⊕	\Pisymbol{cryst}{123}	⊕	\Pisymbol{cryst}{220}
↗	\Pisymbol{cryst}{45}	⬆	\Pisymbol{cryst}{124}	⊕	\Pisymbol{cryst}{221}
↗	\Pisymbol{cryst}{47}	↘	\Pisymbol{cryst}{125}	⊕	\Pisymbol{cryst}{223}
↗	\Pisymbol{cryst}{48}	↘	\Pisymbol{cryst}{127}	⬇	\Pisymbol{cryst}{224}
↗	\Pisymbol{cryst}{49}	↘	\Pisymbol{cryst}{128}	⊕	\Pisymbol{cryst}{230}
◊	\Pisymbol{cryst}{50}	↘	\Pisymbol{cryst}{129}	⊕	\Pisymbol{cryst}{231}
↑	\Pisymbol{cryst}{55}	⊕	\Pisymbol{cryst}{130}	⊕	\Pisymbol{cryst}{232}
↑	\Pisymbol{cryst}{57}	⊕	\Pisymbol{cryst}{131}	⊕	\Pisymbol{cryst}{233}
↑	\Pisymbol{cryst}{58}	⊕	\Pisymbol{cryst}{132}	⊕	\Pisymbol{cryst}{236}
↑	\Pisymbol{cryst}{59}	⊕	\Pisymbol{cryst}{133}	◊	\Pisymbol{cryst}{240}
◊	\Pisymbol{cryst}{60}	↘	\Pisymbol{cryst}{135}	⬇	\Pisymbol{cryst}{241}
⊕	\Pisymbol{cryst}{61}	⊕	\Pisymbol{cryst}{136}	⬆	\Pisymbol{cryst}{242}
⊕	\Pisymbol{cryst}{62}	↘	\Pisymbol{cryst}{137}	⬇	\Pisymbol{cryst}{243}

TABLE 508: dice Dice

	<code>\Pisymbol{dice3d}{49}</code>		<code>\Pisymbol{dice3d}{101}</code>		<code>\Pisymbol{dice3d}{111}</code>
	<code>\Pisymbol{dice3d}{50}</code>		<code>\Pisymbol{dice3d}{102}</code>		<code>\Pisymbol{dice3d}{112}</code>
	<code>\Pisymbol{dice3d}{51}</code>		<code>\Pisymbol{dice3d}{103}</code>		<code>\Pisymbol{dice3d}{113}</code>
	<code>\Pisymbol{dice3d}{52}</code>		<code>\Pisymbol{dice3d}{104}</code>		<code>\Pisymbol{dice3d}{114}</code>
	<code>\Pisymbol{dice3d}{53}</code>		<code>\Pisymbol{dice3d}{105}</code>		<code>\Pisymbol{dice3d}{115}</code>
	<code>\Pisymbol{dice3d}{54}</code>		<code>\Pisymbol{dice3d}{106}</code>		<code>\Pisymbol{dice3d}{116}</code>
	<code>\Pisymbol{dice3d}{97}</code>		<code>\Pisymbol{dice3d}{107}</code>		<code>\Pisymbol{dice3d}{117}</code>
	<code>\Pisymbol{dice3d}{98}</code>		<code>\Pisymbol{dice3d}{108}</code>		<code>\Pisymbol{dice3d}{118}</code>
	<code>\Pisymbol{dice3d}{99}</code>		<code>\Pisymbol{dice3d}{109}</code>		<code>\Pisymbol{dice3d}{119}</code>
	<code>\Pisymbol{dice3d}{100}</code>		<code>\Pisymbol{dice3d}{110}</code>		<code>\Pisymbol{dice3d}{120}</code>

dice defines its symbols at a very small design size. The glyphs shown above were scaled up by a factor of four using `\DeclareFontShape{U}{dice3d}{m}{n}{<-> s*[4] dice3d}{}`.

An alternative to using `\Pisymbol` to select a die rotation is to rely on some cleverness in the kerning tables provided by the dice font. The individual digits “1” through “6” each produce the corresponding (2D) die face: `{\usefont{U}{dice3d}{m}{n}2 2 1}` produces “ ”, for example. When followed by a letter “a” through “d”, those pairs are kerned to produce a 3D die rotation with the digit specifying by the top face and the letter specifying one of the four possible front faces, sorted by increasing value. For example, `{\usefont{U}{dice3d}{m}{n}2a 2b 1d}` produces “ ”.

















































TABLE 509: magic Trading Card Symbols

①	<code>\Pisymbol{magic}{48}</code>	⑥	<code>\Pisymbol{magic}{54}</code>	Ⓜ	<code>\Pisymbol{magic}{82}</code>
②	<code>\Pisymbol{magic}{49}</code>	⑦	<code>\Pisymbol{magic}{55}</code>	Ⓝ	<code>\Pisymbol{magic}{84}</code>
③	<code>\Pisymbol{magic}{50}</code>	⑧	<code>\Pisymbol{magic}{56}</code>	♠	<code>\Pisymbol{magic}{85}</code>
④	<code>\Pisymbol{magic}{51}</code>	⑨	<code>\Pisymbol{magic}{57}</code>	⦿	<code>\Pisymbol{magic}{87}</code>
⑤	<code>\Pisymbol{magic}{52}</code>	♣	<code>\Pisymbol{magic}{66}</code>	ⓧ	<code>\Pisymbol{magic}{88}</code>
	<code>\Pisymbol{magic}{53}</code>	♠	<code>\Pisymbol{magic}{71}</code>	⑩	<code>\Pisymbol{magic}{90}</code>

The preceding symbols resemble those from Wizards of the Coast’s *Magic: The Gathering* trading-card game. An alternative to entering symbols numerically using `\Pisymbol` is to switch to the magic font with `\usefont{U}{magic}{m}{n}` and employ the following mnemonic characters:


















































































































①–⑨	0–9	Circled numerals 0–9
♣	B	Black magic symbol
♠	G	Green magic symbol
Ⓜ	R	Red magic symbol
Ⓝ	T	Tap symbol (tilted “T” in a circle)
♠	U	Blue magic symbol
⦿	W	White magic symbol
ⓧ	X	Circled “X” (for mana cost, e.g., Fireball)
⑩	Z	Circled “10” (for mana cost, e.g., Aladdin’s Lamp)

TABLE 510: bartel-chess-fonts Chess Pieces and Chessboard Squares

	<code>\Pisymbol{fselch}{0}</code>		<code>\Pisymbol{fselch}{55}</code>		<code>\Pisymbol{fselch}{110}</code>
	<code>\Pisymbol{fselch}{1}</code>		<code>\Pisymbol{fselch}{56}</code>		<code>\Pisymbol{fselch}{111}</code>
	<code>\Pisymbol{fselch}{2}</code>		<code>\Pisymbol{fselch}{57}</code>		<code>\Pisymbol{fselch}{112}</code>
	<code>\Pisymbol{fselch}{3}</code>		<code>\Pisymbol{fselch}{58}</code>		<code>\Pisymbol{fselch}{113}</code>
	<code>\Pisymbol{fselch}{4}</code>		<code>\Pisymbol{fselch}{59}</code>		<code>\Pisymbol{fselch}{114}</code>
	<code>\Pisymbol{fselch}{5}</code>		<code>\Pisymbol{fselch}{60}</code>		<code>\Pisymbol{fselch}{115}</code>
	<code>\Pisymbol{fselch}{6}</code>		<code>\Pisymbol{fselch}{61}</code>		<code>\Pisymbol{fselch}{116}</code>
	<code>\Pisymbol{fselch}{7}</code>		<code>\Pisymbol{fselch}{62}</code>		<code>\Pisymbol{fselch}{117}</code>
	<code>\Pisymbol{fselch}{8}</code>		<code>\Pisymbol{fselch}{63}</code>		<code>\Pisymbol{fselch}{118}</code>
	<code>\Pisymbol{fselch}{9}</code>		<code>\Pisymbol{fselch}{64}</code>		<code>\Pisymbol{fselch}{119}</code>
	<code>\Pisymbol{fselch}{10}</code>		<code>\Pisymbol{fselch}{65}</code>		<code>\Pisymbol{fselch}{120}</code>
	<code>\Pisymbol{fselch}{11}</code>		<code>\Pisymbol{fselch}{66}</code>		<code>\Pisymbol{fselch}{121}</code>
	<code>\Pisymbol{fselch}{12}</code>		<code>\Pisymbol{fselch}{67}</code>		<code>\Pisymbol{fselch}{122}</code>
	<code>\Pisymbol{fselch}{13}</code>		<code>\Pisymbol{fselch}{68}</code>		<code>\Pisymbol{fselch}{123}</code>
	<code>\Pisymbol{fselch}{14}</code>		<code>\Pisymbol{fselch}{69}</code>		<code>\Pisymbol{fselch}{124}</code>
	<code>\Pisymbol{fselch}{15}</code>		<code>\Pisymbol{fselch}{70}</code>		<code>\Pisymbol{fselch}{125}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{fselch}{16}</code>		<code>\Pisymbol{fselch}{71}</code>		<code>\Pisymbol{fselch}{126}</code>
	<code>\Pisymbol{fselch}{17}</code>		<code>\Pisymbol{fselch}{72}</code>		<code>\Pisymbol{fselch}{127}</code>
	<code>\Pisymbol{fselch}{18}</code>		<code>\Pisymbol{fselch}{73}</code>		<code>\Pisymbol{fselch}{128}</code>
	<code>\Pisymbol{fselch}{19}</code>		<code>\Pisymbol{fselch}{74}</code>		<code>\Pisymbol{fselch}{129}</code>
	<code>\Pisymbol{fselch}{20}</code>		<code>\Pisymbol{fselch}{75}</code>		<code>\Pisymbol{fselch}{130}</code>
	<code>\Pisymbol{fselch}{21}</code>		<code>\Pisymbol{fselch}{76}</code>		<code>\Pisymbol{fselch}{131}</code>
	<code>\Pisymbol{fselch}{22}</code>		<code>\Pisymbol{fselch}{77}</code>		<code>\Pisymbol{fselch}{132}</code>
	<code>\Pisymbol{fselch}{23}</code>		<code>\Pisymbol{fselch}{78}</code>		<code>\Pisymbol{fselch}{133}</code>
	<code>\Pisymbol{fselch}{24}</code>		<code>\Pisymbol{fselch}{79}</code>		<code>\Pisymbol{fselch}{134}</code>
	<code>\Pisymbol{fselch}{25}</code>		<code>\Pisymbol{fselch}{80}</code>		<code>\Pisymbol{fselch}{135}</code>
	<code>\Pisymbol{fselch}{26}</code>		<code>\Pisymbol{fselch}{81}</code>		<code>\Pisymbol{fselch}{136}</code>
	<code>\Pisymbol{fselch}{27}</code>		<code>\Pisymbol{fselch}{82}</code>		<code>\Pisymbol{fselch}{137}</code>
	<code>\Pisymbol{fselch}{28}</code>		<code>\Pisymbol{fselch}{83}</code>		<code>\Pisymbol{fselch}{138}</code>
	<code>\Pisymbol{fselch}{29}</code>		<code>\Pisymbol{fselch}{84}</code>		<code>\Pisymbol{fselch}{139}</code>
	<code>\Pisymbol{fselch}{30}</code>		<code>\Pisymbol{fselch}{85}</code>		<code>\Pisymbol{fselch}{140}</code>
	<code>\Pisymbol{fselch}{31}</code>		<code>\Pisymbol{fselch}{86}</code>		<code>\Pisymbol{fselch}{141}</code>
	<code>\Pisymbol{fselch}{32}</code>		<code>\Pisymbol{fselch}{87}</code>		<code>\Pisymbol{fselch}{142}</code>
	<code>\Pisymbol{fselch}{33}</code>		<code>\Pisymbol{fselch}{88}</code>		<code>\Pisymbol{fselch}{143}</code>
	<code>\Pisymbol{fselch}{34}</code>		<code>\Pisymbol{fselch}{89}</code>		<code>\Pisymbol{fselch}{144}</code>
	<code>\Pisymbol{fselch}{35}</code>		<code>\Pisymbol{fselch}{90}</code>		<code>\Pisymbol{fselch}{145}</code>
	<code>\Pisymbol{fselch}{36}</code>		<code>\Pisymbol{fselch}{91}</code>		<code>\Pisymbol{fselch}{151}</code>
	<code>\Pisymbol{fselch}{37}</code>		<code>\Pisymbol{fselch}{92}</code>		<code>\Pisymbol{fselch}{157}</code>
	<code>\Pisymbol{fselch}{38}</code>		<code>\Pisymbol{fselch}{93}</code>		<code>\Pisymbol{fselch}{163}</code>
	<code>\Pisymbol{fselch}{39}</code>		<code>\Pisymbol{fselch}{94}</code>		<code>\Pisymbol{fselch}{169}</code>
	<code>\Pisymbol{fselch}{40}</code>		<code>\Pisymbol{fselch}{95}</code>		<code>\Pisymbol{fselch}{175}</code>
	<code>\Pisymbol{fselch}{41}</code>		<code>\Pisymbol{fselch}{96}</code>		<code>\Pisymbol{fselch}{180}</code>
	<code>\Pisymbol{fselch}{42}</code>		<code>\Pisymbol{fselch}{97}</code>		<code>\Pisymbol{fselch}{186}</code>
	<code>\Pisymbol{fselch}{43}</code>		<code>\Pisymbol{fselch}{98}</code>		<code>\Pisymbol{fselch}{192}</code>
	<code>\Pisymbol{fselch}{44}</code>		<code>\Pisymbol{fselch}{99}</code>		<code>\Pisymbol{fselch}{198}</code>
	<code>\Pisymbol{fselch}{45}</code>		<code>\Pisymbol{fselch}{100}</code>		<code>\Pisymbol{fselch}{204}</code>
	<code>\Pisymbol{fselch}{46}</code>		<code>\Pisymbol{fselch}{101}</code>		<code>\Pisymbol{fselch}{210}</code>
	<code>\Pisymbol{fselch}{47}</code>		<code>\Pisymbol{fselch}{102}</code>		<code>\Pisymbol{fselch}{216}</code>
	<code>\Pisymbol{fselch}{48}</code>		<code>\Pisymbol{fselch}{103}</code>		<code>\Pisymbol{fselch}{222}</code>
	<code>\Pisymbol{fselch}{49}</code>		<code>\Pisymbol{fselch}{104}</code>		<code>\Pisymbol{fselch}{228}</code>
	<code>\Pisymbol{fselch}{50}</code>		<code>\Pisymbol{fselch}{105}</code>		<code>\Pisymbol{fselch}{234}</code>
	<code>\Pisymbol{fselch}{51}</code>		<code>\Pisymbol{fselch}{106}</code>		<code>\Pisymbol{fselch}{240}</code>
	<code>\Pisymbol{fselch}{52}</code>		<code>\Pisymbol{fselch}{107}</code>		<code>\Pisymbol{fselch}{246}</code>
	<code>\Pisymbol{fselch}{53}</code>		<code>\Pisymbol{fselch}{108}</code>		
	<code>\Pisymbol{fselch}{54}</code>		<code>\Pisymbol{fselch}{109}</code>		

In addition to the `fselch` font showcased above, `bartel-chess-fonts` also provides a `pkelch` font which includes the same symbol set (minus some of the higher-numbered characters) but drawn in a slightly different style.

`bartel-chess-fonts` provides the `fselch` and `pkelch` fonts in various sizes (optically scaled). See “`LATEX 2ε Font Selection`” [L<sup>A</sup>T<sub>E</sub>X00] for advice on how to expose these sorts of fonts to `LATEX` using `\DeclareFontFamily` and `\DeclareFontShape`.

## 10 Additional Information

Unlike the previous sections of this document, Section 10 does not contain new symbol tables. Rather, it provides additional help in using the Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List. First, it draws attention to symbol names used by multiple packages. Next, it provides some guidelines for finding symbols and gives some examples regarding how to construct missing symbols out of existing ones. Then, it comments on the spacing surrounding symbols in math mode. After that, it presents an ASCII and Latin 1 quick-reference guide, showing how to enter all of the standard ASCII/Latin 1 symbols in L<sup>A</sup>T<sub>E</sub>X. And finally, it lists some statistics about this document itself.

### 10.1 Symbol Name Clashes

Unfortunately, a number of symbol names are not unique; they appear in more than one package. Depending on how the symbols are defined in each package, L<sup>A</sup>T<sub>E</sub>X will either output an error message or replace an earlier-defined symbol with a later-defined symbol. Table 511 on the next page presents a selection of name clashes that appear in this document.

Using multiple symbols with the same name in the same document—or even merely loading conflicting symbol packages—can be tricky but, as evidenced by the existence of Table 511, not impossible. The general procedure is to load the first package, rename the conflicting symbols, and then load the second package. Examine the L<sup>A</sup>T<sub>E</sub>X source for this document (`symbols.tex`) for examples of this and other techniques for handling symbol conflicts. Note that `symbols.tex`'s `\savesymbol` and `\restoresymbol` macros have been extracted into the `savesym` package, which can be downloaded from CTAN.

`txfonts` and `pxfonts` redefine a huge number of symbols—essentially, all of the symbols defined by `latexsym`, `textcomp`, the various  $\mathcal{AMS}$  symbol sets, and L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> itself. Similarly, `mathabx` redefines a vast number of math symbols in an attempt to improve their look. The `txfonts`, `pxfonts`, and `mathabx` conflicts are not listed in Table 511 because they are designed to be compatible with the symbols they replace. Table 512 on page 224 illustrates what “compatible” means in this context.

To use the new `txfonts/pxfonts` symbols without altering the document's main font, merely reset the default font families back to their original values after loading one of those packages:

```
\renewcommand\rmdefault{cmr}
\renewcommand\sfdefault{cmss}
\renewcommand\ttdefault{cmtt}
```

### 10.2 Resizing symbols

Mathematical symbols listed in this document as “variable-sized” are designed to stretch vertically. Each variable-sized symbol comes in one or more basic sizes plus a variation comprising both stretchable and nonstretchable segments. Table 513 on page 224 presents the symbols `\}` and `\uparrow` in their default size, in their `\big`, `\Big`, `\bigg`, and `\Bigg` sizes, in an even larger size achieved using `\left/\right`, and—for contrast—in a large size achieved by changing the font size using L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>'s `\fontsize` command. Because the symbols shown belong to the Computer Modern family, the `typelcm` package needs to be loaded to support font sizes larger than 24.88 pt.

Note how `\fontsize` makes the symbol wider and thicker. (The `graphicx` package's `\scalebox` or `\resizebox` commands would produce a similar effect.) Also, the `\fontsize`-enlarged symbol is vertically centered relative to correspondingly large text, unlike the symbols enlarged using `\big` et al. or `\left/\right`, which all use the same math axis regardless of symbol size. However, `\fontsize` is not limited to mathematical delimiters. Also, `\scalebox` and `\resizebox` are more robust to poorly composed symbols (e.g., two symbols made to overlap by backspacing a fixed distance) but do not work with every T<sub>E</sub>X backend and will produce jagged symbols when scaling a bitmapped font.

All variable-sized delimiters are defined (by the corresponding `.tfm` file) in terms of up to five segments, as illustrated by Figure 1 on page 224. The top, middle, and bottom segments are of a fixed size. The top-middle and middle-bottom segments (which are constrained to be the same character) are repeated as many times as necessary to achieve the desired height.

TABLE 511: Symbol Name Clashes

Symbol	L <sup>A</sup> T <sub>E</sub> X <sub>2<math>\epsilon</math></sub>	$\mathcal{A}$	$\mathcal{M}$	$\mathcal{S}$	stmaryrd	wasysym	mathabx	marvosym	bbding	ifsym	dingbat	wsuipa
<code>\bar{o}</code>					$\phi$							$\theta$
<code>\bigtriangledown</code>	$\nabla$				$\nabla$							
<code>\bigtriangleup</code>	$\triangle$				$\triangle$							
<code>\checkmark</code>		$\checkmark$									$\checkmark$	
<code>\Circle</code>					$\circ$					$\circ$		
<code>\Cross</code>							$\dagger$		$\dagger$	$\times$		
<code>\ggg</code>							$\gg$					
<code>\Letter</code>								$\boxtimes$		$\boxtimes$		
<code>\lightning</code>					$\lightning$			$\lightning$				
<code>\Lightning</code>								$\lightning$		$\lightning$		
<code>\lll</code>												
<code>\Square</code>						$\square$			$\square$	$\square$		
<code>\Sun</code>								$\odot$		$\odot$		
<code>\TriangleDown</code>									$\blacktriangledown$	$\blacktriangledown$		
<code>\TriangleUp</code>									$\blacktriangleup$	$\blacktriangleup$		

TABLE 512: Example of a Benign Name Clash

Symbol	Default (Computer Modern)	txfonts (Times Roman)
R	$\mathbb{R}$	<b>R</b>
<code>\textrecipe</code>	$\mathbb{R}$	<b>R</b>

TABLE 513: Sample resized delimiters

Symbol	Default size	<code>\big</code>	<code>\Big</code>	<code>\bigg</code>	<code>\Bigg</code>	<code>\left/\right</code>	<code>\fontsize</code>
<code>\}</code>	}	}	}	}	}	}	$\}$
<code>\uparrow</code>	↑	↑	↑	↑	↑	↑	$\uparrow$




Figure 1: Implementation of variable-sized delimiters



### 10.3 Where can I find the symbol for ... ?

If you can't find some symbol you're looking for in this document, there are a few possible explanations:

- The symbol isn't intuitively named. As a few examples, the `ifsym` command to draw dice is “`\Cube`”; a plus sign with a circle around it (“exclusive or” to computer engineers) is “`\oplus`”; and lightning bolts in fonts designed by German speakers may have “blitz” in their names as in the `ulsy` package. The moral of the story is to be creative with synonyms when searching the index.
- The symbol is defined by some package that I overlooked (or deemed unimportant). If there's some symbol package that you think should be included in the Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List, please send me e-mail at the address listed on the title page.
- The symbol isn't defined in any package whatsoever.

Even in the last case, all is not lost. Sometimes, a symbol exists in a font, but there is no L<sup>A</sup>T<sub>E</sub>X binding for it. For example, the PostScript Symbol font contains a “`┘`” symbol, which may be useful for representing a carriage return, but there is no package (as far as I know) for accessing that symbol. To produce an unnamed symbol, you need to switch to the font explicitly with L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>'s low-level font commands [L<sup>A</sup>T<sub>E</sub>X 00] and use T<sub>E</sub>X's primitive `\char` command [Knu86a] to request a specific character number in the font. For example, one can define a command to typeset a long s (“f”) using character 115 from the Latin Modern fonts in the TS1 font encoding:

```
\newcommand{\textlongs}{\%  
  \fontencoding{TS1}\fontfamily{lmr}\selectfont\char115%  
}
```

Then, “`\textlongs ucce\textlongs sful`” will produce “fucecsful”—in the current font style (roman, italic, bold, etc.)

In fact, `\char` is not strictly necessary in all cases; the character can often be entered symbolically. For example, the symbol for an impulse train or Tate-Shafarevich group (“III”) is actually an uppercase *sha* in the Cyrillic alphabet. (Cyrillic is supported by the OT2 font encoding, for instance). While a *sha* can be defined numerically as “`{\fontencoding{OT2}\selectfont\char88}`” it may be more intuitive to use the OT2 font encoding's “SH” ligature: “`{\fontencoding{OT2}\selectfont SH}`”. Another possibility is to use the T2A font encoding's `\CYRSH` command: “`{\fontencoding{T2A}\selectfont\CYRSH}`”.

For the specific case of the U font encoding, which is used for symbol or “pi” fonts, the `pifont` package defines a convenient `\Pisymbol` command. `\Pisymbol` typesets a specified character (by number) in a specified font family. For example, “`\Pisymbol{psy}{191}`” produces the aforementioned “`┘`” symbol by typesetting character number 191 in the `psy` (PostScript Symbol) font family.

#### Reflecting and rotating existing symbols

A common request on `comp.text.tex` is for a reversed or rotated version of an existing symbol. As a last resort, these effects can be achieved with the `graphicx` (or `graphics`) package's `\reflectbox` and `\rotatebox` macros. For example, `\textsuperscript{\reflectbox{?}}` produces an irony mark (“<sup>?</sup>”), and `\rotatebox[origin=c]{180}{\iota}` produces the definite-description operator (“ $\iota$ ”). As noted by Marc Olschok in a July 2011 post on `comp.text.tex`, Project Gutenberg uses `\reflectbox` to typeset the part (“3”) and whole (“ε”) relations used in Dedekind's set notation:

```
\newcommand\partof{\mathrel{\raisebox{0.45ex}{\mathfrak{3}}}}  
\newcommand\wholeof{\mathrel{\reflectbox{\partof}}}
```

The disadvantage of the `graphicx/graphics` approach is that not every T<sub>E</sub>X backend handles graphical transformations.<sup>5</sup> Far better is to find a suitable font that contains the desired symbol in the correct orientation. For instance, if the `phonetic` package is available, then `\textit{\riota}` will yield a backend-independent “ $\iota$ ”. Similarly, `tipa`'s `\textrepsilon` (“3”) or `wsuipa`'s `\repsilon` (“3”) may be used to

<sup>5</sup>As an example, Xdvi ignores both `\reflectbox` and `\rotatebox`.

express the mathematical notion of “such that” in a cleaner manner than with `\reflectbox` or `\rotatebox`.<sup>6</sup>

### Joining and overlapping existing symbols

Symbols that do not exist in any font can sometimes be fabricated out of existing symbols. The L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> source file `fontdef.dtx` contains a number of such definitions. For example, `\models` (see Table 87 on page 51) is defined in that file with:

```
\def\models{\mathrel|\joinrel=}
```

where `\mathrel` and `\joinrel` are used to control the horizontal spacing. `\def` is the T<sub>E</sub>X primitive upon which L<sup>A</sup>T<sub>E</sub>X’s `\newcommand` is based. See The T<sub>E</sub>Xbook [Knu86a] for more information on all three of those commands.

With some simple pattern-matching, one can easily define a backward `\models` sign (“ $\models$ ”):

```
\def\ismodeledby{=\joinrel\mathrel|}
```

In general, arrows/harpoons, horizontal lines (“ $=$ ”, “ $-$ ”, “ $\relbar$ ”, and “ $\Relbar$ ”), and the various math-extension characters can be combined creatively with miscellaneous other characters to produce a variety of new symbols. Of course, new symbols can be composed from *any* set of existing characters. For instance, L<sup>A</sup>T<sub>E</sub>X defines `\hbar` (“ $\hbar$ ”) as a “ $-$ ” character (`\mathchar'26`) followed by a backspace of 9 math units (`\mkern-9mu`), followed by the letter “ $h$ ”:

```
\def\hbar{\mathchar'26\mkern-9mu h}
```

We can just as easily define other barred letters:

```
\def\bbar{\mathchar'26\mkern-9mu b}
\def\dbar{\mathchar'26\mkern-12mu d}
```

(The space after the “ $\mu$ ” is optional but is added for clarity.) `\bbar` and `\dbar` define “ $\bar{b}$ ” and “ $\bar{d}$ ”, respectively. Note that `\dbar` requires a greater backward math kern than `\bbar`; a  $-9\mu$  kern would have produced the less-attractive “ $\bar{d}$ ” glyph.

The `amsmath` package provides `\overset` and `\underset` commands for placing one symbol respectively above or below another. For example, `\overset{G}{\sim}`<sup>7</sup> produces “ $\overset{G}{\sim}$ ” (sometimes used for “equidecomposable with respect to  $G$ ”).

Sometimes an ordinary `tabular` environment can be co-opted into juxtaposing existing symbols into a new symbol. Consider the following definition of `\asterism` (“ $\ast$ ”) from a June 2007 post to `comp.text.tex` by Peter Flynn:

```
\newcommand{\asterism}{\smash{%
\raisebox{-.5ex}{%
\setlength{\tabcolsep}{-.5pt}%
\begin{tabular}{@{}cc@{}}%
\multicolumn{2}{\[-2ex]*&*&}%
\end{tabular}}}}
```

Note how the space between columns (`\tabcolsep`) and rows (`\[-2ex]`) is made negative to squeeze the asterisks closer together.

There is a T<sub>E</sub>X primitive called `\mathaccent` that centers one mathematical symbol atop another. For example, one can define `\dotcup` (“ $\dot{\cup}$ ”)—the composition of a `\cup` and a `\dot`—as follows:

<sup>6</sup>More common symbols for representing “such that” include “ $|$ ”, “ $:$ ”, and “ $s.t.$ ”.

<sup>7</sup>L<sup>A</sup>T<sub>E</sub>X’s `\stackrel` command is similar but is limited to placing a symbol above a binary relation.

```
\newcommand{\dotcup}{\ensuremath{\mathaccent\cdot\cup}}
```

The catch is that `\mathaccent` requires the accent to be a “math character”. That is, it must be a character in a math font as opposed to a symbol defined in terms of other symbols. See *The T<sub>E</sub>Xbook* [Knu86a] for more information.

Another T<sub>E</sub>X primitive that is useful for composing symbols is `\vcenter`. `\vcenter` is conceptually similar to “`\begin{tabular}{l}`” in L<sup>A</sup>T<sub>E</sub>X but takes a list of vertical material instead of `\-`-separated rows. Also, it vertically centers the result on the math axis. (Many operators, such as “+” and “−” are also vertically centered on the math axis.) Enrico Gregorio posted the following symbol definition to `comp.text.tex` in March 2004 in response to a query about an alternate way to denote equivalence:

```
\newcommand*{\threesim}{%
  \mathrel{\vcenter{\offinterlineskip
    \hbox{$\sim$}\vskip-.35ex\hbox{$\sim$}\vskip-.35ex\hbox{$\sim$}}}}
```

The `\threesim` symbol, which vertically centers three `\sim` (“~”) symbols with 0.35 *x*-heights of space between them, is rendered as “≈”. `\offinterlineskip` is a macro that disables implicit interline spacing. Without it, `\threesim` would have a full line of vertical spacing between each `\sim`. Because of `\vcenter`, `\threesim` aligns properly with other math operators:  $a \div b \approx c \times d$ .

A related L<sup>A</sup>T<sub>E</sub>X command, borrowed from Plain T<sub>E</sub>X, is `\ooalign`. `\ooalign` vertically overlaps symbols and works both within and outside of math mode. Essentially, it creates a single-column `tabular` environment with zero vertical distance between rows. However, because it is based directly on T<sub>E</sub>X’s `\ialign` primitive, `\ooalign` uses T<sub>E</sub>X’s `tabular` syntax instead of L<sup>A</sup>T<sub>E</sub>X’s (i.e., with `\cr` as the row terminator instead of `\-`). The following example of `\ooalign`, a macro that defines a standard-state symbol (`\stst`, “ $\ominus$ ”) as a superscripted Plimsoll line (`\barcirc`, “ $\bar{\circ}$ ”),<sup>8</sup> is due to an October 2007 `comp.text.tex` post by Donald Arseneau:

```
\makeatletter
\providecommand\barcirc{\mathpalette\@barred\circ}
\def\@barred#1#2{\ooalign{\hfil$#1-$\hfil\cr\hfil$#1#2$\hfil\cr}}
\newcommand\stst{\protect\barcirc}
\makeatother
```

In the preceding code, note the `\ooalign` call’s use of `\hfil` to horizontally center a minus sign (“−”) and a `\circ` (“o”).

As another example of `\ooalign`, consider the following code (due to Enrico Gregorio in a June 2007 post to `comp.text.tex`) that overlaps a `\ni` (“ $\ni$ ”) and two minus signs (“−”) to produce “ $\ni$ ”, an obscure variation on the infrequently used “ $\ni$ ” symbol for “such that” discussed on page 225:

```
\newcommand{\suchthat}{%
  \mathrel{\ooalign{\ni\cr\kern-1pt$-$\kern-6.5pt$-$}}}
```

The `slashed` package, although originally designed for producing Feynman slashed-character notation, in fact facilitates the production of *arbitrary* overlapped symbols. The default behavior is to overwrite a given character with “/”. For example, `\slashed{D}` produces “ $\mathit{D}$ ”. However, the `\declareslashed` command provides the flexibility to specify the mathematical context of the composite character (operator, relation, punctuation, etc., as will be discussed in Section 10.4), the overlapping symbol, horizontal and vertical adjustments in symbol-relative units, and the character to be overlapped. Consider, for example, the symbol for reduced quadrupole moment (“ $F$ ”). This can be declared as follows:

```
\newcommand{\rqm}{%
  \declareslashed{\text{-}}{0.04}{0}{I}\slashed{I}}
```

<sup>8</sup>While `\barcirc` illustrates how to combine symbols using `\ooalign`, the `stmaryrd` package’s `\minuso` command (Table 52 on page 32) provides a similar glyph (“ $\ominus$ ”) as a single, indivisible symbol.

`\declareslashed{.}{.}{.}{.}{I}` affects the meaning of all subsequent `\slashed{I}` commands in the same scope. The preceding definition of `\rqm` therefore uses an extra set of curly braces to limit that scope to a single `\slashed{I}`. In addition, `\rqm` uses `amstext`'s `\text` macro (described on the following page) to make `\declareslashed` use a text-mode hyphen (“-”) instead of a math-mode minus sign (“−”) and to ensure that the hyphen scales properly in size in subscripts and superscripts. See `slashed`'s documentation (located in `slashed.sty` itself) for a detailed usage description of the `\slashed` and `\declareslashed` commands.

Somewhat simpler than `slashed` is the `centernot` package. `centernot` provides a single command, `\centernot`, which, like `\not`, puts a slash over the subsequent mathematical symbol. However, instead of putting the slash at a fixed location, `\centernot` centers the slash over its argument. `\centernot` might be used, for example, to create a “does not imply” symbol:

$$\not\Rightarrow \quad \backslash\text{not}\backslash\text{Longrightarrow}$$

vs.

$$\centernot\Rightarrow \quad \backslash\text{centernot}\backslash\text{Longrightarrow}$$

See the `centernot` documentation for more information.

### Making new symbols work in superscripts and subscripts

To make composite symbols work properly within subscripts and superscripts, you may need to use `TeX`'s `\mathchoice` primitive. `\mathchoice` evaluates one of four expressions, based on whether the current math style is `display`, `text`, `script`, or `scriptscript`. (See *The TeXbook* [Knu86a] for a more complete description.) For example, the following `LaTeX` code—posted to `comp.text.tex` by Torsten Bronger—composes a sub/superscriptable “ $\top$ ” symbol out of `\top` and `\bot` (“ $\top$ ” and “ $\perp$ ”):

```
\def\topbotatom#1{\hbox{\hbox to 0pt{${#1}\bot$\hss}${#1}\top$}}
\newcommand*\topbot{\mathrel{\mathchoice{\topbotatom\displaystyle}
{\topbotatom\textstyle}
{\topbotatom\scriptstyle}
{\topbotatom\scriptscriptstyle}}}
```

The following is another example that uses `\mathchoice` to construct symbols in different math modes. The code defines a principal value integral symbol, which is an integral sign with a line through it.

```
\def\Xint#1{\mathchoice
{\XXint\displaystyle\textstyle{#1}}%
{\XXint\textstyle\scriptstyle{#1}}%
{\XXint\scriptstyle\scriptscriptstyle{#1}}%
{\XXint\scriptscriptstyle\scriptscriptstyle{#1}}%
\!\int}
\def\XXint#1#2#3{\setbox0=\hbox{${#1}{#2#3}{\int}$}
\vcenter{\hbox{${#2#3$}}\kern-.5\wd0}}
\def\ddashint{\Xint=}
\def\dashint{\Xint-}
```

(The preceding code was taken verbatim from the UK `TeX` Users' Group FAQ at <http://www.tex.ac.uk/faq>.) `\dashint` produces a single-dashed integral sign (“ $\int$ ”), while `\ddashint` produces a double-dashed one (“ $\int$ ”). The `\Xint` macro defined above can also be used to generate a wealth of new integrals: “ $\int$ ” (`\Xint\circlearrowright`), “ $\int$ ” (`\Xint\circlearrowleft`), “ $\int$ ” (`\Xint\subset`), “ $\int$ ” (`\Xint\infty`), and so forth.

`LaTeX 2ε` provides a simple wrapper for `\mathchoice` that sometimes helps produce terser symbol definitions. The macro is called `\mathpalette` and it takes two arguments. `\mathpalette` invokes the first argument, passing it one of “`\displaystyle`”, “`\textstyle`”, “`\scriptstyle`”, or “`\scriptscriptstyle`”, followed by the second argument. `\mathpalette` is useful when a symbol macro must know which math style is currently in use (e.g., to set it explicitly within an `\mbox`). Donald Arseneau posted the following `\mathpalette`-based definition of a probabilistic-independence symbol (“ $\perp$ ”) to `comp.text.tex` in June 2000:

```

\newcommand\independent{\protect\mathpalette{\protect\independentT}{\perp}}
\def\independentT#1#2{\mathrel{\rlap{#1#2}\mkern2mu{#1#2}}}

```

The `\independent` macro uses `\mathpalette` to pass the `\independentT` helper macro both the current math style and the `\perp` symbol. `\independentT` typesets `\perp` in the current math style, moves two math units to the right, and finally typesets a second—overlapping—copy of `\perp`, again in the current math style. `\rlap`, which enables text overlap, is described later on this page.

Some people like their square-root signs with a trailing “hook” (i.e., “ $\sqrt{\quad}$ ”) as this helps visually distinguish expressions like “ $\sqrt{3x}$ ” from those like “ $\sqrt{3}x$ ”. In March 2002, Dan Luecking posted a `\mathpalette`-based definition of a hooked square-root symbol to `comp.text.tex`. This code was subsequently refined by Max Dohse and Scott Pakin into the version shown below, which accepts a root as an optional argument, for consistency with `\sqrt`.

```

\newcommand{\hksqrt}[2][\mathpalette\DHLhksqrt{#1#2\,}]
\def\DHLhksqrt#1#2{\setbox0=\hbox{#1\sqrt#2}\dimen0=\ht0
\advance\dimen0-0.2\ht0
\setbox2=\hbox{\vrule height\ht0 depth-\dimen0}%
{\box0\lower0.4pt\box2}}

```

Notice how `\hksqrt` uses `\mathpalette` to pass the current math style (`\displaystyle`, `\textstyle`, etc.) to `\DHLhksqrt` as argument #1. `\DHLhksqrt` subsequently uses that style within an `\hbox`. The rest of the code is simply using TeX primitives to position a hook of height 0.2 times the `\sqrt` height at the right of the `\sqrt`. See The TeXbook [Knu86a] for more understanding of TeX “boxes” and “dimens”.

Sometimes, however, `amstext`’s `\text` macro is all that is necessary to make composite symbols appear correctly in subscripts and superscripts, as in the following definitions of `\neswarrow` (“ $\nearrow$ ”) and `\nwsearrow` (“ $\nwarrow$ ”):<sup>9</sup>

```

\newcommand{\neswarrow}{\mathrel{\text{\nearrow}\llap{\swarrow}}}
\newcommand{\nwsearrow}{\mathrel{\text{\nwarrow}\llap{\searrow}}}

```

`\text` resembles L<sup>A</sup>T<sub>E</sub>X’s `\mbox` command but shrinks its argument appropriately when used within a subscript or superscript. `\llap` (“left overlap”) and its counterpart, `\rlap` (“right overlap”), appear frequently when creating composite characters. `\llap` outputs its argument to the left of the current position, overlapping whatever text is already there. Similarly, `\rlap` overlaps whatever text would normally appear to the right of its argument. For example, “`A\llap{B}`” and “`\rlap{A}B`” each produce “**B**”. However, the result of the former is the width of “A”, and the result of the latter is the width of “B”—`\llap{...}` and `\rlap{...}` take up zero space.

In a June 2002 post to `comp.text.tex`, Donald Arseneau presented a general macro for aligning an arbitrary number of symbols on their horizontal centers and vertical baselines:

```

\makeatletter
\def\moverlay{\mathpalette\mov@rlay}
\def\mov@rlay#1#2{\leavevmode\vtop{%
\baselineskip\z@skip\lineskiplimit-\maxdimen
\ialign{\hfil#1##$\hfil\cr#2\cr}}
\makeatother

```

The `\makeatletter` and `\makeatother` commands are needed to coerce L<sup>A</sup>T<sub>E</sub>X into accepting “@” as part of a macro name. `\moverlay` takes a list of symbols separated by `\cr` (TeX’s equivalent of L<sup>A</sup>T<sub>E</sub>X’s `\`). For example, the `\topbot` command defined on the previous page could have been expressed as “`\moverlay{top\cr\bot}`” and the `\neswarrow` command defined above could have been expressed as “`\moverlay{\nearrow\cr\swarrow}`”.

The basic concept behind `\moverlay`’s implementation is that `\moverlay` typesets the given symbols in a table that utilizes a zero `\baselineskip`. This causes every row to be typeset at the same vertical position. See The TeXbook [Knu86a] for explanations of the TeX primitives used by `\moverlay`.

<sup>9</sup>Note that if your goal is to typeset commutative diagrams or pushout/pullback diagrams, then you should probably be using `Xy-pic`.

## Modifying L<sup>A</sup>T<sub>E</sub>X-generated symbols

Oftentimes, symbols composed in the L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> source code can be modified with minimal effort to produce useful variations. For example, `fontdef.dtx` composes the `\ddots` symbol (see Table 261 on page 117) out of three periods, raised 7 pt., 4 pt., and 1 pt., respectively:

```
\def\ddots{\mathinner{\mkern1mu\raise7\p@
  \vbox{\kern7\p@\hbox{.}}\mkern2mu
  \raise4\p@\hbox{.}}\mkern2mu\raise\p@\hbox{.}}\mkern1mu}}
```

`\p@` is a L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> shortcut for “pt” or “1.0pt”. The remaining commands are defined in The T<sub>E</sub>Xbook [Knu86a]. To draw a version of `\ddots` with the dots going along the opposite diagonal, we merely have to reorder the `\raise7\p@`, `\raise4\p@`, and `\raise\p@`:

```
\makeatletter
\def\revddots{\mathinner{\mkern1mu\raise\p@
  \vbox{\kern7\p@\hbox{.}}\mkern2mu
  \raise4\p@\hbox{.}}\mkern2mu\raise7\p@\hbox{.}}\mkern1mu}}
\makeatother
```

`\revddots` is essentially identical to the `mathdots` package’s `\iddots` command or the `yhmath` package’s `\adots` command.

## Producing complex accents

Accents are a special case of combining existing symbols to make new symbols. While various tables in this document show how to add an accent to an existing symbol, some applications, such as transliterations from non-Latin alphabets, require *multiple* accents per character. For instance, the creator of pdfT<sub>E</sub>X writes his name as “Hàn Thê Thành”. The `dblaccnt` package enables L<sup>A</sup>T<sub>E</sub>X to stack accents, as in “H\‘an Th\’{\^e} Th\‘anh” (albeit not in the OT1 font encoding). In addition, the `wsuipa` package defines `\diatop` and `\diaunder` macros for putting one or more diacritics or accents above or below a given character. For example, `\diaunder[\diatop[\’|\=]]\textsubdot{r}` produces “ $\underset{\cdot}{r}$ ”. See the `wsuipa` documentation for more information.

The `accents` package facilitates the fabrication of accents in math mode. Its `\accentset` command enables *any* character to be used as an accent. For instance, `\accentset{\star}{f}` produces “ $f^{\star}$ ” and `\accentset{e}{X}` produces “ $X^e$ ”. `\underaccent` does the same thing, but places the accent beneath the character. This enables constructs like `\underaccent{\tilde}{V}`, which produces “ $\underset{\sim}{V}$ ”. `accents` provides other accent-related features as well; see the documentation for more information.

## Creating extensible symbols

A relatively simple example of creating extensible symbols stems from a `comp.text.tex` post by Donald Arseneau (June 2003). The following code defines an equals sign that extends as far to the right as possible, just like L<sup>A</sup>T<sub>E</sub>X’s `\hrulefill` command:

```
\makeatletter
\def\equalsfill{\m@th\mathord=\mkern-7mu
  \cleaders\hbox{\$!\mathord=!\$}\hfill
  \mkern-7mu\mathord=$}
\makeatother
```

T<sub>E</sub>X’s `\cleaders` and `\hfill` primitives are the key to understanding `\equalsfill`’s extensibility. Essentially, `\equalsfill` repeats a box containing “=” plus some negative space until it fills the maximum available horizontal space. `\equalsfill` is intended to be used with L<sup>A</sup>T<sub>E</sub>X’s `\stackrel` command, which stacks one mathematical expression (slightly reduced in size) atop another. Hence, “`\stackrel{a}{\rightarrow}`”

produces “ $\overset{a}{\rightarrow}$ ” and “ $X \stackrel{\text{definition}}{\underset{\text{definition}}{\text{Y}}}$ ” produces “ $X \overset{\text{definition}}{\underset{\text{definition}}{\text{Y}}}$ ”.

If all that needs to extend are horizontal and vertical lines—as opposed to repeated symbols such as the “=” in the previous example— $\text{\LaTeX}$ ’s `array` or `tabular` environments may suffice. Consider the following code (due to a February 1999 `comp.text.tex` post by Donald Arseneau and subsequent modifications by Billy Yu and Scott Pakin) for typesetting annuity and life-insurance symbols:

```
\DeclareRobustCommand{\actuarial}[2] []{%
  \def\arraystretch{0}%
  \setlength\arraycolsep{0.5pt}%
  \setlength\arrayrulewidth{0.5pt}%
  \setbox0=\hbox{\scriptstyle#1#2}%
  \begin{array}[b]{*2{@{>}\scriptstyle}c}{}
    \cline{2-2}%
    \rule[1.25pt]{0pt}{\ht0}%
    #1 & #2%
  \end{array}%
}
```

Using the preceding definition, one can type, e.g., “ $\$a_{\text{\actuarial}\{n\}}\$$ ” to produce “ $a_{\overline{n}}$ ” and “ $\$a_{\text{\actuarial}[x:]\{n\}}\$$ ” to produce “ $a_{x:\overline{n}}$ ”. This is similar in concept to how the `actuarialangle` package defines its `\actuarialangle` command (Table 251).

A more complex example of composing accents is the following definition of extensible `\overbracket`, `\underbracket`, `\overparenthesis`, and `\underparenthesis` symbols, taken from a May 2002 `comp.text.tex` post by Donald Arseneau:

```
\makeatletter
\def\overbracket#1{\mathop{\vbox{\ialign{##\crr\noalign{\kern3p@}
  \downbracketfill\crr\noalign{\kern3p@\nointerlineskip}
  $\hfil\displaystyle{#1}\hfil$\crr}}}\limits}
\def\underbracket#1{\mathop{\vtop{\ialign{##\crr
  $\hfil\displaystyle{#1}\hfil$\crr\noalign{\kern3p@\nointerlineskip}
  \upbracketfill\crr\noalign{\kern3p@}}}\limits}
\def\overparenthesis#1{\mathop{\vbox{\ialign{##\crr\noalign{\kern3p@}
  \downparenthfill\crr\noalign{\kern3p@\nointerlineskip}
  $\hfil\displaystyle{#1}\hfil$\crr}}}\limits}
\def\underparenthesis#1{\mathop{\vtop{\ialign{##\crr
  $\hfil\displaystyle{#1}\hfil$\crr\noalign{\kern3p@\nointerlineskip}
  \upparenthfill\crr\noalign{\kern3p@}}}\limits}
\def\downparenthfill{$\m@th\bracerd\leaders\vrule\hfill\bracerd$}
\def\upparenthfill{$\m@th\bracelu\leaders\vrule\hfill\braceru$}
\def\upbracketfill{$\m@th\makesm@sh{\llap{\vrule\@height3p@\@width.7p@}}%
  \leaders\vrule\@height.7p@\hfill
  \makesm@sh{\rlap{\vrule\@height3p@\@width.7p@}}$}
\def\downbracketfill{$\m@th
  \makesm@sh{\llap{\vrule\@height.7p@\@depth2.3p@\@width.7p@}}%
  \leaders\vrule\@height.7p@\hfill
  \makesm@sh{\rlap{\vrule\@height.7p@\@depth2.3p@\@width.7p@}}$}
\makeatother
```

Table 514 showcases these accents. The  $\text{\TeX}$ book [Knu86a] or another book on  $\text{\TeX}$  primitives is indispensable for understanding how the preceding code works. The basic idea is that `\downparenthfill`, `\upparenthfill`, `\downbracketfill`, and `\upbracketfill` do all of the work; they output a left symbol (e.g., `\bracerd` [“ $\lrcorner$ ”] for `\downparenthfill`), a horizontal rule that stretches as wide as possible, and a right symbol (e.g., `\braceru` [“ $\rceil$ ”] for `\downparenthfill`). `\overbracket`, `\underbracket`, `\overparenthesis`,

and `\underparenthesis` merely create a table whose width is determined by the given text, thereby constraining the width of the horizontal rules.

TABLE 514: Manually Composed Extensible Accents

$\overline{abc}$	<code>\overbracket{abc}</code>	$\overparen{abc}$	<code>\overparenthesis{abc}</code>
$\underline{abc}$	<code>\underbracket{abc}</code>	$\underparen{abc}$	<code>\underparenthesis{abc}</code>

Note that the `simplewick` package provides mechanisms for typesetting Wick contractions, which utilize `\overbracket`- and `\underbracket`-like brackets of variable width *and* height (or depth). For example, `"\acontraction{}{A}{B}{C}\acontraction[2ex]{A}{B}{C}{D}\bcontraction{}{A}{BC}{D}ABCD"` produces




See the `simplewick` documentation for more information.

### Developing new symbols from scratch

Sometimes it is simply not possible to define a new symbol in terms of existing symbols. Fortunately, most, if not all,  $\text{\TeX}$  distributions are shipped with a tool called METAFONT which is designed specifically for creating fonts to be used with  $\text{\TeX}$ . The METAFONTbook [Knu86b] is the authoritative text on METAFONT. If you plan to design your own symbols with METAFONT, The METAFONTbook is essential reading. You may also want to read the freely available METAFONT primer located at <http://metafont.tutorial.free.fr/>. The following is an extremely brief tutorial on how to create a new  $\text{\LaTeX}$  symbol using METAFONT. Its primary purpose is to cover the  $\text{\LaTeX}$ -specific operations not mentioned in The METAFONTbook and to demonstrate that symbol-font creation is not necessarily a difficult task.

Suppose we need a symbol to represent a light bulb (“ $\text{\Q}$ ”).<sup>10</sup> The first step is to draw this in METAFONT. It is common to separate the font into two files: a size-dependent file, which specifies the design size and various font-specific parameters that are a function of the design size; and a size-independent file, which draws characters in the given size. Figure 2 shows the METAFONT code for `lightbulb10.mf`. `lightbulb10.mf` specifies various parameters that produce a 10 pt. light bulb then loads `lightbulb.mf`. Ideally, one should produce `lightbulb<size>.mf` files for a variety of  $\langle size \rangle$ s. This is called “optical scaling”. It enables, for example, the lines that make up the light bulb to retain the same thickness at different font sizes, which looks much nicer than the alternative—and default—“mechanical scaling”. When a `lightbulb<size>.mf` file does not exist for a given size  $\langle size \rangle$ , the computer mechanically produces a wider, taller, thicker symbol:



`lightbulb.mf`, shown in Figure 3, draws a light bulb using the parameters defined in `lightbulb10.mf`. Note that the filenames “`lightbulb10.mf`” and “`lightbulb.mf`” do not follow the Berry font-naming scheme [Ber01]; the Berry font-naming scheme is largely irrelevant for symbol fonts, which generally lack bold, italic, small-caps, slanted, and other such variants.

The code in Figures Figure 2 and Figure 3 is heavily commented and should demonstrate some of the basic concepts behind METAFONT usage: declaring variables, defining points, drawing lines and curves, and preparing to debug or fine-tune the output. Again, The METAFONTbook [Knu86b] is the definitive reference on METAFONT programming.

<sup>10</sup>I’m not a very good artist; you’ll have to pretend that “ $\text{\Q}$ ” looks like a light bulb.



```

font_identifier := "LightBulb10";           % Name the font.
font_size 10pt#;                          % Specify the design size.

em# := 10pt#;                               % "M" width is 10 points.
cap# := 7pt#;                               % Capital letter height is 7 points above the baseline.
sb# := 1/4pt#;                              % Leave this much space on the side of each character.
o# := 1/16pt#;                              % Amount that curves overshoot borders.

input lightbulb                            % Load the file that draws the actual glyph.

```

Figure 2: Sample METAFONT size-specific file (`lightbulb10.mf`)

```

mode_setup;                               % Target a given printer.

define_pixels(em, cap, sb);                % Convert to device-specific units.
define_corrected_pixels(o);                % Same, but add a device-specific fudge factor.

%% Define a light bulb at the character position for "A"
%% with width 1/2em#, height cap#, and depth 1pt#.
beginchar("A", 1/2em#, cap#, 1pt#); "A light bulb";
    pickup pencircle scaled 1/2pt;          % Use a pen with a small, circular tip.

    %% Define the points we need.
    top z1 = (w/2, h + o);                  % z1 is at the top of a circle.
    rt z2 = (w + sb + o - x4, y4);          % z2 is at the same height as z4 but the opposite side.
    bot z3 = (z1 - (0, w - sb - o));        % z3 is at the bottom of the circle.
    lft z4 = (sb - o, 1/2[y1, y3]);        % z4 is on the left of the circle.
    path bulb;                              % Define a path for the bulb itself.
    bulb = z1 .. z2 .. z3 .. z4 .. cycle;   % The bulb is a closed path.

    z5 = point 2 - 1/3 of bulb;             % z5 lies on the bulb, a little to the right of z3.
    z6 = (x5, 0);                           % z6 is at the bottom, directly under z5.
    z7 = (x8, 0);                           % z7 is at the bottom, directly under z8.
    z8 = point 2 + 1/3 of bulb;             % z8 lies on the bulb, a little to the left of z3.
    bot z67 = (1/2[x6, x7], pen.bot - o - 1/8pt); % z67 lies halfway between z6 and z7 but a jot
lower.

    %% Draw the bulb and the base.
    draw bulb;                              % Draw the bulb proper.
    draw z5 -- z6 .. z67 .. z7 -- z8;       % Draw the base of the bulb.

    %% Display key positions and points to help us debug.
    makegrid(0, sb, w/2, w - sb)(0, -1pt, y2, h); % Label "interesting" x and y coordinates.
    penlabels(1, 2, 3, 4, 5, 6, 67, 7, 8);   % Label control points for debugging.
endchar;
end

```

Figure 3: Sample METAFONT size-independent file (`lightbulb.mf`)

METAFONT can produce “proofs” of fonts—large, labeled versions that showcase the logical structure of each character. In fact, proof mode is METAFONT’s default mode. To produce a proof of `lightbulb10.mf`, issue the following commands at the operating-system prompt:

```
prompt> mf lightbulb10.mf           ← Produces lightbulb10.2602gf
prompt> gftodvi lightbulb10.2602gf ← Produces lightbulb10.dvi
```

You can then view `lightbulb10.dvi` with any DVI viewer. The result is shown in Figure 4. Observe how the grid defined with `makegrid` at the bottom of Figure 3 draws vertical lines at positions 0,  $sb$ ,  $w/2$ , and  $w - sb$  and horizontal lines at positions 0,  $-1pt$ ,  $y_2$ , and  $h$ . Similarly, observe how the `penlabels` command labels all of the important coordinates:  $z_1, z_2, \dots, z_8$  and  $z_{67}$ , which `lightbulb.mf` defines to lie between  $z_6$  and  $z_7$ .




Figure 4: Proof diagram of `lightbulb10.mf`

Most, if not all, T<sub>E</sub>X distributions include a Plain T<sub>E</sub>X file called `testfont.tex` that is useful for testing new fonts in a variety of ways. One useful routine produces a table of all of the characters in the font:

```
prompt> tex testfont
This is TeX, Version 3.14159 (Web2C 7.3.1)
(/usr/share/texmf/tex/plain/base/testfont.tex
Name of the font to test = lightbulb10
Now type a test command (\help for help):)
*\table

*\bye
[1]
Output written on testfont.dvi (1 page, 1516 bytes).
Transcript written on testfont.log.
```

The resulting table, stored in `testfont.dvi` and illustrated in Figure 5, shows every character in the font. To understand how to read the table, note that the character code for “A”—the only character defined by `lightbulb10.mf`—is 41 in hexadecimal (base 16) and 101 in octal (base 8).

The LightBulb10 font is now usable by T<sub>E</sub>X. L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>, however, needs more information before documents can use the font. First, we create a font-description file that tells L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> how to map fonts in a given font family and encoding to a particular font in a particular font size. For symbol fonts, this mapping is fairly simple. Symbol fonts almost always use the “U” (“Unknown”) font encoding and frequently occur in only one variant: normal weight and non-italicized. The filename for a font-description file is important; it must be of the form “ $\langle encoding \rangle \langle family \rangle .fd$ ”, where  $\langle encoding \rangle$  is the lowercase version of the encoding name

Test of lightbulb10 on March 11, 2003 at 1127									
	'0	'1	'2	'3	'4	'5	'6	'7	
'10x		8							"4x
'11x									
	"8	"9	"A	"B	"C	"D	"E	"F	

Figure 5: Font table produced by `testfont.tex`

(typically “u” for symbol fonts) and  $\langle family \rangle$  is the name of the font family. For LightBulb10, let’s call this “bulb”. Figure 6 lists the contents of `ubulb.fd`. The document “ $\LaTeX 2_{\epsilon}$  Font Selection” [AT00] describes `\DeclareFontFamily` and `\DeclareFontShape` in detail, but the gist of `ubulb.fd` is first to declare a U-encoded version of the `bulb` font family and then to specify that a  $\LaTeX 2_{\epsilon}$  request for a U-encoded version of `bulb` with a (m)edium font series (as opposed to, e.g., bold) and a (n)ormal font shape (as opposed to, e.g., italic) should translate into a  $\TeX$  request for `lightbulb10.tfm` mechanically scaled to the current font size.

```
\DeclareFontFamily{U}{bulb}{}
\DeclareFontShape{U}{bulb}{m}{n}{<-> lightbulb10}{}

```

Figure 6:  $\LaTeX 2_{\epsilon}$  font-description file (`ubulb.fd`)

The final step is to write a  $\LaTeX 2_{\epsilon}$  style file that defines a name for each symbol in the font. Because we have only one symbol our style file, `lightbulb.sty` (Figure 7), is rather trivial. Note that instead of typesetting “A” we could have had `\lightbulb typeset "\char65"`, `\char"41`, or `\char'101` (respectively, decimal, hexadecimal, and octal character offsets into the font). For a simple, one-character symbol font such as LightBulb10 it would be reasonable to merge `ubulb.fd` into `lightbulb.sty` instead of maintaining two separate files. In either case, a document need only include `\usepackage{lightbulb}` to make the `\lightbulb` symbol available.

```
\newcommand{\lightbulb}{\usefont{U}{bulb}{m}{n}A}

```

Figure 7:  $\LaTeX 2_{\epsilon}$  style file (`lightbulb.sty`)

METAFONT normally produces bitmapped fonts. However, it is also possible, with the help of some external tools, to produce PostScript Type 1 fonts. These have the advantages of rendering better in Adobe<sup>®</sup> Acrobat<sup>®</sup> (at least in versions prior to 6.0) and of being more memory-efficient when handled by a PostScript interpreter. See <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=textrace> for pointers to tools that can produce Type 1 fonts from METAFONT.

## 10.4 Math-mode spacing

Terms such as “binary operators”, “relations”, and “punctuation” in Section 3 primarily regard the surrounding spacing. (See the Short Math Guide for  $\LaTeX$  [Dow00] for a nice exposition on the subject.) To use a symbol for a different purpose, you can use the  $\TeX$  commands `\mathord`, `\mathop`, `\mathbin`, `\mathrel`, `\mathopen`, `\mathclose`, and `\mathpunct`. For example, if you want to use `\downarrow` as a variable (an “ordinary” symbol) instead of a delimiter, you can write `“$3 x + \mathord{\downarrow}$”` to get the properly spaced “ $3x + \downarrow$ ” rather than the awkward-looking “ $3x + \downarrow$ ”. Similarly, to create a dotted-union symbol (“ $\dot{\cup}$ ”) that spaces like the ordinary set-union symbol (`\cup`) it must be defined with `\mathbin`, just as `\cup` is. Contrast `“$A \dot{\cup} B$”` (“ $A \dot{\cup} B$ ”) with `“$A \mathbin{\dot{\cup}} B$”` (“ $A \dot{\cup} B$ ”). See The  $\TeX$ book [Knu86a] for the definitive description of math-mode spacing.

The purpose of the “log-like symbols” in Table 177 and Table 178 is to provide the correct amount of spacing around and within multiletter function names. Table 515 contrasts the output of the log-like symbols with various, naïve alternatives. In addition to spacing, the log-like symbols also handle subscripts properly. For example, “`\max_{p \in P}`” produces “ $\max_{p \in P}$ ” in text, but “max” as part of a displayed formula.

TABLE 515: Spacing Around/Within Log-like Symbols

$\LaTeX$ expression	Output
<code>\$r \sin \theta\$</code>	$r \sin \theta$ (best)
<code>\$r sin \theta\$</code>	$rsin\theta$
<code>\$r \mbox{sin} \theta\$</code>	$r\sin\theta$
<code>\$r \mathrm{sin} \theta\$</code>	$r\sin\theta$

The `amsmath` package makes it straightforward to define new log-like symbols:

```
\DeclareMathOperator{\atan}{atan}
\DeclareMathOperator*{\lcm}{lcm}
```

The difference between `\DeclareMathOperator` and `\DeclareMathOperator*` involves the handling of subscripts. With `\DeclareMathOperator*`, subscripts are written beneath log-like symbols in display style and to the right in text style. This is useful for limit operators (e.g., `\lim`) and functions that tend to map over a set (e.g., `\min`). In contrast, `\DeclareMathOperator` tells  $\TeX$  that subscripts should always be displayed to the right of the operator, as is common for functions that take a single parameter (e.g., `\log` and `\cos`). Table 516 contrasts symbols declared with `\DeclareMathOperator` and `\DeclareMathOperator*` in both text style (`$. . $`) and display style (`\[. . .\]`).<sup>11</sup>

TABLE 516: Defining new log-like symbols

Declaration function	<code>\$. . \$</code>	<code>\[. . .\]</code>
<code>\DeclareMathOperator</code>	$\text{newlogsym}_{p \in P}$	$\text{newlogsym}_{p \in P}$
<code>\DeclareMathOperator*</code>	$\text{newlogsym}_{p \in P}$	$\text{newlogsym}_{p \in P}$

It is common to use a thin space (`\,`) between the words of a multiword operators, as in “`\DeclareMathOperator*{\argmax}{arg,max}`”. `\liminf`, `\limsup`, and all of the log-like symbols shown in Table 178 utilize this spacing convention.

## 10.5 Bold mathematical symbols

$\LaTeX$  does not normally use bold symbols when typesetting mathematics. However, bold symbols are occasionally needed, for example when naming vectors. Any of the approaches described at <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=boldgreek> can be used to produce bold mathematical symbols. Table 517 contrasts the output produced by these various techniques. As the table illustrates, these techniques exhibit variation in their formatting of Latin letters (upright vs. italic), formatting of Greek letters (bold vs. normal), formatting of operators and relations (bold vs. normal), and spacing.

## 10.6 ASCII and Latin 1 quick reference

Table 518 on the following page amalgamates data from various other tables in this document into a convenient reference for  $\LaTeX 2_{\epsilon}$  typesetting of ASCII characters, i.e., the characters available on a typical

<sup>11</sup>Note that `\displaystyle` can be used to force display style within `$. . $` and `\textstyle` can be used to force text style within `\[. . .\]`.

TABLE 517: Producing bold mathematical symbols

Package	Code	Output	
<i>none</i>	<code>\alpha + b = \Gamma \div D</code>	$\alpha + b = \Gamma \div D$	(no bold)
<i>none</i>	<code>\mathbf{\alpha + b = \Gamma \div D}</code>	$\alpha + \mathbf{b} = \mathbf{\Gamma} \div \mathbf{D}$	
<i>none</i>	<code>\boldmath\alpha + b = \Gamma \div D</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	
amsbsy	<code>\pmb{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	(faked bold)
amsbsy	<code>\boldsymbol{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	
bm	<code>\bm{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	
fixmath	<code>\mathbf{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	

U.S. computer keyboard. The first two columns list the character’s ASCII code in decimal and hexadecimal. The third column shows what the character looks like. The fourth column lists the  $\text{\LaTeX} 2_{\epsilon}$  command to typeset the character as a text character. And the fourth column lists the  $\text{\LaTeX} 2_{\epsilon}$  command to typeset the character within a `\texttt{...}` command (or, more generally, when `\ttfamily` is in effect).

TABLE 518:  $\text{\LaTeX} 2_{\epsilon}$  ASCII Table

Dec	Hex	Char	Body text	<code>\texttt</code>	Dec	Hex	Char	Body text	<code>\texttt</code>
33	21	!	!	!	62	3E	>	<code>\textgreater</code>	>
34	22	"	<code>\textquotedbl</code>	"	63	3F	?	?	?
35	23	#	<code>\#</code>	#	64	40	@	@	@
36	24	\$	<code>\\$</code>	\$	65	41	A	A	A
37	25	%	<code>\%</code>	%	66	42	B	B	B
38	26	&	<code>\&amp;</code>	&	67	43	C	C	C
39	27	'	'	'	:	:	:	:	:
40	28	(	(	(	90	5A	Z	Z	Z
41	29	)	)	)	91	5B	[	[	[
42	2A	*	*	*	92	5C	\	<code>\textbackslash</code>	<code>\char'\'</code>
43	2B	+	+	+	93	5D	]	]	]
44	2C	,	,	,	94	5E	^	<code>\^{\}</code>	<code>\^{\}</code>
45	2D	-	-	-	95	5F	_	<code>\_</code>	<code>\char'\_</code>
46	2E	.	.	.	96	60	'	'	'
47	2F	/	/	/	97	61	a	a	a
48	30	0	0	0	98	62	b	b	b
49	31	1	1	1	99	63	c	c	c
50	32	2	2	2	:	:	:	:	:
51	33	:	:	:	122	7A	z	z	z
52	34	:	:	:	123	7B	{	<code>\{</code>	<code>\char'\{</code>
53	35	:	:	:	124	7C		<code>\textbar</code>	
54	36	:	:	:	125	7D	}	<code>\}</code>	<code>\char'\}</code>
55	37	:	:	:	126	7E	~	<code>\~{\}</code>	<code>\~{\}</code>
56	38	:	:	:					
57	39	9	9	9					
58	3A	:	:	:					
59	3B	;	;	;					
60	3C	<	<code>\textless</code>	<					
61	3D	=	=	=					

The following are some additional notes about the contents of Table 518:

- “” is not available in the OT1 font encoding.
- Table 518 shows a close quote for character 39 for consistency with the open quote shown for character 96. A straight quote can be typeset using `\textquotesingle` (cf. Table 46).

- The characters “<”, “>”, and “|” do work as expected in math mode, although they produce, respectively, “ı”, “ı̇”, and “—” in text mode when using the OT1 font encoding.<sup>12</sup> The following are some alternatives for typesetting “<”, “>”, and “|”:
  - Specify a document font encoding other than OT1 (as described on page 12).
  - Use the appropriate symbol commands from Table 2 on page 14, viz. `\textless`, `\textgreater`, and `\textbar`.
  - Enter the symbols in math mode instead of text mode, i.e., `⟨`, `⟩`, and `|`.

Note that for typesetting metavariables many people prefer `\texttriangle` and `\textrightangle` to `\textless` and `\textgreater`; i.e., “*filename*” instead of “<*filename*>”.

- Although “/” does not require any special treatment, L<sup>A</sup>T<sub>E</sub>X additionally defines a `\slash` command which outputs the same glyph but permits a line break afterwards. That is, “increase/decrease” is always typeset as a single entity while “increase`\slash`{decrease}” may be typeset with “increase/” on one line and “decrease” on the next.
- `\textasciicircum` can be used instead of `\^{}{}`, and `\textasciitilde` can be used instead of `\~{}{}`. Note that `\textasciitilde` and `\~{}{}` produce raised, diacritic tildes. “Text” (i.e., vertically centered) tildes can be generated with either the math-mode `\sim` command (shown in Table 87 on page 51), which produces a somewhat wide “~”, or the `textcomp` package’s `\texttildelow` (shown in Table 46 on page 28), which produces a vertically centered “~” in most fonts but a baseline-oriented “~” in Computer Modern, `txfonts`, `pxfonts`, and various other fonts originating from the T<sub>E</sub>X world. If your goal is to typeset tildes in URLs or Unix filenames, your best bet is to use the `url` package, which has a number of nice features such as proper line-breaking of such names.
- The various `\char` commands within `\textttt` are necessary only in the OT1 font encoding. In other encodings (e.g., T1), commands such as `\{`, `\}`, `\_`, and `\textbackslash` all work properly.
- The code page 437 (IBM PC) version of ASCII characters 1 to 31 can be typeset using the `ascii` package. See Table 317 on page 133.
- To replace “” and “” with the more computer-like (and more visibly distinct) “” and “” within a `verbatim` environment, use the `upquote` package. Outside of `verbatim`, you can use `\char18` and `\char13` to get the modified quote characters. (The former is actually a grave accent.)

Similar to Table 518, Table 519 on the following page is an amalgamation of data from other tables in this document. While Table 518 shows how to typeset the 7-bit ASCII character set, Table 519 shows the Latin 1 (Western European) character set, also known as ISO-8859-1.

The following are some additional notes about the contents of Table 519:

- A “(tc)” after a symbol name means that the `textcomp` package must be loaded to access that symbol. A “(T1)” means that the symbol requires the T1 font encoding. The `fontenc` package can change the font encoding document-wide.
- Many of the `\text...` accents can also be produced using the accent commands shown in Table 18 on page 21 plus an empty argument. For instance, `\={}` is essentially the same as `\textasciimacron`.
- The commands in the “L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>” columns work both in body text and within a `\textttt{...}` command (or, more generally, when `\ttfamily` is in effect).
- The “ℒ” and “\$” glyphs occupy the same slot (36) of the OT1 font encoding, with “ℒ” appearing in italic fonts and “\$” appearing in roman fonts. A problem with L<sup>A</sup>T<sub>E</sub>X’s default handling of this double-mapping is that “`\sffamily\slshape\pounds`” produces “\$”, not “ℒ”. Other font encodings use separate slots for the two characters and are therefore robust to the problem of “ℒ”/“\$” conflicts. Authors who use `\pounds` should select a font encoding other than OT1 (as explained on page 12) or use the `textcomp` package, which redefines `\pounds` to use the T1 font encoding.

---

<sup>12</sup>Donald Knuth didn’t think such symbols were important outside of mathematics so he omitted them from his text fonts.

TABLE 519: L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Latin 1 Table

Dec	Hex	Char	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>	Dec	Hex	Char	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>
161	A1	¡	!'	209	D1	Ñ	\~{N}
162	A2	¢	\textcent (tc)	210	D2	Ò	\' {O}
163	A3	£	\pounds	211	D3	Ó	\' {O}
164	A4	¤	\textcurrency (tc)	212	D4	Ô	\^ {O}
165	A5	¥	\textyen (tc)	213	D5	Õ	\~ {O}
166	A6	¦	\textbrokenbar (tc)	214	D6	Ö	\" {O}
167	A7	§	\S	215	D7	×	\texttimes (tc)
168	A8	¨	\textasciidieresis (tc)	216	D8	Ø	\O
169	A9	©	\textcopyright	217	D9	Ù	\' {U}
170	AA	ª	\textordfeminine	218	DA	Ú	\' {U}
171	AB	«	\guillemotleft (T1)	219	DB	Û	\^ {U}
172	AC	¬	\textlnot (tc)	220	DC	Ü	\" {U}
173	AD	-	\-	221	DD	Ý	\' {Y}
174	AE	®	\textregistered	222	DE	Þ	\TH (T1)
175	AF	ˆ	\textasciimacron (tc)	223	DF	ß	\ss
176	B0	°	\textdegree (tc)	224	E0	à	\' {a}
177	B1	±	\textpm (tc)	225	E1	á	\' {a}
178	B2	²	\texttwosuperior (tc)	226	E2	â	\^ {a}
179	B3	³	\textthreesuperior (tc)	227	E3	ã	\~ {a}
180	B4	´	\textasciiacute (tc)	228	E4	ä	\" {a}
181	B5	µ	\textmu (tc)	229	E5	å	\aa
182	B6	¶	\P	230	E6	æ	\ae
183	B7	·	\textperiodcentered	231	E7	ç	\c {c}
184	B8	,	\c {}	232	E8	è	\' {e}
185	B9	¹	\textonesuperior (tc)	233	E9	é	\' {e}
186	BA	º	\textordmasculine	234	EA	ê	\^ {e}
187	BB	»	\guillemotright (T1)	235	EB	ë	\" {e}
188	BC	¼	\textonequarter (tc)	236	EC	ì	\' {i}
189	BD	½	\textonehalf (tc)	237	ED	í	\' {i}
190	BE	¾	\textthreequarters (tc)	238	EE	î	\^ {i}
191	BF	¿	?'	239	EF	ï	\" {i}
192	C0	À	\' {A}	240	F0	ð	\dh (T1)
193	C1	Á	\' {A}	241	F1	ñ	\~ {n}
194	C2	Â	\^ {A}	242	F2	ò	\' {o}
195	C3	Ã	\~ {A}	243	F3	ó	\' {o}
196	C4	Ä	\" {A}	244	F4	ô	\^ {o}
197	C5	Å	\AA	245	F5	õ	\~ {o}
198	C6	Æ	\AE	246	F6	ö	\" {o}
199	C7	Ç	\c {C}	247	F7	÷	\textdiv (tc)
200	C8	È	\' {E}	248	F8	ø	\o
201	C9	É	\' {E}	249	F9	ù	\' {u}
202	CA	Ê	\^ {E}	250	FA	ú	\' {u}
203	CB	Ë	\" {E}	251	FB	û	\^ {u}
204	CC	Ì	\' {I}	252	FC	ü	\" {u}
205	CD	Í	\' {I}	253	FD	ý	\' {y}
206	CE	Î	\^ {I}	254	FE	þ	\th (T1)
207	CF	Ï	\" {I}	255	FF	ÿ	\" {y}
208	DO	Ð	\DH (T1)				

- Character 173, \-, is shown as “-” but is actually a discretionary hyphen; it appears only at the end of a line.

Microsoft® Windows® normally uses a superset of Latin 1 called “Code Page 1252” or “CP1252” for short. CP1252 introduces symbols in the Latin 1 “invalid” range (characters 128–159). Table 520 presents the characters with which CP1252 augments the standard Latin 1 table.

TABLE 520: L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Code Page 1252 Table

Dec	Hex	Char	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>	Dec	Hex	Char	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>
128	80	€	\texteuro (tc)	145	91	‘	‘
130	82	,	\quotesinglbase (T1)	146	92	’	’
131	83	f	\textit{f}	147	93	“	“
132	84	„	\quotedblbase (T1)	148	94	”	”
133	85	...	\dots	149	95	•	\textbullet
134	86	†	\dag	150	96	–	--
135	87	‡	\ddag	151	97	—	---
136	88	ˆ	\textasciicircum	152	98	˜	\textasciitilde
137	89	‰	\textperthousand (tc)	153	99	™	\texttrademark
138	8A	Š	\v{S}	154	9A	š	\v{s}
139	8B	‹	\guilsinglleft (T1)	155	9B	›	\guilsinglright (T1)
140	8C	Œ	\OE	156	9C	œ	\oe
142	8E	Ž	\v{Z}	158	9E	ž	\v{z}
				159	9F	ÿ	\{"Y}

The following are some additional notes about the contents of Table 520:

- As in Table 519, a “(tc)” after a symbol name means that the `textcomp` package must be loaded to access that symbol. A “(T1)” means that the symbol requires the T1 font encoding. The `fontenc` package can change the font encoding document-wide.
- Not all characters in the 128–159 range are defined.
- Look up “euro signs” in the index for alternatives to `\texteuro`.

While too large to incorporate into this document, a listing of ISO 8879:1986 SGML/XML character entities and their L<sup>A</sup>T<sub>E</sub>X equivalents is available from <http://www.bitjungle.com/isoent/>. Some of the characters presented there make use of `isoent`, a L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> package (available from the same URL) that fakes some of the missing ISO glyphs using the L<sup>A</sup>T<sub>E</sub>X `picture` environment.<sup>13</sup>

## 10.7 Unicode characters

Unicode is a “universal character set”—a standard for encoding (i.e., assigning unique numbers to) the symbols appearing in many of the world’s languages. While ASCII can represent 128 symbols and Latin 1 can represent 256 symbols, Unicode can represent an astonishing 1,114,112 symbols.

Because T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X predate the Unicode standard and Unicode fonts by almost a decade, support for Unicode has had to be added to the base T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X systems. Note first that L<sup>A</sup>T<sub>E</sub>X distinguishes between *input* encoding—the characters used in the `.tex` file—and *output* encoding—the characters that appear in the generated `.dvi`, `.pdf`, etc. file.

<sup>13</sup>`isoent` is not featured in this document, because it is not available from CTAN and because the faked symbols are not “true” characters; they exist in only one size, regardless of the body text’s font size.



## Inputting Unicode characters

To include Unicode characters in a `.tex` file, load the `ucs` package and load the `inputenc` package with the `utf8x` (“UTF-8 extended”) option.<sup>14</sup> These packages enable L<sup>A</sup>T<sub>E</sub>X to translate UTF-8 sequences to L<sup>A</sup>T<sub>E</sub>X commands, which are subsequently processed as normal. For example, the UTF-8 text “Copyright © 2015”—“©” is not an ASCII character and therefore cannot be input directly without packages such as `ucs/inputenc`—is converted internally by `inputenc` to “Copyright \textcopyright{} 2015” and therefore typeset as “Copyright © 2015”.

The `ucs/inputenc` combination supports only a tiny subset of Unicode’s million-plus symbols. Additional symbols can be added manually using the `\DeclareUnicodeCharacter` command. `\DeclareUnicodeCharacter` takes two arguments: a Unicode number and a L<sup>A</sup>T<sub>E</sub>X command to execute when the corresponding Unicode character is encountered in the input. For example, the Unicode character “degree celsius” (“°C”) appears at character position U+2103.<sup>15</sup> However, “°C” is not one of the characters that `ucs` and `inputenc` recognize. The following document shows how to use `\DeclareUnicodeCharacter` to tell L<sup>A</sup>T<sub>E</sub>X that the “°C” character should be treated as a synonym for `\textcelsius`:

```
\documentclass{article}
\usepackage{ucs}
\usepackage[utf8x]{inputenc}
\usepackage{textcomp}

\DeclareUnicodeCharacter{"2103}{\textcelsius} % Enable direct input of U+2103.

\begin{document}
It was a balmy 21°C.
\end{document}
```

which produces

It was a balmy 21°C.

See the `ucs` documentation for more information and for descriptions of the various options that control `ucs`’s behavior.

## Outputting Unicode characters

Orthogonal to the ability to include Unicode characters in a L<sup>A</sup>T<sub>E</sub>X input file is the ability to include a given Unicode character in the corresponding output file. By far the easiest approach is to use X<sub>q</sub>L<sup>A</sup>T<sub>E</sub>X instead of pdfL<sup>A</sup>T<sub>E</sub>X or ordinary L<sup>A</sup>T<sub>E</sub>X. X<sub>q</sub>L<sup>A</sup>T<sub>E</sub>X handles Unicode input and output natively and can utilize system fonts directly without having to expose them via `.tfm`, `.fd`, and other such files. To output a Unicode character, a X<sub>q</sub>L<sup>A</sup>T<sub>E</sub>X document can either include that character directly as UTF-8 text or use T<sub>E</sub>X’s `\char` primitive, which X<sub>q</sub>L<sup>A</sup>T<sub>E</sub>X extends to accept numbers larger than 255.

Suppose we want to output the symbols for versicle (“∴”) and response (“⌘”) in a document. The Unicode charts list “versicle” at position U+2123 and “response” at position U+211F. We therefore need to install a font that contains those characters at their proper positions. One such font that is freely available from CTAN is Junicode (`Junicode.ttf`) from the `junicode` package. The `fontspec` package makes it easy for a X<sub>q</sub>L<sup>A</sup>T<sub>E</sub>X document to utilize a system font. The following example defines a `\textjuni` command that uses `fontspec` to typeset its argument in Junicode:

```
\documentclass{article}
\usepackage{fontspec}

\newcommand{\textjuni}[1]{\fontspec{Junicode}#1}
```

---

<sup>14</sup>UTF-8 is the 8-bit Unicode Transformation Format, a popular mechanism for representing Unicode symbol numbers as sequences of one to four bytes.

<sup>15</sup>The Unicode convention is to express character positions as “U+*(hexadecimal number)*”.

```

\begin{document}
We use ‘‘\textjuni{\char"2123}’’ for a versicle
and ‘‘\textjuni{\char"211F}’’ for a response.
\end{document}

```

which produces

We use “ $\Psi$ ” for a versicle and “ $\mathfrak{R}$ ” for a response.

(Typesetting the entire document in Junicode would be even easier. See the `fontspec` documentation for more information regarding font selection.) Note how the preceding example uses `\char` to specify a Unicode character by number. The double quotes before the number indicate that the number is represented in hexadecimal instead of decimal.

## 10.8 About this document

**History** David Carlisle wrote the first version of this document in October, 1994. It originally contained all of the native  $\text{\LaTeX}$  symbols (Table 50, Table 71, Table 87, Table 137, Table 177, Table 180, Table 214, Table 215, Table 228, Table 236, Table 286, and a few tables that have since been reorganized) and was designed to be nearly identical to the tables in Chapter 3 of Leslie Lamport’s book [Lam86]. Even the table captions and the order of the symbols within each table matched! The  $\mathcal{AMS}$  symbols (Table 51, Table 88, Table 89, Table 140, Table 141, Table 181, Table 190, Table 208, and Table 287) and an initial Math Alphabets table (Table 299) were added thereafter. Later, Alexander Holt provided the `stmaryrd` tables (Table 52, Table 73, Table 90, Table 143, Table 173, and Table 209).

In January, 2001, Scott Pakin took responsibility for maintaining the symbol list and has since implemented a complete overhaul of the document. The result, now called, “The Comprehensive  $\text{\LaTeX}$  Symbol List”, includes the following new features:

- the addition of a handful of new math alphabets, dozens of new font tables, and thousands of new symbols
- the categorization of the symbol tables into body-text symbols, mathematical symbols, science and technology symbols, dingbats, ancient languages, and other symbols, to provide a more user-friendly document structure
- an index, table of contents, hyperlinks, and a frequently-requested symbol list, to help users quickly locate symbols
- symbol tables rewritten to list the symbols in alphabetical order
- appendices providing additional information relevant to using symbols in  $\text{\LaTeX}$
- tables showing how to typeset all of the characters in the ASCII and Latin 1 font encodings

Furthermore, the internal structure of the document has been completely altered from David Carlisle’s original version. Most of the changes are geared towards making the document easier to extend, modify, and reformat.

**Build characteristics** Table 521 on the next page lists some of this document’s build characteristics. Most important is the list of packages that  $\text{\LaTeX}$  couldn’t find, but that `symbols.tex` otherwise would have been able to take advantage of. Complete, prebuilt versions of this document are available from CTAN (<http://www.ctan.org/> or one of its many mirror sites) in the directory `tex-archive/info/symbols/comprehensive`. Table 522 shows the package date (specified in the `.sty` file with `\ProvidesPackage`) for each package that was used to build this document and that specifies a package date. Packages are not listed in any particular order in either Table 521 or Table 522.

TABLE 521: Document Characteristics

Characteristic	Value
Source file:	<code>symbols.tex</code>
Build date:	November 30, 2015
Symbols documented:	14032
Packages included:	textcomp latexsym amssymb stmaryrd euscript wasysym pifont manfnt bbding undertilde ifsym tipa tipx extraipa wsuipa phonetic ulsy ar metre txfonts mathabx fclfont skak ascii dingbat skull eurosym esvect yfonts ymath esint mathdots trsym universa upgreek overrightarrow chemarr chemarrow nath trfsigns mathtools phaistos arcs vietnam t4phonet holtpolt semtrans dictsym extarrows protosem harmony hieroglf ccllicenses mathdesign arev MnSymbol fdsymbol boisik cmlt extpfeil keystroke fge turnstile simpsons epsdice feyn staves igo colonequals shuffle fourier dozenal pmbboxdraw pigpen clock teubner linearA linearb cypriot sarabian china2e harpoon steinmetz milstd recycle DotArrow ushort hhcount ogonek combelow musixtex ccicons adfsymbols adorn bigints soyombo tfrupee knitting textgreek begriff frege abracas CountriesOfEurope cookingsymbols prodint epiolmec mdwmath rfsf fontawesome stix hands greenpoint nkarta astrosym webomints moonphase dancers semaphor umranda umrandb cryst starfont tikzsymbols dice apl go magic bartel-chess-fonts actuarialangle lilyglyphs knot bclogo bullcncr rubikcube svrsymbols accents nicefrac bm junicode mathrsfs chancery urwchancal calligra bbold mbboard dsfont bbm
Packages omitted:	<i>none</i>

TABLE 522: Package versions used in the preparation of this document

Name	Date	Name	Date	Name	Date
textcomp	2005/09/27	latexsym	1998/08/17	amssymb	2013/01/14
stmaryrd	1994/03/03	euscript	2009/06/22	wasysym	2003/10/30
pifont	2005/04/12	manfnt	1999/07/01	bbding	1999/04/15
undertilde	2000/08/08	ifsym	2000/04/18	tipa	2002/08/08
tipx	2003/01/01	wsuipa	1994/07/16	ar	2012/01/23
metre	2001/12/05	txfonts	2008/01/22	mathabx	2003/07/29
skak	2013/07/18	ascii	2006/05/30	dingbat	2001/04/27
skull	2002/01/23	eurosym	1998/08/06	yfonts	2003/01/08
mathdots	2014/06/11	trsym	2000/06/25	universa	98/08/01
upgreek	2003/02/12	chemarr	2006/02/20	mathtools	2015/11/12
phaistos	2004/04/23	arcs	2004/05/09	t4phonet	2004/06/01
semtrans	1998/02/10	dictsym	2004/07/26	extarrows	2008/05/15
protosem	2005/03/18	harmony	2007/05/04	hieroglf	2015/06/02
ccllicenses	2005/05/20	MnSymbol	2007/01/21	fdsymbol	2011/11/01
boisik	2009/08/21	extpfeil	2009/10/31	keystroke	2010/04/23
fge	2015/05/19	turnstile	2007/06/23	epsdice	2007/02/15

(continued on next page)

(continued from previous page)

Name	Date	Name	Date	Name	Date
feyn	2009/10/08	colonequals	2006/08/01	shuffle	2008/10/27
dozenal	2015/01/29	pmboxdraw	2011/03/24	pigpen	2008/12/07
clock	2001/04/10	teubner	2015/10/25	linearA	2006/03/13
linearb	2005/06/22	cypriot	2009/05/22	sarabian	2005/11/12
china2e	1997/06/01	harpoon	1994/11/02	steinmetz	2009/06/14
milstd	2009/06/25	DotArrow	2007/02/12	ushort	2001/06/13
hhcount	1995/03/31	ogonek	95/07/17	combelow	2010/05/02
musixtex	2001/07/08	ccicons	2013/04/16	adorn	2010/07/25
bigints	2010/02/15	soyombo	1996/09/01	tfruppee	2010/12/15
knitting	2010/08/29	textgreek	2011/10/09	frege	2012/08/04
abraces	2012/08/24	CountriesOfEurope	2012/04/18	cookingsymbols	2014/12/28
epiomec	2003/11/05	mdwmath	1996/04/11	fontawesome	2015/07/30
stix	2015/04/17	starfont	2010/09/29	tikzsymbols	2015/10/13
bclogo	2011/07/06	bullcntr	2007/04/02	rubikcube	2015/09/25
svrsymbols	2015/09/01	accents	2006/05/12	nicefrac	1998/08/04
bm	2014/10/28	calligra	2012/04/10		

## 10.9 Copyright and license

The Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List  
Copyright © 2015, Scott Pakin

This work may be distributed and/or modified under the conditions of the L<sup>A</sup>T<sub>E</sub>X Project Public License, either version 1.3c of this license or (at your option) any later version. The latest version of this license is in

<http://www.latex-project.org/lppl.txt>

and version 1.3c or later is part of all distributions of L<sup>A</sup>T<sub>E</sub>X version 2006/05/20 or later.

This work has the LPPL maintenance status “maintained”.

The current maintainer of this work is Scott Pakin.

## References

- [AMS99] American Mathematical Society. *User's Guide for the `amsmath` Package (Version 2.0)*, December 13, 1999. Available from <ftp://ftp.ams.org/pub/tex/doc/amsmath/amsl.doc.pdf>.
- [Ber01] Karl Berry. Fontname: Filenames for  $\TeX$  fonts, June 2001. Available from <http://www.ctan.org/tex-archive/info/fontname>.
- [Che97] Raymond Chen. A METAFONT of 'Simpsons' characters. *Baskerville*, 4(4):19, September 1997. ISSN 1354-5930. Available from <http://tug.ctan.org/usergrps/uktug/baskervi/4.4/bask4.4.ps>.
- [Dow00] Michael Downes. Short math guide for  $\LaTeX$ , July 19, 2000. Version 1.07. Available from <http://www.ams.org/tex/short-math-guide.html>.
- [Gib97] Jeremy Gibbons. Hey—it works! *TUGboat*, 18(2):75–78, June 1997. Available from <http://www.tug.org/TUGboat/Articles/tb18-2/tb55works.pdf>.
- [Gre09] Enrico Gregorio. *Appunti di programmazione in  $\LaTeX$  e  $\TeX$* , second edition, June 2009. Available from <http://profs.sci.univr.it/~gregorio/introtex.pdf>.
- [Knu86a] Donald E. Knuth. *The  $\TeX$ book*, volume A of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
- [Knu86b] Donald E. Knuth. *The METAFONTbook*, volume C of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
- [Lam86] Leslie Lamport.  *$\LaTeX$ : A document preparation system*. Addison-Wesley, Reading, MA, USA, 1986.
- [ $\LaTeX$ 98]  $\LaTeX$ 3 Project Team. A new math accent.  *$\LaTeX$  News*. Issue 9, June 1998. Available from <http://www.ctan.org/tex-archive/macros/latex/doc/ltnews09.pdf> (also included in many  $\TeX$  distributions).
- [ $\LaTeX$ 00]  $\LaTeX$ 3 Project Team.  $\LaTeX$ 2 $\epsilon$  font selection, January 30, 2000. Available from <http://www.ctan.org/tex-archive/macros/latex/doc/fntguide.pdf> (also included in many  $\TeX$  distributions).

# Index
































































If you're having trouble locating a symbol, try looking under "T" for "\text...". Many text-mode commands begin with that prefix. Also, accents are shown over/under a gray box (e.g., "▣" for "\'").

Some symbol entries appear to be listed repeatedly. This happens when multiple packages define identical (or nearly identical) glyphs with the same symbol name.<sup>16</sup>























Symbols			
\" (▣)	21	\~{} (^)	14, 238
\# (#)	14, 237	\  (  )	102
\\$ (\$)	14, 15, 237	\l (  )	102, 104
\\$ (\$) (with accent)	15	\l (▣)	21
\% (%)	14, 237	\= (▣)	21
\& (&)	14, 37, 237	\= {} (-)	238
\' (▣)	21	( )	106
( ( )	102	( )	104
( ( ( )	104	( )	107
( ( ( ( )	107	( )	51, 102, 104, 108
) ( )	102	( ( )	106
) ( ( )	104	) ( )	106
) ( ( ( )	107	/ (/)	106
* (*)	33	[ ( )	106
\, (with accent)	236	\_	15
\- (-)	239, 240	\_ (.)	14, 238
\. (▣)	21	\{ ( )	14, 15, 102
/ (/)	102	\{ ( )	238
/ (/)	104	\} ( )	14, 15, 102
/ (/)	107	\} ( )	238
\: (:)	119	] ( )	106
\; (:)	119	\' (▣)	21
< ( )	104	\~ (▣)	21
< ( ( )	107	\~{} (~)	14, 238
\? (:)	119		
[ ( )	102	<b>A</b>	
[ ( ( )	104	a (esvect package option)	114
[ ( ( ( )	106	\a (x)	184
\ \	227	\AA (Å)	15
] ( )	102	\aa (å)	15
] ( ( )	104	\AAaleph (ℵ)	150
] ( ( ( )	106	\AAayin (◊)	150
\ \	227	\AAbeth (ⱱ)	150
] ( )	102	\AAcht (♯)	161
] ( ( )	104	\AAdaleth (Ⲁ)	150
] ( ( ( )	106	\AAhe (ⲁ)	150
\ \	227	\AAhelmet (Ⲃ)	150
] ( )	102	\AAheth (ⲃ)	150
] ( ( )	104	\AAkaph (Ⲅ)	150
] ( ( ( )	106	\AAlamed (ⲅ)	150
\ \	227	\Aaleph (Ⲇ)	150
] ( )	102	\AApe (ⲇ)	150
] ( ( )	104	\AAqoph (Ⲉ)	150
] ( ( ( )	106	\AAresh (ⲉ)	150
\ \	227	\AAsade (Ⲋ)	150
] ( )	102	\Aayin (ⲋ)	150
] ( ( )	104	\AAyod (Ⲍ)	150
] ( ( ( )	106	\AB (l)	132
\^ (▣)	21		
		\Abeth (ⱱ)	150
		abraces (package)	114, 243, 244
		absolute value	<i>see</i> \lvert and \rvert
		abzüglich	<i>see</i> \textdiscount
		\AC (~)	128
		\ac (~)	59
		\acarc	23
		\acbar	23
		accents	21–25, 109–115, 117, 161, 230–232
		acute (▣)	21–25, 109
		any character as	230
		arc (▣)	21–24, 112–114
		breve (▣)	21–25, 109
		caron (▣)	21, 25, 109, 113
		cedilla (▣)	21
		circumflex (▣)	21–23, 109, 111–113
		comma-below (▣)	25
		Cyrillic breve (▣)	21
		Cyrillic flex (▣)	21
		Cyrillic umlaut (▣)	21
		diæresis (▣)	21, 24, 25, 109, 127
		dot (▣ or ▣)	21–23, 109
		double acute (▣)	21, 25
		double grave (▣)	21
		extensible	111–115, 117, 231–232
		grave (▣)	21–25, 109
		háček	<i>see</i> accents, caron
		hook (▣)	21
		Hungarian umlaut	<i>see</i> accents, double acute
		inverted breve (▣)	21
		kroužek	<i>see</i> accents, ring
		macron (▣)	21, 24, 25, 109, 111, 113
		multiple per character	21–23, 230
		ogonek (▣)	21–24
		ring (▣)	21–23, 25, 109, 111
		Romanian comma-belo accent	<i>see</i> accents, comma-below
		trema	<i>see</i> accents, diæresis
		umlaut	<i>see</i> accents, diæresis

<sup>16</sup>This occurs frequently between amssymb and mathabx, for example.




























































accents (package) 109, 230, 243, 244	$\backslash$ adfarrowe3 (↔) . . . . . 137	$\backslash$ adfbullet{3} (*) . . . . . 142
$\backslash$ accentset . . . . . 230	$\backslash$ adfarrowe4 (→) . . . . . 137	$\backslash$ adfbullet{4} (*) . . . . . 140
accidentals <i>see</i> musical symbols	$\backslash$ adfarrowe5 (→) . . . . . 137	$\backslash$ adfbullet{5} (⊕) . . . . . 140
accordion notation . . . . . 164	$\backslash$ adfarrowe6 (↔) . . . . . 137	$\backslash$ adfbullet{6} (*) . . . . . 140
$\backslash$ accordionBayanBass (⊞) . 164	$\backslash$ adfarrown1 (♠) . . . . . 137	$\backslash$ adfbullet{7} (⊕) . . . . . 140
$\backslash$ accordionDiscant (⊖) . . 164	$\backslash$ adfarrown2 (♠) . . . . . 137	$\backslash$ adfbullet{8} (⊕) . . . . . 140
$\backslash$ accordionFreeBass (⊖) . 164	$\backslash$ adfarrown3 (♠) . . . . . 137	$\backslash$ adfbullet{9} (*) . . . . . 140
$\backslash$ accordionOldEE (⊗) . . . . 164	$\backslash$ adfarrown4 (♠) . . . . . 137	$\backslash$ adfbullet{10} (⊕) . . . . . 140
$\backslash$ accordionPull (♯) . . . . . 164	$\backslash$ adfarrown5 (♠) . . . . . 137	$\backslash$ adfbullet{11} (*) . . . . . 142
$\backslash$ accordionPush (♯) . . . . . 164	$\backslash$ adfarrown6 (i) . . . . . 137	$\backslash$ adfbullet{12} (⊕) . . . . . 142
$\backslash$ accordionStdBass (⊖) . 164	$\backslash$ adfarrowne1 (♠) . . . . . 137	$\backslash$ adfbullet{13} (*) . . . . . 142
$\backslash$ acurrent (≈) . . . . . 124	$\backslash$ adfarrowne2 (♠) . . . . . 137	$\backslash$ adfbullet{14} (⊕) . . . . . 142
$\backslash$ Acht (♯) . . . . . 161	$\backslash$ adfarrowne3 (♠) . . . . . 137	$\backslash$ adfbullet{15} (⊕) . . . . . 142
$\backslash$ AchtBL (♯) . . . . . 161	$\backslash$ adfarrowne4 (♠) . . . . . 137	$\backslash$ adfbullet{16} (⊕) . . . . . 142
$\backslash$ AchtBR (♯) . . . . . 161	$\backslash$ adfarrowne5 (♠) . . . . . 137	$\backslash$ adfbullet{17} (⊕) . . . . . 142
$\backslash$ acidfree (⊗) . . . . . 120	$\backslash$ adfarrowne6 (♠) . . . . . 137	$\backslash$ adfbullet{18} (⊕) . . . . . 142
$\backslash$ ACK (♠) . . . . . 133	$\backslash$ adfarrownw1 (♠) . . . . . 137	$\backslash$ adfbullet{19} (⊕) . . . . . 142
$\backslash$ acontraction . . . . . 232	$\backslash$ adfarrownw2 (♠) . . . . . 137	$\backslash$ adfbullet{20} (⊕) . . . . . 142
$\backslash$ AcPa (7) . . . . . 161	$\backslash$ adfarrownw3 (♠) . . . . . 137	$\backslash$ adfbullet{21} (*) . . . . . 142
$\backslash$ actuarial (⊞) . . . . . 231	$\backslash$ adfarrownw4 (♠) . . . . . 137	$\backslash$ adfbullet{22} (⊕) . . . . . 142
actuarial symbols . . . 115, 231	$\backslash$ adfarrownw5 (♠) . . . . . 137	$\backslash$ adfbullet{23} (⊕) . . . . . 142
actuarialangle (package) . . 115, 231, 243	$\backslash$ adfarrownw6 (♠) . . . . . 137	$\backslash$ adfbullet{24} (⊕) . . . . . 142
$\backslash$ actuarialangle . . . . . 231	$\backslash$ adfarrows1 (♠) . . . . . 137	$\backslash$ adfbullet{25} (*) . . . . . 142
$\backslash$ actuarialangle (⊞) . . . . 115	$\backslash$ adfarrows2 (♠) . . . . . 137	$\backslash$ adfbullet{26} (⊕) . . . . . 142
$\backslash$ acute (♠) . . . . . 110	$\backslash$ adfarrows3 (♠) . . . . . 137	$\backslash$ adfbullet{27} (*) . . . . . 147
$\backslash$ acute (♠) . . . . . 109	$\backslash$ adfarrows4 (♠) . . . . . 137	$\backslash$ adfbullet{28} (*) . . . . . 147
acute (♠) . . . . . <i>see</i> accents	$\backslash$ adfarrows5 (♠) . . . . . 137	$\backslash$ adfbullet{29} (*) . . . . . 147
$\backslash$ acutus (♠) . . . . . 24	$\backslash$ adfarrows6 (♠) . . . . . 137	$\backslash$ adfbullet{30} (*) . . . . . 147
$\backslash$ acwcirclearrow (⊖) . . . . 87	$\backslash$ adfarrowse1 (♠) . . . . . 137	$\backslash$ adfbullet{31} (*) . . . . . 147
$\backslash$ acwcirclearrowdown (⊖) 81	$\backslash$ adfarrowse2 (♠) . . . . . 137	$\backslash$ adfbullet{32} (♠) . . . . . 147
$\backslash$ acwcirclearrowleft (⊖) 81	$\backslash$ adfarrowse3 (♠) . . . . . 137	$\backslash$ adfbullet{33} (♠) . . . . . 147
$\backslash$ acwcirclearrowright (⊖) 81	$\backslash$ adfarrowse4 (♠) . . . . . 137	$\backslash$ adfbullet{34} (♠) . . . . . 147
$\backslash$ acwcirclearrowup (⊖) . . 81	$\backslash$ adfarrowse5 (♠) . . . . . 137	$\backslash$ adfbullet{41} (*) . . . . . 147
$\backslash$ acwgapcirclearrow (⊖) . 82	$\backslash$ adfarrowse6 (♠) . . . . . 137	$\backslash$ adfbullet{42} (*) . . . . . 147
$\backslash$ acwgapcirclearrow (⊖) . 87	$\backslash$ adfarrowsw1 (♠) . . . . . 137	$\backslash$ adfbullet{43} (*) . . . . . 147
$\backslash$ acwleftarcarrow (♠) . . . . 81	$\backslash$ adfarrowsw2 (♠) . . . . . 137	$\backslash$ adfbullet{44} (·) . . . . . 147
$\backslash$ acwleftarcarrow (♠) . . . . 87	$\backslash$ adfarrowsw3 (♠) . . . . . 137	$\backslash$ adfbullet{45} (⊕) . . . . . 147
$\backslash$ acwnearcarrow (♠) . . . . . 81	$\backslash$ adfarrowsw4 (♠) . . . . . 137	$\backslash$ adfbullet{46} (*) . . . . . 147
$\backslash$ acwnwarcarrow (♠) . . . . . 81	$\backslash$ adfarrowsw5 (♠) . . . . . 137	$\backslash$ adfbullet{47} (*) . . . . . 147
$\backslash$ acwopencirclearrow (⊖) 82	$\backslash$ adfarrowsw6 (♠) . . . . . 137	$\backslash$ adfbullet{48} (*) . . . . . 147
$\backslash$ acwopencirclearrow (⊖) . 89, 145	$\backslash$ adfarroww1 (↔) . . . . . 137	$\backslash$ adfbullet{49} (*) . . . . . 147
$\backslash$ acwoverarcarrow (↔) . . . 81	$\backslash$ adfarroww2 (↔) . . . . . 137	$\backslash$ adfbullet{50} (*) . . . . . 147
$\backslash$ acwoverarcarrow (↔) . . . 87	$\backslash$ adfarroww3 (↔) . . . . . 137	$\backslash$ adfbullet{51} (⊕) . . . . . 147
$\backslash$ acwrightarcarrow (♠) . . . 81	$\backslash$ adfarroww4 (↔) . . . . . 137	$\backslash$ adfbullet{52} (⊕) . . . . . 147
$\backslash$ acwsearcarrow (♠) . . . . . 81	$\backslash$ adfarroww5 (↔) . . . . . 137	$\backslash$ adfclosedflourishleft (↪)
$\backslash$ acwswarcarrow (♠) . . . . . 81	$\backslash$ adfarroww6 (↔) . . . . . 137	. . . . . 149
$\backslash$ acwunderarcarrow (↔) . . 81	$\backslash$ adfast{1} (*) . . . . . 142	$\backslash$ adfclosedflourishright (↪)
$\backslash$ acwunderarcarrow (↔) . . 87	$\backslash$ adfast{2} (*) . . . . . 142	. . . . . 149
$\backslash$ Adaleth (♠) . . . . . 150	$\backslash$ adfast{3} (*) . . . . . 142	$\backslash$ adfdiamond (⊖) . . . . . 149
adeles (A) <i>see</i> alphabets, math	$\backslash$ adfast{4} (*) . . . . . 142	$\backslash$ adfdoubleflourishleft (↪)
$\backslash$ adfarrow . . . . . 137	$\backslash$ adfast{5} (*) . . . . . 142	. . . . . 149
$\backslash$ adfarrowe1 (↔) . . . . . 137	$\backslash$ adfast{6} (*) . . . . . 142	$\backslash$ adfdoubleflourishright (↪)
$\backslash$ adfarrowe2 (↔) . . . . . 137	$\backslash$ adfast{7} (*) . . . . . 142	. . . . . 149
	$\backslash$ adfast{8} (*) . . . . . 142	$\backslash$ adfdoublesharppflourishleft
	$\backslash$ adfast{9} (*) . . . . . 142	(↪) . . . . . 149
	$\backslash$ adfast{10} (*) . . . . . 142	$\backslash$ adfdoublesharppflourishright
	$\backslash$ adfbullet (*) . . . . . 149	(↪) . . . . . 149
	$\backslash$ adfbullet{1} (⊕) . . . . . 142	$\backslash$ adfdownhalfleafleft (♠) 143
	$\backslash$ adfbullet{2} (*) . . . . . 142	$\backslash$ adfdownhalfleafright (♠) 143

























<code>\adfdownleafleft</code> (  ) ... 143	<code>\adfS</code> (§) ..... 149	<code>\aldineright</code> (  ) ..... 143
<code>\adfdownleafright</code> (  ) .. 143	<code>\adfsharpflourishleft</code> (  ) ..	<code>\aldinesmall</code> (  ) ..... 143
<code>\adfflatdownhalfleafleft</code> (  )	..... 149	<code>\aleph</code> (ℵ) ..... 98, 122
..... 143	<code>\adfsharpflourishright</code> (  ) .	<code>\aleph</code> (ℵ) ..... 98
<code>\adfflatdownhalfleafright</code>	..... 149	<code>\aleph</code> (ℵ) ..... 98
(  ) ..... 143	<code>\adsickleflourishleft</code> (  )	<code>\aleph</code> (ℵ) ..... 99
<code>\adfflatdownoutlineleafleft</code>	..... 149	<code>\Alif</code> (ʾ) ..... 20
(  ) ..... 143	<code>\adsickleflourishright</code> (  )	
<code>\adfflatdownoutlineleafright</code>	..... 149	<code>\allabreve</code> (  ) ..... 160
(  ) ..... 143	<code>\adfsingleflourishleft</code> (  )	<code>\Alpha</code> (Α) ..... 96
<code>\adfflatleafleft</code> (  ) ... 143	..... 149	<code>\alpha</code> (α) ..... 96
<code>\adfflatleafoutlineleft</code> (  )	<code>\adfsingleflourishright</code> (  )	alphabets ..... 126
..... 143	..... 149	African ..... 16
<code>\adfflatleafoutlineright</code>	<code>\adfsmallhangingleafleft</code> (  )	Cypriot ..... 155
(  ) ..... 143	..... 143	Cyrillic ..... 225
<code>\adfflatleafright</code> (  ) .. 143	<code>\adfsmallhangingleafright</code>	Greek 16, 96, 97, 127, 156
<code>\adfflatleafsolidleft</code> (  ) .	(  ) ..... 143	Hebrew ..... 98, 99, 127
..... 143	<code>\adfsmallleafleft</code> (  ) .. 143	hieroglyphic ..... 151
<code>\adfflatleafsolidright</code> (  ) .	<code>\adfsmallleafright</code> (  ) .. 143	Linear A ..... 151
..... 143	<code>\adfsolidleafleft</code> (  ) ... 143	Linear B ..... 154
<code>\adfflourishleft</code> (  ) ... 149	<code>\adfsolidleafright</code> (  ) .. 143	math ..... 126
<code>\adfflourishleftdouble</code> (  )	<code>\adfsquare</code> (◻) ..... 149	phonetic ..... 17–20
..... 149	adfsymbols (package) . 137, 140,	proto-Semitic ..... 150
<code>\adfflourishright</code> (  ) .. 149	142, 147, 243	South Arabian ..... 156
<code>\adfflourishrightdouble</code>	<code>\adftripleflourishleft</code> (  )	Vietnamese ..... 16
(  ) ..... 149	..... 149	<code>\alphaup</code> (α) ..... 97
<code>\adfflowerleft</code> (  ) ..... 143	<code>\adftripleflourishright</code>	alpine symbols ..... 179
<code>\adfflowerright</code> (  ) ... 143	(  ) ..... 149	<code>\Alt</code> (  ) ..... 132
<code>\adfgree</code> (ℱ) ..... 149	<code>\adfwavesleft</code> (  ) ..... 149	alternative denial <i>see</i> <code>\uparrow</code>
<code>\adfhalfarrowleft</code> (  ) ... 137	<code>\adfwavesright</code> (  ) ..... 149	<i>and</i>
<code>\adfhalfarrowleftsolid</code> (  ) .	adjoint (†) ..... <i>see</i> <code>\dag</code>	<code>\AltGr</code> (  ) ..... 132
..... 137	<code>\Admetos</code> (Ϝ) ..... 131	
<code>\adfhalfarrowright</code> (  ) .. 137	Adobe Acrobat ..... 235	<code>\altoclef</code> (  ) ..... 160
<code>\adfhalfarrowrightsolid</code> (  ) .		<code>\AM</code> (α) ..... 132
..... 137	<code>\adots</code> (· ·) ..... 119, 230	<code>\amalg</code> (II) ..... 31
<code>\adfhalfleafleft</code> (  ) ... 143	<code>\adots</code> (· ·) ..... 118	<code>\amalg</code> (II) ..... 34
<code>\adfhalfleafright</code> (  ) ... 143	<code>\adots</code> (· ·) ..... 118	<code>\amalg</code> (U) ..... 33
<code>\adfhalfleftarrow</code> (  ) ... 137	advancing <i>see</i> <code>\textadvancing</code>	<code>\amalg</code> (II) ..... 36
<code>\adfhalfleftarrowhead</code> (  ) 137	<code>\AE</code> (Æ) ..... 15	<code>\Amem</code> (͡) ..... 150
<code>\adfhalfrightarrow</code> (  ) .. 137	<code>\ae</code> (æ) ..... 15	<code>\Amor</code> (Ϝ) ..... 131
<code>\adfhalfrightarrowhead</code> (  ) .	<code>\aeolicbii</code> (oo) ..... 185	ampersand ..... <i>see</i> <code>&amp;</code>
..... 137	<code>\aeolicbiii</code> (ooo) ..... 185	<code>\AMS</code> (package) ..... 12, 15,
<code>\adfhangingflatleafleft</code> (  )	<code>\aeolicbiv</code> (oooo) ..... 185	31, 42, 52, 64, 67, 72, 75,
..... 143	<code>\agem0</code> (U) ..... 122	76, 95, 96, 98, 99, 101, 103,
<code>\adfhangingflatleafright</code> (  )	<code>\Agimel</code> (˘) ..... 150	109, 112, 115, 117, 121, 122,
..... 143	<code>\Ahe</code> (𐤀) ..... 150	127, 222, 223, 242
<code>\adfhangingleafleft</code> (  ) . 143	<code>\Ahelmet</code> (X) ..... 150	<code>amsbsy</code> (package) ..... 237
<code>\adfhangingleafright</code> (  ) 143	<code>\Aheth</code> (𐤁) ..... 150	<code>amsfonts</code> (package) ... 122, 126
<code>\adflatleafleft</code> (  ) ..... 143	<code>\ain</code> (˙) ..... 25	<code>amsmath</code> (package) 12, 95, 109,
<code>\adflatleafright</code> (  ) ..... 143	<code>\Air</code> (Δ) ..... 131	226, 236
<code>\adflatleftarrowhead</code> (  ) ... 137	<code>\Akaph</code> (𐤀) ..... 150	<code>amssymb</code> (package) 12, 109, 122,
<code>\adflatrightarrowhead</code> (  ) .. 137	<code>\Alad</code> (}) ..... 109	126, 156, 243
<code>\adfopenflourishleft</code> (  ) 149	<code>\alad</code> (}) ..... 109	<code>amstext</code> (package) ... 228, 229
<code>\adfopenflourishright</code> (  ) .	<code>\Alamed</code> (ℓ) ..... 150	<code>\Anacclasis</code> (÷) ..... 184
..... 149	<code>\Alas</code> (}) ..... 109	<code>\anaclasis</code> (÷) ..... 184
<code>adorn</code> (package) 137, 142, 143,	<code>\alas</code> (}) ..... 109	<code>\anceps</code> (x) ..... 185
149, 243, 244	<code>\Albania</code> (i) ..... 190	<code>\ancepsdbrevis</code> (X) ..... 185
<code>\adfoutlineleafleft</code> (  ) . 143	<code>\aldine</code> (𐤁) ..... 143	<code>\anchor</code> (⚓) ..... 192
<code>\adfoutlineleafright</code> (  ) 143	<code>\aldineleft</code> (𐤁) ..... 143	
<code>\adfrightarrowhead</code> (  ) .. 137		







<code>\anchor</code> (  )	149	<code>\antiquarkc</code> ( $\bar{c}$ )	135	<code>arc</code> (  )	<i>see</i> accents
ancient-language symbols	150–159	<code>\antiquarkd</code> ( $\bar{d}$ )	135	<code>\arccos</code> (arccos)	94
and	<i>see</i> <code>\wedge</code>	<code>\antiquarks</code> ( $\bar{s}$ )	135	<code>\arceq</code> ( $\hat{=}$ )	59
AND gates	<i>see</i> 133	<code>\antiquarkt</code> ( $\bar{t}$ )	135	<code>\arceq</code> ( $\hat{=}$ )	57, 93
<code>\ANDd</code> (  )	133	<code>\antiquarku</code> ( $\bar{u}$ )	135	<code>\arceq</code> ( $\hat{=}$ )	60
<code>\ANDl</code> (  )	133	<code>\Antisigma</code> ( $\supset$ )	184	arcminutes	<i>see</i> <code>\prime</code>
<code>\Andorra</code> (  )	190	<code>\antisigma</code> ( $\supset$ )	184	arcs (package)	24, 243
<code>\ANDr</code> (  )	133	<code>\Anun</code> ( $\sim$ )	150	arcseconds	<i>see</i> <code>\second</code>
<code>\ANDu</code> (  )	133	<code>\aoverbrace</code> (  )	114	<code>\arcsin</code> (arcsin)	94
<code>\angdnr</code> ( $\sphericalangle$ )	121	<code>\Ape</code> ( $\mathbb{L}$ )	150	<code>\arctan</code> (arctan)	94
<code>\angl</code> (  )	115	APL		<code>\Aresh</code> ( $\mathcal{R}$ )	150
<code>\angle</code> ( $\sphericalangle$ )	121	symbols	60–61	<code>arev</code> (package)	137–141, 148, 159, 192, 243
<code>\angle</code> ( $\sphericalangle$ )	122	<code>apl</code> (package)	132, 243	<code>\arg</code> (arg)	94
<code>\angle</code> ( $\sphericalangle$ )	121	APL symbols	131, 132	<code>\Aries</code> ( $\mathcal{A}$ )	130
<code>\angle</code> ( $\sphericalangle$ )	121	<code>\APLbox</code> ( $\square$ )	131	<code>\Aries</code> ( $\mathcal{A}$ )	129
<code>\angle</code> ( $\sphericalangle$ )	121	<code>\APLboxquestion</code> (  )	132	<code>\Aries</code> ( $\mathcal{A}$ )	131
<code>\angle</code> ( $\sphericalangle$ )	121	<code>\APLboxupcaret</code> (  )	132	<code>\Aries</code> ( $\mathcal{A}$ )	129
<code>\angle</code> ( $\sphericalangle$ )	121	<code>\APLcirc</code> (  )	131	<code>\aries</code> ( $\mathcal{A}$ )	129
angle notation	129	<code>\APLcomment</code> ( $\text{\@}$ )	131	<code>\ArrowBoldDownRight</code> (  )	136
angles	120–122, 124, 125, 131	<code>\APLdown</code> ( $\nabla$ )	131	<code>\ArrowBoldRightCircled</code> (  )	136
<code>\angles</code> ( $\sphericalangle$ )	121	<code>\APLdownarrowbox</code> (  )	131	<code>\ArrowBoldRightShort</code> (  )	136
<code>\AngleSign</code> ( $\sphericalangle$ )	120	<code>\APLinup</code> (  )	131	<code>\ArrowBoldRightStrobe</code> (  )	136
<code>\angleubar</code> ( $\sphericalangle$ )	121	<code>\APLinu</code> ( $\mathbb{E}$ )	131	<code>\ArrowBoldUpRight</code> (  )	136
<code>\angln</code> ( $\overline{\sphericalangle}$ )	115	<code>\APLleftarrowbox</code> ( $\mathbb{E}$ )	131	<code>\arrowbullet</code> ( $\blacktriangleright$ )	137
<code>\anglr</code> ( $\overline{\sphericalangle}$ )	115	<code>\APLlog</code> ( $\otimes$ )	131	<code>\Arrownote</code> ( $\mathcal{A}$ )	94
<code>\Angstrom</code> ( $\text{\AA}$ )	100	<code>\APLminus</code> ( $\text{\@}$ )	131	<code>\Arrownote</code> ( $\mathcal{A}$ )	94
Ångström unit		<code>\APLnot</code> (  )	131	<code>\ArrowOver</code> ( $\overline{\phantom{x}}$ )	25
math mode	<i>see</i> <code>\mathring</code>	<code>\APLnotbackslash</code> ( $\text{\@}$ )	132	<code>\ArrowOver</code> ( $\overline{\phantom{x}}$ )	25
text mode	<i>see</i> <code>\AA</code>	<code>\APLnotslash</code> ( $\text{\@}$ )	132	arrows	75–77, 81, 86–91, 111–116, 131, 132, 136, 137, 150, 155, 178, 189, 195–198, 200–202, 218, 225
<code>\Angud</code> ( $\sphericalangle$ )	109	<code>\APLnotstarch</code> ( $\text{\@}$ )	131	diagonal, for reducing subexpressions	111
<code>\angud</code> ( $\sphericalangle$ )	109	<code>\APLup</code> ( $\Delta$ )	131	dotted	116
angular minutes	<i>see</i> <code>\prime</code>	<code>\APLuparrowbox</code> ( $\mathbb{E}$ )	131	double-headed, diagonal	229
angular seconds	<i>see</i> <code>\second</code>	<code>\APLvert</code> (  )	131	extensible	111–116
<code>\Angus</code> ( $\text{\AA}$ )	109	<code>\Apollon</code> ( $\mathbb{A}$ )	131	fletched	91, 136
<code>\angus</code> ( $\text{\AA}$ )	109	apostropha	<i>see</i> <code>musixg</code>	negated	75, 76, 79, 83
animals	150, 151, 155	<code>\apprge</code> ( $\gtrsim$ )	67	arrows (boisik package option)	87
<code>\Ankh</code> ( $\text{\AA}$ )	178	<code>\apprle</code> ( $\lesssim$ )	67	<code>\Arrowvert</code> ( $\parallel$ )	103
<code>\Annoey</code> ( $\text{\AA}$ )	192	<code>\approx</code> ( $\approx$ )	51	<code>\Arrowvert</code> ( $\parallel$ )	104
<code>\annuity</code> (  )	110	<code>\approx</code> ( $\approx$ )	57	<code>\Arrowvert</code> ( $\parallel$ )	106
annuity symbols	115, 231	<code>\approx</code> ( $\approx$ )	54	<code>\arrowvert</code> ( $\parallel$ )	103
<code>\Antidiple</code> ( $\sphericalangle$ )	184	<code>\approx</code> ( $\approx$ )	60	<code>\arrowvert</code> ( $\parallel$ )	104
<code>\antidiple</code> ( $\sphericalangle$ )	184	<code>\approxcoloncolon</code> ( $\approx::$ )	64	<code>\arrowvert</code> ( $\parallel$ )	106
<code>\Antidiple*</code> ( $\sphericalangle$ )	184	<code>\approxeq</code> ( $\approx$ )	52	articulations	<i>see</i> musical symbols
<code>\antidiple*</code> ( $\sphericalangle$ )	184	<code>\approxeq</code> ( $\approx$ )	59	<code>\Asade</code> ( $\text{\AA}$ )	150
<code>\antilabe</code> ( $\text{\AA}$ )	119	<code>\approxeq</code> ( $\approx$ )	57	<code>\Asamekh</code> ( $\text{\AA}$ )	150
<code>\antimuon</code> ( $\mu^+$ )	135	<code>\approxeq</code> ( $\approx$ )	60	<code>\ASC</code> ( $\text{\AA}$ )	131
<code>\antineutrino</code> ( $\bar{\nu}$ )	135	<code>\approxeqq</code> ( $\approx$ )	60		
<code>\antineutron</code> ( $\bar{n}$ )	135	<code>\approxident</code> ( $\approx$ )	57		
<code>\antiproton</code> ( $p^-$ )	135	<code>\approxident</code> ( $\approx$ )	60		
<code>\antiquark</code> ( $\bar{q}$ )	135	<code>\Aqoph</code> ( $\infty$ )	150		
<code>\antiquarkb</code> ( $\bar{b}$ )	135	<code>\Aquarius</code> ( $\text{\AA}$ )	129		
		<code>\Aquarius</code> ( $\text{\AA}$ )	131		
		<code>\aquarius</code> ( $\text{\AA}$ )	129		
		<code>\AR</code> ( $\mathcal{R}$ )	128		
		<code>ar</code> (package)	128, 243		



<code>\barovernorthwestarrow</code> (  ) . . . . . 86	<code>\Bbbsum</code> ( $\Sigma$ ) . . . . . 48	<code>\bcdfrance</code> (  ) . . . . . 194
<code>\barovernorthwestarrow</code> (  ) . . . . . 145	<code>bbding</code> (package) 136, 138–140, 142, 147, 149, 223, 243	<code>\bcditalie</code> (  ) . . . . . 194
<code>\barp</code> ( $\P$ ) . . . . . 19	<code>\bbdollar</code> (\$) . . . . . 127	<code>\bcdluxembourg</code> (  ) . . . . . 194
barred letters . . . . . 226	<code>\bbetter</code> ( $\text{\P}$ ) . . . . . 182	<code>\bcdodecaedre</code> (  ) . . . . . 194
<code>\barrightrightarrow</code> ( $\leftrightarrow$ ) 87	<code>\bbeuro</code> (€) . . . . . 127	<code>\bcdpaysbas</code> (  ) . . . . . 194
<code>\barrightharpoon</code> ( $\Rightarrow$ ) . . . 77	<code>\bbfinalnun</code> ( $\text{\P}$ ) . . . . . 127	<code>\bcdz</code> (  ) . . . . . 194
<code>\barrightharpoondown</code> ( $\rightarrowtail$ ) 90	<code>\bbgamma</code> ( $\text{\P}$ ) . . . . . 127	<code>\bceclaircie</code> (  ) . . . . . 194
<code>\barrightharpoonup</code> ( $\rightarrowtail$ ) . . 90	<code>bbgreekl</code> ( <code>mathbbol</code> package option) . . . . . 127	<code>\bcetoile</code> (  ) . . . . . 193
<code>\barsci</code> ( $\text{\P}$ ) . . . . . 19	<code>\BBm</code> (  ) . . . . . 184	<code>\bcfemme</code> (  ) . . . . . 193
<code>\barscu</code> ( $\text{\P}$ ) . . . . . 19	<code>\Bbm</code> (  ) . . . . . 184	<code>\bcfeujaune</code> (  ) . . . . . 193
<code>\Bart</code> (  ) . . . . . 185	<code>\bBm</code> (  ) . . . . . 184	<code>\bcfeurouge</code> (  ) . . . . . 194
<code>bartel-chess-fonts</code> (package) 220, 221, 243	<code>bbm</code> (package) . . . . . 126, 243	<code>\bcfeutricolore</code> (  ) . . . . . 194
<code>\baru</code> ( $\text{\P}$ ) . . . . . 19	<code>bbm</code> (  ) . . . . . 184	<code>\bcfeuvert</code> (  ) . . . . . 194
<code>\baruparrow</code> ( $\Uparrow$ ) . . . . . 87	<code>bbmb</code> (  ) . . . . . 184	<code>\bcfleur</code> (  ) . . . . . 194
<code>\barupharpoonleft</code> ( $\bar{\leftarrow}$ ) . . . 90	<code>bbmx</code> (  ) . . . . . 184	<code>\bchomme</code> (  ) . . . . . 194
<code>\barupharpoonright</code> ( $\bar{\rightarrow}$ ) . . . 90	<code>bbnabla</code> ( $\nabla$ ) . . . . . 127	<code>\bchorloge</code> (  ) . . . . . 194
<code>\Barv</code> ( $\bar{\vee}$ ) . . . . . 57	<code>bbold</code> (package) . . . . . 126, 243	<code>\bcicosaedre</code> (  ) . . . . . 194
<code>\BarV</code> ( $\bar{\vee}$ ) . . . . . 60	<code>bbpe</code> ( $\text{\P}$ ) . . . . . 127	<code>\bcinfo</code> (  ) . . . . . 194
<code>\barV</code> ( $\text{\P}$ ) . . . . . 57	<code>bbqof</code> ( $\text{\P}$ ) . . . . . 127	<code>\bcinterdit</code> (  ) . . . . . 194
<code>\barV</code> ( $\text{\P}$ ) . . . . . 60	<code>bbrevis</code> ( $\text{\P}$ ) . . . . . 185	<code>\bcclampe</code> (  ) . . . . . 194
<code>\barvee</code> ( $\bar{\vee}$ ) . . . . . 36	<code>bbbrktbrk</code> ( $\text{\P}$ ) . . . . . 124	<code>bclogo</code> (package) 193, 194, 243, 244
<code>\barwedge</code> ( $\bar{\wedge}$ ) . . . . . 33	<code>bbslash</code> ( $\text{\P}$ ) . . . . . 32	<code>\bcloupe</code> (  ) . . . . . 194
<code>\barwedge</code> ( $\bar{\wedge}$ ) . . . . . 31	<code>bbslash</code> ( $\text{\P}$ ) . . . . . 35	<code>\bcneige</code> (  ) . . . . . 194
<code>\barwedge</code> ( $\bar{\wedge}$ ) . . . . . 35	<code>bbbyod</code> ( $\text{\P}$ ) . . . . . 127	<code>\bcnote</code> (  ) . . . . . 194
<code>\barwedge</code> ( $\bar{\wedge}$ ) . . . . . 34	<code>bcattention</code> (  ) . . . . . 193	<code>\bcnucleaire</code> (  ) . . . . . 194
<code>\barwedge</code> ( $\bar{\wedge}$ ) . . . . . 36	<code>bcbombe</code> (  ) . . . . . 193	<code>\bcocetaedre</code> (  ) . . . . . 194
base twelve	<code>bcbook</code> (  ) . . . . . 193	<code>\bcueil</code> (  ) . . . . . 194
numerals . . . . . 120	<code>bccalendrier</code> (  ) . . . . . 194	<code>\bcontraction</code> . . . . . 232
tally markers . . . . . 181	<code>bccle</code> (  ) . . . . . 194	<code>\bcorne</code> (  ) . . . . . 194
<code>\BasicTree</code> . . . . . 193	<code>bcclefa</code> (  ) . . . . . 194	
<code>\bassclef</code> (  ) . . . . . 160	<code>bcclesol</code> (  ) . . . . . 194	
<code>\Bat</code> (  ) . . . . . 178	<code>bccoeur</code> (  ) . . . . . 194	
<code>\Bau</code> (  ) . . . . . 154	<code>bccrayon</code> (  ) . . . . . 194	
<code>\baucircle</code> (  ) . . . . . 147	<code>bccube</code> (  ) . . . . . 194	
<code>\bauforms</code> (  ) . . . . . 178	<code>bcdallemagne</code> (  ) . . . . . 194	
<code>\bauhead</code> (  ) . . . . . 178	<code>bcdanger</code> (  ) . . . . . 194	
<code>\bausquare</code> (  ) . . . . . 147	<code>bcdautriche</code> (  ) . . . . . 194	
<code>\bautriangle</code> (  ) . . . . . 147	<code>bcdbelgique</code> (  ) . . . . . 194	
<code>\BB</code> ( $\text{\P}$ ) . . . . . 184	<code>bcdbulgarie</code> (  ) . . . . . 194	
<code>\Bb</code> ( $\text{\P}$ ) . . . . . 184		
<code>\bB</code> ( $\text{\P}$ ) . . . . . 184		
<code>\bb</code> ( $\text{\P}$ ) . . . . . 184		
<code>\bba</code> ( $\text{\P}$ ) . . . . . 184		
<code>\bbalpha</code> ( $\alpha$ ) . . . . . 127		
<code>\bbar</code> ( $\bar{b}$ ) . . . . . 226		
<code>\bbb</code> ( $\text{\P}$ ) . . . . . 184		
<code>\bbbeta</code> ( $\beta$ ) . . . . . 127		
<code>\Bbbk</code> ( $\text{\P}$ ) . . . . . 99		
<code>\Bbbk</code> ( $\text{\P}$ ) . . . . . 100		
<code>\Bbbk</code> ( $\text{\P}$ ) . . . . . 100		

<code>\bcours</code> (  )	194
<code>\bcoutil</code> (  )	194
<code>\bcpanchant</code> (  )	193
<code>\bcpeaceandlove</code> (  )	193
<code>\bcpluie</code> (  )	193
<code>\bcplume</code> (  )	194
<code>\bcpoisson</code> (  )	194
<code>\bcquestion</code> (  )	194
<code>\bcrecyclage</code> (  )	194
<code>\bcrosevents</code> (  )	194
<code>\bcsmbh</code> (  )	194
<code>\bcsmmh</code> (  )	194
<code>\bcsoleil</code> (  )	194
<code>\bcspadesuit</code> (  )	194
<code>\bcstop</code> (  )	194
<code>\bctakecare</code> (  )	194
<code>\bctetraedre</code> (  )	194
<code>\bctrefle</code> (  )	194
<code>\bctrombone</code> (  )	194
<code>\bcvaletcoeur</code> (  )	194
<code>\bcvelo</code> (  )	194
<code>\bcyin</code> (  )	194
<code>\Bda</code> (  )	154
<code>\Bde</code> (  )	154
<code>\bdecisive</code> ( $\leftrightarrow$ )	182
<code>\Bdi</code> ( $\overline{\uparrow}$ )	154
<code>\bdleftarrow</code> ( $\overleftarrow{\mathcal{L}}$ )	81
<code>\bdnearrow</code> ( $\nearrow$ )	81
<code>\bdnwarrow</code> ( $\swarrow$ )	81
<code>\Bdo</code> ( $\hat{\uparrow}$ )	154
<code>\bdoverarrow</code> ( $\overrightarrow{\curvearrowright}$ )	81
<code>\bdrightarrow</code> ( $\overrightarrow{\mathcal{L}}$ )	81
<code>\bdsearrow</code> ( $\searrow$ )	81
<code>\bdswarrow</code> ( $\swarrow$ )	81
<code>\Bdu</code> ( $\overline{\uparrow}$ )	154
<code>\bdunderarrow</code> ( $\overleftarrow{\curvearrowright}$ )	81

<code>\Bdwe</code> ( $\mathbb{W}$ )	154
<code>\Bdwo</code> ( $\mathbb{W}$ )	154
<code>\Be</code> ( $\mathbb{A}$ )	154
<code>\Beam</code> ( $\mathbb{B}$ )	134
<code>\Bearing</code> ( $\mathbb{A}$ )	134
<code>\because</code> ( $\because$ )	52, 117
<code>\because</code> ( $\because$ )	59
<code>\because</code> ( $\because$ )	118
<code>\because</code> ( $\because$ )	118
<code>\because</code> ( $\because$ )	118
<code>\Bed</code> ( $\mathbb{B}$ )	193
<code>begriff</code> (package)	119, 243
<code>Begriffsschrift</code> symbols	119
<code>\BEL</code> ( $\cdot$ )	133
<code>\Belarus</code> ( $\mathbb{A}$ )	190
<code>\Belgium</code> ( $\cdot$ )	190
<code>\bell</code> ( $\mathbb{A}$ )	177
<code>\benzenr</code> ( $\mathbb{C}$ )	145
<code>Berry, Karl</code>	245
<code>\Beta</code> ( $\mathbb{B}$ )	96
<code>\beta</code> ( $\beta$ )	96
<code>\betaup</code> ( $\beta$ )	97
<code>\beth</code> ( $\beth$ )	98
<code>\beth</code> ( $\beth$ )	99
<code>\beth</code> ( $\beth$ )	98
<code>\beth</code> ( $\beth$ )	98
<code>\beth</code> ( $\beth$ )	99
<code>better</code>	see <code>\triangleleft</code>
<code>\betteris</code> ( $\triangleleft$ )	182
<code>\between</code> ( $\mathbb{O}$ )	53
<code>\between</code> ( $\mathbb{O}$ )	52
<code>\between</code> ( $\mathbb{O}$ )	59
<code>\between</code> ( $\mathbb{O}$ )	57
<code>\between</code> ( $\mathbb{O}$ )	54
<code>\between</code> ( $\mathbb{O}$ )	60
<code>\BGassert</code> ( $\dagger$ )	119
<code>\BGconditional</code> ( $\top$ $\blacksquare$ )	119
<code>\BGcontent</code> ( $\cdot$ )	119
<code>\BGnot</code> ( $\top$ )	119
<code>\BGquant</code> ( $\square$ )	119
<code>\Bi</code> ( $\mathbb{Y}$ )	154
<code>\bibridge</code> ( $\mathbb{B}$ )	23
<code>biconditional</code>	see <code>\leftrightarrow</code> and <code>\equiv</code>
<code>\Bicycle</code> (  )	178
<code>\Big</code>	222, 224
<code>\big</code>	222, 224
<code>big O</code> ( $\mathcal{O}$ )	see alphabets, math
<code>\bigast</code> ( $*$ )	33
<code>\bigblacktriangledown</code> ( $\blacktriangledown$ )	145
<code>\bigblacktriangleup</code> ( $\blacktriangleup$ )	145
<code>\bigbosonloop</code> (  )	135
<code>\bigbosonloopA</code> (  )	135

<code>\bigbosonloopW</code> (  )	135
<code>\bigbot</code> ( $\perp$ )	124
<code>\bigbox</code> ( $\square$ )	42
<code>\bigboxasterisk</code> ( $\boxast$ )	43
<code>\bigboxbackslash</code> ( $\boxslash$ )	43
<code>\bigboxbot</code> ( $\boxbot$ )	43
<code>\bigboxcirc</code> ( $\boxcirc$ )	43
<code>\bigboxcoasterisk</code> ( $\boxtimes$ )	43
<code>\bigboxdiv</code> ( $\boxdiv$ )	43
<code>\bigboxdot</code> ( $\boxdot$ )	43
<code>\bigboxleft</code> ( $\boxleftarrow$ )	43
<code>\bigboxminus</code> ( $\boxminus$ )	43
<code>\bigboxplus</code> ( $\boxplus$ )	43
<code>\bigboxright</code> ( $\boxrightarrow$ )	43
<code>\bigboxslash</code> ( $\boxslash$ )	42
<code>\bigboxtimes</code> ( $\boxtimes$ )	42
<code>\bigboxtop</code> ( $\boxtop$ )	43
<code>\bigboxtriangleup</code> ( $\boxtriangleup$ )	43
<code>\bigboxvoid</code> ( $\square$ )	43
<code>\bigcap</code> ( $\cap$ )	41
<code>\bigcap</code> ( $\cap$ )	47
<code>\bigcap</code> ( $\cap$ )	46
<code>\bigcap</code> ( $\cap$ )	48
<code>\bigcapdot</code> ( $\cap\cdot$ )	47
<code>\bigcapdot</code> ( $\cap\cdot$ )	46
<code>\bigcapplus</code> ( $\cap+$ )	47
<code>\bigcapplus</code> ( $\cap+$ )	46
<code>\bigcirc</code> ( $\circ$ )	31
<code>\bigcirc</code> ( $\circ$ )	144
<code>\bigcirc</code> ( $\circ$ )	144
<code>\bigcirc</code> ( $\circ$ )	146
<code>\BigCircle</code> ( $\bigcirc$ )	146
<code>\BigCircle</code> ( $\bigcirc$ )	147
<code>\bigcircle</code> ( $\circ$ )	46
<code>\bigcoast</code> ( $*$ )	33
<code>\bigcomplement</code> ( $\complement$ )	43
<code>\BigCross</code> ( $\times$ )	146
<code>\bigcup</code> ( $\cup$ )	41
<code>\bigcup</code> ( $\cup$ )	47
<code>\bigcup</code> ( $\cup$ )	46
<code>\bigcup</code> ( $\cup$ )	48
<code>\bigcupdot</code> ( $\cup\cdot$ )	47
<code>\bigcupdot</code> ( $\cup\cdot$ )	46
<code>\bigcupdot</code> ( $\cup\cdot$ )	48
<code>\bigcupplus</code> ( $\cup+$ )	47
<code>\bigcupplus</code> ( $\cup+$ )	46
<code>\bigcurlyvee</code> ( $\vee$ )	42
<code>\bigcurlyvee</code> ( $\vee$ )	42
<code>\bigcurlyvee</code> ( $\vee$ )	47
<code>\bigcurlyvee</code> ( $\vee$ )	46
<code>\bigcurlyveedot</code> ( $\vee\cdot$ )	46
<code>\bigcurlywedge</code> ( $\wedge$ )	43
<code>\bigcurlywedge</code> ( $\wedge$ )	42
<code>\bigcurlywedge</code> ( $\wedge$ )	47
<code>\bigcurlywedgedot</code> ( $\wedge\cdot$ )	46
<code>\BigDiamondshape</code> ( $\diamond$ )	146

<code>\bigdoublecurlyvee</code> ( $\mathbb{W}$ ) .. 46	<code>\bigostar</code> ( $\otimes$ ) ..... 46	<code>\bigtriangledown</code> ( $\nabla$ ) 145, 146
<code>\bigdoublecurlywedge</code> ( $\mathbb{A}$ ) 46	<code>\bigotimes</code> ( $\otimes$ ) ..... 41	<code>\BigTriangleLeft</code> ( $\triangleleft$ ) ... 146
<code>\bigdoublevee</code> ( $\mathbb{W}$ ) ..... 47	<code>\bigotimes</code> ( $\otimes$ ) ..... 47	<code>\bigtriangleleft</code> ( $\triangleleft$ ) ... 145
<code>\bigdoublevee</code> ( $\mathbb{W}$ ) ..... 46	<code>\bigotimes</code> ( $\otimes$ ) ..... 46	<code>\BigTriangleRight</code> ( $\triangleright$ ) .. 146
<code>\bigdoublewedge</code> ( $\mathbb{A}$ ) .... 47	<code>\bigotimes</code> ( $\otimes$ ) ..... 48	<code>\BigTriangleUp</code> ( $\triangle$ ) ..... 146
<code>\bigdoublewedge</code> ( $\mathbb{A}$ ) .... 46	<code>\bigotop</code> ( $\oplus$ ) ..... 43	<code>\bigtriangleup</code> ( $\triangle$ ) ..... 42
<code>\Bigg</code> ..... 222, 224	<code>\bigotriangle</code> ( $\odot$ ) ..... 46	<code>\bigtriangleup</code> ( $\triangle$ vs. $\Delta$ ) 223
<code>\bigg</code> ..... 222, 224	<code>\bigotriangleup</code> ( $\triangle$ ) .... 43	<code>\bigtriangleup</code> ( $\triangle$ ) ... 12, 31
<code>\BigHBar</code> ( $\bar{\quad}$ ) ..... 146	<code>\bigoverv</code> ( $\oplus$ ) ..... 46	<code>\bigtriangleup</code> ( $\triangle$ ) . 74, 144
<code>\bigint</code> ( $\int$ ) ..... 45	<code>\bigovoid</code> ( $\circ$ ) ..... 43	<code>\bigtriangleup</code> ( $\triangle$ ) ..... 73
<code>\biginterleave</code> ( $\lll$ ) ..... 42	<code>\bigparallel</code> ( $\lll$ ) ..... 42	<code>\bigtriangleup</code> ( $\triangle$ ) . 145, 146
<code>\biginterleave</code> ( $\lll$ ) ..... 124	<code>\bigparr</code> ( $\bowtie$ ) ..... 51	<code>\biguplus</code> ( $\uplus$ ) ..... 41
<code>bigints</code> (package) . 45, 243, 244	<code>\bigplus</code> ( $+$ ) ..... 43	<code>\biguplus</code> ( $\uplus$ ) ..... 47
<code>\bigints</code> ( $\int$ ) ..... 45	<code>\bigplus</code> ( $+$ ) ..... 47	<code>\biguplus</code> ( $\uplus$ ) ..... 46
<code>\bigintss</code> ( $\int$ ) ..... 45	<code>\bigplus</code> ( $+$ ) ..... 46	<code>\biguplus</code> ( $\uplus$ ) ..... 48
<code>\bigintsss</code> ( $\int$ ) ..... 45	<code>\BigRightDiamond</code> ( $\blacklozenge$ ) ... 146	<code>\bigvarstar</code> ( $\star$ ) ..... 33
<code>\bigintssss</code> ( $\int$ ) ..... 45	<code>\bigslodvee</code> ( $\vee$ ) ..... 36	<code>\BigVBar</code> ( $\bar{\quad}$ ) ..... 146
<code>\biginvamp</code> ( $\bowtie$ ) ..... 51	<code>\bigslodwedge</code> ( $\wedge$ ) .... 36	<code>\bigvee</code> ( $\vee$ ) ..... 41
<code>\BigLowerDiamond</code> ( $\blacklozenge$ ) ... 146	<code>\bigsqcap</code> ( $\sqcap$ ) ..... 42	<code>\bigvee</code> ( $\vee$ ) ..... 47
<code>\bignplus</code> ( $\oplus$ ) ..... 42	<code>\bigsqcap</code> ( $\sqcap$ ) ..... 42	<code>\bigvee</code> ( $\vee$ ) ..... 46
<code>\bigoaast</code> ( $\otimes$ ) ..... 47	<code>\bigsqcap</code> ( $\sqcap$ ) ..... 47	<code>\bigvee</code> ( $\vee$ ) ..... 48
<code>\bigoaast</code> ( $\otimes$ ) ..... 46	<code>\bigsqcap</code> ( $\sqcap$ ) ..... 46	<code>\bigveedot</code> ( $\vee$ ) ..... 47
<code>\bigoaasterisk</code> ( $\otimes$ ) ..... 43	<code>\bigsqcap</code> ( $\sqcap$ ) ..... 48	<code>\bigveedot</code> ( $\vee$ ) ..... 46
<code>\bigobackslash</code> ( $\oslash$ ) ..... 43	<code>\bigsqcapdot</code> ( $\sqcap$ ) ..... 47	<code>\bigwedge</code> ( $\wedge$ ) ..... 41
<code>\bigobackslash</code> ( $\oslash$ ) ..... 46	<code>\bigsqcapdot</code> ( $\sqcap$ ) ..... 46	<code>\bigwedge</code> ( $\wedge$ ) ..... 47
<code>\bigobot</code> ( $\oplus$ ) ..... 43	<code>\bigsqcapplus</code> ( $\sqcap$ ) ..... 43	<code>\bigwedge</code> ( $\wedge$ ) ..... 46
<code>\bigocirc</code> ( $\odot$ ) ..... 43	<code>\bigsqcapplus</code> ( $\sqcap$ ) ..... 47	<code>\bigwedge</code> ( $\wedge$ ) ..... 49
<code>\bigocirc</code> ( $\odot$ ) ..... 46	<code>\bigsqcapplus</code> ( $\sqcap$ ) ..... 46	<code>\bigwedgedot</code> ( $\wedge$ ) ..... 47
<code>\bigocoasterisk</code> ( $\otimes$ ) .... 43	<code>\bigsqcup</code> ( $\sqcup$ ) ..... 41	<code>\bigwedgedot</code> ( $\wedge$ ) ..... 46
<code>\bigodiv</code> ( $\oplus$ ) ..... 43	<code>\bigsqcup</code> ( $\sqcup$ ) ..... 47	<code>\bigwhitestar</code> ( $\star$ ) ..... 145
<code>\bigodot</code> ( $\odot$ ) ..... 41	<code>\bigsqcup</code> ( $\sqcup$ ) ..... 46	<code>\bigwith</code> ( $\&$ ) ..... 51
<code>\bigodot</code> ( $\odot$ ) ..... 47	<code>\bigsqcup</code> ( $\sqcup$ ) ..... 48	<code>\binampersand</code> ( $\&$ ) ..... 32
<code>\bigodot</code> ( $\odot$ ) ..... 46	<code>\bigsqcupdot</code> ( $\sqcup$ ) ..... 47	<code>\binampersand</code> ( $\&$ ) ..... 35
<code>\bigodot</code> ( $\odot$ ) ..... 48	<code>\bigsqcupdot</code> ( $\sqcup$ ) ..... 46	binary operators ..... 31–40
<code>\bigoint</code> ( $\oint$ ) ..... 45	<code>\bigsqcupplus</code> ( $\sqcup$ ) ..... 43	binary relations ... 52–55, 57,
<code>\bigoints</code> ( $\oint$ ) ..... 45	<code>\bigsqcupplus</code> ( $\sqcup$ ) ..... 47	59–72, 91–93
<code>\bigointss</code> ( $\oint$ ) ..... 45	<code>\bigsqcupplus</code> ( $\sqcup$ ) ..... 46	negated . 52–56, 58, 60, 62
<code>\bigointsss</code> ( $\oint$ ) ..... 45	<code>\BigSquare</code> ( $\square$ ) ..... 146	<code>\bindnasrepma</code> ( $\wp$ ) ..... 32
<code>\bigointssss</code> ( $\oint$ ) ..... 45	<code>\bigsuplus</code> ( $\uplus$ ) ..... 43	<code>\bindnasrepma</code> ( $\wp$ ) ..... 35
<code>\bigoleft</code> ( $\oplus$ ) ..... 43	<code>\bigstar</code> ( $\star$ ) ..... 33	<code>\Biohazard</code> ( $\hazard$ ) ..... 134
<code>\bigominus</code> ( $\ominus$ ) ..... 43	<code>\bigstar</code> ( $\star$ ) ..... 122	<code>\biohazard</code> ( $\hazard$ ) ..... 192
<code>\bigominus</code> ( $\ominus$ ) ..... 46	<code>\bigstar</code> ( $\star$ ) ..... 144	biological symbols ..... 134
<code>\bigoplus</code> ( $\oplus$ ) ..... 41	<code>\bigstar</code> ( $\star$ ) ..... 144	birds ..... 151
<code>\bigoplus</code> ( $\oplus$ ) ..... 47	<code>\bigstar</code> ( $\star$ ) ..... 144	bishop ..... 183, 220–222
<code>\bigoplus</code> ( $\oplus$ ) ..... 46	<code>\bigstar</code> ( $\star$ ) ..... 145	<code>\bishoppair</code> ( $\bshp$ ) ..... 182
<code>\bigoplus</code> ( $\oplus$ ) ..... 48	<code>\bigtalloblong</code> ( $\blacksquare$ ) ..... 48	<code>\Bja</code> ( $\mathbb{B}$ ) ..... 154
<code>\bigoright</code> ( $\oplus$ ) ..... 42	<code>\bigtimes</code> ( $\times$ ) ..... 43	<code>\Bje</code> ( $\mathbb{J}$ ) ..... 154
<code>\bigoslash</code> ( $\oslash$ ) ..... 42	<code>\bigtimes</code> ( $\times$ ) ..... 47	<code>\Bjo</code> ( $\mathbb{J}$ ) ..... 154
<code>\bigoslash</code> ( $\oslash$ ) ..... 46	<code>\bigtimes</code> ( $\times$ ) ..... 46	<code>\Bju</code> ( $\mathbb{J}$ ) ..... 154
	<code>\bigtimes</code> ( $\times$ ) ..... 48	<code>\Bka</code> ( $\mathbb{K}$ ) ..... 154
	<code>\bigtop</code> ( $\top$ ) ..... 124	<code>\Bke</code> ( $\mathbb{K}$ ) ..... 154
	<code>\BigTriangleDown</code> ( $\nabla$ ) ... 146	<code>\Bki</code> ( $\mathbb{K}$ ) ..... 154
	<code>\bigtriangledown</code> ( $\nabla$ ) ... 42	<code>\Bko</code> ( $\mathbb{K}$ ) ..... 154
	<code>\bigtriangledown</code> ( $\nabla$ vs. $\nabla$ ) 223	<code>\Bku</code> ( $\mathbb{K}$ ) ..... 154
	<code>\bigtriangledown</code> ( $\nabla$ ) ... 31	<code>\BL</code> ( $\backslash$ ) ..... 132
	<code>\bigtriangledown</code> ( $\nabla$ ) 74, 144	
	<code>\bigtriangledown</code> ( $\nabla$ ) ... 73	

<code>\black</code> .....	184	<code>\blacksmiley</code> (☺) .....	177	<code>\BNcc</code> (◌ <sup>o</sup> ) .....	154
<code>\BlackBishopOnBlack</code> (♞) ..	183	<code>\blacksquare</code> (■) .....	122	<code>\BNccc</code> (◌ <sup>oo</sup> ) .....	154
<code>\BlackBishopOnWhite</code> (♞) ..	183	<code>\blacksquare</code> (■) .....	39, 144	<code>\BNcd</code> (◌ <sup>oo</sup> ) .....	154
blackboard bold <i>see</i> alphabets, math		<code>\blacksquare</code> (■) .....	38	<code>\BNcm</code> (◌ <sup>oooo</sup> ) .....	154
<code>\blackbowtie</code> (⌘) .....	35	<code>\blacksquare</code> (■) .....	146	<code>\BNd</code> (◌ <sup>oo</sup> ) .....	154
<code>\blackcircledownarrow</code> (◌ <sup>o</sup> )	145	<code>\blackstone</code> .....	183	<code>\BNdc</code> (◌ <sup>oo</sup> ) .....	154
<code>\blackcircledrightdot</code> (◌ <sup>o</sup> )	145	<code>\blacktriangle</code> (▲) .....	122	<code>\BNdcc</code> (◌ <sup>oo</sup> ) .....	154
<code>\blackcircledtwodots</code> (◌ <sup>oo</sup> )	145	<code>\blacktriangle</code> (▲) .....	39, 144	<code>\BNdccc</code> (◌ <sup>oooo</sup> ) .....	154
<code>\blackcircleulquadwhite</code> (◌ <sup>o</sup> )	145	<code>\blacktriangle</code> (▲) .....	39, 74	<code>\BNdccc</code> (◌ <sup>oooo</sup> ) .....	154
<code>\blackdiamond</code> (♦) .....	33	<code>\blacktriangle</code> (▲) .....	73	<code>\Bne</code> (⌘) .....	154
<code>\blackdiamond</code> (♦) .....	39	<code>\blacktriangle</code> (▲) .....	145	<code>\Bni</code> (⌘) .....	154
<code>\blackdiamonddownarrow</code> (◌ <sup>o</sup> )	145	<code>\blacktriangledown</code> (▼) ..	37	<code>\Bni</code> (⌘) .....	154
<code>\BlackEmptySquare</code> (◻) 183		<code>\blacktriangledown</code> (▼) ..	122	<code>\BNii</code> (⌘) .....	154
<code>\blackhourglass</code> (⌘) .....	40	<code>\blacktriangledown</code> (▼) 39, 144		<code>\BNiii</code> (⌘) .....	154
<code>\blackinwhitediamond</code> (◊) 145		<code>\blacktriangledown</code> (▼) 39, 74		<code>\BNiv</code> (⌘) .....	154
<code>\blackinwhitesquare</code> (◻) 145		<code>\blacktriangledown</code> (▼) ..	73	<code>\BNix</code> (⌘) .....	154
<code>\BlackKingOnBlack</code> (♔) 183		<code>\blacktriangledown</code> (▼) ..	145	<code>\BNl</code> (≡) .....	154
<code>\BlackKingOnWhite</code> (♔) 183		<code>\blacktriangledown</code> (▼) ..	145	<code>\BNlx</code> (≡) .....	154
<code>\BlackKnightOnBlack</code> (♞) ..	183	<code>\blacktriangledown</code> (▼) ..	73	<code>\BNlxx</code> (≡) .....	154
<code>\BlackKnightOnWhite</code> (♞) ..	183	<code>\blacktriangledown</code> (▼) ..	145	<code>\BNlxxx</code> (≡) .....	154
<code>\blacklefthalfcircle</code> (◐) 145		<code>\blacktriangledown</code> (▼) ..	145	<code>\BNm</code> (⌘) .....	154
<code>\blacklozenge</code> (◊) .....	122	<code>\blacktriangleright</code> (▶) ..	37	<code>\Bno</code> (⌘) .....	154
<code>\blacklozenge</code> (◊) .....	39, 144	<code>\blacktriangleright</code> (▶) ..	72	<code>\bNot</code> (≠) .....	60
<code>\blacklozenge</code> (◊) .....	144	<code>\blacktriangleright</code> (▶) ..	39	<code>\Bnu</code> (⌘) .....	154
<code>\blacklozenge</code> (◊) .....	144	<code>\blacktriangleright</code> (▶) ..	39,	<code>\BNv</code> (⌘) .....	154
<code>\blacklozenge</code> (◊) ..	145, 146	<code>\blacktriangleright</code> (▶) ..	74	<code>\BNvi</code> (⌘) .....	154
<code>\BlackPawnOnBlack</code> (♟) 183		<code>\blacktriangleright</code> (▶) ..	73	<code>\BNvii</code> (⌘) .....	154
<code>\BlackPawnOnWhite</code> (♟) 183		<code>\blacktriangleright</code> (▶) ..	145	<code>\BNviii</code> (⌘) .....	154
<code>\blackpointerleft</code> (◀) ..	145	<code>\blacktriangleup</code> (▲) .....	37	<code>\Bnwa</code> (⌘) .....	154
<code>\blackpointerright</code> (▶) ..	145	<code>\blackwhitespoon</code> (☞) ..	93	<code>\BNx</code> (◌) .....	154
<code>\BlackQueenOnBlack</code> (♚) 183		blank .....	<i>see</i> <code>\textblank</code>	<code>\BNxc</code> (≡) .....	154
<code>\BlackQueenOnWhite</code> (♚) 183		<code>\Bleech</code> (△) .....	178	<code>\BNxl</code> (≡) .....	154
<code>\blackrighthalfcircle</code> (◑) 145		<code>\blender</code> (!) .....	192	<code>\BNxx</code> (≡) .....	154
<code>\BlackRookOnBlack</code> (♖) 183		<code>\blender</code> (!) .....	192	<code>\BNxxx</code> (≡) .....	154
<code>\BlackRookOnWhite</code> (♖) 183		<code>\blitza</code> (⌘) .....	93	<code>\Bo</code> (⌘) .....	154
<code>\blacksmiley</code> (☺) .....	124	<code>\blitza</code> (⌘) .....	30	body-text symbols .....	14–29
		<code>\blitzb</code> (⌘) .....	93	boisik (package) .....	35, 39, 48,
		<code>\blitzc</code> (⌘) .....	93		59, 60, 66, 71, 74, 86, 87,
		<code>\blitzd</code> (⌘) .....	93		98–101, 110, 121, 123, 144,
		<code>\blitze</code> (⌘) .....	93		148, 156, 159, 243
		<code>\blkhorzoval</code> (◐) .....	145	bold symbols .....	236–237
		<code>\blkvertoval</code> (◐) .....	145	<code>\boldmath</code> .....	237
		block-element symbols .....	186	<code>\boldsymbol</code> .....	237
		<code>\Bm</code> (⌘) .....	184	<code>\BOLogo</code> (⌘) .....	178
		<code>bm</code> (package) .....	237, 243, 244	<code>\BOLogoL</code> (⌘) .....	178
		<code>\bm</code> .....	237	<code>\BOLogoP</code> (⌘) .....	178
		<code>\bm</code> (⌘) .....	184	bomb .....	193–194
		<code>\Bma</code> (⌘) .....	154	<code>\bomb</code> (⌘) .....	178
		<code>\Bme</code> (⌘) .....	154	Boolean domain (℔) .....	<i>see</i>
		<code>\Bmi</code> (⌘) .....	154	alphabets, math	
		<code>\Bmo</code> (⌘) .....	154	Boolean logic gates .....	133
		<code>\bmod</code> .....	94	borders .....	205–213
		<code>\Bmu</code> (⌘) .....	154	born .....	<i>see</i> <code>\textborn</code>
		<code>\Bna</code> (⌘) .....	154		
		<code>\Bnc</code> (◌ <sup>o</sup> ) .....	154		

<code>\Bosnia</code> (♣) .....	190	<code>\boxdot</code> (◻) .....	31, 32	<code>\BPbronze</code> (⊞) .....	155
<code>bosons</code> .....	135	<code>\boxdot</code> (◻) .....	39	<code>\BPbull</code> (⚎) .....	155
<code>\Bot</code> (⊥) .....	101	<code>\boxdot</code> (◻) .....	38	<code>\BPcauldroni</code> (⚗) .....	155
<code>\bot</code> (⊥) .....	30, 99, 228	<code>\boxdot</code> (◻) .....	38	<code>\BPcauldronii</code> (⚗) .....	155
<code>\bot</code> (⊥) .....	100	<code>\boxdot</code> (◻) .....	40	<code>\BPchariot</code> (⚙) .....	155
<code>\bot</code> (⊥) .....	99	<code>\boxdotLeft</code> (◻←) .....	76	<code>\BPchassis</code> (⚙) .....	155
<code>\bot</code> (⊥) .....	100	<code>\boxdotleft</code> (◻←) .....	76	<code>\BPcloth</code> (⊞) .....	155
<code>\botborder</code> (⊥) .....	184	<code>\boxdotRight</code> (◻→) .....	76	<code>\BPcow</code> (⚎) .....	155
<code>\botdoteq</code> (≐) .....	53	<code>\boxdotright</code> (◻→) .....	76	<code>\BPCup</code> (⚎) .....	155
<code>\botsemicircle</code> (⊂) .....	145	<code>\boxempty</code> (◻) .....	32	<code>\Bpe</code> (⚎) .....	154
<code>\Bottomheat</code> (⊞) .....	192	<code>\boxLeft</code> (◻←) .....	76	<code>\BPewe</code> (⚎) .....	155
<code>\Bouquet</code> (⚎) .....	178	<code>\boxleft</code> (◻) .....	37	<code>\BPfoal</code> (⚎) .....	155
<code>\bowl</code> (∪) .....	192	<code>\boxleft</code> (◻) .....	76	<code>\BPgoat</code> (⚎) .....	155
<code>\bowl</code> (∪) .....	192	<code>\boxleft</code> (◻) .....	39	<code>\BPgoblet</code> (∪) .....	155
<code>\Bowtie</code> (⊞) .....	177	<code>\boxminus</code> (◻) .....	37	<code>\BPgold</code> (⚎) .....	155
<code>\bowtie</code> (⊞) .....	51	<code>\boxminus</code> (◻) .....	31	<code>\BPhorse</code> (⚎) .....	155
<code>\bowtie</code> (⊞) .....	35	<code>\boxminus</code> (◻) .....	39	<code>\Bpi</code> (⚎) .....	154
<code>\bowtie</code> (⊞) .....	35, 57	<code>\boxminus</code> (◻) .....	38	<code>\BPman</code> (⚎) .....	155
<code>\bowtie</code> (⊞) .....	33, 34	<code>\boxminus</code> (◻) .....	38	<code>\BPnanny</code> (⚎) .....	155
<code>\bowtie</code> (⊞) .....	60	<code>\boxminus</code> (◻) .....	40	<code>\Bpo</code> (⚎) .....	154
<code>\Box</code> (◻) .....	122	<code>\boxonbox</code> (⊞) .....	145	<code>\BPolive</code> (⚎) .....	155
<code>\Box</code> (◻) .....	122	<code>\boxplus</code> (⊞) .....	37	<code>\BPox</code> (⚎) .....	155
<code>\Box</code> (◻) .....	39	<code>\boxplus</code> (⊞) .....	31	<code>\BPpig</code> (⚎) .....	155
<code>\Box</code> (◻) .....	38	<code>\boxplus</code> (⊞) .....	39	<code>\BPram</code> (⚎) .....	155
<code>\Box</code> (◻) .....	146	<code>\boxplus</code> (⊞) .....	38	<code>\BPsheep</code> (⚎) .....	155
<code>box-drawing symbols</code> .....	186	<code>\boxplus</code> (⊞) .....	38	<code>\BPsow</code> (⚎) .....	155
<code>\boxast</code> (⊞) .....	32	<code>\boxplus</code> (⊞) .....	40	<code>\BPspear</code> (⚎) .....	155
<code>\boxast</code> (⊞) .....	39	<code>\boxRight</code> (◻→) .....	76	<code>\BPsword</code> (⚎) .....	155
<code>\boxast</code> (⊞) .....	40	<code>\boxright</code> (◻) .....	37	<code>\BPtalent</code> (⊞) .....	154
<code>\boxasterisk</code> (⊞) .....	37	<code>\boxright</code> (◻) .....	76	<code>\Bpte</code> (⊞) .....	154
<code>\boxbackslash</code> (⊞) .....	37	<code>\boxright</code> (◻) .....	39	<code>\Bpu</code> (⊞) .....	154
<code>\boxbackslash</code> (⊞) .....	38	<code>\boxright</code> (◻) .....	39	<code>\Bpuii</code> (⚎) .....	154
<code>\boxbackslash</code> (⊞) .....	38	<code>\boxslash</code> (⊞) .....	37	<code>\BPvola</code> (⚎) .....	154
<code>\boxbar</code> (⊞) .....	32	<code>\boxslash</code> (⊞) .....	32	<code>\BPvolb</code> (⚎) .....	154
<code>\boxbar</code> (⊞) .....	39	<code>\boxslash</code> (⊞) .....	39	<code>\BPvolcd</code> (⚎) .....	154
<code>\boxbar</code> (⊞) .....	39	<code>\boxslash</code> (⊞) .....	38	<code>\BPvolcf</code> (⚎) .....	154
<code>\boxbar</code> (⊞) .....	40	<code>\boxslash</code> (⊞) .....	38	<code>\BPwheat</code> (⚎) .....	155
<code>\boxbot</code> (⊞) .....	37	<code>\boxtimes</code> (⊞) .....	37	<code>\BPwheel</code> (⊞) .....	155
<code>\boxbot</code> (⊞) .....	39	<code>\boxtimes</code> (⊞) .....	31	<code>\BPwine</code> (⊞) .....	155
<code>\boxbox</code> (⊞) .....	32	<code>\boxtimes</code> (⊞) .....	39	<code>\BPwineiih</code> (⚎) .....	155
<code>\boxbox</code> (⊞) .....	39	<code>\boxtimes</code> (⊞) .....	38	<code>\BPwineiiih</code> (⚎) .....	155
<code>\boxbox</code> (⊞) .....	38	<code>\boxtimes</code> (⊞) .....	38	<code>\BPwineivh</code> (⚎) .....	155
<code>\boxbox</code> (⊞) .....	38	<code>\boxtimes</code> (⊞) .....	40	<code>\BPwoman</code> (⚎) .....	155
<code>\boxbox</code> (⊞) .....	40	<code>\boxtop</code> (⊞) .....	37	<code>\BPwool</code> (⚎) .....	155
<code>\boxbslash</code> (⊞) .....	32	<code>\boxtop</code> (⊞) .....	39	<code>\BPwta</code> (⚎) .....	154
<code>\boxbslash</code> (⊞) .....	39	<code>\boxtriangle</code> (⊞) .....	39	<code>\BPwtb</code> (⚎) .....	154
<code>\boxbslash</code> (⊞) .....	39	<code>\boxtriangleup</code> (⊞) .....	37	<code>\BPwtc</code> (⚎) .....	154
<code>\boxbslash</code> (⊞) .....	39	<code>\boxvert</code> (⊞) .....	38	<code>\BPwtd</code> (⚎) .....	154
<code>\boxbslash</code> (⊞) .....	40	<code>\boxvert</code> (⊞) .....	38	<code>\Bqa</code> (⚎) .....	154
<code>\boxcirc</code> (⊞) .....	37	<code>\boxvoid</code> (◻) .....	37		
<code>\boxcircle</code> (⊞) .....	32	<code>\boy</code> (♂) .....	130		
<code>\boxcircle</code> (⊞) .....	39	<code>\Bpa</code> (⚎) .....	154		
<code>\boxcircle</code> (⊞) .....	40	<code>\Bpaiii</code> (⊞) .....	154		
<code>\boxcoasterisk</code> (⊞) .....	37	<code>\BPamphora</code> (⚎) .....	155		
<code>\boxdiag</code> (⊞) .....	39	<code>\BParrow</code> (⚎) .....	155		
<code>\boxdiag</code> (⊞) .....	40	<code>\BPbarley</code> (⚎) .....	155		
<code>\boxdiv</code> (⊞) .....	37	<code>\BPbilly</code> (⚎) .....	155		
<code>\boxdivision</code> (⊞) .....	39	<code>\BPboar</code> (⚎) .....	155		
<code>\boxdot</code> (◻) .....	37				

<code>\Bqe</code> (☺)	154	<code>\Btwe</code> (β)	155	<code>\BUvii</code> (∏)	155
<code>\Bqi</code> (∏)	154	<code>\Btwo</code> (∩)	154	<code>\BUviii</code> (∏)	155
<code>\Bqo</code> (∏)	154	<code>\Bu</code> (ff)	154	<code>\BUx</code> (∩)	155
<code>\Bra</code> (L)	154	<code>\BUFd</code> (∇)	133	<code>\BUxi</code> (L)	155
<code>bra</code>	102	buffers	133	<code>\BUxii</code> (β)	155
<code>\braced</code> (⌌)	231	<code>\BUFl</code> (∇)	133	<code>\Bwa</code> (∏)	154
<code>\bracerd</code> (⌌)	231	<code>\BUFr</code> (∇)	133	<code>\Bwe</code> (∩)	154
braces ...	14, 103–106, 111–114	<code>\BUFu</code> (∇)	133	<code>\Bwi</code> (∩)	154
asymmetric	114	<code>\BUi</code> (∩)	155	<code>\Bwo</code> (∩)	154
extensible	111–114	<code>\BUii</code> (∩)	155	<code>\BX</code> (∩)	132
multiline	114	<code>\BUiii</code> (∩)	155	<code>\Bza</code> (∩)	154
<code>\bracevert</code> ( )	103	<code>\BUiv</code> (∩)	155	<code>\Bze</code> (∩)	154
<code>\bracevert</code> ( )	104	<code>\BUix</code> (∩)	155	<code>\Bzo</code> (∩)	154
<code>\bracevert</code> ( )	124	<code>\Bulgaria</code> (∩)	190		
brackets	see delimiters	bullctr (package)	181, 243, 244		
<code>\Braii</code> (∩)	154	<code>\bulletctr{1}</code> (•)	181	<code>\C</code> (∩)	21
<code>\Braiii</code> (∩)	154	<code>\bulletctr{2}</code> (••)	181	<code>\C</code> ( )	184
braket (package)	102	<code>\bulletctr{3}</code> (•••)	181	<code>c</code> (esvect package option)	114
<code>\Bratpfanne</code> (—)	192	<code>\bulletctr{4}</code> (••••)	181	<code>\c</code> (∩)	21, 239
<code>\Bre</code> (∩)	154	<code>\bulletctr{5}</code> (•••••)	181	<code>\c</code> ( )	184
<code>\Break</code> ( <code>\Break</code> )	132	<code>\bulletctr{6}</code> (••••••)	181	<code>\Ca</code> (∩)	155
<code>\breve</code> (˘)	110	<code>\bulletctr{7}</code> (•••••••)	181	<code>\caesura</code> ( )	160
<code>\breve</code> (˘)	109	<code>\bulletctr{8}</code> (••••••••)	181	calligra (package)	126, 243, 244
<code>\breve</code> (˘)	24	<code>\bulletctr{9}</code> (•••••••••)	181	Calligra (font)	126
breve (˘)	see accents	bulletnum (package)	181	calrsfs (package)	126
<code>\brevis</code> (˘)	185	bulletnum	181	<code>\CAN</code> (†)	133
<code>\Bri</code> (∩)	154	<code>\bullet</code> (•)	31	cancel (package)	111
<code>\Bro</code> (∩)	154	<code>\bullet</code> (•)	39	<code>\Cancer</code> (∩)	129
<code>\Broii</code> (∩)	154	<code>\bullet</code> (•)	33	<code>\Cancer</code> (∩)	131
<code>\brokenvert</code> ( )	177	<code>\bullet</code> (•)	40	<code>\cancer</code> (∩)	129
Bronger, Torsten	228	bullseye	see <code>\textbullseye</code>	<code>\Candle</code> (∩)	193
<code>\Bru</code> (∩)	154	<code>\bullseye</code> (∩)	145	<code>\candra</code> (∩)	110
<code>\BS</code> (∩)	133	<code>\Bumpedeq</code> (∩)	53	<code>\Cap</code> (∩)	31
<code>\Bsa</code> (∩)	154	<code>\bumpedeq</code> (∩)	53	<code>\Cap</code> (∩)	35
<code>\Bse</code> (∩)	154	<code>\Bumpeq</code> (∩)	52	<code>\Cap</code> (∩)	35
<code>\BSEfree</code> (∩)	134	<code>\Bumpeq</code> (∩)	59	<code>\Cap</code> (∩)	34
<code>\Bsi</code> (∩)	154	<code>\Bumpeq</code> (∩)	57	<code>\Cap</code> (∩)	36
<code>\bsimilarleftarrow</code> (↔)	87	<code>\Bumpeq</code> (∩)	54	<code>\cap</code> (∩)	33
<code>\bsimilarrightarrow</code> (↔)	87	<code>\Bumpeq</code> (∩)	60	<code>\cap</code> (∩)	31
<code>\Bso</code> (∩)	154	<code>\bumpeq</code> (∩)	52	<code>\cap</code> (∩)	35
<code>\bsolhsb</code> (∩)	66	<code>\bumpeq</code> (∩)	59	<code>\cap</code> (∩)	35
<code>\Bspace</code> (∩)	132	<code>\bumpeq</code> (∩)	57	<code>\cap</code> (∩)	34
<code>\Bsu</code> (∩)	154	<code>\bumpeq</code> (∩)	54	<code>\cap</code> (∩)	33
<code>\Bswa</code> (∩)	154	<code>\bumpeq</code> (∩)	57	<code>\cap</code> (∩)	36
<code>\Bswi</code> (∩)	154	<code>\bumpeq</code> (∩)	54	<code>\capbarcup</code> (∩)	36
<code>\Bta</code> (∩)	154	<code>\bumpeq</code> (∩)	60	<code>\capdot</code> (∩)	34
<code>\Btaii</code> (∩)	154	<code>\bumpeqq</code> (∩)	57	<code>\capdot</code> (∩)	33
<code>\Bte</code> (∩)	154	<code>\bumpeqq</code> (∩)	60	<code>\capdot</code> (∩)	36
<code>\Bti</code> (∩)	154	<code>\bupperhand</code> (∩)	182	<code>\capovercup</code> (∩)	36
<code>\btimes</code> (×)	35	<code>\Burns</code> (∩)	185	<code>\capplus</code> (∩)	34
<code>\btimes</code> (×)	36	<code>\BusWidth</code> (∩)	133	<code>\capplus</code> (∩)	33
<code>\Bto</code> (∩)	154	<code>\BUv</code> (∩)	155	<code>\Capricorn</code> (∩)	129
<code>\Btu</code> (∩)	154	<code>\BUvi</code> (∩)	155	<code>\Capricorn</code> (∩)	131
				<code>\capricornus</code> (∩)	129
				<code>\capturesymbol</code> (×)	182
				<code>\capwedge</code> (∩)	36



card suits . . . . .	148, 149, 193–194	<code>\cdotp</code> (·) . . . . .	118	<code>\chesscomment</code> (RR) . . . . .	182
cardinality . . . . .	<i>see</i> <code>\aleph</code>	<code>\cdotp</code> (·) . . . . .	118	<code>\chessetc</code> (  ) . . . . .	182
care of (c/o) . . . . .	124	<code>\cdots</code> (⋯) . . . . .	117	<code>\chessesee</code> (—) . . . . .	182
caret . . . . .	<i>see</i> <code>\^</code>	<code>\cdots</code> (⋯) . . . . .	118	chevrons . . . . .	138
<code>\caretinsert</code> (^) . . . . .	124	<code>\cdots</code> (⋯) . . . . .	118	<code>\Chi</code> (X) . . . . .	96
Carlisle, David . . . . .	1, 242	<code>\CE</code> (Γ) . . . . .	132	<code>\chi</code> (χ) . . . . .	96
caron (ˇ) . . . . .	<i>see</i> accents	<code>\Ce</code> (⌘) . . . . .	155	<code>\mathbb{A}2e</code> (package) . . . . .	26, 95, 127, 187, 188
carriage return . . . . .	225	Cedi . <i>see</i> <code>\textcolonmonetary</code>		<code>china2e</code> (package) . . . . .	126, 243, 244
carriage return . . . . .	132, 133, 149, 225	cedilla (¸) . . . . .	<i>see</i> accents	<code>\Chiron</code> (♁) . . . . .	131
<code>\carriagereturn</code> (↵) . . . . .	86	celestial bodies . . . . .	129–131, 187, 202–205	<code>\chiup</code> (χ) . . . . .	97
<code>\carriagereturn</code> (↵) . . . . .	87	<code>\celsius</code> (°C) . . . . .	128	<code>\Ci</code> (⌘) . . . . .	155
<code>\carriagereturn</code> (↵) . . . . .	149	<code>\Celtcross</code> (☩) . . . . .	178	cipher symbols . . . . .	187
Cartesian product . . . . .	<i>see</i> <code>\times</code>	Celtic knots . . . . .	209–213	<code>\cirbot</code> (ı̇) . . . . .	60
castle . . . . .	183, 220–222	<code>\cent</code> (¢) . . . . .	26	<code>\circ</code> (o) . . . . .	31, 124, 227
<code>\castlingchar</code> (O) . . . . .	182	<code>\centerdot</code> (▪) . . . . .	33	<code>\circ</code> (o) . . . . .	39
<code>\castlinghyphen</code> (-) . . . . .	182	<code>\centerdot</code> (◦) . . . . .	34	<code>\circ</code> (o) . . . . .	33
<code>\Cat</code> (⌘) . . . . .	192	<code>\centerdot</code> (◦) . . . . .	31	<code>\circ</code> (o) . . . . .	145, 146
<code>\catal</code> (˘) . . . . .	185	<code>\centerdot</code> (◦) . . . . .	35	<code>\circeq</code> (≐) . . . . .	53
<code>\Catalexis</code> (˘) . . . . .	184	<code>\centerdot</code> (◦) . . . . .	118	<code>\circeq</code> (≐) . . . . .	52
<code>\catalexis</code> (˘) . . . . .	184	centernot (package) . . . . .	228	<code>\circeq</code> (≐) . . . . .	59
catamorphism . . . . .	<i>see</i> <code>\llparenthesis</code> and <code>\rrparenthesis</code>	<code>\centernot</code> . . . . .	228	<code>\circeq</code> (≐) . . . . .	57
<code>\CB</code> (A) . . . . .	132	centigrade . . . . .	<i>see</i> <code>\textcelsius</code>	<code>\circeq</code> (≐) . . . . .	54
<code>\cb</code> (⌘) . . . . .	25	<code>\centre</code> (⊕) . . . . .	182	<code>\circeq</code> (≐) . . . . .	60
<code>\Cc</code> (  ) . . . . .	184	cents . . . . .	<i>see</i> <code>\textcent</code>	<code>\CIRCLE</code> (●) . . . . .	143
<code>\cc</code> (©) . . . . .	28	<code>\Ceres</code> (♃) . . . . .	131	<code>\Circle</code> (○) . . . . .	143
<code>\cc</code> (  ) . . . . .	184	<code>\CEsign</code> (€) . . . . .	134	<code>\Circle</code> (○) . . . . .	146
<code>\ccAttribution</code> (Ⓜ) . . . . .	28	<code>\Cga</code> (⌘) . . . . .	155	<code>\Circle</code> (○ vs. ○) . . . . .	223
<code>\ccby</code> (Ⓝ) . . . . .	28	<code>\Chair</code> (♋) . . . . .	193	<code>\circlearrowleft</code> (↺) . . . . .	76
<code>\ccbyncnd</code> (ⓃⓂⓃⓂ) . . . . .	28	chancery (package) . . . . .	243	<code>\circlearrowleft</code> (↺) . . . . .	75
<code>\Ccc</code> (   ) . . . . .	184	<code>\changenotsign</code> . . . . .	54	<code>\circlearrowleft</code> (↺) . . . . .	86
<code>\ccCopy</code> (©) . . . . .	28	<code>\char</code> . . . . .	225, 235, 238, 241, 242	<code>\circlearrowleft</code> (↺) . . . . .	82
ccicons (package) . . . . .	28, 243, 244	Charter (font) . . . . .	26, 51	<code>\circlearrowleft</code> (↺) . . . . .	78
ccllicenses (package) . . . . .	28, 243	<code>\check</code> (✓) . . . . .	110	<code>\circlearrowleft</code> (↺) . . . . .	87, 89
<code>\ccLogo</code> (©) . . . . .	28	<code>\check</code> (✓) . . . . .	109	<code>\circlearrowright</code> (↻) . . . . .	76
<code>\ccnc</code> (Ⓝ) . . . . .	28	check marks . . . . .	15, 123–124, 140, 141, 149, 177, 178, 195–198, 223	<code>\circlearrowright</code> (↻) . . . . .	75
<code>\ccnd</code> (Ⓝ) . . . . .	28	<code>\checked</code> (✓) . . . . .	177	<code>\circlearrowright</code> (↻) . . . . .	86
<code>\ccNoDerivatives</code> (Ⓝ) . . . . .	28	<code>\CheckedBox</code> (☑) . . . . .	140	<code>\circlearrowright</code> (↻) . . . . .	82
<code>\ccNonCommercial</code> (Ⓝ) . . . . .	28	<code>\Checkedbox</code> (☑) . . . . .	140	<code>\circlearrowright</code> (↻) . . . . .	78
<code>\ccNonCommercialEU</code> (Ⓝ) . . . . .	28	<code>\Checkmark</code> (✓) . . . . .	140	<code>\circlearrowright</code> (↻) . . . . .	87, 89
<code>\ccNonCommercialJP</code> (Ⓝ) . . . . .	28	<code>\checkmark</code> (✓) . . . . .	15	<code>\circlebottomhalfblack</code> (◐) . . . . .	145
<code>\ccPublicDomain</code> (Ⓝ) . . . . .	28	<code>\checkmark</code> (✓) . . . . .	149	circled numerals . . . . .	141, 183, 184, 220
<code>\ccRemix</code> (Ⓝ) . . . . .	28	<code>\checkmark</code> (✓) . . . . .	123	<code>\CircledA</code> (Ⓐ) . . . . .	178
<code>\ccsa</code> (Ⓝ) . . . . .	28	<code>\checkmark</code> (✓) . . . . .	123	<code>\circledast</code> (⊛) . . . . .	31
<code>\ccSampling</code> (Ⓝ) . . . . .	28	<code>\checkmark</code> (✓) . . . . .	123	<code>\circledast</code> (⊛) . . . . .	39
<code>\ccShare</code> (Ⓝ) . . . . .	28	<code>\checkmark</code> (✓) . . . . .	123	<code>\circledast</code> (⊛) . . . . .	39
<code>\ccShareAlike</code> (Ⓝ) . . . . .	28	<code>\checkmark</code> (✓) . . . . .	124	<code>\circledast</code> (⊛) . . . . .	38
<code>\ccwundercurvearrow</code> (↷) . . . . .	87	<code>\checkmark</code> (✓ vs. ✓) . . . . .	223	<code>\circledast</code> (⊛) . . . . .	40
<code>\ccZero</code> (Ⓝ) . . . . .	28	<code>\CheckmarkBold</code> (✓) . . . . .	140	<code>\circledbar</code> (Ⓝ) . . . . .	32
<code>\cdot</code> (·) . . . . .	31, 226	<code>\checksymbol</code> (+) . . . . .	182	<code>\circledbslash</code> (Ⓝ) . . . . .	32
<code>\cdot</code> (·) . . . . .	35	chemarr (package) . . . . .	115, 243	<code>\circledbullet</code> (◉) . . . . .	145
<code>\cdot</code> (·) . . . . .	34, 118	chemarrow (package) . . . . .	91, 116, 243	<code>\circledcirc</code> (◌) . . . . .	31
<code>\cdot</code> (·) . . . . .	118	<code>\chemarrow</code> (→) . . . . .	91	<code>\circledcirc</code> (◌) . . . . .	39
<code>\cdot</code> (·) . . . . .	33, 118	Chen, Raymond . . . . .	245	<code>\circledcirc</code> (◌) . . . . .	39
<code>\cdot</code> (·) . . . . .	118	chess symbols . . . . .	182, 183, 220–222	<code>\circledcirc</code> (◌) . . . . .	38
<code>\cdot</code> (·) . . . . .	117			<code>\circledcirc</code> (◌) . . . . .	40
<code>\cdot</code> (·) . . . . .	118				



<code>\coloneq</code> ( $\coloneqq$ )	30, 53	<code>\cong</code> ( $\cong$ )	51	CP1252	... see code page 1252
<code>\coloneq</code> ( $\coloneq$ )	62	<code>\cong</code> ( $\cong$ )	59	CP437	... see code page 437
<code>\coloneq</code> ( $\coloneq$ )	53	<code>\cong</code> ( $\cong$ )	57	<code>\Cpa</code> ( $\dagger$ )	155
<code>\coloneq</code> ( $\coloneq$ )	57	<code>\cong</code> ( $\cong$ )	54	<code>\Cpe</code> ( $\sphericalangle$ )	155
<code>\coloneq</code> ( $\coloneq$ )	54	<code>\cong</code> ( $\cong$ )	61	<code>\Cpi</code> ( $\nabla$ )	155
<code>\coloneq</code> ( $\coloneq$ )	61	<code>\congdot</code> ( $\cong$ )	61	<code>\Cpo</code> ( $\curvearrowright$ )	155
<code>\Coloneqq</code> ( $\Coloneqq$ )	53	<code>\Congruent</code> ( $\equiv$ )	120	<code>\Cpu</code> ( $\curvearrowleft$ )	155
<code>\Coloneqq</code> ( $\Coloneqq$ )	62	congruent	... see <code>\equiv</code>	<code>\CR</code> ( $\oslash$ )	132, 133
<code>\coloneqq</code> ( $\coloneqq$ )	62	<code>\conictaper</code> ( $\triangleright$ )	124	<code>\cr</code>	... 227
<code>\coloneqq</code> ( $\coloneqq$ )	30, 53	<code>\conjquant</code> ( $\mathbb{A}$ )	47	<code>\Cra</code> ( $\updownarrow$ )	155
<code>\coloneqq</code> ( $\coloneqq$ )	57	<code>\conjquant</code> ( $\mathbb{A}$ )	49	<code>\Cre</code> ( $\upuparrows$ )	155
colonequals (package)	30, 64, 243, 244	<code>\Conjunction</code> ( $\sigma$ )	131	Creative Commons licenses	27, 28
<code>\colonequals</code> ( $\colonequals$ )	30, 64	<code>\conjunction</code> ( $\sigma$ )	129	crescent (fge package option)	110
<code>\colonminus</code> ( $\:-$ )	64	conjunction, logical	... see <code>\wedge</code> and <code>\&amp;</code>	<code>\crescHairpin</code> ( $\leftarrow$ )	164
<code>\Colonsim</code> ( $\::\sim$ )	53	consequence relations	... 62	<code>\Cri</code> ( $\sphericalangle$ )	155
<code>\Colonsim</code> ( $\::\sim$ )	62	contradiction symbols	... 30, 93	<code>\Cro</code> ( $\lambda$ )	155
<code>\colonsim</code> ( $\::\sim$ )	64	control characters	... 133	<code>\Croatia</code> ( $\epsilon$ )	190
<code>\colonsim</code> ( $\::\sim$ )	62	converse implication	... see <code>\leftarrow</code> and <code>\subset</code>	<code>\Cross</code> ( $\dagger$ )	178
<code>\colonsim</code> ( $\::\sim$ )	53	converse nonimplication	... see <code>\nleftarrow</code> and <code>\nsubset</code>	<code>\Cross</code> ( $\dagger$ )	140
combelow (package)	25, 243, 244	<code>\convolution</code> ( $\ast$ )	33	<code>\Cross</code> ( $\times$ )	146
combinatorial logic gates	... 133	<code>\convolution</code> ( $\ast$ )	35	<code>\Cross</code> ( $\times$ )	147
comma-below accent ( $\underset{\sim}{\cdot}$ )	... see accents	<code>\cooker</code> ( $\text{\textcircled{C}}$ )	192	<code>\Cross</code> ( $\dagger$ vs. $\dagger$ vs. $\times$ )	... 223
<code>\commaminus</code> ( $\underset{\sim}{\cdot}$ )	36	<code>\cooker</code> ( $\text{\textcircled{C}}$ )	192	cross ratio	... see <code>\textrecipe</code>
communication symbols	... 134	cooking symbols	... 192, 195–198	<code>\crossb</code> ( $\text{\textcircled{b}}$ )	19
commutative diagrams	... 229	cookingsymbols (package)	... 192, 243, 244	<code>\CrossBoldOutline</code> ( $\text{\textcircled{†}}$ )	140
<code>comp.text.tex</code> (newsgroup)	12, 30, 31, 225–231	<code>\Cooley</code> ( $\ominus$ )	192	<code>\CrossClowerTips</code> ( $\text{\textcircled{†}}$ )	140
compass	... 200–202	<code>\Coppa</code> ( $\oslash$ )	156	<code>\crossd</code> ( $\text{\textcircled{d}}$ )	19
<code>\compensation</code> ( $\overline{\oslash}$ )	182	<code>\coppa</code> ( $\oslash$ )	156	<code>\CrossedBox</code> ( $\text{\textcircled{x}}$ )	140
<code>\complement</code> ( $\complement$ )	99	<code>\coprod</code> ( $\coprod$ )	30, 41	<code>\CrossedBox</code> ( $\text{\textcircled{x}}$ )	140
<code>\complement</code> ( $\complement$ )	99	<code>\coprod</code> ( $\coprod$ )	47	<code>\Crossedbox</code> ( $\text{\textcircled{x}}$ )	140
<code>\complement</code> ( $\complement$ )	100	<code>\coprod</code> ( $\coprod$ )	46	crosses	140, 169–174, 178, 183, 184, 200–202
<code>\complement</code> ( $\complement$ )	100	<code>\coprod</code> ( $\coprod$ )	48	<code>\crossh</code> ( $\text{\textcircled{h}}$ )	19
<code>\complement</code> ( $\complement$ )	46	copyright	... 14, 15, 27, 28, 239	<code>\crossing</code> ( $\times$ )	57
<code>\complement</code> ( $\complement$ )	100	<code>\copyright</code> ( $\text{\textcircled{C}}$ )	15	<code>\CrossMaltese</code> ( $\text{\textcircled{H}}$ )	140
complete shuffle product ( $\sqcup$ )	37	<code>\copyright</code> ( $\text{\textcircled{C}}$ )	15	<code>\crossnilambda</code> ( $\lambda$ )	19
<code>\COMPLEX</code> ( $\mathbb{C}$ )	95	<code>\corner</code> ( $\lrcorner$ )	25	<code>\CrossOpenShadow</code> ( $\text{\textcircled{†}}$ )	140
<code>\Complex</code> ( $\mathbb{C}$ )	95	corners, box	... 186	<code>\CrossOutline</code> ( $\text{\textcircled{†}}$ )	140
complex numbers ( $\mathbb{C}$ )	... see alphabets, math	<code>\corona</code> ( $\curvearrowright$ )	185	crotchet	... see musical symbols
composited accents	... 21	<code>\coronainv</code> ( $\curvearrowleft$ )	185	<code>\crotchet</code> ( $\text{\textcircled{d}}$ )	162
Comprehensive T <sub>E</sub> X Archive Network	1, 12, 111, 127, 133, 222, 240–242	<code>\Corresponds</code> ( $\cong$ )	120	<code>\crotchetDotted</code> ( $\text{\textcircled{d}}$ )	162
computer hardware symbols	132	<code>\corresponds</code> ( $\cong$ )	53	<code>\crotchetDottedDouble</code> ( $\text{\textcircled{d}}$ )	162
computer keys	... 132	<code>\cos</code> (cos)	94, 236	<code>\crotchetDottedDoubleDown</code> ( $\text{\textcircled{d}}$ )	162
Computer Modern (font)	... 222, 224, 238	<code>\cosh</code> (cosh)	94	<code>\crotchetDottedDown</code> ( $\text{\textcircled{d}}$ )	162
computer symbols	... 195–198	<code>\cot</code> (cot)	94	<code>\crotchetDown</code> ( $\text{\textcircled{d}}$ )	162
<code>\ComputerMouse</code> ( $\text{\textcircled{m}}$ )	132	<code>\coth</code> (coth)	94	<code>\crotchetRest</code> ( $\text{\textcircled{d}}$ )	164
<code>\concavediamond</code> ( $\diamond$ )	40	<code>\counterplay</code> ( $\leftrightarrow$ )	182	<code>\crotchetRestDotted</code> ( $\text{\textcircled{d}}$ )	164
<code>\concavediamondtickleft</code> ( $\diamond$ )	40	countries	... 190	<code>\crtilde</code> ( $\text{\textcircled{c}}$ )	23
<code>\concavediamondtickright</code> ( $\diamond$ )	40	European	... 190	<code>\Cru</code> ( $\text{\textcircled{c}}$ )	155
<code>\Conclusion</code> ( $\Rightarrow$ )	120	CountriesOfEurope (package)	190, 243, 244	crucifixes	... 140, 178, 200–202
		CountriesOfEurope (font)	191	<code>\Crux</code> ( $\dagger$ )	109
		<code>\CountriesOfEuropeFamily</code>	191	<code>\crux</code> ( $\dagger$ )	109
		Courier (font)	26		

cryst (package) . . . . .	218, 243	$\backslash\curlyeqsucc (\succcurlyeq)$ . . . . .	53	$\backslash\curvearrowright (\curvearrowright)$ . . . . .	78
crystallography symbols . . . . .	218	$\backslash\curlyeqsucc (\succcurlyeq)$ . . . . .	52	$\backslash\curvearrowright (\curvearrowright)$ . . . . .	88
$\backslash\text{CS}$ ( $\mathcal{C}$ ) . . . . .	132	$\backslash\curlyeqsucc (\succcurlyeq)$ . . . . .	59	$\backslash\curvearrowright\text{left} (\curvearrowleft)$ . . . . .	77
$\backslash\text{Csa}$ ( $\mathcal{V}$ ) . . . . .	155	$\backslash\curlyeqsucc (\succcurlyeq)$ . . . . .	57	$\backslash\curvearrowright\text{minus} (\curvearrowminus)$ . . . . .	88
$\backslash\text{csc}$ (csc) . . . . .	94	$\backslash\curlyeqsucc (\succcurlyeq)$ . . . . .	54	$\backslash\curvearrow\text{senw} (\curvearrowsw)$ . . . . .	77
$\backslash\text{Cse}$ ( $\mathcal{M}$ ) . . . . .	155	$\backslash\curlyeqsucc (\succcurlyeq)$ . . . . .	61	$\backslash\curvearrow\text{swne} (\curvearrowswne)$ . . . . .	77
$\backslash\text{cshuffle}$ ( $\mathcal{H}$ ) . . . . .	37	$\backslash\curlyesh$ ( $\mathcal{J}$ ) . . . . .	19	$\backslash\curvearrow\text{updown} (\curvearrowupdown)$ . . . . .	77
$\backslash\text{Csi}$ ( $\mathcal{L}$ ) . . . . .	155	$\backslash\curlyvee$ ( $\mathcal{V}$ ) . . . . .	33	$\backslash\text{CutLeft} (\text{✂})$ . . . . .	138
$\backslash\text{Cso}$ ( $\mathcal{K}$ ) . . . . .	155	$\backslash\curlyvee$ ( $\mathcal{V}$ ) . . . . .	31	cutoff subtraction <i>see</i> $\backslash\text{dotdiv}$	
$\backslash\text{Csu}$ ( $\mathcal{H}$ ) . . . . .	155	$\backslash\curlyvee$ ( $\mathcal{V}$ ) . . . . .	35	$\backslash\text{CutRight} (\text{✂})$ . . . . .	138
$\backslash\text{csub}$ ( $\mathcal{Q}$ ) . . . . .	66	$\backslash\curlyvee$ ( $\mathcal{V}$ ) . . . . .	34	$\backslash\text{CuttingLine} (\text{---})$ . . . . .	138
$\backslash\text{csube}$ ( $\mathcal{Q}$ ) . . . . .	66	$\backslash\curlyvee$ ( $\mathcal{V}$ ) . . . . .	33	$\backslash\text{Cwa}$ ( $\mathcal{X}$ ) . . . . .	155
$\backslash\text{csup}$ ( $\mathcal{D}$ ) . . . . .	66	$\backslash\curlyvee$ ( $\mathcal{V}$ ) . . . . .	36	$\backslash\text{cwcirclearrow}$ ( $\mathcal{O}$ ) . . . . .	88
$\backslash\text{csupe}$ ( $\mathcal{D}$ ) . . . . .	66	$\backslash\curlyvee\text{dot}$ ( $\mathcal{V}$ ) . . . . .	33	$\backslash\text{cwcirclearrowdown}$ ( $\mathcal{O}$ ) . . . . .	81
$\backslash\text{Cta}$ ( $\mathcal{T}$ ) . . . . .	155	$\backslash\curlyvee\text{downarrow}$ ( $\mathcal{V}$ ) . . . . .	32	$\backslash\text{cwcirclearrowleft}$ ( $\mathcal{O}$ ) . . . . .	81
CTAN <i>see</i> Comprehensive T <sub>E</sub> X		$\backslash\curlyvee\text{downarrow}$ ( $\mathcal{V}$ ) . . . . .	86	$\backslash\text{cwcirclearrowright}$ ( $\mathcal{O}$ ) . . . . .	81
Archive Network		$\backslash\curlyvee\text{uparrow}$ ( $\mathcal{V}$ ) . . . . .	32	$\backslash\text{cwcirclearrowup}$ ( $\mathcal{O}$ ) . . . . .	81
$\backslash\text{Cte}$ ( $\mathcal{L}$ ) . . . . .	155	$\backslash\curlyvee\text{uparrow}$ ( $\mathcal{V}$ ) . . . . .	86	$\backslash\text{Cwe}$ ( $\mathcal{I}$ ) . . . . .	155
$\backslash\text{Cti}$ ( $\mathcal{L}$ ) . . . . .	155	$\backslash\text{curlywedge}$ ( $\wedge$ ) . . . . .	33	$\backslash\text{cwgapcirclearrow}$ ( $\mathcal{C}$ ) . . . . .	82
$\backslash\text{Cto}$ ( $\mathcal{F}$ ) . . . . .	155	$\backslash\text{curlywedge}$ ( $\wedge$ ) . . . . .	31	$\backslash\text{cwgapcirclearrow}$ ( $\mathcal{C}$ ) . . . . .	88
$\backslash\text{Ctrl}$ ( $\text{Ctrl}$ ) . . . . .	132	$\backslash\text{curlywedge}$ ( $\wedge$ ) . . . . .	35	$\backslash\text{Cwi}$ ( $\mathcal{X}$ ) . . . . .	155
$\backslash\text{Ctu}$ ( $\mathcal{F}$ ) . . . . .	155	$\backslash\text{curlywedge}$ ( $\wedge$ ) . . . . .	34	$\backslash\text{cwleftarccarrow}$ ( $\curvearrowleft$ ) . . . . .	81
$\backslash\text{Cu}$ ( $\mathcal{Y}$ ) . . . . .	155	$\backslash\text{curlywedge}$ ( $\wedge$ ) . . . . .	33	$\backslash\text{cwnearccarrow}$ ( $\curvearrownearrow$ ) . . . . .	81
$\backslash\text{Cube}$ ( $\mathcal{C}$ ) . . . . .	179, 225	$\backslash\text{curlywedge}$ ( $\wedge$ ) . . . . .	36	$\backslash\text{cwnwarccarrow}$ ( $\curvearrownwarrow$ ) . . . . .	82
cube root . . . . .	<i>see</i> $\backslash\text{sqrt}$	$\backslash\text{curlywedgedot}$ ( $\wedge$ ) . . . . .	33	$\backslash\text{Cwo}$ ( $\mathcal{J}$ ) . . . . .	155
cube rotations . . . . .	199	$\backslash\text{curlywedgedownarrow}$ ( $\wedge$ ) . . . . .	32	$\backslash\text{cwopencirclearrow}$ ( $\mathcal{O}$ ) . . . . .	82
$\backslash\text{Cup}$ ( $\mathcal{U}$ ) . . . . .	31	$\backslash\text{curlywedgedownarrow}$ ( $\wedge$ ) . . . . .	86	$\backslash\text{cwopencirclearrow}$ ( $\mathcal{O}$ ) . . . . .	89, 146
$\backslash\text{Cup}$ ( $\mathcal{U}$ ) . . . . .	35	$\backslash\text{curlywedgeduparrow}$ ( $\wedge$ ) . . . . .	32	$\backslash\text{cwoverarccarrow}$ ( $\curvearrowover$ ) . . . . .	82
$\backslash\text{Cup}$ ( $\mathcal{U}$ ) . . . . .	35	$\backslash\text{curlywedgeduparrow}$ ( $\wedge$ ) . . . . .	86	$\backslash\text{cwrightarccarrow}$ ( $\curvearrowright$ ) . . . . .	82
$\backslash\text{Cup}$ ( $\mathcal{U}$ ) . . . . .	34	$\backslash\text{curlyyogh}$ ( $\mathcal{Z}$ ) . . . . .	19	$\backslash\text{cwrightarccarrow}$ ( $\curvearrowright$ ) . . . . .	88
$\backslash\text{Cup}$ ( $\mathcal{U}$ ) . . . . .	36	$\backslash\text{curlyz}$ ( $\mathcal{Z}$ ) . . . . .	19	$\backslash\text{cwsearccarrow}$ ( $\curvearrowsear$ ) . . . . .	82
$\backslash\text{cup}$ ( $\mathcal{U}$ ) . . . . .	33	$\backslash\text{currency}$ ( $\mathcal{C}$ ) . . . . .	26	$\backslash\text{cswarccarrow}$ ( $\curvearrowsw$ ) . . . . .	82
$\backslash\text{cup}$ ( $\mathcal{U}$ ) . . . . .	31, 226, 235	currency symbols . . . . .	26, 27, 124, 127	$\backslash\text{cwunderarccarrow}$ ( $\curvearrowunder$ ) . . . . .	82
$\backslash\text{cup}$ ( $\mathcal{U}$ ) . . . . .	35	$\backslash\text{curvearrowbotleft}$ ( $\curvearrowleft$ ) . . . . .	76	$\backslash\text{cwundercurvearrow}$ ( $\curvearrowunder$ ) . . . . .	88
$\backslash\text{cup}$ ( $\mathcal{U}$ ) . . . . .	34	$\backslash\text{curvearrowbotleft}$ ( $\curvearrowleft$ ) . . . . .	86	$\backslash\text{Cxa}$ ( $\mathcal{L}$ ) . . . . .	155
$\backslash\text{cup}$ ( $\mathcal{U}$ ) . . . . .	33	$\backslash\text{curvearrowbotleft}$ ( $\curvearrowleft$ ) . . . . .	76	$\backslash\text{Cxe}$ ( $\mathcal{L}$ ) . . . . .	155
$\backslash\text{cup}$ ( $\mathcal{U}$ ) . . . . .	36	$\backslash\text{curvearrowbotleft}$ ( $\curvearrowleft$ ) . . . . .	86	$\backslash\text{Cya}$ ( $\mathcal{O}$ ) . . . . .	155
$\backslash\text{cupbarcap}$ ( $\mathcal{U}$ ) . . . . .	36	$\backslash\text{curvearrowbotleft}$ ( $\curvearrowleft$ ) . . . . .	76	$\backslash\text{Cyo}$ ( $\mathcal{V}$ ) . . . . .	155
$\backslash\text{cupdot}$ ( $\mathcal{U}$ ) . . . . .	34	$\backslash\text{curvearrowbotright}$ ( $\curvearrowright$ ) . . . . .	76	$\backslash\text{cyrfamily}$ . . . . .	155
$\backslash\text{cupdot}$ ( $\mathcal{U}$ ) . . . . .	33	$\backslash\text{curvearrowbotright}$ ( $\curvearrowright$ ) . . . . .	86	Cypriot . . . . .	155
$\backslash\text{cupdot}$ ( $\mathcal{U}$ ) . . . . .	36	$\backslash\text{curvearrowdownup}$ ( $\mathcal{I}$ ) . . . . .	77	cyriot (package) . . . . .	155, 243, 244
$\backslash\text{Cupido}$ ( $\mathcal{L}$ ) . . . . .	131	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	76	$\backslash\text{CYRSH}$ (III) . . . . .	225
$\backslash\text{cupleftarrow}$ ( $\mathcal{U}$ ) . . . . .	35, 86	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	75	$\backslash\text{Cza}$ ( $\mathcal{X}$ ) . . . . .	155
$\backslash\text{cupleftarrow}$ ( $\mathcal{U}$ ) . . . . .	36	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	86	$\backslash\text{Czechia}$ ( $\mathcal{C}$ ) . . . . .	190
$\backslash\text{cupovercap}$ ( $\mathcal{U}$ ) . . . . .	36	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	82	$\backslash\text{Czo}$ ( $\mathcal{Z}$ ) . . . . .	155
$\backslash\text{cupplus}$ ( $\mathcal{U}$ ) . . . . .	34, 35	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	78		
$\backslash\text{cupplus}$ ( $\mathcal{U}$ ) . . . . .	33, 34	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	88		
$\backslash\text{cupvee}$ ( $\mathcal{U}$ ) . . . . .	36	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	88		
$\backslash\text{curlyc}$ ( $\mathcal{C}$ ) . . . . .	19	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	88		
$\backslash\text{curlyeqprec}$ ( $\preccurlyeq$ ) . . . . .	53	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	88		
$\backslash\text{curlyeqprec}$ ( $\preccurlyeq$ ) . . . . .	52	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	88		
$\backslash\text{curlyeqprec}$ ( $\preccurlyeq$ ) . . . . .	59	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	76		
$\backslash\text{curlyeqprec}$ ( $\preccurlyeq$ ) . . . . .	57	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	86		
$\backslash\text{curlyeqprec}$ ( $\preccurlyeq$ ) . . . . .	54	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	77		
$\backslash\text{curlyeqprec}$ ( $\preccurlyeq$ ) . . . . .	61	$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	77		
		$\backslash\text{curvearrowleft}$ ( $\curvearrowleft$ ) . . . . .	77		
		$\backslash\text{curvearrowright}$ ( $\curvearrowright$ ) . . . . .	76		
		$\backslash\text{curvearrowright}$ ( $\curvearrowright$ ) . . . . .	75		
		$\backslash\text{curvearrowright}$ ( $\curvearrowright$ ) . . . . .	86		
		$\backslash\text{curvearrowright}$ ( $\curvearrowright$ ) . . . . .	82		
		$\backslash\text{curvearrowright}$ ( $\curvearrowright$ ) . . . . .	82		

## D

$\backslash\text{D}$ ( $\mathcal{D}$ ) . . . . .	24
d (esvect package option) . . . . .	114
$\backslash\text{d}$ ( $\mathcal{D}$ ) . . . . .	21
d'Alembert operator . . . . .	<i>see</i>
$\backslash\text{laplac}$	
$\backslash\text{DA}$ ( $\mathcal{D}$ ) . . . . .	132
$\backslash\text{dag}$ ( $\dagger$ ) . . . . .	15, 240
$\backslash\text{dag}$ ( $\dagger$ ) . . . . .	15
$\backslash\text{dagger}$ ( $\dagger$ ) . . . . .	31

<code>\dagger</code> (†) . . . . .	35	database symbols . . . . .	124	<code>\DeclareUnicodeCharacter</code> . . . . .	241
<code>\dagger</code> (†) . . . . .	36	<code>\davidstar</code> (☆) . . . . .	141	<code>\decofourleft</code> (☞) . . . . .	143
<code>\dalambert</code> (□) . . . . .	123	<code>\DavidStar</code> (☆) . . . . .	142	<code>\decofourright</code> (☛) . . . . .	143
<code>\daleth</code> (⌈) . . . . .	98	<code>\DavidStarSolid</code> (★) . . . . .	142	<code>\decoone</code> (✱) . . . . .	143
<code>\daleth</code> (⌈) . . . . .	99	<code>\dBar</code> (  ) . . . . .	185	decorative borders . . . . .	205–213
<code>\daleth</code> (⌈) . . . . .	98	<code>\dbar</code> (đ) . . . . .	226	<code>\decosex</code> (✧) . . . . .	143
<code>\daleth</code> (⌈) . . . . .	98	<code>\dbend</code> (↷) . . . . .	177	<code>\decothreeleft</code> (☞) . . . . .	143
<code>\daleth</code> (⌈) . . . . .	99	<code>\dbkarow</code> (↔) . . . . .	88, 89	<code>\decothreeright</code> (☛) . . . . .	143
dancers (package) . . . . .	213, 243	dblaccnt (package) . . . . .	230	<code>\decotwo</code> (☞) . . . . .	143
dancing men . . . . .	213–216	<code>\dblcolon</code> (::) . . . . .	62	<code>\decrecshairpin</code> (≧) . . . . .	164
<code>\danger</code> (Z) . . . . .	124	<code>\DCa</code> (◀) . . . . .	133	Dedekind, Richard . . . . .	225
<code>\danger</code> (Δ) . . . . .	178	<code>\DCb</code> (‡) . . . . .	133	definite-description operator (ι)	225
dangerous bend symbols . . . . .	177	<code>\DCc</code> (‡) . . . . .	133	definition symbols . . . . .	30, 231
<code>\dAnnoey</code> (☹) . . . . .	193	<code>\DCd</code> (‡) . . . . .	133	<code>\deg</code> (deg) . . . . .	94
<code>\DArrow</code> (⏚) . . . . .	132	<code>\dCooley</code> (☺) . . . . .	193	<code>\degree</code> (◦) . . . . .	122
<code>\dasharrow</code> . . . . .	<i>see</i>	<code>\DD</code> (") . . . . .	132, 161	<code>\degree</code> (°) . . . . .	128
<code>\dashrightarrow</code>		<code>\ddag</code> (‡) . . . . .	15, 240	degrees . . . . .	<i>see</i> <code>\textdegree</code>
<code>\dasharrow</code> (→) . . . . .	82	<code>\ddag</code> (‡) . . . . .	15	<code>\DEL</code> (Δ) . . . . .	133
<code>\dasharrow</code> (→) . . . . .	89	<code>\ddagger</code> (‡) . . . . .	31	<code>\DEL</code> (Δ) . . . . .	133
<code>\dashcolon</code> (∴) . . . . .	61	<code>\ddagger</code> (‡) . . . . .	35	<code>\Del</code> (⏚) . . . . .	132
<code>\dasheddownarrow</code> (↓) . . . . .	77	<code>\ddagger</code> (‡) . . . . .	36	<code>\Del</code> (⏚) . . . . .	132
<code>\dashedleftarrow</code> (←) . . . . .	77	<code>\ddashint</code> (∫) . . . . .	228	<code>\Deleatur</code> . . . . .	<i>see</i> <code>\Denarius</code>
<code>\dashednearrow</code> (↗) . . . . .	77	<code>\Ddashv</code> (≡) . . . . .	57	delimiters . . . . .	101–109
<code>\dashednwarrow</code> (↖) . . . . .	77	<code>\ddddot</code> (⋮) . . . . .	110	text-mode . . . . .	109
<code>\dashedrightarrow</code> (→) . . . . .	77	<code>\ddddot</code> (⋮) . . . . .	109	variable-sized . . . . .	102–108
<code>\dashedsearrow</code> (↘) . . . . .	77	<code>\dddote</code> (⋮) . . . . .	110	wavy-line . . . . .	103–107
<code>\dashedswarrow</code> (↙) . . . . .	77	<code>\dddot</code> (⋮) . . . . .	109	<code>\Delta</code> (Δ) . . . . .	96
<code>\dasheduparrow</code> (↑) . . . . .	77	<code>\dddot</code> (⋮) . . . . .	109	<code>\delta</code> (δ) . . . . .	96
<code>\dashint</code> (∫) . . . . .	228	<code>\dddtstile</code> (⏚) . . . . .	62	<code>\deltaup</code> (δ) . . . . .	97
<code>\dashleftarrow</code> (←) . . . . .	75	<code>\ddigamma</code> (Γ) . . . . .	156	deminutum . . . . .	<i>see</i> <code>musixgre</code>
<code>\dashleftarrow</code> (←) . . . . .	82	<code>\DDohne</code> (∅) . . . . .	161	demisemiquaver . . . . .	<i>see</i> musical symbols
<code>\dashleftarrow</code> (←) . . . . .	78	<code>\ddot</code> (¨) . . . . .	110	<code>\demisemiquaver</code> (♩) . . . . .	162
<code>\dashleftarrow</code> (←) . . . . .	89	<code>\ddot</code> (¨) . . . . .	109	<code>\demisemiquaverDotted</code> (♩̇) . . . . .	162
<code>\dashleftharpoondown</code> (⇩) . . . . .	90	<code>\ddotdot</code> (⋈) . . . . .	34, 118	<code>\demisemiquaverDottedDouble</code>	
<code>\dashleftrightarrow</code> (↔) . . . . .	76	<code>\ddotdot</code> (⋈) . . . . .	33, 118	(♩̇̇) . . . . .	162
<code>\dashrightarrow</code> (→) . . . . .	75	<code>\ddots</code> (⋮) . . . . .	118	<code>\demisemiquaverDottedDown</code>	
<code>\dashrightarrow</code> (→) . . . . .	82	<code>\ddots</code> (⋮) . . . . .	117, 230	(♩̇̇) . . . . .	162
<code>\dashrightarrow</code> (→) . . . . .	78	<code>\ddots</code> (⋮) . . . . .	118	<code>\demisemiquaverDottedDoubleDown</code>	
<code>\dashrightarrow</code> (→) . . . . .	89	<code>\ddots</code> (⋮) . . . . .	118	(♩̇̇̇) . . . . .	162
<code>\dashrightharpoondown</code> (⇩) . . . . .	90	<code>\ddots</code> (⋮) . . . . .	118	<code>\demisemiquaverDottedDown</code>	
<code>\DashV</code> (≡) . . . . .	53	<code>\ddotseq</code> (≡) . . . . .	61	(♩̇̇) . . . . .	162
<code>\DashV</code> (≡) . . . . .	59	<code>\DDownarrow</code> (⇩) . . . . .	88	<code>\demisemiquaverDown</code> (♩̇) . . . . .	162
<code>\DashV</code> (≡) . . . . .	58	<code>\DDownarrow</code> (⇩) . . . . .	106	<code>\Denarius</code> (♩) . . . . .	26
<code>\DashV</code> (≡) . . . . .	61	<code>\Ddownarrow</code> (⇩) . . . . .	82	<code>\denarius</code> (✱) . . . . .	27
<code>\Dashv</code> (≡) . . . . .	53	<code>\Ddownarrow</code> (⇩) . . . . .	88	<code>\Denmark</code> (♣) . . . . .	190
<code>\Dashv</code> (≡) . . . . .	58	<code>\Ddownarrow</code> (⇩) . . . . .	106	<code>\dental</code> (⏚) . . . . .	23
<code>\Dashv</code> (≡) . . . . .	61	<code>\ddststile</code> (⏚) . . . . .	62	<code>\Dep</code> (⌘) . . . . .	160
<code>\Dashv</code> (≡) . . . . .	59	<code>\ddtstile</code> (⏚) . . . . .	62	derivative, partial . . . . .	<i>see</i> <code>\partial</code>
<code>\dashV</code> (≡) . . . . .	57	<code>\ddttstile</code> (⏚) . . . . .	62	Descartes's equal sign (∞) . . . . .	<i>see</i> <code>\rightpropto</code> and <code>\backpropto</code>
<code>\dashV</code> (≡) . . . . .	61	<code>\DE</code> (⊥) . . . . .	132	<code>\descnode</code> (℄) . . . . .	129
<code>\dashV</code> (≡) . . . . .	61	<code>\DeclareFontFamily</code> . . . . .	221, 235	<code>\det</code> (det) . . . . .	94
<code>\dashVv</code> (≡) . . . . .	53	<code>\DeclareFontShape</code> . . . . .	221, 235	<code>\devadvantage</code> (C) . . . . .	182
<code>\dashVv</code> (≡) . . . . .	59	<code>\DeclareMathOperator</code> . . . . .	236	<code>\Dfourier</code> (↪) . . . . .	64
<code>\dashVv</code> (≡) . . . . .	57	<code>\DeclareMathOperator*</code> . . . . .	236	<code>\Dfourier</code> (↪) . . . . .	59
		<code>\declareslashed</code> . . . . .	227, 228	<code>\dfourier</code> (↪) . . . . .	64

<code>\dfourier</code> (◌̣) . . . . .	59	<code>\diamondleftarrow</code> (↔) . . . . .	88	<code>\ding</code> 17, 136, 138–142, 147, 149
<code>\DFT</code> ( — ) . . . . .	117	<code>\diamondleftarrowbar</code> (↔̄) . . . . .	88	<code>\ding{33}</code> (⌘) . . . . .
<code>\dft</code> ( — ) . . . . .	117	<code>\diamondleftblack</code> (◀) . . . . .	146	<code>\ding{34}</code> (⌘) . . . . .
<code>\DH</code> (Đ) . . . . .	20	<code>\diamondminus</code> (⊖) . . . . .	39	<code>\ding{35}</code> (⌘) . . . . .
<code>\DH</code> (Đ) . . . . .	15, 239	<code>\diamondminus</code> (⊖) . . . . .	38	<code>\ding{36}</code> (⌘) . . . . .
<code>\dh</code> (ð) . . . . .	20	<code>\diamondminus</code> (⊖) . . . . .	38	<code>\ding{37}</code> (⌘) . . . . .
<code>\dh</code> (ð) . . . . .	15, 239	<code>\diamondop</code> (◇) . . . . .	39	<code>\ding{38}</code> (⌘) . . . . .
diacritics . . . . .	<i>see</i> accents	<code>\diamondplus</code> (⊕) . . . . .	39	<code>\ding{39}</code> (⌘) . . . . .
<code>\diaeresis</code> (ü) . . . . .	24	<code>\diamondplus</code> (⊕) . . . . .	38	<code>\ding{40}</code> (⌘) . . . . .
diæresis (ü) . . . . .	<i>see</i> accents	<code>\diamondplus</code> (⊕) . . . . .	38	<code>\ding{41}</code> (⌘) . . . . .
<code>\diagdown</code> (↘) . . . . .	122	<code>\DiamondRight</code> (↔) . . . . .	76	<code>\ding{42}</code> (⌘) . . . . .
<code>\diagdown</code> (↘) . . . . .	122	<code>\Diamondright</code> (↔) . . . . .	76	<code>\ding{43}</code> (⌘) . . . . .
<code>\diagdown</code> (↘) . . . . .	123	<code>\diamondrightblack</code> (▶) . . . . .	146	<code>\ding{44}</code> (⌘) . . . . .
<code>\diagdown</code> (↘) . . . . .	55	diamonds . . . . .	31, 33, 38–40, 76, 122, 144–149, 169–174, 179, 200–202, 218	<code>\ding{45}</code> (⌘) . . . . .
<code>\diagdown</code> (↘) . . . . .	124	<code>\DiamondShadowA</code> (◊) . . . . .	146	<code>\ding{46}</code> (⌘) . . . . .
<code>\diagonal</code> (↗) . . . . .	182	<code>\DiamondShadowB</code> (◊) . . . . .	146	<code>\ding{47}</code> (⌘) . . . . .
<code>\diagup</code> (↗) . . . . .	122	<code>\DiamondShadowC</code> (◊) . . . . .	146	<code>\ding{48}</code> (⌘) . . . . .
<code>\diagup</code> (↗) . . . . .	122	<code>\Diamondshape</code> (◇) . . . . .	146	<code>\ding{49}</code> (⌘) . . . . .
<code>\diagup</code> (↗) . . . . .	123	<code>\diamondslash</code> (⋈) . . . . .	38	<code>\ding{50}</code> (⌘) . . . . .
<code>\diagup</code> (↗) . . . . .	55	<code>\diamondslash</code> (⋈) . . . . .	38	<code>\ding{51}</code> (✓) . . . . .
<code>\diagup</code> (↗) . . . . .	124	<code>\DiamondSolid</code> (◆) . . . . .	147	<code>\ding{52}</code> (✓) . . . . .
<code>\diameter</code> (∅) . . . . .	122	<code>\diamondsuit</code> (♠) . . . . .	148	<code>\ding{53}</code> (×) . . . . .
<code>\diameter</code> (∅) . . . . .	30	<code>\diamondsuit</code> (♠) . . . . .	148	<code>\ding{54}</code> (✖) . . . . .
<code>\diameter</code> (∅) . . . . .	123	<code>\diamondsuit</code> (♠) . . . . .	148	<code>\ding{55}</code> (✖) . . . . .
<code>\diameter</code> (∅) . . . . .	123	<code>\diamondsuit</code> (♠) . . . . .	148	<code>\ding{56}</code> (✖) . . . . .
<code>\diameter</code> (∅) . . . . .	124	<code>\diamondsuit</code> (♠) . . . . .	148	<code>\ding{57}</code> (⊕) . . . . .
<code>\diameter</code> (∅) . . . . .	177	<code>\diamondsuit</code> (♠) . . . . .	148	<code>\ding{58}</code> (⊕) . . . . .
<code>\Diamond</code> (◇) . . . . .	122	<code>\diamondtimes</code> (⊗) . . . . .	39	<code>\ding{59}</code> (⊕) . . . . .
<code>\Diamond</code> (◇) . . . . .	122	<code>\diamondtimes</code> (⊗) . . . . .	38	<code>\ding{60}</code> (⊕) . . . . .
<code>\Diamond</code> (◇) . . . . .	39	<code>\diamondtimes</code> (⊗) . . . . .	38	<code>\ding{61}</code> (†) . . . . .
<code>\Diamond</code> (◇) . . . . .	38	<code>\diamondtimes</code> (⊗) . . . . .	38	<code>\ding{62}</code> (‡) . . . . .
<code>\Diamond</code> (◇) . . . . .	146	<code>\diamondtopblack</code> (◊) . . . . .	146	<code>\ding{63}</code> (‡) . . . . .
<code>\diamond</code> (◇) . . . . .	31	<code>\diamondtriangle</code> (◊) . . . . .	39	<code>\ding{64}</code> (⊗) . . . . .
<code>\diamond</code> (◇) . . . . .	39, 144	<code>\diamondvert</code> (⋈) . . . . .	38	<code>\ding{65}</code> (⊗) . . . . .
<code>\diamond</code> (◇) . . . . .	39	<code>\diamondvert</code> (⋈) . . . . .	38	<code>\ding{66}</code> (⊕) . . . . .
<code>\diamond</code> (◇) . . . . .	38	<code>\diatop</code> . . . . .	25, 230	<code>\ding{67}</code> (⊕) . . . . .
<code>\diamond</code> (◇) . . . . .	40, 146	<code>\diaunder</code> . . . . .	25, 230	<code>\ding{68}</code> (♣) . . . . .
<code>\diamondbackslash</code> (⋈) . . . . .	38	dice . . . . .	179, 180, 219, 225	<code>\ding{69}</code> (♣) . . . . .
<code>\diamondbackslash</code> (⋈) . . . . .	38	dice (package) . . . . .	219, 243	<code>\ding{70}</code> (♠) . . . . .
<code>\diamondbar</code> (⊕) . . . . .	39	<code>\dicei</code> (⊖) . . . . .	180	<code>\ding{71}</code> (♠) . . . . .
<code>\Diamondblack</code> (◆) . . . . .	122	<code>\diceii</code> (⊖) . . . . .	180	<code>\ding{72}</code> (★) . . . . .
<code>\diamondbotblack</code> (◀) . . . . .	146	<code>\diceiii</code> (⊖) . . . . .	180	<code>\ding{73}</code> (☆) . . . . .
<code>\diamondbslash</code> (⋈) . . . . .	39	<code>\diceiv</code> (⊖) . . . . .	180	<code>\ding{74}</code> (⊗) . . . . .
<code>\diamondcdot</code> (⊕) . . . . .	39	<code>\dicev</code> (⊖) . . . . .	180	<code>\ding{75}</code> (☆) . . . . .
<code>\diamondcdot</code> (⊕) . . . . .	146	<code>\dicevi</code> (⊖) . . . . .	180	<code>\ding{76}</code> (★) . . . . .
<code>\diamondcircle</code> (⊕) . . . . .	39	dictionary symbols . . . . .	17–20, 185	<code>\ding{77}</code> (★) . . . . .
<code>\diamonddiamond</code> (⊕) . . . . .	38	dictsym (package) . . . . .	185, 243	<code>\ding{78}</code> (★) . . . . .
<code>\diamonddiamond</code> (⊕) . . . . .	38	died . . . . .	<i>see</i> \textdied	<code>\ding{79}</code> (★) . . . . .
<code>\Diamonddot</code> (⊕) . . . . .	122	differential, inexact . . . . .	<i>see</i> \dbar	<code>\ding{80}</code> (☆) . . . . .
<code>\diamonddot</code> (⊕) . . . . .	38	<code>\Digamma</code> (Ɔ) . . . . .	156	<code>\ding{81}</code> (★) . . . . .
<code>\diamonddot</code> (⊕) . . . . .	38	<code>\Digamma</code> (Ɔ) . . . . .	156	<code>\ding{82}</code> (★) . . . . .
<code>\DiamonddotLeft</code> (↔) . . . . .	76	<code>\digamma</code> (Ɔ) . . . . .	96, 156	<code>\ding{83}</code> (★) . . . . .
<code>\DiamonddotLeft</code> (↔) . . . . .	76	<code>\digamma</code> (Ɔ) . . . . .	156	<code>\ding{84}</code> (★) . . . . .
<code>\DiamonddotRight</code> (↔) . . . . .	76	<code>\digamma</code> (Ɔ) . . . . .	100	<code>\ding{85}</code> (★) . . . . .
<code>\DiamonddotRight</code> (↔) . . . . .	76	<code>\digamma</code> (Ɔ) . . . . .	156	<code>\ding{86}</code> (★) . . . . .
<code>\diamonddots</code> (⋮) . . . . .	33, 118	digital logic gates . . . . .	133	<code>\ding{87}</code> (★) . . . . .
<code>\DiamondLeft</code> (↔) . . . . .	76	digits . . . . .	<i>see</i> numerals	<code>\ding{88}</code> (★) . . . . .
<code>\DiamondLeft</code> (↔) . . . . .	76	<code>\dim</code> (dim) . . . . .	94	<code>\ding{89}</code> (★) . . . . .
				<code>\ding{90}</code> (★) . . . . .

<code>\ding{91}</code> (*)	142	<code>\ding{184}</code> (Ⓢ)	141	<code>\ding{244}</code> (↵)	136
<code>\ding{92}</code> (*)	142	<code>\ding{185}</code> (Ⓣ)	141	<code>\ding{245}</code> (↷)	136
<code>\ding{93}</code> (*)	142	<code>\ding{186}</code> (Ⓤ)	141	<code>\ding{246}</code> (↶)	136
<code>\ding{94}</code> (*)	142	<code>\ding{187}</code> (Ⓟ)	141	<code>\ding{247}</code> (↵)	136
<code>\ding{95}</code> (♣)	142	<code>\ding{188}</code> (Ⓠ)	141	<code>\ding{248}</code> (↷)	136
<code>\ding{96}</code> (♠)	142	<code>\ding{189}</code> (Ⓡ)	141	<code>\ding{249}</code> (↶)	136
<code>\ding{97}</code> (♞)	142	<code>\ding{190}</code> (Ⓢ)	141	<code>\ding{250}</code> (↷)	136
<code>\ding{98}</code> (♛)	142	<code>\ding{191}</code> (Ⓣ)	141	<code>\ding{251}</code> (↶)	136
<code>\ding{99}</code> (*)	142	<code>\ding{192}</code> (Ⓤ)	141	<code>\ding{252}</code> (↷)	136
<code>\ding{100}</code> (*)	142	<code>\ding{193}</code> (Ⓟ)	141	<code>\ding{253}</code> (↶)	136
<code>\ding{101}</code> (*)	142	<code>\ding{194}</code> (Ⓠ)	141	<code>\ding{254}</code> (⇒)	136
<code>\ding{102}</code> (*)	142	<code>\ding{195}</code> (Ⓡ)	141	<code>\dingasterisk</code> (*)	124
<code>\ding{103}</code> (*)	142	<code>\ding{196}</code> (Ⓢ)	141	<code>dingautolist</code>	141
<code>\ding{104}</code> (*)	142	<code>\ding{197}</code> (Ⓣ)	141	<code>dingbat</code> (package)	138, 139, 149, 209, 223, 243
<code>\ding{105}</code> (⌘)	142	<code>\ding{198}</code> (Ⓤ)	141	<code>dingbat symbols</code>	136–149
<code>\ding{106}</code> (*)	142	<code>\ding{199}</code> (Ⓟ)	141	<code>\dInnocey</code> (☹)	193
<code>\ding{107}</code> (*)	142	<code>\ding{200}</code> (Ⓠ)	141	<code>\Diple</code> (>)	184
<code>\ding{108}</code> (●)	147	<code>\ding{201}</code> (Ⓡ)	141	<code>\diple</code> (>)	184
<code>\ding{109}</code> (○)	147	<code>\ding{202}</code> (Ⓢ)	141	<code>\Diple*</code> (>)	184
<code>\ding{110}</code> (■)	147	<code>\ding{203}</code> (Ⓣ)	141	<code>\diple*</code> (>)	184
<code>\ding{111}</code> (□)	147	<code>\ding{204}</code> (Ⓤ)	141	<code>Dirac notation</code>	102
<code>\ding{112}</code> (□)	147	<code>\ding{205}</code> (Ⓟ)	141	<code>\Direct</code> (D)	131
<code>\ding{113}</code> (□)	147	<code>\ding{206}</code> (Ⓠ)	141	<code>discount</code>	<i>see</i> <code>\textdiscount</code>
<code>\ding{114}</code> (□)	147	<code>\ding{207}</code> (Ⓡ)	141	<code>discretionary hyphen</code>	240
<code>\ding{115}</code> (▲)	147	<code>\ding{208}</code> (Ⓢ)	141	<code>\Dish</code> (©)	192
<code>\ding{116}</code> (▼)	147	<code>\ding{209}</code> (Ⓣ)	141	<code>\disin</code> (€)	59
<code>\ding{117}</code> (◆)	147	<code>\ding{210}</code> (Ⓤ)	141	<code>\disin</code> (€)	61
<code>\ding{118}</code> (✧)	149	<code>\ding{211}</code> (Ⓟ)	141	<code>disjoint union</code>	30
<code>\ding{119}</code> (Ⓛ)	147	<code>\ding{212}</code> (→)	136	<code>\disjquant</code> (⋈)	47
<code>\ding{120}</code> (l)	147	<code>\ding{213}</code> (→)	136	<code>\disjquant</code> (⋈)	48
<code>\ding{121}</code> (l)	147	<code>\ding{214}</code> (↔)	136	<code>disjunction</code>	<i>see</i> <code>\vee</code>
<code>\ding{122}</code> (l)	147	<code>\ding{215}</code> (↓)	136	<code>\displaystyle</code>	228, 229, 231, 236
<code>\ding{123}</code> (•)	17	<code>\ding{216}</code> (↘)	136	<code>ditto marks</code>	<i>see</i> <code>\textquotedbl</code>
<code>\ding{124}</code> (•)	17	<code>\ding{217}</code> (↘)	136	<code>\div</code> (÷)	31
<code>\ding{125}</code> (•)	17	<code>\ding{218}</code> (↗)	136	<code>\div</code> (÷)	35
<code>\ding{126}</code> (•)	17	<code>\ding{219}</code> (↗)	136	<code>\div</code> (÷)	34
<code>\ding{161}</code> (♣)	17	<code>\ding{220}</code> (→)	136	<code>\div</code> (÷)	33
<code>\ding{162}</code> (♣)	17	<code>\ding{221}</code> (→)	136	<code>\div</code> (÷)	36
<code>\ding{163}</code> (♣)	17	<code>\ding{222}</code> (→)	136	<code>\divdot</code> (÷)	33
<code>\ding{164}</code> (♥)	149	<code>\ding{223}</code> (→)	136	<code>\divideontimes</code> (*)	33
<code>\ding{165}</code> (♠)	149	<code>\ding{224}</code> (→)	136	<code>\divideontimes</code> (*)	31
<code>\ding{166}</code> (♠)	149	<code>\ding{225}</code> (→)	136	<code>\divideontimes</code> (*)	35
<code>\ding{167}</code> (♠)	149	<code>\ding{226}</code> (↗)	136	<code>\divideontimes</code> (*)	34
<code>\ding{168}</code> (♣)	149	<code>\ding{227}</code> (↗)	136	<code>\divideontimes</code> (*)	36
<code>\ding{169}</code> (♣)	149	<code>\ding{228}</code> (↗)	136	<code>\Divides</code> (∕)	120
<code>\ding{170}</code> (♥)	149	<code>\ding{229}</code> (↖)	136	<code>\divides</code> (∣)	53
<code>\ding{171}</code> (♠)	149	<code>\ding{230}</code> (→)	136	<code>\divides</code> (∕)	55
<code>\ding{172}</code> (①)	141	<code>\ding{231}</code> (♠)	136	<code>\DividesNot</code> (⧸)	120
<code>\ding{173}</code> (②)	141	<code>\ding{232}</code> (♠)	136	<code>division</code>	31, 111, 113, 117
<code>\ding{174}</code> (③)	141	<code>\ding{233}</code> (→)	136	long	111, 113
<code>\ding{175}</code> (④)	141	<code>\ding{234}</code> (↕)	136	non-commutative	117
<code>\ding{176}</code> (⑤)	141	<code>\ding{235}</code> (↖)	136	polynomial	111
<code>\ding{177}</code> (⑥)	141	<code>\ding{236}</code> (↖)	136	<code>division times</code>	<i>see</i>
<code>\ding{178}</code> (⑦)	141	<code>\ding{237}</code> (↖)	136	<code>\divideontimes</code>	
<code>\ding{179}</code> (⑧)	141	<code>\ding{238}</code> (↖)	136	<code>divorced</code>	<i>see</i> <code>\textdivorced</code>
<code>\ding{180}</code> (⑨)	141	<code>\ding{239}</code> (↖)	136	<code>\divslash</code> (/)	34
<code>\ding{181}</code> (⑩)	141	<code>\ding{241}</code> (↖)	136	<code>\DJ</code> (Ð)	15
<code>\ding{182}</code> (Ⓛ)	141	<code>\ding{242}</code> (↖)	136		
<code>\ding{183}</code> (Ⓧ)	141	<code>\ding{243}</code> (↖)	136		

<code>\dj</code> (đ) . . . . .	15	<code>dotless i</code> ( <i>i</i> )		<code>\doublecup</code> ( $\cup$ ) . . . . .	34
<code>\DL</code> ( $\nabla$ ) . . . . .	132	math mode . . . . .	109, 122	<code>\doublecup</code> ( $\cup$ ) . . . . .	36
<code>\dLaughy</code> (☺) . . . . .	193	text mode . . . . .	21	<code>\doublecurlyvee</code> ( $\wp$ ) . . . . .	34
<code>\dlbari</code> (‡) . . . . .	19	<code>dotless j</code> ( <i>j</i> )		<code>\doublecurlywedge</code> ( $\mathfrak{M}$ ) . . . . .	34
<code>\DLE</code> ( $\blacktriangleright$ ) . . . . .	133	math mode . . . . .	109, 122	<code>\doublefrown</code> ( $\smile$ ) . . . . .	92
<code>\dlsh</code> ( $\leftarrow$ ) . . . . .	76	<code>\dotmedvert</code> ( $\cdot$ ) . . . . .	34	<code>\doublefrownq</code> ( $\hat{=}$ ) . . . . .	92
<code>\dlsh</code> ( $\leftarrow$ ) . . . . .	86	<code>\dotminus</code> ( $\dot{-}$ ) . . . . .	59	<code>\doublepawns</code> ( $\oslash$ ) . . . . .	182
<code>\DM</code> ( $\diamond$ ) . . . . .	132	<code>\dotminus</code> ( $\dot{-}$ ) . . . . .	34	<code>\doubleplus</code> ( $\#$ ) . . . . .	36
<code>\dndtstile</code> ( $\ $ ) . . . . .	62	<code>\dotminus</code> ( $\dot{-}$ ) . . . . .	34	<code>\doublesharp</code> ( $\star$ ) . . . . .	163
<code>\dNeutrey</code> (☹) . . . . .	193	<code>\dotminus</code> ( $\dot{-}$ ) . . . . .	36	<code>\doublesmile</code> ( $\smile$ ) . . . . .	92
<code>\dNinja</code> (☹) . . . . .	193	<code>\dotplus</code> ( $\dot{+}$ ) . . . . .	33	<code>\doublesmileeq</code> ( $\hat{=}$ ) . . . . .	92
<code>\dnststile</code> ( $\ $ ) . . . . .	63	<code>\dotplus</code> ( $\dot{+}$ ) . . . . .	31	<code>\doublesqcap</code> ( $\sqcap$ ) . . . . .	34, 35
<code>\dntstile</code> ( $\ $ ) . . . . .	63	<code>\dotplus</code> ( $\dot{+}$ ) . . . . .	35	<code>\doublesqcap</code> ( $\sqcap$ ) . . . . .	34
<code>\dnttstile</code> ( $\ $ ) . . . . .	63	<code>\dotplus</code> ( $\dot{+}$ ) . . . . .	34	<code>\doublesqcup</code> ( $\sqcup$ ) . . . . .	34, 35
<code>\dNursey</code> (☹) . . . . .	193	<code>\dotplus</code> ( $\dot{+}$ ) . . . . .	36	<code>\doublesqcup</code> ( $\sqcup$ ) . . . . .	33
do not enter . . . . .	<i>see</i> <code>\noway</code>	<code>\dots</code> . . . . .	15	<code>\doublethumb</code> ( $\updownarrow$ ) . . . . .	160
does not divide . . . . .	<i>see</i> <code>\nmid</code>	<code>\dots</code> ( $\dots$ ) . . . . .	240	<code>\doubletilde</code> ( $\tilde{\sim}$ ) . . . . .	23
does not exist . . . . .	<i>see</i> <code>\nexists</code>	dots (ellipses) . . . . .	14, 15, 117–119, 122, 230	<code>\doublevee</code> ( $\vee$ ) . . . . .	34, 35
does not imply . . . . .	228	<code>\dotsb</code> ( $\cdots$ ) . . . . .	117	<code>\doublevee</code> ( $\vee$ ) . . . . .	33
<code>\Dohne</code> ( $\emptyset$ ) . . . . .	161	<code>\dotsb</code> ( $\cdots$ ) . . . . .	118	<code>\doublewedge</code> ( $\wedge$ ) . . . . .	34, 35
Dohse, Max . . . . .	229	<code>\dotsc</code> ( $\cdots$ ) . . . . .	117	<code>\doublewedge</code> ( $\wedge$ ) . . . . .	33
dollar . . . . .	<i>see</i> <code>\textdollar</code>	<code>\dotseq</code> ( $\doteq$ ) . . . . .	53	<code>\DOWNarrow</code> ( $\blacktriangledown$ ) . . . . .	177
dollar sign . . . . .	<i>see</i> <code>\\$</code>	<code>\dotsi</code> ( $\cdots$ ) . . . . .	117	<code>\Downarrow</code> ( $\Downarrow$ ) . . . . .	75, 102
dominance . . . . .	<i>see</i> <code>\prec</code>	<code>\dotsim</code> ( $\dot{\sim}$ ) . . . . .	59	<code>\Downarrow</code> ( $\Downarrow$ ) . . . . .	82
negative . . . . .	<i>see</i> <code>\nprec</code>	<code>\dotsim</code> ( $\dot{\sim}$ ) . . . . .	61	<code>\Downarrow</code> ( $\Downarrow$ ) . . . . .	105
negative weak . . . . .	<i>see</i> <code>\nprecweq</code>	<code>\dotsint</code> ( $\int \cdots \int$ ) . . . . .	45	<code>\Downarrow</code> ( $\Downarrow$ ) . . . . .	77
strict . . . . .	<i>see</i> <code>\Prec</code>	<code>\dotsint</code> ( $\int \cdots \int$ ) . . . . .	47	<code>\Downarrow</code> ( $\Downarrow$ ) . . . . .	88
weak . . . . .	<i>see</i> <code>\preccurlyeq</code>	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\Downarrow</code> ( $\Downarrow$ ) . . . . .	106
<code>\Dontwash</code> ( $\not\equiv$ ) . . . . .	178	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> . . . . .	235
<code>\dot</code> ( $\dot{\cdot}$ ) . . . . .	110	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	75, 102
<code>\dot</code> ( $\dot{\cdot}$ ) . . . . .	109	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	105
dot accent ( $\dot{\cdot}$ or $\dot{\cdot}$ ) . . . . .	<i>see</i> accents	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
dot symbols . . . . .	14, 117–119, 230	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
DotArrow (package) . . . . .	116, 243, 244	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
<code>\dotarrow</code> ( $\dot{\rightarrow}$ ) . . . . .	116	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	106
<code>\dotcong</code> ( $\dot{\equiv}$ ) . . . . .	57	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	106
<code>\dotcup</code> ( $\dot{\cup}$ ) . . . . .	30, 226	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
<code>\dotdiv</code> ( $\dot{\div}$ ) . . . . .	33	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
<code>\Doteq</code> . . . . .	<i>see</i> <code>\doteqdot</code>	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
<code>\Doteq</code> ( $\dot{=}$ ) . . . . .	57	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
<code>\Doteq</code> ( $\dot{=}$ ) . . . . .	54	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	57
<code>\Doteq</code> ( $\dot{=}$ ) . . . . .	61	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	57
<code>\doteq</code> ( $\doteq$ ) . . . . .	51	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
<code>\doteq</code> ( $\doteq$ ) . . . . .	59	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
<code>\doteq</code> ( $\doteq$ ) . . . . .	57	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
<code>\doteq</code> ( $\doteq$ ) . . . . .	54	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
<code>\doteq</code> ( $\doteq$ ) . . . . .	61	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	57
<code>\doteqdot</code> ( $\dot{=}$ ) . . . . .	52	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	57
<code>\doteqdot</code> ( $\dot{=}$ ) . . . . .	59	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
<code>\doteqdot</code> ( $\dot{=}$ ) . . . . .	57	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
<code>\doteqdot</code> ( $\dot{=}$ ) . . . . .	55	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
<code>\doteqdot</code> ( $\dot{=}$ ) . . . . .	61	<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
<code>\dotequiv</code> ( $\dot{\equiv}$ ) . . . . .	61	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	57
dotless <i>j</i> ( <i>j</i> )		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
text mode . . . . .	21	<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	82
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	77
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	117	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	88
		<code>\dotsm</code> ( $\cdots$ ) . . . . .	118	<code>\downarrow</code> ( $\downarrow$ ) . . . . .	8



Downes, Michael J. . . . .	94, 245	<code>\downupharpoons</code> (⤿) . . . . .	80	<code>\dSmiley</code> (☺) . . . . .	193
<code>\downfilledspoon</code> (⤵) . . . . .	91	<code>\downupharpoonsleftright</code> (⤿) . . . . .	85	<code>\dsmilitary</code> (✕) . . . . .	185
<code>\downfishtail</code> (⤵) . . . . .	61	<code>\downupharpoonsleftright</code> (⤿) . . . . .	90	<code>\dsol</code> (7) . . . . .	36
<code>\downfootline</code> (⤵) . . . . .	54	<code>\downupsquigarrow</code> (⤿) . . . . .	82	<code>\dsrailways</code> (🚆) . . . . .	185
<code>\downfree</code> (⤵) . . . . .	55	<code>\downVDash</code> (⏏) . . . . .	57	<code>\dsststile</code> (⏏) . . . . .	63
<code>\downharpoonccw</code> (⤵) . . . . .	80	<code>\downVdash</code> (⏏) . . . . .	57	<code>\dstechnical</code> (⊗) . . . . .	185
<code>\downharpooncw</code> (⤵) . . . . .	80	<code>\downVdash</code> (⏏) . . . . .	55	<code>\dststile</code> (⏏) . . . . .	63
<code>\downharpoonleft</code> (⤵) . . . . .	77	<code>\downvDash</code> (⏏) . . . . .	57	<code>\dsttstile</code> (⏏) . . . . .	63
<code>\downharpoonleft</code> (⤵) . . . . .	76	<code>\downvdash</code> (⏏) . . . . .	57	<code>\dsub</code> (◀) . . . . .	40
<code>\downharpoonleft</code> (⤵) . . . . .	87	<code>\downvDash</code> (⏏) . . . . .	55	<code>\dtdtstile</code> (⏏) . . . . .	63
<code>\downharpoonleft</code> (⤵) . . . . .	85	<code>\downvDash</code> (⏏) . . . . .	55	<code>\dtimes</code> (×) . . . . .	34, 35
<code>\downharpoonleft</code> (⤵) . . . . .	90	<code>\downwavyarrow</code> (⤵) . . . . .	82	<code>\dtimes</code> (×) . . . . .	37
<code>\downharpoonleftbar</code> (⤵) . . . . .	90	<code>\downwhitearrow</code> (⤵) . . . . .	86	<code>\dtimes</code> (×) . . . . .	33
<code>\downharpoonright</code> (⤵) . . . . .	77	<code>\downwhitearrow</code> (⤵) . . . . .	88	<code>\dTongey</code> (☺) . . . . .	193
<code>\downharpoonright</code> (⤵) . . . . .	76	<code>\downY</code> (Υ) . . . . .	34	<code>\dtststile</code> (⏏) . . . . .	63
<code>\downharpoonright</code> (⤵) . . . . .	87	<code>\downY</code> (Υ) . . . . .	33	<code>\dttstile</code> (⏏) . . . . .	63
<code>\downharpoonright</code> (⤵) . . . . .	85	<code>\downzigzagarrow</code> (⤵) . . . . .	86	<code>\dtttstile</code> (⏏) . . . . .	63
<code>\downharpoonright</code> (⤵) . . . . .	90	<code>\downzigzagarrow</code> (⤵) . . . . .	82	<code>\DU</code> (n) . . . . .	132
<code>\downharpoonrightbar</code> (⤵) . . . . .	90	<code>\downzigzagarrow</code> (⤵) . . . . .	88	<code>\dualmap</code> (↔) . . . . .	93
<code>\downharpoonsleftright</code> (⤿) . . . . .	90	Doyle, Sir Arthur Conan . . . . .	216	<code>\dualmap</code> (↔) . . . . .	61
<code>\downleftcurvedarrow</code> (↷) . . . . .	82	dozenal (package) . . . . .	120, 181, 243, 244	<code>\duevolte</code> (↯) . . . . .	160
<code>\downleftcurvedarrow</code> (↷) . . . . .	82	dozenal (base 12) . . . . .		duodecimal (base 12) . . . . .	
<code>\downlsquigarrow</code> (⤿) . . . . .	82	numerals . . . . .	120	numerals . . . . .	120
<code>\downlsquigarrow</code> (⤿) . . . . .	77	tally markers . . . . .	181	tally markers . . . . .	181
<code>\Downmapsto</code> (⤵) . . . . .	82	<code>\dprime</code> (′) . . . . .	120	DVI . . . . .	28, 132, 234
<code>\downmapsto</code> (⤵) . . . . .	82	<code>\DQ</code> (⊞) . . . . .	132	.dvi files . . . . .	240
<code>\downmapsto</code> (⤵) . . . . .	77	<code>\dracma</code> (₰) . . . . .	27	<code>\dVomey</code> (👉) . . . . .	193
<code>\downModels</code> (⏏) . . . . .	55	<code>\draftingarrow</code> (➡) . . . . .	88	<code>\dWalley</code> (👉) . . . . .	193
<code>\downmodels</code> (⏏) . . . . .	57	<code>\drbkarow</code> (➡) . . . . .	88	<code>\dWinkey</code> (☺) . . . . .	193
<code>\downmodels</code> (⏏) . . . . .	55	<code>\Dreizack</code> (⚡) . . . . .	192	<code>\dXkey</code> (☺) . . . . .	193
<code>\downp</code> (˘) . . . . .	25	<code>\droang</code> (⚡) . . . . .	110	<code>\dz</code> (⤵) . . . . .	19
<code>\downparenthfill</code> . . . . .	231	<code>\drsh</code> (↳) . . . . .	76		
<code>\downpitchfork</code> (Ψ) . . . . .	93	<code>\drsh</code> (↳) . . . . .	86		
<code>\downpitchfork</code> (Ψ) . . . . .	92	<code>\drumclef</code> (⏏) . . . . .	161		
<code>\downpropto</code> (∝) . . . . .	55	<code>\drWalley</code> (👉) . . . . .	193		
<code>\downrcurvedarrow</code> (↷) . . . . .	82	<code>\DS</code> (⊞) . . . . .	161		
<code>\downrightcurvedarrow</code> (↷) . . . . .	82	<code>\Ds</code> (⊞) . . . . .	161		
<code>\downrightcurvedarrow</code> (↷) . . . . .	88	<code>\ds</code> (˘) . . . . .	160		
<code>\downrsquigarrow</code> (⤿) . . . . .	82	<code>\dSadey</code> (☺) . . . . .	193		
<code>\downrsquigarrow</code> (⤿) . . . . .	77	<code>\dsaeronautical</code> (✈) . . . . .	185		
<code>\downslice</code> (∇) . . . . .	38	<code>\dsagricultural</code> (🌾) . . . . .	185		
<code>\downspoon</code> (⤵) . . . . .	93	<code>\dsarchitectural</code> (🏛) . . . . .	185		
<code>\downspoon</code> (⤵) . . . . .	91	<code>\dsbiological</code> (🐾) . . . . .	185		
<code>\downt</code> (τ) . . . . .	25	<code>\DSC</code> (D <sup>SC</sup> ) . . . . .	131		
<code>\downtherefore</code> (∴) . . . . .	118	<code>\dschemical</code> (⚗) . . . . .	185		
<code>\downtherefore</code> (∴) . . . . .	33, 118	<code>\dscommercial</code> (♣) . . . . .	185		
<code>\downtouparrow</code> (⤴) . . . . .	76	<code>\dsdtstile</code> (⏏) . . . . .	63		
<code>\downtouparrow</code> (⤴) . . . . .	86	<code>\dSey</code> (☺) . . . . .	193		
<code>\downtriangleleftblack</code> (◀) . . . . .	145	dsfont (package) . . . . .	126, 243		
<code>\downtriangleleftblack</code> (◀) . . . . .	145	<code>\dsheraldical</code> (🏴) . . . . .	185		
<code>\downuparrows</code> (⤵) . . . . .	76	<code>\dsjuridical</code> (⚖) . . . . .	185		
<code>\downuparrows</code> (⤵) . . . . .	82	<code>\dsliterary</code> (📖) . . . . .	185		
<code>\downuparrows</code> (⤵) . . . . .	77	<code>\dsmathematical</code> (ℵ) . . . . .	185		
<code>\downuparrows</code> (⤵) . . . . .	88	<code>\dsmedical</code> (🏥) . . . . .	185		
<code>\downupcurvedarrow</code> (↶) . . . . .	82				
<code>\downupharpoons</code> (⤿) . . . . .	77				
<code>\downupharpoons</code> (⤿) . . . . .	85				

<code>\eighthnote</code> (♩) . . . . .	159	<code>\eng</code> (η) . . . . .	19	<code>\EOju</code> (𑌒) . . . . .	158
<code>\eighthnote</code> (♩) . . . . .	159	engineering symbols . . . . .	124, 128, 134	<code>\EOkak</code> (𑌓) . . . . .	158
<code>\eighthNoteDotted</code> (♩̣) . . . . .	162	<code>\engma</code> (η) . . . . .	20	<code>\EOke</code> (𑌔) . . . . .	158
<code>\eighthNoteDottedDouble</code> (♩̣̣) . . . . .	162	<code>\enleadertwodots</code> (..) . . . . .	118	<code>\EOki</code> (𑌕) . . . . .	158
<code>\eighthNoteDottedDoubleDown</code> (♩̣̣̣) . . . . .	162	<code>\ENQ</code> (♣) . . . . .	133	<code>\EOkij</code> (𑌖) . . . . .	158
<code>\eighthNoteDottedDown</code> (♩̣̣) . . . . .	162	entails . . . . .	<i>see</i> <code>\models</code>	<code>\EOKing</code> (𑌗) . . . . .	158
<code>\eighthNoteDown</code> (♩̣) . . . . .	162	<code>\Enter</code> (Enter) . . . . .	132	<code>\EOknottedCloth</code> (𑌘) . . . . .	158
<code>\EightStar</code> (✱) . . . . .	142	enumerate . . . . .	181	<code>\EOknottedClothStraps</code> (𑌙) . . . . .	158
<code>\EightStarBold</code> (✱) . . . . .	142	<code>\Envelope</code> (✉) . . . . .	149	<code>\EOko</code> (𑌚) . . . . .	158
<code>\EightStarConvex</code> (✱) . . . . .	142	envelopes . . . . .	149, 188	<code>\EOku</code> (𑌛) . . . . .	158
<code>\EightStarTaper</code> (✱) . . . . .	142	<code>\enya</code> (η) . . . . .	20	<code>\EOkuu</code> (𑌜) . . . . .	158
<code>\ejective</code> (p) . . . . .	19	<code>\EOafter</code> (𑌞) . . . . .	157	<code>\EOLetBlood</code> (𑌟) . . . . .	158
electrical impulse . . . . .	128	<code>\EOandThen</code> (𑌟) . . . . .	157	<code>\EOLoinCloth</code> (𑌠) . . . . .	158
electrical symbols . . . . .	128	<code>\EOAppear</code> (𑌡) . . . . .	157	<code>\EOLongLipII</code> (𑌡) . . . . .	158
electromotive force (ℰ) . . . . .	<i>see</i> alphabets, math	<code>\EOBeardMask</code> (𑌢) . . . . .	157	<code>\EOLord</code> (𑌢) . . . . .	158
<code>\electron</code> (e <sup>-</sup> ) . . . . .	135	<code>\EOBedeck</code> (𑌣) . . . . .	157	<code>\EOLose</code> (𑌣) . . . . .	158
element of . . . . .	<i>see</i> <code>\in</code>	<code>\EOBlood</code> (𑌤) . . . . .	157	<code>\EOma</code> (𑌤) . . . . .	158
elements . . . . .	131	<code>\EObrace</code> (𑌥) . . . . .	157	<code>\EOMacaw</code> (𑌥) . . . . .	158
<code>\elinters</code> (x) . . . . .	124	<code>\EObuilding</code> (𑌦) . . . . .	157	<code>\EOMacawI</code> (𑌦) . . . . .	158
<code>\ell</code> (ℓ) . . . . .	99	<code>\EOBundle</code> (𑌧) . . . . .	157	<code>\EOME</code> (𑌧) . . . . .	158
<code>\ell</code> (ℓ) . . . . .	100	<code>\EOChop</code> (𑌨) . . . . .	157	<code>\EOMexNew</code> (𑌨) . . . . .	158
<code>\Ellipse</code> (○) . . . . .	147	<code>\EOChronI</code> (𑌩) . . . . .	157	<code>\EOMi</code> (𑌩) . . . . .	158
ellipses (dots) . . . . .	14, 15, 117–119, 122, 230	<code>\EOCloth</code> (𑌪) . . . . .	157	<code>\EOMiddle</code> (𑌪) . . . . .	157
ellipses (ovals) . . . . .	147, 169–174, 200–202, 206–207, 218	<code>\EODealWith</code> (𑌫) . . . . .	157	<code>\EOMonster</code> (𑌫) . . . . .	157
<code>\EllipseShadow</code> (○) . . . . .	147	<code>\EODeer</code> (𑌬) . . . . .	157	<code>\EOMountain</code> (𑌬) . . . . .	157
<code>\EllipseSolid</code> (●) . . . . .	147	<code>\EOeat</code> (𑌭) . . . . .	157	<code>\EOMuu</code> (𑌭) . . . . .	157
<code>\elsdot</code> (⋈) . . . . .	71	<code>\EOflint</code> (𑌮) . . . . .	157	<code>\EONa</code> (𑌮) . . . . .	157
<code>\EM</code> (↓) . . . . .	133	<code>\EOflower</code> (𑌯) . . . . .	157	<code>\EOne</code> (𑌯) . . . . .	157
<code>\Email</code> (✉) . . . . .	134	<code>\EOFold</code> (𑌰) . . . . .	157	<code>\EOni</code> (𑌰) . . . . .	157
<code>\EmailCT</code> (✉) . . . . .	134	<code>\EOGod</code> (𑌱) . . . . .	157	<code>\EOnow</code> (𑌱) . . . . .	157
<code>\emgma</code> (η) . . . . .	20	<code>\EOGoUp</code> (𑌲) . . . . .	157	<code>\EOnu</code> (𑌲) . . . . .	157
Emmentaler (font) . . . . .	164	<code>\EOgovernor</code> (𑌳) . . . . .	157	<code>\EOnuu</code> (𑌳) . . . . .	157
emoticons . . . . .	192, 193	<code>\EOGuise</code> (𑌴) . . . . .	157	<code>\EOofficerI</code> (𑌴) . . . . .	157
<code>\empty</code> (⊥) . . . . .	184	<code>\EOHallow</code> (𑌵) . . . . .	157	<code>\EOofficerII</code> (𑌵) . . . . .	157
empty set . . . . .	121–123	<code>\EOi</code> (°) . . . . .	158	<code>\EOofficerIII</code> (𑌶) . . . . .	157
<code>\emptyset</code> (∅) . . . . .	122	<code>\EOii</code> (° °) . . . . .	158	<code>\EOofficerIV</code> (𑌷) . . . . .	157
<code>\emptyset</code> (∅) . . . . .	123	<code>\EOiii</code> (° ° °) . . . . .	158	<code>\EOpa</code> (𑌸) . . . . .	157
<code>\emptyset</code> (∅) . . . . .	123	<code>\EOiv</code> (° ° ° °) . . . . .	158	<code>\EOPak</code> (𑌹) . . . . .	157
<code>\emptyset</code> (∅) . . . . .	121	<code>\EOix</code> (° ° ° ° °) . . . . .	158	<code>\EOPatron</code> (𑌺) . . . . .	157
<code>\emptyset</code> (∅) . . . . .	121	<code>\EOja</code> (𑌻) . . . . .	157	<code>\EOPatronII</code> (𑌻) . . . . .	157
<code>\emptyset</code> (∅) . . . . .	121	<code>\EOjaguar</code> (𑌼) . . . . .	157	<code>\EOpe</code> (𑌽) . . . . .	157
<code>\emptyset</code> (∅) . . . . .	121	<code>\EOje</code> (𑌽) . . . . .	157		
<code>\emptyset</code> (∅) . . . . .	121	<code>\EOJI</code> (𑌾) . . . . .	157		
<code>\emptyset</code> (∅) . . . . .	121	<code>\EOji</code> (𑌿) . . . . .	157		
<code>\emptyset</code> (∅) . . . . .	121	<code>\EOjo</code> (𑌿) . . . . .	158		
<code>\EN</code> (τ) . . . . .	132				
<code>\enclosecircle</code> (○) . . . . .	145				
<code>\enclosediamond</code> (◊) . . . . .	145				
<code>\enclosesquare</code> (◻) . . . . .	145				
<code>\enclosetriangle</code> (▲) . . . . .	145				
<code>\End</code> (End) . . . . .	132				
end of proof . . . . .	122				
<code>\ending</code> (⊥) . . . . .	182				

<code>\EOpenis</code> (𐄎)	157	<code>\EOte</code> (𐄎)	157	<code>\EOxiii</code> (𐄎)	158
<code>\EOpi</code> (𐄎)	157	<code>\EOthrone</code> (𐄎)	157	<code>\EOxiv</code> (𐄎)	158
<code>\EOPierce</code> (𐄎)	157	<code>\EOti</code> (𐄎)	157	<code>\EOxix</code> (𐄎)	158
<code>\EOPlant</code> (𐄎)	157	<code>\EOTime</code> (𐄎)	157	<code>\EOxv</code> (𐄎)	158
<code>\EOPlay</code> (𐄎)	157	<code>\EOtime</code> (𐄎)	157	<code>\EOxvi</code> (𐄎)	158
<code>\EOpo</code> (𐄎)	157	<code>\EOTitle</code> (𐄎)	157	<code>\EOxvii</code> (𐄎)	158
<code>\EOpriest</code> (𐄎)	157	<code>\EOTitleII</code> (𐄎)	157	<code>\EOxviii</code> (𐄎)	158
<code>\EOPrince</code> (𐄎)	157	<code>\EOTitleIV</code> (𐄎)	157	<code>\EOxx</code> (𐄎)	158
<code>\EOpu</code> (𐄎)	157	<code>\EOto</code> (𐄎)	157	<code>\EOya</code> (𐄎)	158
<code>\EOpuu</code> (𐄎)	158	<code>\EOtu</code> (𐄎)	157	<code>\EOyaj</code> (𐄎)	158
<code>\EOpuuk</code> (𐄎)	158	<code>\EOtuki</code> (𐄎)	157	<code>\EOye</code> (𐄎)	158
<code>\EORain</code> (𐄎)	158	<code>\EOtukpa</code> (𐄎)	157	<code>\EOYear</code> (𐄎)	158
<code>\EOSa</code> (𐄎)	158	<code>\EOturtle</code> (𐄎)	157	<code>\EOyuu</code> (𐄎)	158
<code>\EOSa</code> (𐄎)	158	<code>\EOtuu</code> (𐄎)	157	<code>\EOzero</code> (𐄎)	158
<code>\EOSacrifice</code> (𐄎)	158	<code>\EOtza</code> (𐄎)	157	<code>\EP</code> (€)	132
<code>\EOSaw</code> (𐄎)	158	<code>\EOtze</code> (𐄎)	157	<code>\eparsl</code> (#)	61
<code>\EOScorpius</code> (𐄎)	158	<code>\EOtzetze</code> (𐄎)	157	Epi-Olmec script	157–158
<code>\EOset</code> (𐄎)	158	<code>\EOtzi</code> (𐄎)	157	epiolmec (package)	157, 158, 243, 244
<code>\EOSi</code> (𐄎)	158	<code>\EOtzu</code> (𐄎)	157	epsdice (package)	180, 243
<code>\EOSi</code> (𐄎)	158	<code>\EOtzuu</code> (𐄎)	157	<code>\epsdice</code> (𐄎)	180
<code>\EOSing</code> (𐄎)	158	<code>\EOundef</code> (𐄎)	158	<code>\epsi</code> (ε)	20
<code>\EOSini</code> (𐄎)	158	<code>\EOv</code> (—)	158	<code>\Epsilon</code> (E)	96
<code>\EOSkin</code> (𐄎)	158	<code>\EOvarBeardMask</code> (𐄎)	158	<code>\epsilonpsilon</code> (ε)	96
<code>\EOSky</code> (𐄎)	158	<code>\EOvarja</code> (𐄎)	158	<code>\epsilonpsilonup</code> (ε)	97
<code>\EOSkyAnimal</code> (𐄎)	158	<code>\EOvarji</code> (𐄎)	158	<code>\eqbump</code> (↔)	55
<code>\EOSkyPillar</code> (𐄎)	158	<code>\EOvarki</code> (𐄎)	158	<code>\eqbumped</code> (↔)	53
<code>\EOSnake</code> (𐄎)	158	<code>\EOvarkuu</code> (𐄎)	158	<code>\eqbumped</code> (↔)	59
<code>\EOSo</code> (𐄎)	158	<code>\EOvarni</code> (𐄎)	158	<code>\eqcirc</code> (≡)	53
<code>\EOSpan</code> (𐄎)	158	<code>\EOvarpa</code> (𐄎)	158	<code>\eqcirc</code> (≡)	52
<code>\EOSprinkle</code> (𐄎)	158	<code>\EOvarSi</code> (𐄎)	158	<code>\eqcirc</code> (≡)	59
<code>\EOstar</code> (𐄎)	158	<code>\EOvarsi</code> (𐄎)	158	<code>\eqcirc</code> (≡)	57
<code>\EOStarWarrior</code> (𐄎)	157	<code>\EOvartza</code> (𐄎)	158	<code>\eqcirc</code> (≡)	55
<code>\EOstarWarrior</code> (𐄎)	158	<code>\EOvarwuu</code> (𐄎)	158	<code>\eqcirc</code> (≡)	61
<code>\EOstep</code> (𐄎)	157	<code>\EOvarYear</code> (𐄎)	158	<code>\Eqcolon</code> (—:)	53
<code>\EOSu</code> (𐄎)	157	<code>\EOvi</code> (—)	158	<code>\Eqcolon</code> (—:)	62
<code>\EOsu</code> (𐄎)	157	<code>\EOvii</code> (—)	158	<code>\Eqcolon</code> (=:)	53
<code>\EOsun</code> (𐄎)	157	<code>\EOviii</code> (—)	158	<code>\Eqcolon</code> (—:)	62
<code>\EOSuu</code> (𐄎)	157	<code>\EOwa</code> (𐄎)	158	<code>\Eqcolon</code> (=:)	53
<code>\EOSuu</code> (𐄎)	157	<code>\EOwe</code> (𐄎)	158	<code>\Eqcolon</code> (=:)	57
<code>\EOSuu</code> (𐄎)	157	<code>\EOwi</code> (𐄎)	158	<code>\eqdef</code> (≡)	61
<code>\EOT</code> (◆)	133	<code>\EOwo</code> (𐄎)	158	<code>\eqdot</code> (≡)	57
<code>\EOTA</code> (𐄎)	157	<code>\EOwuu</code> (𐄎)	158	<code>\eqdot</code> (≡)	55
		<code>\EOx</code> (𐄎)	158	<code>\eqdot</code> (≡)	61
		<code>\EOxi</code> (𐄎)	158	<code>\eqeq</code> (==)	61
		<code>\EOxii</code> (𐄎)	158	<code>\eqeqeq</code> (===)	61
				<code>\eqfrown</code> (↘)	92
				<code>\eqgtr</code> (⋈)	71
				<code>\eqleftrightharrow</code> (↔)	86
				<code>\eqless</code> (⋈)	71
				<code>\Eqqcolon</code> (=:)	53
				<code>\Eqqcolon</code> (=:)	62
				<code>\eqqcolon</code> (=:)	62
				<code>\eqqcolon</code> (=:)	53

<code>\eqqcolon (=)</code> .....	57	<code>\errbardiamond (⬠)</code> .....	145	extensible arrows .....	111–116
<code>\eqqgtr (≧)</code> .....	71	<code>\errbarsquare (⬡)</code> .....	145	extensible braces .....	111–114
<code>\eqqlless (≦)</code> .....	71	<code>\errorsym (⌘)</code> .....	135	extensible symbols, creating	230–232
<code>\eqqplus (≡)</code> .....	36	es-zet .....	<i>see</i> <code>\ss</code>	extensible tildes .....	111, 114
<code>\eqqsim (≈)</code> .....	61	<code>\ESC (←)</code> .....	133	extension characters .....	94
<code>\eqqslantgtr (≧)</code> .....	71	<code>\Esc (⌘)</code> .....	132	extpfeil (package) .....	116, 243
<code>\eqqslantless (≦)</code> .....	71	escapable characters .....	14	extraipa (package) .....	23, 243
<code>\eqsim (≈)</code> .....	53	<code>\esh (f)</code> .....	20	<code>\eye (👁)</code> .....	149
<code>\eqsim (≈)</code> .....	59	<code>\esh (f)</code> .....	19	<code>\EyesDollar (\$)</code> .....	26
<code>\eqsim (≈)</code> .....	57	esint (package) .....	45, 243		
<code>\eqsim (≈)</code> .....	55	<code>\Estatically (⚠)</code> .....	134		
<code>\eqsim (≈)</code> .....	61	estimated <i>see</i> <code>\textestimated</code>			
<code>\eqslantgtr (≧)</code> .....	68	<code>\Estonia (.)</code> .....	190		
<code>\eqslantgtr (≧)</code> .....	67	esvect (package) .....	114, 243		
<code>\eqslantgtr (≧)</code> .....	71	<code>\Eta (H)</code> .....	96		
<code>\eqslantgtr (≧)</code> .....	70	<code>\eta (η)</code> .....	96		
<code>\eqslantgtr (≧)</code> .....	69	<code>\etaup (η)</code> .....	97		
<code>\eqslantgtr (≧)</code> .....	71	<code>\ETB (‡)</code> .....	133		
<code>\eqslantless (≦)</code> .....	68	<code>\eth (ð)</code> .....	122		
<code>\eqslantless (≦)</code> .....	67	<code>\eth (ð)</code> .....	20		
<code>\eqslantless (≦)</code> .....	71	<code>\eth (ð)</code> .....	124		
<code>\eqslantless (≦)</code> .....	70	<code>\eth (ð)</code> .....	19		
<code>\eqslantless (≦)</code> .....	69	<code>\ETX (♥)</code> .....	133		
<code>\eqslantless (≦)</code> .....	71	eufrak (package) .....	126		
<code>\eqsmile (☺)</code> .....	92	Euler Roman .....	97		
<code>\equal (=)</code> .....	57	<code>\Eulerconst (E)</code> .....	100		
<code>\equal (=)</code> .....	55	<code>\EUR (€)</code> .....	26		
<code>\equal (=)</code> .....	182	<code>\EURcr (€)</code> .....	26		
<code>\equalclosed (⊖)</code> .....	55	<code>\EURdig (€)</code> .....	26		
<code>\equalleftarrow (⇐)</code> .....	88	<code>\EURhv (€)</code> .....	26		
<code>\equalparallel (#)</code> .....	59	<code>\Euro (€)</code> .....	26		
<code>\equalparallel (#)</code> .....	61	<code>\euro</code> .....	27		
<code>\equalrightarrow (⇒)</code> .....	88	euro signs .....	26, 27		
<code>\equalscolon (=:)</code> .....	64	blackboard bold .....	127		
<code>\equalscoloncolon (=:)</code> .....	64	<code>\eurologo (€)</code> .....	27		
<code>\equalsfill</code> .....	30, 230, 231	European countries .....	190		
equidecomposable .....	226	eurosym (package) .....	27, 243		
equilibrium .....	<i>see</i>	<code>\EURtm (€)</code> .....	26		
<code>\rightleftharpoons</code>		euscript (package) .....	126, 243		
<code>\Equiv (≡)</code> .....	61	evaluated at .....	<i>see</i> <code>\vert</code>		
<code>\equiv (≡)</code> .....	30, 51	evil spirits .....	187		
<code>\equiv (≡)</code> .....	57	<code>\exciton (→h<sup>+</sup>)</code> .....	135		
<code>\equiv (≡)</code> .....	55	<code>\Exclam (!)</code> .....	124		
<code>\equiv (≡)</code> .....	61	exclusive disjunction .....			
<code>\Equivalence (↔)</code> .....	120	<i>see</i> <code>\leftrightarrow</code>			
equivalence .....	<i>see</i>	<code>\nequiv</code> , <i>and</i> <code>\oplus</code>			
<code>\equiv</code> , <code>\leftrightarrow</code> ,		exclusive or .....	225		
<i>and</i> <code>\threesim</code>		<code>\exists (∃)</code> .....	99		
<code>\equivclosed (⊖)</code> .....	55	<code>\exists (∃)</code> .....	99		
<code>\equivDD (≡)</code> .....	61	<code>\exists (∃)</code> .....	100		
<code>\equivVert (#)</code> .....	61	<code>\exists (∃)</code> .....	99		
<code>\equivVvert (#)</code> .....	61	<code>\exists (∃)</code> .....	100		
<code>\eqvparsl (#)</code> .....	60	<code>\exp (exp)</code> .....	94		
<code>\er (x)</code> .....	19	<code>\experimental (X)</code> .....	135		
<code>\Eros (♁)</code> .....	131	<code>\Explosionsafe (☢)</code> .....	134		
<code>\errbarblackcircle (⬤)</code> .....	145	extarrows (package) .....	116, 243		
<code>\errbarblackdiamond (⬠)</code> .....	145	extensible accents	111–115, 117,		
<code>\errbarblacksquare (⬢)</code> .....	145	231–232			
<code>\errbarcircle (⬤)</code> .....	145				

## F

f (esvect package option) ..	114
<code>\f (♠)</code> .....	21
<code>\fa (500)</code> .....	195
<code>\faAdjust (⦿)</code> .....	195
<code>\faAdn (♣)</code> .....	195
<code>\faAlignCenter (≡)</code> .....	195
<code>\faAlignJustify (≡)</code> .....	195
<code>\faAlignLeft (≡)</code> .....	195
<code>\faAlignRight (≡)</code> .....	195
<code>\faAmazon (🍷)</code> .....	195
<code>\faAmbulance (🚑)</code> .....	195
<code>\faAnchor (⚓)</code> .....	195
<code>\faAndroid (🤖)</code> .....	195
<code>\faAngellist (♠)</code> .....	195
<code>\faAngleDoubleDown (↯)</code> ..	195
<code>\faAngleDoubleLeft (↶)</code> ..	195
<code>\faAngleDoubleRight (↷)</code> ..	195
<code>\faAngleDoubleUp (↰)</code> .....	195
<code>\faAngleDown (∨)</code> .....	195
<code>\faAngleLeft (∠)</code> .....	195
<code>\faAngleRight (∠)</code> .....	195
<code>\faAngleUp (∧)</code> .....	195
<code>\faApple (🍏)</code> .....	195
<code>\faArchive (🗃)</code> .....	195
<code>\faAreaChart (📊)</code> .....	195
<code>\faArrowCircleDown (⬇)</code> ..	137
<code>\faArrowCircleLeft (⬅)</code> ..	137
<code>\faArrowCircleODown (⬇)</code> ..	137
<code>\faArrowCircleOLeft (⬅)</code> ..	137
<code>\faArrowCircleORight (⬆)</code> ..	137
<code>\faArrowCircleOUp (⬆)</code> ..	137
<code>\faArrowCircleRight (⬇)</code> ..	137
<code>\faArrowCircleUp (⬆)</code> .....	137
<code>\faArrowDown (↓)</code> .....	137
<code>\faArrowLeft (←)</code> .....	137
<code>\faArrowRight (→)</code> .....	137
<code>\faArrows (↔)</code> .....	137
<code>\faArrowsAlt (↔)</code> .....	137
<code>\faArrowsH (↔)</code> .....	137
<code>\faArrowsV (↑)</code> .....	137
<code>\faArrowUp (↑)</code> .....	137
<code>\faAsterisk (*)</code> .....	195
<code>\faAt (@)</code> .....	195
<code>\faAutomobile (🚗)</code> .....	198
<code>\faBackward (⏪)</code> .....	195
<code>\faBalanceScale (⚖)</code> .....	195
<code>\faBan (🚫)</code> .....	195

<code>\faBank</code> (🏦) . . . . .	198	<code>\faCaretLeft</code> (⬅) . . . . .	196	<code>\faCommenting0</code> (💬) . . . . .	197
<code>\faBarChart</code> (📊) . . . . .	195	<code>\faCaretRight</code> (➡) . . . . .	196	<code>\faComment0</code> (💬) . . . . .	197
<code>\faBarChart0</code> (📊) . . . . .	198	<code>\faCaretSquare0Down</code> (⏴) . . . . .	196	<code>\faComments</code> (💬) . . . . .	197
<code>\faBarcode</code> (🏷️) . . . . .	195	<code>\faCaretSquare0Left</code> (⏴) . . . . .	196	<code>\faComments0</code> (💬) . . . . .	197
<code>\faBars</code> (☰) . . . . .	195	<code>\faCaretSquare0Right</code> (⏵) . . . . .	196	<code>\faCompass</code> (📐) . . . . .	197
<code>\faBattery0</code> (🔋) . . . . .	198	<code>\faCaretSquare0Up</code> (⏵) . . . . .	196	<code>\faCompress</code> (⌵) . . . . .	197
<code>\faBattery1</code> (🔋) . . . . .	198	<code>\faCaretUp</code> (⬆) . . . . .	196	<code>\faConnectdevelop</code> (🔗) . . . . .	197
<code>\faBattery2</code> (🔋) . . . . .	198	<code>\faCartArrowDown</code> (🛒) . . . . .	196	<code>\faContao</code> (🏠) . . . . .	197
<code>\faBattery3</code> (🔋) . . . . .	198	<code>\faCartPlus</code> (🛒) . . . . .	196	<code>\faContent</code> (📄) . . . . .	119
<code>\faBattery4</code> (🔋) . . . . .	198	<code>\faCc</code> (©) . . . . .	196	<code>\faCopy</code> (📄) . . . . .	198
<code>\faBatteryEmpty</code> (🔋) . . . . .	195	<code>\faCcAmex</code> (🏠) . . . . .	196	<code>\faCopyright</code> (©) . . . . .	27
<code>\faBatteryFull</code> (🔋) . . . . .	195	<code>\faCcDinersClub</code> (🏠) . . . . .	196	<code>\faCreativeCommons</code> (©) . . . . .	27
<code>\faBatteryHalf</code> (🔋) . . . . .	195	<code>\faCcDiscover</code> (🏠) . . . . .	196	<code>\faCreditCard</code> (💳) . . . . .	197
<code>\faBatteryQuarter</code> (🔋) . . . . .	195	<code>\faCcJcb</code> (🏠) . . . . .	196	<code>\faCrop</code> (🌿) . . . . .	197
<code>\faBatteryThreeQuarters</code> (🔋)	195	<code>\faCcMastercard</code> (🏠) . . . . .	196	<code>\faCrosshairs</code> (🎯) . . . . .	197
		<code>\faCcPaypal</code> (🏠) . . . . .	196	<code>\faCss3</code> (📄) . . . . .	197
<code>\faBed</code> (🛏) . . . . .	195	<code>\faCcStripe</code> (🏠) . . . . .	196	<code>\faCube</code> (🎲) . . . . .	197
<code>\faBeer</code> (🍺) . . . . .	195	<code>\faCcVisa</code> (🏠) . . . . .	196	<code>\faCubes</code> (🎲) . . . . .	197
<code>\faBehance</code> (Be) . . . . .	195	<code>\faCertificate</code> (📜) . . . . .	196	<code>\faCut</code> (✂) . . . . .	198
<code>\faBehanceSquare</code> (Be) . . . . .	195	faces . . . . .	124, 133, 150, 177, 178, 185, 187, 192–198, 202–205	<code>\faCutlery</code> (🔪) . . . . .	197
<code>\faBell</code> (🔔) . . . . .	195	<code>\faChain</code> (🔗) . . . . .	198	<code>\faDashboard</code> (📊) . . . . .	198
<code>\faBell0</code> (🔔) . . . . .	195	<code>\faChainBroken</code> (🔗) . . . . .	196	<code>\faDashcube</code> (📊) . . . . .	197
<code>\faBellSlash</code> (🔔) . . . . .	195	<code>\faCheck</code> (✓) . . . . .	141	<code>\faDatabase</code> (📊) . . . . .	197
<code>\faBellSlash0</code> (🔔) . . . . .	195	<code>\faCheckCircle</code> (✓) . . . . .	141	<code>\faDedent</code> (≡) . . . . .	198
<code>\faBicycle</code> (🚲) . . . . .	195	<code>\faCheckCircle0</code> (✓) . . . . .	141	<code>\faDelicious</code> (🍷) . . . . .	197
<code>\faBinoculars</code> (🔭) . . . . .	195	<code>\faCheckSquare</code> (☑) . . . . .	141	<code>\faDesktop</code> (🖥) . . . . .	197
<code>\faBirthdayCake</code> (🍰) . . . . .	195	<code>\faCheckSquare0</code> (☑) . . . . .	141	<code>\faDeviantart</code> (🔪) . . . . .	197
<code>\faBitbucket</code> (🔑) . . . . .	196	<code>\faChevronCircleDown</code> (⬇) . . . . .	138	<code>\faDiamond</code> (💎) . . . . .	197
<code>\faBitbucketSquare</code> (🔑) . . . . .	196	<code>\faChevronCircleLeft</code> (⬅) . . . . .	138	<code>\faDigg</code> (🔑) . . . . .	197
<code>\faBitcoin</code> (₿) . . . . .	26	<code>\faChevronCircleRight</code> (➡) . . . . .	138	<code>\faDollar</code> (\$) . . . . .	26
<code>\faBlackTie</code> (👔) . . . . .	196	<code>\faChevronCircleUp</code> (⬆) . . . . .	138	<code>\faDotCircle0</code> (⦿) . . . . .	148
<code>\faBold</code> (B) . . . . .	196	<code>\faChevronDown</code> (▼) . . . . .	138	<code>\faDownload</code> (📄) . . . . .	197
<code>\faBolt</code> (⚡) . . . . .	196	<code>\faChevronLeft</code> (⬅) . . . . .	138	<code>\faDribbble</code> (🏀) . . . . .	197
<code>\faBomb</code> (💣) . . . . .	196	<code>\faChevronRight</code> (➡) . . . . .	138	<code>\faDropbox</code> (📄) . . . . .	197
<code>\faBook</code> (📖) . . . . .	196	<code>\faChevronUp</code> (⬆) . . . . .	138	<code>\faDrupal</code> (🏠) . . . . .	197
<code>\faBookmark</code> (🔖) . . . . .	196	<code>\faChild</code> (👦) . . . . .	196	<code>\faEdit</code> (✎) . . . . .	198
<code>\faBookmark0</code> (🔖) . . . . .	196	<code>\faChrome</code> (🏠) . . . . .	197	<code>\faEject</code> (⏏) . . . . .	197
<code>\faBriefcase</code> (👜) . . . . .	196	<code>\faCircle</code> (●) . . . . .	148	<code>\faEllipsisH</code> (⋯) . . . . .	197
<code>\faBtc</code> (₿) . . . . .	26	<code>\faCircle0</code> (○) . . . . .	148	<code>\faEllipsisV</code> (⋮) . . . . .	197
<code>\faBtc</code> (₿) . . . . .	26	<code>\faCircle0Notch</code> (◌) . . . . .	148	<code>\faEmpire</code> (🏠) . . . . .	197
<code>\faBug</code> (🐛) . . . . .	196	<code>\faCircleThin</code> (○) . . . . .	148	<code>\faEnvelope</code> (✉) . . . . .	197
<code>\faBuilding</code> (🏢) . . . . .	196	<code>\faClipboard</code> (📋) . . . . .	197	<code>\faEnvelope0</code> (✉) . . . . .	197
<code>\faBuilding0</code> (🏢) . . . . .	196	<code>\faClock0</code> (🕒) . . . . .	197	<code>\faEnvelopeSquare</code> (✉) . . . . .	197
<code>\faBullhorn</code> (📣) . . . . .	196	<code>\faClone</code> (📄) . . . . .	197	<code>\faEraser</code> (🧽) . . . . .	198
<code>\faBullseye</code> (🎯) . . . . .	196	<code>\faClose</code> (✖) . . . . .	141	<code>\faEur</code> (€) . . . . .	26
<code>\faBus</code> (🚌) . . . . .	196	<code>\faCloud</code> (☁) . . . . .	197	<code>\faEur</code> (€) . . . . .	26
<code>\faBuysellads</code> (A) . . . . .	196	<code>\faCloudDownload</code> (☁) . . . . .	197	<code>\faEuro</code> (€) . . . . .	26
<code>\faCab</code> (🚕) . . . . .	198	<code>\faCloudUpload</code> (☁) . . . . .	197	<code>\faExchange</code> (↔) . . . . .	198
<code>\faCalculator</code> (🧮) . . . . .	196	<code>\faCny</code> (¥) . . . . .	26	<code>\faExclamation</code> (!) . . . . .	198
<code>\faCalendar</code> (📅) . . . . .	196	<code>\faCode</code> (</>) . . . . .	197	<code>\faExclamationCircle</code> (❗) . . . . .	198
<code>\faCalendarCheck0</code> (📅) . . . . .	196	<code>\faCodeFork</code> (🔗) . . . . .	197	<code>\faExclamationTriangle</code> (⚠) . . . . .	198
<code>\faCalendarMinus0</code> (📅) . . . . .	196	<code>\faCodepen</code> (🔗) . . . . .	197		
<code>\faCalendar0</code> (📅) . . . . .	196	<code>\faCoffee</code> (☕) . . . . .	197	<code>\faExpand</code> (🔗) . . . . .	198
<code>\faCalendarPlus0</code> (📅) . . . . .	196	<code>\faCog</code> (⚙) . . . . .	197	<code>\faExpeditedssl</code> (🔗) . . . . .	198
<code>\faCalendarTimes0</code> (📅) . . . . .	196	<code>\faCogs</code> (⚙) . . . . .	197	<code>\faExternalLink</code> (🔗) . . . . .	198
<code>\faCamera</code> (📷) . . . . .	196	<code>\faColumns</code> (📄) . . . . .	197	<code>\faExternalLinkSquare</code> (🔗) . . . . .	198
<code>\faCameraRetro</code> (📷) . . . . .	196	<code>\faComment</code> (💬) . . . . .	197	<code>\faEye</code> (👁) . . . . .	198
<code>\faCar</code> (🚗) . . . . .	196	<code>\faCommenting</code> (💬) . . . . .	197	<code>\faEyedropper</code> (🎯) . . . . .	198
<code>\faCaretDown</code> (▼) . . . . .	196				

<code>\faEyeSlash</code> (👁️)	198	<code>\faGears</code> (⚙️)	198	<code>\faImage</code> (🖼️)	198
<code>\faFacebook</code> (f)	198	<code>\faGenderless</code> (♾️)	134	<code>\faInbox</code> (📧)	196
<code>\faFacebookF</code> (f)	198	<code>\faGetPocket</code> (👛)	195	<code>\faIndent</code> (☰)	196
<code>\faFacebookOfficial</code> (f)	198	<code>\faGg</code> (🔗)	195	<code>\faIndustry</code> (🏭)	196
<code>\faFacebookSquare</code> (f)	198	<code>\faGgCircle</code> (🔗)	195	<code>\faInfo</code> (i)	196
<code>\faFastBackward</code> (⏮)	198	<code>\faGift</code> (🎁)	195	<code>\faInfoCircle</code> (i)	196
<code>\faFastForward</code> (⏭)	198	<code>\faGit</code> (git)	195	<code>\faInr</code> (₹)	26
<code>\faFax</code> (📠)	198	<code>\faGithub</code> (🐙)	195	<code>\faInr</code> (₹)	26
<code>\faFeed</code> (📡)	198	<code>\faGithubAlt</code> (🐙)	195	<code>\faInstagram</code> (📷)	196
<code>\faFemale</code> (♀)	195	<code>\faGithubSquare</code> (🐙)	196	<code>\faInstitution</code> (🏛️)	198
<code>\faFighterJet</code> (✈️)	195	<code>\faGitSquare</code> (git)	196	<code>\faInternetExplorer</code> (🌐)	196
<code>\faFile</code> (📄)	195	<code>\faGittip</code> (👉)	198	<code>\faIntersex</code> (♿)	134
<code>\faFileArchive</code> (📁)	195	<code>\faGlass</code> (🍷)	196	<code>\faIoxhost</code> (🌐)	196
<code>\faFileAudio</code> (📻)	195	<code>\faGlobe</code> (🌐)	196	<code>\faItalic</code> (I)	196
<code>\faFileCode</code> (📄)	195	<code>\faGoogle</code> (G)	196	<code>\faJoomla</code> (J)	196
<code>\faFileExcel</code> (📊)	195	<code>\faGooglePlus</code> (G+)	196	<code>\faJpy</code> (¥)	26
<code>\faFileImage</code> (📷)	195	<code>\faGooglePlusSquare</code> (G+)	196	<code>\faJpy</code> (¥)	26
<code>\faFileMovie</code> (📽)	198	<code>\faGoogleWallet</code> (👛)	196	<code>\faJsfiddle</code> (📄)	196
<code>\faFile</code> (📄)	195	<code>\faGraduationCap</code> (🎓)	196	<code>\faKey</code> (🔑)	196
<code>\faFilePdf</code> (📄)	195	<code>\faGratipay</code> (👉)	196	<code>\faKeyboard</code> (📻)	196
<code>\faFilePhoto</code> (📷)	198	<code>\faGroup</code> (👥)	198	<code>\faKrw</code> (₩)	26
<code>\faFilePicture</code> (📷)	198	<code>\faHackerNews</code> (👍)	196	<code>\faKrw</code> (₩)	26
<code>\faFilePowerpoint</code> (📽)	195	<code>\faHandGrab</code> (👉)	139	<code>\faLanguage</code> (🗣️)	196
<code>\faFiles</code> (📁)	195	<code>\faHandLizard</code> (👉)	139	<code>\faLaptop</code> (💻)	196
<code>\faFileSound</code> (📻)	198	<code>\faHandODown</code> (👉)	139	<code>\faLastfm</code> (OS)	196
<code>\faFileText</code> (📄)	195	<code>\faHandOLeft</code> (👉)	139	<code>\faLastfmSquare</code> (OS)	196
<code>\faFileText</code> (📄)	195	<code>\faHandORight</code> (👉)	139	<code>\faLeaf</code> (🍃)	196
<code>\faFileVideo</code> (📽)	195	<code>\faHandOUp</code> (👉)	139	<code>\faLeanpub</code> (📖)	196
<code>\faFileWord</code> (📄)	195	<code>\faHandPaper</code> (👉)	139	<code>\faLegal</code> (⚖️)	198
<code>\faFileVideo</code> (📽)	195	<code>\faHandPaper</code> (👉)	139	<code>\faLemon</code> (🍋)	196
<code>\faFileZip</code> (📁)	198	<code>\faHandPeace</code> (👉)	139	<code>\faLevelDown</code> (⬇️)	197
<code>\faFilm</code> (🎬)	195	<code>\faHandPointer</code> (👉)	139	<code>\faLevelUp</code> (⬆️)	197
<code>\faFilter</code> (🔍)	195	<code>\faHandRock</code> (👉)	139	<code>\faLifeBouy</code> (🚫)	198
<code>\faFire</code> (🔥)	195	<code>\faHandRock</code> (👉)	139	<code>\faLifeRing</code> (🚫)	197
<code>\faFireExtinguisher</code> (🧯)	195	<code>\faHandScissors</code> (✂️)	139	<code>\faLifeSaver</code> (🚫)	198
<code>\faFirefox</code> (🦊)	195	<code>\faHandSpock</code> (👉)	139	<code>\faLightbulb</code> (💡)	197
<code>\faFlag</code> (🚩)	195	<code>\faHandStop</code> (👉)	139	<code>\faLineChart</code> (📈)	197
<code>\faFlagChecked</code> (🚩)	195	<code>\faHdd</code> (💾)	196	<code>\faLink</code> (🔗)	197
<code>\faFlag</code> (🚩)	195	<code>\faHeader</code> (H)	196	<code>\faLinkedin</code> (in)	197
<code>\faFlash</code> (⚡)	198	<code>\faHeadphones</code> (🎧)	196	<code>\faLinkedinSquare</code> (in)	197
<code>\faFlask</code> (🧪)	195	<code>\faHeart</code> (❤️)	196	<code>\faLinux</code> (🐧)	197
<code>\faFlickr</code> (📷)	195	<code>\faHeartbeat</code> (💓)	196	<code>\faList</code> (☰)	197
<code>\faFloppy</code> (💾)	195	<code>\faHeart</code> (❤️)	196	<code>\faListAlt</code> (☰)	197
<code>\faFolder</code> (📁)	195	<code>\faHistory</code> (🕒)	196	<code>\faListOl</code> (☰)	197
<code>\faFolder</code> (📁)	195	<code>\faHome</code> (🏠)	196	<code>\faListUl</code> (☰)	197
<code>\faFolderOpen</code> (📁)	195	<code>\faHospital</code> (🏥)	196	<code>\fallingdotseq</code> (≈)	53
<code>\faFolderOpen</code> (📁)	195	<code>\faHotel</code> (🏨)	198	<code>\fallingdotseq</code> (≈)	52
<code>\faFont</code> (A)	195	<code>\faHourglass</code> (🕒)	196	<code>\fallingdotseq</code> (≈)	60
<code>\faFonticons</code> (fi)	195	<code>\faHourglassEnd</code> (🕒)	196	<code>\fallingdotseq</code> (≈)	57
<code>\faForumbee</code> (🐝)	195	<code>\faHourglassHalf</code> (🕒)	196	<code>\fallingdotseq</code> (≈)	55
<code>\faForward</code> (▶️)	195	<code>\faHourglass</code> (🕒)	196	<code>\fallingdotseq</code> (≈)	60
<code>\faFoursquare</code> (f)	195	<code>\faHourglassStart</code> (🕒)	196	<code>\FallingEdge</code> (⌊)	128
<code>\faFrown</code> (☹️)	195	<code>\faHouzz</code> (🏠)	196	<code>\faLocationArrow</code> (📍)	197
<code>\faFutbol</code> (⚽)	195	<code>\faHSquare</code> (H)	196	<code>\faLock</code> (🔒)	197
<code>\faGamepad</code> (🎮)	195	<code>\faHtml5</code> (H)	196	<code>\faLongArrowDown</code> (⬇️)	137
<code>\faGavel</code> (⚖️)	195	<code>\faIcCursor</code> (I)	196	<code>\faLongArrowLeft</code> (←)	137
<code>\faGbp</code> (£)	26	<code>\faIls</code> (₺)	26	<code>\faLongArrowRight</code> (→)	137
<code>\faGe</code> (🇸🇩)	198	<code>\faIls</code> (₺)	26	<code>\faLongArrowUp</code> (⬆️)	137
<code>\faGear</code> (⚙️)	198				

falsum	.....	see	\bot	\faOpera (O)	.....	197	\faRepeat (C)	.....	137
\faMagic (🔮)	.....		197	\faOptinMonster (👾)	.....	197	\faRepeat (C)	.....	137
\faMagnet (🧲)	.....		197	\faOutdent (☰)	.....	197	\faReply (↩)	.....	195
\faMailForward (➡)	.....		198	\faPagelines (✎)	.....	198	\faReplyAll (↩)	.....	195
\faMailReply (↩)	.....		198	\faPaintBrush (🖌)	.....	198	\faRetweet (🔄)	.....	195
\faMailReplyAll (↩)	.....		198	\faPaperclip (📎)	.....	198	\faRmb (¥)	.....	26
\faMale (♂)	.....		197	\faPaperPlane (✈)	.....	198	\faRoad (A)	.....	195
\faMap (📍)	.....		197	\faPaperPlane0 (✈)	.....	198	\faRocket (🚀)	.....	195
\faMapMarker (📍)	.....		197	\faParagraph (¶)	.....	198	\faRotateLeft (↶)	.....	137
\faMap0 (📖)	.....		197	\faPaste (📋)	.....	198	\faRotateRight (↷)	.....	137
\faMapPin (📌)	.....		197	\faPause (⏸)	.....	198	\faRouble (₽)	.....	26
\faMapSigns (📍)	.....		197	\faPaw (🐾)	.....	198	\faRss (📡)	.....	195
\faMars (♂)	.....	129, 134		\faPaypal (👛)	.....	198	\faRssSquare (📡)	.....	195
\faMarsDouble (♂)	.....		134	\faPencil (🖊)	.....	138	\faRub (₹)	.....	26
\faMarsStroke (♂)	.....		134	\faPencilSquare (📐)	.....	138	\faRub (₹)	.....	26
\faMarsStrokeH (♂)	.....		134	\faPencilSquare0 (📐)	.....	138	\faRuble (₽)	.....	26
\faMarsStrokeV (♂)	.....		134	\faPhone (📞)	.....	198	\faRupee (₹)	.....	26
\faMaxcdn (M)	.....		197	\faPhoneSquare (📞)	.....	198	\faSafari (🌐)	.....	195
\faMeanpath (M)	.....		197	\faPhoto (📷)	.....	198	\faSave (💾)	.....	198
\faMedium (M)	.....		197	\faPicture0 (📷)	.....	198	\faScissors (✂)	.....	195
\faMedkit (🏠)	.....		197	\faPieChart (📊)	.....	198	\faSearch (🔍)	.....	195
\faMeh0 (☹)	.....		197	\faPiedPiper (B)	.....	198	\faSearchMinus (🔍)	.....	195
\faMercury (☿)	.....		129	\faPiedPiperAlt (B)	.....	198	\faSearchPlus (🔍)	.....	195
\faMicrophone (🎤)	.....		197	\faPinterest (P)	.....	198	\faSellsy (🛒)	.....	195
\faMicrophoneSlash (🎤)	.....		197	\faPinterestP (P)	.....	198	\faSend (📤)	.....	198
\faMinus (−)	.....		197	\faPinterestSquare (P)	.....	198	\faSend0 (📤)	.....	198
\faMinusCircle (⊖)	.....		197	\faPlane (✈)	.....	195	\faServer (🖨)	.....	195
\faMinusSquare (◻)	.....		197	\faPlay (▶)	.....	195	\faShare (➦)	.....	195
\faMinusSquare0 (◻)	.....		197	\faPlayCircle (⦿)	.....	195	\faShareAlt (➦)	.....	195
\faMobile (📱)	.....		197	\faPlayCircle0 (⦿)	.....	195	\faShareAltSquare (📦)	.....	195
\faMobilePhone (📱)	.....		198	\faPlug (🔌)	.....	195	\faShareSquare (📦)	.....	195
\faMoney (💰)	.....		197	\faPlus (+)	.....	195	\faShareSquare0 (📦)	.....	195
\faMoon0 (🌑)	.....		129	\faPlusCircle (⊕)	.....	195	\faShekel (₪)	.....	26
\faMortarBoard (🎓)	.....		198	\faPlusSquare (⊕)	.....	195	\faSheqel (₪)	.....	26
\faMotorcycle (🏍)	.....		197	\faPlusSquare0 (⊕)	.....	195	\faShield (🛡)	.....	195
\faMousePointer (👉)	.....		197	\faPowerOff (🔌)	.....	195	\faShip (🚢)	.....	195
\faMusic (🎵)	.....		197	\faPrint (🖨)	.....	195	\faShirtsinbulk (👕)	.....	195
\faNavicon (☰)	.....		198	\faPuzzlePiece (🧩)	.....	195	\faShoppingCart (🛒)	.....	196
\Fancontent (H)	.....		119	\faQq (👤)	.....	195	\faSignal (📶)	.....	196
fancy borders	.....	205–213		\faQrcode (📱)	.....	195	\faSignalIn (📶)	.....	196
\faNeuter (♀)	.....		134	\Faquant (H)	.....	119	\faSignOut (🚪)	.....	196
\faNewspaper0 (📰)	.....		197	\Faquantn (H)	.....	119	\faSimplybuilt (B)	.....	196
\Fanncontent (H)	.....		119	\Faquantnn (H)	.....	119	\faSitemap (🗺)	.....	196
\Fannquant (H)	.....		119	\faQuestion (?)	.....	195	\faSkyatlas (🌌)	.....	196
\Fannquantn (H)	.....		119	\faQuestionCircle (⊕)	.....	195	\faSkype (S)	.....	196
\Fannquantnn (H)	.....		119	\faQuoteLeft (❝)	.....	195	\faSlack (#)	.....	196
\Fanoven (📺)	.....		192	\faQuoteRight (❞)	.....	195	\faSliders (☰)	.....	196
\Fanquant (H)	.....		119	\faRa (☺)	.....	198	\faSlideshare (📺)	.....	196
\Fanquantn (H)	.....		119	\faRandom (🎲)	.....	195	\faSmile0 (☺)	.....	196
\Fanquantnn (H)	.....		119	\faRebel (🇺🇸)	.....	195	\faSoccerBall0 (⚽)	.....	198
\faObjectGroup (📁)	.....		197	\faRecycle (♻)	.....	195	\faSort (↕)	.....	196
\faObjectUngroup (📁)	.....		197	\faReddit (👤)	.....	195	\faSortAlphaAsc (↓A)	.....	196
\faOdnoklassniki (👤)	.....		197	\faRedditSquare (👤)	.....	195	\faSortAlphaDesc (↓A)	.....	196
\faOdnoklassnikiSquare (👤)	.....		197	\faRefresh (🔄)	.....	195	\faSortAmountAsc (↓)	.....	196
	.....		197	\faRegistered (®)	.....	27	\faSortAmountDesc (↓)	.....	196
\faOpencart (🛒)	.....		197	\faRemove (✖)	.....	141	\faSortAsc (↑)	.....	196
\faOpenid (🔗)	.....		197	\faRenren (👤)	.....	195	\faSortDesc (↓)	.....	196
				\faReorder (☰)	.....	198	\faSortDown (▼)	.....	198

<code>\faSortNumericAsc</code> (↕) ...	196	<code>\faThumbTack</code> (👉) .....	197	<code>\faVenusDouble</code> (♁) .....	134
<code>\faSortNumericDesc</code> (↕ <sub>1</sub> ) ..	196	<code>\faTicket</code> (🎫) .....	197	<code>\faVenusMars</code> (♁♂) .....	134
<code>\faSortUp</code> (▲) .....	198	<code>\faTimes</code> (✖) .....	141	<code>\faViacoin</code> (👉) .....	26
<code>\faSoundcloud</code> (☁) .....	196	<code>\faTimes</code> (✖) .....	141	<code>\faVideoCamera</code> (📹) .....	197
<code>\faSpaceShuttle</code> (🚀) .....	196	<code>\faTimesCircle</code> (⊗) .....	141	<code>\faVimeo</code> (📺) .....	197
<code>\faSpinner</code> (⋮) .....	196	<code>\faTimesCircle0</code> (⊕) .....	141	<code>\faVimeoSquare</code> (📺) .....	197
<code>\faSpoon</code> (🥄) .....	196	<code>\faTint</code> (💧) .....	197	<code>\faVine</code> (📺) .....	197
<code>\faSpotify</code> (🎵) .....	196	<code>\faToggleDown</code> (▣) .....	198	<code>\faVk</code> (👉) .....	197
<code>\faSquare</code> (■) .....	148	<code>\faToggleLeft</code> (▣) .....	198	<code>\faVolumeDown</code> (🔊) .....	197
<code>\faSquare0</code> (□) .....	148	<code>\faToggleOff</code> (⊖) .....	197	<code>\faVolumeOff</code> (🔇) .....	197
<code>\faStackExchange</code> (≡) .....	196	<code>\faToggleOn</code> (⊕) .....	197	<code>\faVolumeUp</code> (🔊) .....	197
<code>\faStackOverflow</code> (≡) .....	196	<code>\faToggleRight</code> (▣) .....	198	<code>\faWarning</code> (⚠) .....	198
<code>\faStar</code> (★) .....	143	<code>\faToggleUp</code> (▣) .....	198	<code>\faWechat</code> (👉) .....	198
<code>\faStarHalf</code> (★) .....	143	<code>\faTrademark</code> (™) .....	27	<code>\faWeibo</code> (👉) .....	198
<code>\faStarHalfEmpty</code> (★) ..	143	<code>\faTrain</code> (🚆) .....	197	<code>\faWeixin</code> (👉) .....	198
<code>\faStarHalfFull</code> (★) .....	143	<code>\faTransgender</code> (♿) .....	134	<code>\faWhatsapp</code> (👉) .....	198
<code>\faStarHalf0</code> (★) .....	143	<code>\faTransgender</code> (♿) .....	134	<code>\faWheelchair</code> (♿) .....	198
<code>\faStarHalf0</code> (★) .....	143	<code>\faTransgenderAlt</code> (♿) ..	134	<code>\faWifi</code> (📶) .....	198
<code>\faStar0</code> (☆) .....	143	<code>\faTrash</code> (🗑) .....	197	<code>\faWikipediaW</code> (W) .....	198
<code>\faSteam</code> (👉) .....	196	<code>\faTrash0</code> (🗑) .....	197	<code>\faWindows</code> (🖥) .....	198
<code>\faSteamSquare</code> (👉) .....	196	<code>\faTree</code> (🌲) .....	197	<code>\faWon</code> (₩) .....	26
<code>\faStepBackward</code> (⏮) .....	196	<code>\faTrello</code> (📌) .....	197	<code>\faWordpress</code> (W) .....	198
<code>\faStepForward</code> (⏭) .....	196	<code>\faTripadvisor</code> (📍) .....	197	<code>\faWrench</code> (🔧) .....	198
<code>\faStethoscope</code> (👂) .....	196	<code>\faTrophy</code> (🏆) .....	197	<code>\FAX</code> (FAX) .....	134
<code>\faStickyNote</code> (📌) .....	196	<code>\faTruck</code> (🚚) .....	197	<code>\fax</code> (☎) .....	134
<code>\faStickyNote0</code> (📌) .....	196	<code>\faTry</code> (👉) .....	26	<code>\faXing</code> (✕) .....	198
<code>\faStop</code> (■) .....	196	<code>\faTry</code> (👉) .....	26	<code>\faXingSquare</code> (✕) .....	198
<code>\faStreetView</code> (📍) .....	196	<code>\fatsemi</code> (⸮) .....	32	<code>\Faxmachine</code> (📠) .....	134
<code>\faStrikethrough</code> (ⓧ) ..	196	<code>\fatsemi</code> (⸮) .....	35	<code>\faYahoo</code> (Y) .....	198
<code>\faStumbleupon</code> (👉) .....	196	<code>\fatslash</code> ( // ) .....	32	<code>\faYc</code> (Y) .....	198
<code>\faStumbleuponCircle</code> (⊕) ..	196	<code>\fatslash</code> ( // ) .....	59	<code>\faYCombinator</code> (Y) .....	198
<code>\faSubscript</code> (x <sub>2</sub> ) .....	196	<code>\faTty</code> (⌨) .....	197	<code>\faYCombinatorSquare</code> (Y) ..	198
<code>\faSubway</code> (🚇) .....	196	<code>\faTumblr</code> (t) .....	197	<code>\faYcSquare</code> (Y) .....	198
<code>\faSuitcase</code> (🧳) .....	196	<code>\faTumblrSquare</code> (t) .....	197	<code>\faYelp</code> (👉) .....	198
<code>\faSun0</code> (☀) .....	129	<code>\faTurkishLira</code> (₺) .....	26	<code>\faYen</code> (¥) .....	26
<code>\faSuperscript</code> (x <sup>2</sup> ) .....	196	<code>\faTv</code> (📺) .....	198	<code>\faYoutube</code> (📺) .....	198
<code>\faSupport</code> (👉) .....	198	<code>\faTwitch</code> (📺) .....	197	<code>\faYoutubePlay</code> (▶) .....	198
<code>\faTable</code> (📊) .....	196	<code>\faTwitter</code> (🐦) .....	197	<code>\faYoutubeSquare</code> (📺) ..	198
<code>\faTablet</code> (📱) .....	196	<code>\faTwitterSquare</code> (🐦) ..	197	<code>\fbowtie</code> (⚔) .....	60
<code>\faTachometer</code> (📊) .....	196	<code>\faUmbrella</code> (☂) .....	197	<code>fc</code> (package) .....	16, 21
<code>\faTag</code> (🏷) .....	196	<code>\faUnderline</code> (U) .....	197	<code>\fcdice</code> (🎲 🎲 🎲 🎲 🎲) ..	180
<code>\faTags</code> (👉) .....	196	<code>\faUndo</code> (↶) .....	137	<code>fcfont</code> (package) .....	243
<code>\faTasks</code> (☰) .....	197	<code>\faUndo</code> (↶) .....	137	<code>\fcmp</code> (;) .....	36
<code>\faTaxi</code> (🚕) .....	197	<code>\faUniversity</code> (🎓) .....	197	<code>\Fcontent</code> (—) .....	119
<code>\fatbslash</code> ( \ ) .....	32	<code>\faUnlink</code> (🔗) .....	198	<code>\fcscore</code> (              📊) ..	181
<code>\fatbslash</code> ( \ ) .....	60	<code>\faUnlock</code> (🔓) .....	197	<code>.fd files</code> .....	12, 234, 241
<code>\faTelevision</code> (📺) .....	197	<code>\faUnlockAlt</code> (🔓) .....	197	<code>\fdiagovnearrow</code> (↗) .....	88
<code>\faTencentWeibo</code> (👉) .....	197	<code>\faUnsorted</code> (↕) .....	198	<code>\fdiagovrdiag</code> (✕) .....	124
<code>\faTerminal</code> (⤵) .....	197	<code>\faUpload</code> (📶) .....	197	<code>fdsymbol</code> (package) .....	34, 35,
<code>\faTextHeight</code> (T <sub>I</sub> ) .....	197	<code>\faUsd</code> (\$) .....	26	38, 39, 47, 57, 58, 66, 70,	
<code>\faTextWidth</code> (T <sub>I</sub> ) .....	197	<code>\faUsd</code> (\$) .....	26	74, 81–85, 93, 98, 100, 105,	
<code>\faTh</code> (📊) .....	197	<code>\faUser</code> (👤) .....	197	106, 110, 112, 118, 121, 123,	
<code>\faThLarge</code> (📊) .....	197	<code>\faUserMd</code> (👤) .....	197	144, 148, 159, 243	
<code>\faThList</code> (📊) .....	197	<code>\faUserPlus</code> (👤+) .....	197	<code>feet</code> .....	<i>see \prime and \textquotesingle</i>
<code>\faThumbsDown</code> (👎) .....	139	<code>\faUsers</code> (👤) .....	197	<code>\FEMALE</code> (♀) .....	134
<code>\faThumbsODown</code> (👎) .....	139	<code>\faUserSecret</code> (👤) .....	197	<code>\Female</code> (♀) .....	134
<code>\faThumbsOUp</code> (👍) .....	139	<code>\faUserTimes</code> (👤✕) .....	197	<code>female</code> .....	18, 129–131, 134,
<code>\faThumbsUp</code> (👍) .....	139	<code>\faVenus</code> (♀) .....	129, 134		193–198, 202–205



<code>\female</code> (♀) . . . . .	134	<code>\fgecupbar</code> (≃) . . . . .	124	<code>\filledlozenge</code> (◆) . . . . .	144
<code>\female</code> (♀) . . . . .	134	<code>\fged</code> (ϱ) . . . . .	101	<code>\filledmedlozenge</code> (♠) . . . . .	144
<code>\FemaleFemale</code> (⚧) . . . . .	134	<code>\fgee</code> (ð) . . . . .	101	<code>\filledmedsquare</code> (■) . . . . .	38
<code>\FemaleMale</code> (♂) . . . . .	134	<code>\fgeeszett</code> (Ϸ) . . . . .	101	<code>\filledmedtriangledown</code> (▼) . . . . .	38, 73
<code>\Ferli</code> (♠) . . . . .	161	<code>\fgeeta</code> (Ϸ) . . . . .	101	<code>\filledmedtriangleleft</code> (◀) . . . . .	38, 73
<code>\fermata</code> . . . . .	166	<code>\fgeF</code> (J) . . . . .	101	<code>\filledmedtriangleright</code> (▶) . . . . .	38, 73
<code>\fermata</code> (⤿) . . . . .	164	<code>\fgef</code> (ƒ) . . . . .	101	<code>\filledmedtriangleup</code> (▲) . . . . .	38, 73
<code>\fermatadown</code> (⤿) . . . . .	160	<code>\fgeinfty</code> (∞) . . . . .	124	<code>\FilledRainCloud</code> (☁) . . . . .	179
<code>\fermataup</code> (⤿) . . . . .	160	<code>\fgelangle</code> (∟) . . . . .	124	<code>\FilledSectioningDiamond</code> (◆) . . . . .	179
<code>\Fermi</code> (♠) . . . . .	161	<code>\fgelb</code> . . . . .	101	<code>\FilledSmallCircle</code> (●) . . . . .	146
<code>\fermion</code> (ℱ) . . . . .	135	<code>\fgeIb</code> (ℓ) . . . . .	101	<code>\FilledSmallCircle</code> (●) . . . . .	147
fermions . . . . .	135	<code>\fgeleftB</code> (⊖) . . . . .	101	<code>\FilledSmallDiamondshape</code> (◆) . . . . .	146
feyn (package) . . . . .	135, 243, 244	<code>\fgeleftC</code> (⊖) . . . . .	101	<code>\FilledSmallSquare</code> (■) . . . . .	146
Feynman slashed character notation . . . . .	227	<code>\fgeN</code> (ℓ) . . . . .	101	<code>\FilledSmallTriangleDown</code> (▼) . . . . .	146
Feynman-diagram symbols . . . . .	135	<code>\fgeoverU</code> (ℓ) . . . . .	101	<code>\FilledSmallTriangleLeft</code> (◀) . . . . .	146
<code>\feyn{a}</code> (ⓐ) . . . . .	135	<code>\fgerightarrow</code> (⇒) . . . . .	91	<code>\FilledSmallTriangleRight</code> (▶) . . . . .	146
<code>\feyn{c}</code> (ⓒ) . . . . .	135	<code>\fgerightB</code> (⊕) . . . . .	101	<code>\FilledSmallTriangleUp</code> (▲) . . . . .	146
<code>\feyn{fd}</code> (ⓓ) . . . . .	135	<code>\fges</code> (f) . . . . .	101	<code>\FilledSnowCloud</code> (☁) . . . . .	179
<code>\feyn{flS}</code> (ⓕ) . . . . .	135	<code>\fgestruckone</code> (i) . . . . .	120	<code>\FilledSquare</code> (■) . . . . .	146
<code>\feyn{fl}</code> (ⓕ) . . . . .	135	<code>\fgestruckzero</code> (0) . . . . .	120	<code>\filledsquare</code> (■) . . . . .	38
<code>\feyn{fs}</code> (ⓕ) . . . . .	135	<code>\fgeU</code> (ℓ) . . . . .	101	<code>\FilledSquareShadowA</code> (■) . . . . .	146
<code>\feyn{fu}</code> (ⓕ) . . . . .	135	<code>\fgeuparrow</code> (⤴) . . . . .	91	<code>\FilledSquareShadowC</code> (■) . . . . .	146
<code>\feyn{fv}</code> (ⓕ) . . . . .	135	<code>\fgeupbracket</code> (⌊) . . . . .	124	<code>\filledsquarewithdots</code> (◼) . . . . .	149
<code>\feyn{f}</code> (ⓕ) . . . . .	135	field (ℱ) . . . . .	<i>see</i> alphabets, math	<code>\filledstar</code> (★) . . . . .	38
<code>\feyn{g1}</code> (ⓑ) . . . . .	135	<code>\file</code> (↔) . . . . .	182	<code>\FilledSunCloud</code> (☁) . . . . .	179
<code>\feyn{gd}</code> (ⓑ) . . . . .	135	file extensions . . . . .		<code>\FilledTriangleDown</code> (▼) . . . . .	146
<code>\feyn{glB}</code> (ⓑ) . . . . .	135	.dvi . . . . .	240	<code>\filledtriangledown</code> (▼) . . . . .	38, 73
<code>\feyn{glS}</code> (ⓑ) . . . . .	135	.fd . . . . .	12, 234, 241	<code>\FilledTriangleLeft</code> (◀) . . . . .	146
<code>\feyn{glu}</code> (ⓑ) . . . . .	135	.mf . . . . .	12, 200, 232	<code>\filledtriangleleft</code> (◀) . . . . .	38, 73
<code>\feyn{gl}</code> (ⓑ) . . . . .	135	.otf . . . . .	159	<code>\FilledTriangleRight</code> (▶) . . . . .	146
<code>\feyn{gu}</code> (ⓑ) . . . . .	135	.pdf . . . . .	240	<code>\filledtriangleright</code> (▶) . . . . .	38, 73
<code>\feyn{gvs}</code> (ⓑ) . . . . .	135	.sty . . . . .	12	<code>\FilledTriangleUp</code> (▲) . . . . .	147
<code>\feyn{gv}</code> (ⓑ) . . . . .	135	.tex . . . . .	240, 241	<code>\filledtriangleup</code> (▲) . . . . .	38, 73
<code>\feyn{g}</code> (ⓑ) . . . . .	135	.tfm . . . . .	12, 200, 222, 241	<code>\FilledWeakRainCloud</code> (☁) . . . . .	179
<code>\feyn{hd}</code> (ⓑ) . . . . .	135	file symbols . . . . .	195–198	finger, pointing . . . . .	<i>see</i> fists
<code>\feyn{hs}</code> (ⓑ) . . . . .	135	<code>\FilledBigCircle</code> (●) . . . . .	146	finite field (ℱ) . . . . .	<i>see</i> alphabets, math
<code>\feyn{hu}</code> (ⓑ) . . . . .	135	<code>\FilledBigDiamondshape</code> (◆) . . . . .	147	<code>\Finland</code> (🇫🇮) . . . . .	190
<code>\feyn{h}</code> (ⓑ) . . . . .	135	<code>\FilledBigSquare</code> (■) . . . . .	147	<code>\finpartvoice</code> (🗣) . . . . .	23
<code>\feyn{ms}</code> (ⓑ) . . . . .	135	<code>\FilledBigTriangleDown</code> (▼) . . . . .	147	<code>\finpartvoiceless</code> (🗣) . . . . .	23
<code>\feyn{m}</code> (ⓑ) . . . . .	135	<code>\FilledBigTriangleLeft</code> (◀) . . . . .	147	<code>\fint</code> (f) . . . . .	44
<code>\feyn{P}</code> (●) . . . . .	135	<code>\FilledBigTriangleRight</code> (▶) . . . . .	147	<code>\fint</code> (f) . . . . .	45
<code>\feyn{p}</code> (●) . . . . .	135	<code>\FilledBigTriangleUp</code> (▲) . . . . .	146	<code>\fint</code> (f) . . . . .	47
<code>\feyn{x}</code> (ⓑ) . . . . .	135	<code>\FilledCircle</code> (●) . . . . .	146		
<code>\FF</code> (♀) . . . . .	133	<code>\FilledCloud</code> (☁) . . . . .	179		
fge (package) . . . . .	91, 101, 110, 120, 124, 243	<code>\filleddiamond</code> (◆) . . . . .	38		
<code>\fgeA</code> (ψ) . . . . .	101	<code>\FilledDiamondShadowA</code> (◆) . . . . .	146		
<code>\fgebackslash</code> (λ) . . . . .	124	<code>\FilledDiamondShadowC</code> (◆) . . . . .	146		
<code>\fgebaracute</code> (⊥) . . . . .	124	<code>\FilledDiamondshape</code> (◆) . . . . .	146		
<code>\fgebarcap</code> (⊃) . . . . .	124	<code>\FilledHut</code> (♠) . . . . .	179		
<code>\fgec</code> (ð) . . . . .	101	<code>\filledlargestar</code> (★) . . . . .	144		
<code>\fgecap</code> (∩) . . . . .	124				
<code>\fgecapbar</code> (≃) . . . . .	124				
<code>\fgecup</code> (∪) . . . . .	124				
<code>\fgecupacute</code> (∪) . . . . .	124				

<code>\fint</code> ( $\int$ )	48	flowers	142, 143, 193–194, 205–207	Symbol	97, 225
<code>\fintsl</code> ( $\int$ )	50	<code>\fltns</code> ( $\sloppy$ )	145	Times Roman	26, 224
<code>\fintup</code> ( $\int$ )	50	Flynn, Peter	226	Type 1	235
<code>\Finv</code> ( $\int$ )	99	<code>\FM</code> ( $\text{f}$ )	132	Utopia	26, 51
<code>\Finv</code> ( $\int$ )	99	<code>\Fncontent</code> ( $\text{f}$ )	119	Zapf Chancery	126
<code>\Finv</code> ( $\int$ )	100	<code>\Fnncontent</code> ( $\text{f}$ )	119	Zapf Dingbats	136, 141
<code>\Finv</code> ( $\int$ )	100	<code>\Fnnquant</code> ( $\text{f}$ )	119	<code>\fontsize</code>	222, 224
<code>\Finv</code> ( $\int$ )	100	<code>\Fnnquantn</code> ( $\text{f}$ )	119	fontspec (package)	159, 241, 242
<code>\Fire</code> ( $\text{f}$ )	179, 193	<code>\Fnnquantnn</code> ( $\text{f}$ )	119	<code>\Football</code> ( $\text{f}$ )	178
<code>\Fire</code> ( $\Delta$ )	131	<code>\Fnquant</code> ( $\text{f}$ )	119	<code>\forallall</code> ( $\forall$ )	99
fish	206–207	<code>\Fnquantn</code> ( $\text{f}$ )	119	<code>\forallall</code> ( $\forall$ )	100
fish hook	<i>see</i> <code>\strictif</code>	<code>\Fnquantnn</code> ( $\text{f}$ )	119	<code>\forallall</code> ( $\forall$ )	100
<code>\fisheye</code> ( $\text{f}$ )	145	<code>\fnsymbol</code>	181	<code>\Force</code> ( $\downarrow$ )	134
fists	139, 200	<code>\Fog</code> ( $\text{f}$ )	179	<code>\Fork</code> ( $\text{f}$ )	192
<code>\fivedots</code> ( $\text{f}$ )	33, 118	font encodings	12, 14–17, 20, 21, 24, 225, 230, 237, 238, 240, 242	<code>\forks</code> ( $\text{f}$ )	62
<code>\FiveFlowerOpen</code> ( $\text{f}$ )	142	7-bit	12	<code>\forksnot</code> ( $\text{f}$ )	60
<code>\FiveFlowerPetal</code> ( $\text{f}$ )	142	8-bit	12	<code>\forkv</code> ( $\text{f}$ )	59
<code>\FiveStar</code> ( $\text{f}$ )	142	ASCII	242	<code>\forkv</code> ( $\text{f}$ )	60
<code>\FiveStarCenterOpen</code> ( $\text{f}$ )	142	Cyrillic	21	forte ( $\text{f}$ )	164, 175
<code>\FiveStarConvex</code> ( $\text{f}$ )	142	document	238, 240	<code>\Fortune</code> ( $\text{f}$ )	131
<code>\FiveStarLines</code> ( $\text{f}$ )	142	Latin 1	242	<code>\Forward</code> ( $\blacktriangleright$ )	178
<code>\FiveStarOpen</code> ( $\text{f}$ )	142	limiting scope of	12	<code>\ForwardToEnd</code> ( $\blacktriangleright$ )	178
<code>\FiveStarOpenCircled</code> ( $\text{f}$ )	142	LY1	12	<code>\ForwardToIndex</code> ( $\blacktriangleright$ )	178
<code>\FiveStarOpenDotted</code> ( $\text{f}$ )	142	OT1	12, 15, 21, 230, 237, 238	<code>\FourAsterisk</code> ( $\text{f}$ )	142
<code>\FiveStarOutline</code> ( $\text{f}$ )	142	OT2	225	<code>\FourCflowerOpen</code> ( $\text{f}$ )	142
<code>\FiveStarOutlineHeavy</code> ( $\text{f}$ )	142	T1	12, 14, 15, 17, 21, 238, 240	<code>\FourCflowerSolid</code> ( $\text{f}$ )	142
<code>\FiveStarShadow</code> ( $\text{f}$ )	142	T2A	21, 225	<code>\Fourier</code> ( $\text{f}$ )	64
<code>\Fixedbearing</code> ( $\text{f}$ )	134	T2B	21	fourier (package)	27, 64, 97, 101, 108, 114, 139, 143, 178, 243
<code>\fixedddots</code> ( $\text{f}$ )	117	T2C	21	<code>\fourier</code> ( $\text{f}$ )	64
<code>\fixedvdots</code> ( $\text{f}$ )	117	T4	16, 20, 21, 24	Fourier transform ( $\mathcal{F}$ )	<i>see</i> alphabets, math
fixmath (package)	237	T5	16, 21	<code>\FourStar</code> ( $\text{f}$ )	142
<code>\fj</code> ( $\text{f}$ )	20	TS1	225, 238	<code>\FourStarOpen</code> ( $\text{f}$ )	142
<code>\FL</code> ( $\text{L}$ )	132	U	225	<code>\fourth</code> ( $\text{f}$ )	122
<code>\Flag</code> ( $\text{f}$ )	179	X2	21	<code>\fourvdots</code> ( $\text{f}$ )	118
<code>\flageolett</code> ( $\text{f}$ )	160	fontawesome (package)	26, 27, 129, 134, 137–139, 141, 143, 148, 195, 198, 243, 244	<code>\Fquantn</code> ( $\text{f}$ )	119
flags	193–194	fontdef.dtx (file)	226, 230	<code>\Fquantnn</code> ( $\text{f}$ )	119
<code>\flap</code> ( $\text{f}$ )	20	fontenc (package)	12, 15, 17, 21, 238, 240	<code>\fracslash</code> ( $\text{f}$ )	36
<code>\flapr</code> ( $\text{f}$ )	19	<code>\fontencoding</code>	12	fractions	124
<code>\flat</code> ( $\text{f}$ )	159	fonts	Calligra 126 Charter 26, 51 Computer Modern 222, 224, 238 CountriesOfEurope 191 Courier 26 Emmentaler 164 Garamond 26, 51 Helvetica 26 “pi” 225 Soyombo 189	fraktur <i>see</i> alphabets, math	
<code>\flat</code> ( $\text{f}$ )	159			<code>\France</code> ( $\text{f}$ )	190
<code>\flat</code> ( $\text{f}$ )	159			Freemason’s cipher	187
<code>\flat</code> ( $\text{f}$ )	163			frege (package)	119, 243, 244
<code>\flat</code> ( $\text{f}$ )	159			Frege logic symbols	91, 101, 119, 120, 124
<code>\flatflat</code> ( $\text{f}$ )	163			Frege, Gottlob	119
<code>\Flatsteel</code> ( $\text{f}$ )	134			<code>\frown</code> ( $\text{f}$ )	51
fledged arrows	91, 136			<code>\frown</code> ( $\text{f}$ )	59
fleurons	143, 149, 205–206			<code>\frown</code> ( $\text{f}$ )	57, 93
<code>\Florin</code> ( $\text{f}$ )	26			<code>\frown</code> ( $\text{f}$ )	92
florin	<i>see</i> <code>\textflorin</code>			<code>\frown</code> ( $\text{f}$ )	60
flourishes	149, 209			frown symbols	92, 93
<code>\floweroneleft</code> ( $\text{f}$ )	143			<code>\frown</code> ( $\text{f}$ )	57, 93
<code>\floweroneright</code> ( $\text{f}$ )	143			<code>\frown</code> ( $\text{f}$ )	92

<code>\frownie</code> (☹) . . . . .	177	<code>\geqdot</code> ( $\geq$ ) . . . . .	70	<code>\gleichstark</code> ( $\mathbb{H}$ ) . . . . .	60
<code>\frownsmile</code> (☺) . . . . .	57, 93	<code>\geqdot</code> ( $\geq$ ) . . . . .	69	<code>\glj</code> ( $\times$ ) . . . . .	71
<code>\frownsmile</code> (☺) . . . . .	92	<code>\geqq</code> ( $\geq$ ) . . . . .	68	<code>\glj</code> ( $\times$ ) . . . . .	72
<code>\frownsmileeq</code> ( $\geq$ ) . . . . .	92	<code>\geqq</code> ( $\geq$ ) . . . . .	67	globe . . . . .	178
<code>\Frowny</code> (☹) . . . . .	178	<code>\geqq</code> ( $\geq$ ) . . . . .	71	<code>\glotstop</code> (ʔ) . . . . .	19
frowny faces . . . . .	133, 177, 178, 192–198	<code>\geqq</code> ( $\geq$ ) . . . . .	70	<code>\glottal</code> (ʔ) . . . . .	20
<code>\fryingpan</code> (☞) . . . . .	192	<code>\geqq</code> ( $\geq$ ) . . . . .	69	<code>\Gloves</code> (☞) . . . . .	192
<code>\fryingpan</code> (☞) . . . . .	192	<code>\geqq</code> ( $\geq$ ) . . . . .	71	<code>\gluon</code> (☞) . . . . .	128
<code>\FS</code> (L) . . . . .	133	<code>\geqqslant</code> ( $\geq$ ) . . . . .	72	gluons . . . . .	135
<code>\fullmoon</code> (☉) . . . . .	130	<code>\geqslant</code> ( $\geq$ ) . . . . .	67	<code>\gnapprox</code> ( $\approx$ ) . . . . .	68
<code>\fullmoon</code> (☉) . . . . .	129	<code>\geqslant</code> ( $\geq$ ) . . . . .	71	<code>\gnapprox</code> ( $\approx$ ) . . . . .	67
<code>\fullnote</code> (♩) . . . . .	159	<code>\geqslant</code> ( $\geq$ ) . . . . .	70	<code>\gnapprox</code> ( $\approx$ ) . . . . .	71
<code>\fullouterjoin</code> (⋈) . . . . .	124	<code>\geqslant</code> ( $\geq$ ) . . . . .	69	<code>\gnapprox</code> ( $\approx$ ) . . . . .	70
		<code>\geqslant</code> ( $\geq$ ) . . . . .	72	<code>\gnapprox</code> ( $\approx$ ) . . . . .	69
		<code>\geqslantdot</code> ( $\geq$ ) . . . . .	70	<code>\gnapprox</code> ( $\approx$ ) . . . . .	72
		<code>\geqslantdot</code> ( $\geq$ ) . . . . .	69	<code>\gneq</code> ( $\geq$ ) . . . . .	68
		<code>\geqslcc</code> ( $\geq$ ) . . . . .	70	<code>\gneq</code> ( $\geq$ ) . . . . .	67
		german (keystroke package op- tion) . . . . .	132	<code>\gneq</code> ( $\geq$ ) . . . . .	71
		<code>\Germany</code> (♣) . . . . .	191	<code>\gneq</code> ( $\geq$ ) . . . . .	70
		<code>\gescc</code> ( $\geq$ ) . . . . .	70	<code>\gneq</code> ( $\geq$ ) . . . . .	72
		<code>\gescc</code> ( $\geq$ ) . . . . .	72	<code>\gneqq</code> ( $\geq$ ) . . . . .	68
		<code>\gesdot</code> ( $\geq$ ) . . . . .	70	<code>\gneqq</code> ( $\geq$ ) . . . . .	67
		<code>\gesdot</code> ( $\geq$ ) . . . . .	72	<code>\gneqq</code> ( $\geq$ ) . . . . .	71
		<code>\gesdoto</code> ( $\geq$ ) . . . . .	72	<code>\gneqq</code> ( $\geq$ ) . . . . .	70
		<code>\gesdotol</code> ( $\geq$ ) . . . . .	72	<code>\gneqq</code> ( $\geq$ ) . . . . .	69
		<code>\gesl</code> ( $\geq$ ) . . . . .	70	<code>\gneqq</code> ( $\geq$ ) . . . . .	72
		<code>\gesles</code> ( $\geq$ ) . . . . .	72	<code>\gnsim</code> ( $\geq$ ) . . . . .	68
		<code>\gets</code> . . . . . <i>see</i> <code>\leftarrow</code>		<code>\gnsim</code> ( $\geq$ ) . . . . .	67
		<code>\gets</code> ( $\leftarrow$ ) . . . . .	83	<code>\gnsim</code> ( $\geq$ ) . . . . .	71
		<code>\gg</code> ( $\gg$ ) . . . . .	68	<code>\gnsim</code> ( $\geq$ ) . . . . .	70
		<code>\gg</code> ( $\gg$ ) . . . . .	67	<code>\gnsim</code> ( $\geq$ ) . . . . .	69
		<code>\gg</code> ( $\gg$ ) . . . . .	70	<code>\gnsim</code> ( $\geq$ ) . . . . .	72
		<code>\gg</code> ( $\gg$ ) . . . . .	69	<code>\GO</code> ( $\rightarrow$ ) . . . . .	132
		<code>\gg</code> ( $\gg$ ) . . . . .	72	go (package) . . . . .	184, 243
		<code>\ggcurly</code> ( $\gg$ ) . . . . .	53	Go boards . . . . .	183, 184
		<code>\ggcurly</code> ( $\gg$ ) . . . . .	59	Go stones . . . . .	183, 184
		<code>\ggg</code> ( $\ggg$ ) . . . . .	68	goban . . . . .	183, 184
		<code>\ggg</code> ( $\ggg$ ) . . . . .	67	<code>\Goofy</code> . . . . .	185
		<code>\ggg</code> ( $\ggg$ ) vs. $\gg$ ) . . . . .	223	<code>\graphene</code> (○) . . . . .	135
		<code>\ggg</code> ( $\ggg$ ) . . . . .	71	graphics (package) . . . . .	91, 225
		<code>\ggg</code> ( $\ggg$ ) . . . . .	70	graphicx (package) . . . . .	24, 222, 225
		<code>\ggg</code> ( $\ggg$ ) . . . . .	69	<code>\grave</code> (̀) . . . . .	110
		<code>\ggg</code> ( $\ggg$ ) . . . . .	72	<code>\grave</code> (̀) . . . . .	109
		<code>\gggnest</code> ( $\ggg$ ) . . . . .	72	grave (̀) . . . . . <i>see</i> accents	
		<code>\gggtr</code> . . . . . <i>see</i> <code>\ggg</code>		<code>\gravis</code> (̀) . . . . .	24
		<code>\gggtr</code> ( $\ggg$ ) . . . . .	70	<code>\GreatBritain</code> (🇬🇧) . . . . .	191
		<code>\gggtr</code> ( $\ggg$ ) . . . . .	69	greater-than signs . . . . . <i>see</i>	
		<code>\gggtr</code> ( $\ggg$ ) . . . . .	72	inequalities	
		ghosts . . . . .	187	greatest lower bound <i>see</i> <code>\sqcap</code>	
		Gibbons, Jeremy . . . . .	245	<code>\Greece</code> (€) . . . . .	191
		<code>\gimel</code> (ג) . . . . .	98	Greek . . . . .	16, 96, 97
		<code>\gimel</code> (ג) . . . . .	99	blackboard bold . . . . .	127
		<code>\gimel</code> (ג) . . . . .	98	bold . . . . .	96, 236
		<code>\gimel</code> (ג) . . . . .	98	coins . . . . .	27
		<code>\gimel</code> (ג) . . . . .	98	letters . . . . .	16, 96, 97, 127, 156, 236
		<code>\gimel</code> (ג) . . . . .	99	numerals . . . . .	156
		<code>\girl</code> (♀) . . . . .	130	polytonic . . . . .	16, 96, 97
		<code>\gla</code> (×) . . . . .	72	upright . . . . .	16, 97
		<code>\glE</code> ( $\cong$ ) . . . . .	72		

greek (babel package option) 16,  
96, 97, 156  
Green Dot *see* `\Greenpoint` and  
`\PackingWaste`  
`\Greenpoint` ( $\text{\textcircled{G}}$ ) . . . . . 188  
greenpoint (package) . . . . . 200, 243  
Gregorian music . . . . . 161  
  
`\gregorianCclef` ( $\text{\textcircled{C}}$ ) . . . 161  
  
`\gregorianFclef` ( $\text{\textcircled{F}}$ ) . . . 161  
Gregorio, Enrico . . . . . 109, 227  
Griffith's separation vector ( $\text{\textcircled{G}}$ ) .  
. . . . . 126  
`\grimace` ( $\text{\textcircled{G}}$ ) . . . . . 178  
Grüne Punkt . *see* `\Greenpoint`  
and `\PackingWaste`  
`\GS` ( $\text{\textcircled{G}}$ ) . . . . . 133  
`\gsime` ( $\text{\textcircled{G}}$ ) . . . . . 72  
`\gsiml` ( $\text{\textcircled{G}}$ ) . . . . . 72  
`\Gt` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\Gt` ( $\text{\textcircled{G}}$ ) . . . . . 72  
`\gtcc` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtcc` ( $\text{\textcircled{G}}$ ) . . . . . 72  
`\gtcir` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtcir` ( $\text{\textcircled{G}}$ ) . . . . . 72  
`\gtlpar` ( $\text{\textcircled{G}}$ ) . . . . . 121  
`\gtlpar` ( $\text{\textcircled{G}}$ ) . . . . . 121  
`\gquest` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtr` ( $\text{\textcircled{G}}$ ) . . . . . 70  
`\gtr` ( $\text{\textcircled{G}}$ ) . . . . . 69  
`\gtrapprox` ( $\text{\textcircled{G}}$ ) . . . . . 68  
`\gtrapprox` ( $\text{\textcircled{G}}$ ) . . . . . 67  
`\gtrapprox` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtrapprox` ( $\text{\textcircled{G}}$ ) . . . . . 70  
`\gtrapprox` ( $\text{\textcircled{G}}$ ) . . . . . 69  
`\gtrapprox` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtrarr` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtrcc` ( $\text{\textcircled{G}}$ ) . . . . . 70  
`\gtrclosed` ( $\text{\textcircled{G}}$ ) . . . . . 70, 74  
`\gtrclosed` ( $\text{\textcircled{G}}$ ) . . . . . 69, 73  
`\gtrdot` ( $\text{\textcircled{G}}$ ) . . . . . 68  
`\gtrdot` ( $\text{\textcircled{G}}$ ) . . . . . 67  
`\gtrdot` ( $\text{\textcircled{G}}$ ) . . . . . 35  
`\gtrdot` ( $\text{\textcircled{G}}$ ) . . . . . 70  
`\gtrdot` ( $\text{\textcircled{G}}$ ) . . . . . 69  
`\gtrdot` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtreqless` ( $\text{\textcircled{G}}$ ) . . . . . 68  
`\gtreqless` ( $\text{\textcircled{G}}$ ) . . . . . 67  
`\gtreqless` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtreqless` ( $\text{\textcircled{G}}$ ) . . . . . 70  
`\gtreqless` ( $\text{\textcircled{G}}$ ) . . . . . 69  
`\gtreqless` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtreqlessslant` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtreqlessslant` ( $\text{\textcircled{G}}$ ) . . . . . 69  
`\gtreqqlless` ( $\text{\textcircled{G}}$ ) . . . . . 68  
`\gtreqqlless` ( $\text{\textcircled{G}}$ ) . . . . . 67

`\gtreqqlless` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtreqqlless` ( $\text{\textcircled{G}}$ ) . . . . . 70  
`\gtreqqlless` ( $\text{\textcircled{G}}$ ) . . . . . 69  
`\gtreqqlless` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtreqslantless` ( $\text{\textcircled{G}}$ ) . . . . . 70  
`\gtrless` ( $\text{\textcircled{G}}$ ) . . . . . 68  
`\gtrless` ( $\text{\textcircled{G}}$ ) . . . . . 67  
`\gtrless` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtrless` ( $\text{\textcircled{G}}$ ) . . . . . 70  
`\gtrless` ( $\text{\textcircled{G}}$ ) . . . . . 69  
`\gtrless` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtrneqqlless` ( $\text{\textcircled{G}}$ ) . . . . . 69  
`\gtrsim` ( $\text{\textcircled{G}}$ ) . . . . . 68  
`\gtrsim` ( $\text{\textcircled{G}}$ ) . . . . . 67  
`\gtrsim` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gtrsim` ( $\text{\textcircled{G}}$ ) . . . . . 70  
`\gtrsim` ( $\text{\textcircled{G}}$ ) . . . . . 69  
`\gtrsim` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\GU` ( $\text{\textcircled{G}}$ ) . . . . . 132  
`\guillemotleft` ( $\text{\textcircled{G}}$ ) . . . 17, 239  
`\guillemotright` ( $\text{\textcircled{G}}$ ) . . 17, 239  
`\guilsinglleft` ( $\text{\textcircled{G}}$ ) . . . 17, 240  
`\guilsinglright` ( $\text{\textcircled{G}}$ ) . . 17, 240  
`\gvcropped` ( $\text{\textcircled{G}}$ ) . . . . . 135  
`\gvertneqq` ( $\text{\textcircled{G}}$ ) . . . . . 68  
`\gvertneqq` ( $\text{\textcircled{G}}$ ) . . . . . 67  
`\gvertneqq` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gvertneqq` ( $\text{\textcircled{G}}$ ) . . . . . 71  
`\gvertneqq` ( $\text{\textcircled{G}}$ ) . . . . . 69  
`\gvertneqq` ( $\text{\textcircled{G}}$ ) . . . . . 71  
  
**H**  
`\H` ( $\text{\textcircled{H}}$ ) . . . . . 21  
h (esvect package option) . . 114  
`\h` ( $\text{\textcircled{H}}$ ) . . . . . 21  
`\HA` ( $\text{\textcircled{H}}$ ) . . . . . 151  
`\Ha` ( $\text{\textcircled{H}}$ ) . . . . . 151  
háček ( $\text{\textcircled{H}}$ ) . . . . . *see* accents  
`\Hades` ( $\text{\textcircled{H}}$ ) . . . . . 131  
`\Hail` ( $\text{\textcircled{H}}$ ) . . . . . 179  
`\Halb` ( $\text{\textcircled{H}}$ ) . . . . . 161  
half note . *see* musical symbols  
`\HalfCircleLeft` ( $\text{\textcircled{H}}$ ) . . . . . 147  
`\HalfCircleRight` ( $\text{\textcircled{H}}$ ) . . . . . 147  
`\HalfFilledHut` ( $\text{\textcircled{H}}$ ) . . . . . 179  
`\halflength` ( $\text{\textcircled{H}}$ ) . . . . . 25  
`\halfNote` ( $\text{\textcircled{H}}$ ) . . . . . 162  
`\halfnote` ( $\text{\textcircled{H}}$ ) . . . . . 159  
`\halfNoteDotted` ( $\text{\textcircled{H}}$ ) . . . . . 162  
`\halfNoteDottedDouble` ( $\text{\textcircled{H}}$ ) 162  
`\halfNoteDottedDoubleDown`  
( $\text{\textcircled{H}}$ ) . . . . . 162  
`\halfNoteDottedDown` ( $\text{\textcircled{H}}$ ) . 162  
`\halfNoteDown` ( $\text{\textcircled{H}}$ ) . . . . . 162  
`\halfNoteRest` ( $\text{\textcircled{H}}$ ) . . . . . 164  
`\halfNoteRestDotted` ( $\text{\textcircled{H}}$ ) 164

`\HalfSun` ( $\text{\textcircled{H}}$ ) . . . . . 179  
Hamiltonian ( $\text{\textcircled{H}}$ ) *see* alphabets,  
math  
`\HandCuffLeft` ( $\text{\textcircled{H}}$ ) . . . . . 139  
`\HandCuffLeftUp` ( $\text{\textcircled{H}}$ ) . . . . 139  
`\HandCuffRight` ( $\text{\textcircled{H}}$ ) . . . . . 139  
`\HandCuffRightUp` ( $\text{\textcircled{H}}$ ) . . . . 139  
`\HandLeft` ( $\text{\textcircled{H}}$ ) . . . . . 139  
`\HandLeftUp` ( $\text{\textcircled{H}}$ ) . . . . . 139  
`\HandPencilLeft` ( $\text{\textcircled{H}}$ ) . . . . . 139  
`\HandRight` ( $\text{\textcircled{H}}$ ) . . . . . 139  
`\HandRightUp` ( $\text{\textcircled{H}}$ ) . . . . . 139  
hands . . . . . *see* fists  
hands (package) . . . . . 200, 243  
`\Handwash` ( $\text{\textcircled{H}}$ ) . . . . . 178  
`\HaPa` ( $\text{\textcircled{H}}$ ) . . . . . 161  
harmony (package) . . . . . 161, 243  
harpoon (package) . . . . . 91, 243, 244  
harpoons . . . . . 75–77, 80, 81, 85, 87,  
90–91, 218  
`\hash` ( $\text{\textcircled{H}}$ ) . . . . . 122  
`\hash` ( $\text{\textcircled{H}}$ ) . . . . . 59  
hash mark . . . . . *see* `\#`  
`\hat` ( $\text{\textcircled{H}}$ ) . . . . . 110  
`\hat` ( $\text{\textcircled{H}}$ ) . . . . . 109  
`\hatapprox` ( $\text{\textcircled{H}}$ ) . . . . . 60  
`\hateq` ( $\text{\textcircled{H}}$ ) . . . . . 57  
`\hateq` ( $\text{\textcircled{H}}$ ) . . . . . 54  
`\hausab` ( $\text{\textcircled{H}}$ ) . . . . . 20  
`\hausab` ( $\text{\textcircled{H}}$ ) . . . . . 20  
`\hausad` ( $\text{\textcircled{H}}$ ) . . . . . 20  
`\hausad` ( $\text{\textcircled{H}}$ ) . . . . . 20  
`\hausak` ( $\text{\textcircled{H}}$ ) . . . . . 20  
`\hausak` ( $\text{\textcircled{H}}$ ) . . . . . 20  
`\HB` ( $\text{\textcircled{H}}$ ) . . . . . 151  
`\Hb` ( $\text{\textcircled{H}}$ ) . . . . . 151  
`\HBar` ( $\text{\textcircled{H}}$ ) . . . . . 147  
`\hbar` ( $\text{\textcircled{H}}$ ) . . . . . 99, 226  
`\hbar` ( $\text{\textcircled{H}}$ ) . . . . . 100  
`\hbar` ( $\text{\textcircled{H}}$ ) . . . . . 100  
`\hbar` ( $\text{\textcircled{H}}$ ) . . . . . 100  
`\hbipropto` ( $\text{\textcircled{H}}$ ) . . . . . 33  
`\HC` ( $\text{\textcircled{H}}$ ) . . . . . 151  
`\Hc` ( $\text{\textcircled{H}}$ ) . . . . . 151  
`\hcrossing` ( $\text{\textcircled{H}}$ ) . . . . . 54  
`\Hcthousand` ( $\text{\textcircled{H}}$ ) . . . . . 151  
`\HD` ( $\text{\textcircled{H}}$ ) . . . . . 151  
`\Hd` ( $\text{\textcircled{H}}$ ) . . . . . 151  
`\hdotdot` ( $\text{\textcircled{H}}$ ) . . . . . 34, 118  
`\hdotdot` ( $\text{\textcircled{H}}$ ) . . . . . 33, 118  
`\hdots` ( $\text{\textcircled{H}}$ ) . . . . . 118  
`\hdots` ( $\text{\textcircled{H}}$ ) . . . . . 118  
`\Hdual` ( $\text{\textcircled{H}}$ ) . . . . . 151  
`\HE` ( $\text{\textcircled{H}}$ ) . . . . . 151  
`\He` ( $\text{\textcircled{H}}$ ) . . . . . 151

heads . . . . .	<i>see faces</i>	$\backslash$ Hj ( $\square$ ) . . . . .	151	$\backslash$ hookrightarrow ( $\leftrightarrow$ ) . . . . .	82
$\backslash$ Heart ( $\heartsuit$ ) . . . . .	178	$\backslash$ HK ( $\triangle$ ) . . . . .	151	$\backslash$ hookrightarrow ( $\rightleftarrows$ ) . . . . .	78
heartctrbull (bullcntr package option) . . . . .	181	$\backslash$ Hk ( $\curvearrowright$ ) . . . . .	151	$\backslash$ hookrightarrow ( $\rightleftarrows$ ) . . . . .	88
$\backslash$ heartctrbull . . . . .	181	$\backslash$ hknearrow ( $\nearrow$ ) . . . . .	83	$\backslash$ hooksearrow ( $\searrow$ ) . . . . .	82
hearts . . . . .	131, 148, 149, 193–198	$\backslash$ hknearrow ( $\nearrow$ ) . . . . .	88	$\backslash$ hookswarrow ( $\swarrow$ ) . . . . .	82
$\backslash$ heartsuit ( $\heartsuit$ ) . . . . .	148	$\backslash$ hknwarrow ( $\nwarrow$ ) . . . . .	83	$\backslash$ hookuparrow ( $\uparrow$ ) . . . . .	82
$\backslash$ heartsuit ( $\heartsuit$ ) . . . . .	148	$\backslash$ hknwarrow ( $\nwarrow$ ) . . . . .	88	$\backslash$ hookupminus ( $\uparrow$ ) . . . . .	35
$\backslash$ heartsuit ( $\heartsuit$ ) . . . . .	148	$\backslash$ hksearrow ( $\searrow$ ) . . . . .	88	$\backslash$ hookupminus ( $\uparrow$ ) . . . . .	123
$\backslash$ heartsuit ( $\heartsuit$ ) . . . . .	148	$\backslash$ hksearrow ( $\searrow$ ) . . . . .	83	Horn, Berthold . . . . .	127
$\backslash$ heavyqtleft ( $\text{“}$ ) . . . . .	192	$\backslash$ hksqrt ( $\sqrt{\square}$ ) . . . . .	229	$\backslash$ hoshi ( $\dagger$ ) . . . . .	184
$\backslash$ heavyqtright ( $\text{”}$ ) . . . . .	192	$\backslash$ hksvarrow ( $\curvearrowright$ ) . . . . .	88	$\backslash$ hourglass ( $\boxtimes$ ) . . . . .	35
Hebrew . . . . .	98, 99, 127	$\backslash$ hksvarrow ( $\curvearrowright$ ) . . . . .	83	$\backslash$ hourglass ( $\boxtimes$ ) . . . . .	40
Helvetica (font) . . . . .	26	$\backslash$ HL ( $\sphericalangle$ ) . . . . .	151	$\backslash$ house ( $\triangle$ ) . . . . .	145
$\backslash$ hemiobelion (c) . . . . .	27	$\backslash$ HL ( $\sphericalangle$ ) . . . . .	151	$\backslash$ HP ( $\curvearrowright$ ) . . . . .	151
$\backslash$ Herd ( $\text{☞}$ ) . . . . .	192	$\backslash$ HM ( $\longleftarrow$ ) . . . . .	151	$\backslash$ Hp ( $\square$ ) . . . . .	151
$\backslash$ HERMAPHRODITE ( $\text{♁}$ ) . . . . .	134	$\backslash$ Hm ( $\text{♁}$ ) . . . . .	151	$\backslash$ hpause ( $\blacksquare$ ) . . . . .	160
$\backslash$ Hermaphrodite ( $\text{♁}$ ) . . . . .	134	$\backslash$ Hman ( $\text{♁}$ ) . . . . .	151	$\backslash$ Hplural ( $\text{⋮}$ ) . . . . .	151
$\backslash$ Hermaphrodite ( $\text{♁}$ ) . . . . .	134	$\backslash$ Hmillion ( $\text{♁}$ ) . . . . .	151	$\backslash$ Hplus ( $\dagger$ ) . . . . .	151
$\backslash$ hermitmatrix (+) . . . . .	123	$\backslash$ Hms ( $\text{♁}$ ) . . . . .	151	$\backslash$ HQ ( $\text{⊗}$ ) . . . . .	151
$\backslash$ hermitmatrix (+) . . . . .	124	$\backslash$ HN ( $\longleftarrow$ ) . . . . .	151	$\backslash$ Hq ( $\text{⊗}$ ) . . . . .	151
$\backslash$ Heta ( $\text{Ϝ}$ ) . . . . .	156	$\backslash$ Hn ( $\longleftarrow$ ) . . . . .	151	$\backslash$ Hquery ( $\text{!}$ ) . . . . .	151
$\backslash$ heta ( $\text{Ϝ}$ ) . . . . .	156	$\backslash$ HO ( $\text{⊖}$ ) . . . . .	151	$\backslash$ HR ( $\text{♁}$ ) . . . . .	151
$\backslash$ hexagon ( $\square$ ) . . . . .	145	$\backslash$ HO ( $\text{⊖}$ ) . . . . .	151	$\backslash$ Hr ( $\text{⊖}$ ) . . . . .	151
$\backslash$ hexagon ( $\square$ ) . . . . .	143	$\backslash$ Ho ( $\text{♁}$ ) . . . . .	151	$\backslash$ hrectangle ( $\square$ ) . . . . .	145
$\backslash$ hexagonblack ( $\blacksquare$ ) . . . . .	145	$\backslash$ hole ( $h^*$ ) . . . . .	135	$\backslash$ hrectangleblack ( $\blacksquare$ ) . . . . .	145
$\backslash$ Hexasteel ( $\text{♁}$ ) . . . . .	134	$\backslash$ HollowBox ( $\square$ ) . . . . .	140	$\backslash$ HS ( $\longleftarrow$ ) . . . . .	151
$\backslash$ hexstar ( $\ast$ ) . . . . .	141	Holmes, Sherlock . . . . .	216	$\backslash$ Hs ( $\text{!}$ ) . . . . .	151
$\backslash$ HF (F) . . . . .	128	Holt, Alexander . . . . .	1, 242	$\backslash$ hs ( $\text{!}$ ) . . . . .	160
$\backslash$ HF ( $\text{♁}$ ) . . . . .	151	$\backslash$ holter ( $\text{!}$ ) . . . . .	117	$\backslash$ Hscribe ( $\text{!}$ ) . . . . .	151
$\backslash$ Hf ( $\text{♁}$ ) . . . . .	151	holtplot (package) . . . . .	117, 243	$\backslash$ Hslash ( $\text{!}$ ) . . . . .	151
$\backslash$ hfermion ( $\text{—}$ ) . . . . .	135	$\backslash$ hom (hom) . . . . .	94	$\backslash$ hslash ( $\text{!}$ ) . . . . .	99
$\backslash$ hfil . . . . .	227	$\backslash$ Home ( $\text{!}$ ) . . . . .	132	$\backslash$ hslash ( $\text{!}$ ) . . . . .	100
$\backslash$ HG ( $\text{⊖}$ ) . . . . .	151	$\backslash$ Homer ( $\text{!}$ ) . . . . .	185	$\backslash$ hslash ( $\text{!}$ ) . . . . .	100
$\backslash$ Hg ( $\text{⊖}$ ) . . . . .	151	$\backslash$ Hone (i) . . . . .	151	$\backslash$ hslash ( $\text{!}$ ) . . . . .	100
$\backslash$ HH . . . . .	161	hook accent ( $\text{!}$ ) . . . . .	<i>see accents</i>	$\backslash$ Hsv ( $\text{!}$ ) . . . . .	151
$\backslash$ HH ( $\text{!}$ ) . . . . .	151	$\backslash$ hookb (b) . . . . .	19	$\backslash$ HT ( $\text{⊖}$ ) . . . . .	133
$\backslash$ Hh ( $\text{!}$ ) . . . . .	151	$\backslash$ hookd (d) . . . . .	20	$\backslash$ HT ( $\text{⊖}$ ) . . . . .	151
hhcount (package) 180, 181, 243, 244		$\backslash$ hookd (d) . . . . .	19	$\backslash$ Ht ( $\text{⊖}$ ) . . . . .	151
$\backslash$ Hhundred ( $\text{!}$ ) . . . . .	151	$\backslash$ hookdownarrow ( $\downarrow$ ) . . . . .	82	$\backslash$ Hten (n) . . . . .	151
$\backslash$ HI ( $\text{!}$ ) . . . . .	151	$\backslash$ hookdownminus ( $\text{—}$ ) . . . . .	123	$\backslash$ Hthousand ( $\text{!}$ ) . . . . .	151
$\backslash$ Hi ( $\text{!}$ ) . . . . .	151	$\backslash$ hookdownminus ( $\text{—}$ ) . . . . .	123	$\backslash$ Htongue ( $\text{!}$ ) . . . . .	151
$\backslash$ hiatus ( $\text{!}$ ) . . . . .	185	$\backslash$ hookg (g) . . . . .	19	$\backslash$ HU ( $\text{!}$ ) . . . . .	151
$\backslash$ Hibl ( $\text{!}$ ) . . . . .	151	$\backslash$ hookh (h) . . . . .	19	$\backslash$ Hu ( $\text{!}$ ) . . . . .	151
$\backslash$ Hibp ( $\text{!}$ ) . . . . .	151	$\backslash$ hookheng (hj) . . . . .	19	Hungarian umlaut ( $\text{!}$ ) . . . . .	<i>see accents</i>
$\backslash$ Hibs ( $\text{!}$ ) . . . . .	151	$\backslash$ hookleftarrow ( $\leftarrow$ ) . . . . .	75	$\backslash$ Hungary ( $\text{!}$ ) . . . . .	191
$\backslash$ Hibw ( $\text{!}$ ) . . . . .	151	$\backslash$ hookleftarrow ( $\leftarrow$ ) . . . . .	86	$\backslash$ Hut ( $\text{!}$ ) . . . . .	179
$\backslash$ Hidalgo ( $\text{!}$ ) . . . . .	131	$\backslash$ hookleftarrow ( $\leftarrow$ ) . . . . .	82	$\backslash$ HV ( $\text{!}$ ) . . . . .	151
hieroglf (package) . . . . .	151, 243	$\backslash$ hookleftarrow ( $\leftarrow$ ) . . . . .	78	$\backslash$ Hv ( $\text{!}$ ) . . . . .	151
hieroglyphics . . . . .	151	$\backslash$ hookleftarrow ( $\leftarrow$ ) . . . . .	88	$\backslash$ hv (lv) . . . . .	19
Hilbert space ( $\mathcal{H}$ ) <i>see alphabets, math</i>		$\backslash$ hooknearrow ( $\nearrow$ ) . . . . .	82	$\backslash$ Hvbar (i) . . . . .	151
$\backslash$ hill ( $\text{!}$ ) . . . . .	23	$\backslash$ hooknwarrow ( $\nwarrow$ ) . . . . .	82	$\backslash$ HW ( $\text{!}$ ) . . . . .	151
$\backslash$ HJ ( $\text{!}$ ) . . . . .	151	$\backslash$ hookreveyspsilon ( $\text{!}$ ) . . . . .	19	$\backslash$ Hw ( $\text{!}$ ) . . . . .	151

<code>\HX</code> ( $\mathcal{X}$ )	151	<code>\iiint</code> ( $\iiint$ )	45	<code>\infty</code> ( $\infty$ )	123
<code>\Hx</code> ( $\mathcal{X}$ )	151	<code>\iiint</code> ( $\iiint$ )	47	<code>\infty</code> ( $\infty$ )	120
<code>\HXthousand</code> ( $\mathcal{X}$ )	151	<code>\iiint</code> ( $\iiint$ )	46	<code>\inipartvoice</code> ( $\mathcal{I}$ )	23
<code>\HY</code> ( $\mathcal{Y}$ )	151	<code>\iiint</code> ( $\iiint$ )	48	<code>\inipartvoiceless</code> ( $\mathcal{I}$ )	23
<code>\Hy</code> ( $\mathcal{Y}$ )	151	<code>\iiintsl</code> ( $\iiintsl$ )	49	<code>\injlim</code> ( $\text{injlim}$ )	95
<code>\Hyg</code> ( $\mathcal{Y}$ )	151	<code>\iiintup</code> ( $\iiintup$ )	49	<code>\Innocey</code> ( $\mathcal{I}$ )	192
<code>\Hygiea</code> ( $\mathcal{Y}$ )	131	<code>\iinfin</code> ( $\infty$ )	123	<code>\inplus</code> ( $\in$ )	52
hyphen, discretionary	240	<code>\iinfin</code> ( $\infty$ )	120	<code>\inplus</code> ( $\in$ )	59
<code>\hyphenbullet</code> ( $\bullet$ )	124	<code>\iint</code> ( $\iint$ )	43	<code>inputenc</code> (package)	241
<code>\HZ</code> ( $\mathcal{Z}$ )	151	<code>\iint</code> ( $\iint$ )	42	<code>\Ins</code> ( $\mathcal{I}$ )	132
<code>\Hz</code> ( $\mathcal{Z}$ )	151	<code>\iint</code> ( $\iint$ )	42	<code>\int</code> ( $\int$ )	43
<code>\hzigzag</code> ( $\sim$ )	124	<code>\iint</code> ( $\iint$ )	42	<code>\int</code> ( $\int$ )	42
		<code>\iint</code> ( $\iint$ )	44	<code>\int</code> ( $\int$ )	42
		<code>\iint</code> ( $\iint$ )	45	<code>\int</code> ( $\int$ )	41
		<code>\iint</code> ( $\iint$ )	47	<code>\int</code> ( $\int$ )	47
		<code>\iint</code> ( $\iint$ )	46	<code>\int</code> ( $\int$ )	46
		<code>\iint</code> ( $\iint$ )	48	<code>\int</code> ( $\int$ )	48
		<code>\iintsl</code> ( $\iintsl$ )	49	<code>\intBar</code> ( $\int$ )	47
		<code>\iintup</code> ( $\iintup$ )	49	<code>\intBar</code> ( $\int$ )	48
		<code>\Im</code> ( $\mathfrak{I}$ )	99	<code>\intbar</code> ( $\int$ )	47
		<code>\Im</code> ( $\mathfrak{I}$ )	100	<code>\intbar</code> ( $\int$ )	48
		<code>\im</code> ( $\mathfrak{i}$ )	100	<code>\intBarsl</code> ( $\int$ )	50
		<code>\imageof</code> ( $\bullet \rightarrow$ )	93	<code>\intbarsl</code> ( $\int$ )	50
		<code>\imageof</code> ( $\bullet \rightarrow$ )	60	<code>\intBarup</code> ( $\int$ )	50
		<code>\imath</code> ( $\imath$ )	99, 109	<code>\intbarup</code> ( $\int$ )	50
		<code>\imath</code> ( $\imath$ )	100	<code>\intcap</code> ( $\int$ )	48
		<code>\imath</code> ( $\imath$ )	100	<code>\intcapsl</code> ( $\int$ )	50
		<code>\impliedby</code> <i>see</i> <code>\Longleftarrow</code>		<code>\intcapup</code> ( $\int$ )	50
		<code>\implies</code> <i>see</i> <code>\Longrightarrow</code>		<code>\intclockwise</code> ( $\int$ )	47
		<i>and</i> <code>\vdash</code>		<code>\intclockwise</code> ( $\int$ )	51
		impulse train	<i>see</i> <code>sha</code>	<code>\intclockwise</code> ( $\int$ )	48
		<code>\in</code> ( $\in$ )	99	<code>\intclockwisesl</code> ( $\int$ )	49
		<code>\in</code> ( $\in$ )	99	<code>\intclockwiseup</code> ( $\int$ )	49
		<code>\in</code> ( $\in$ )	57, 100	<code>\intctrclockwise</code> ( $\int$ )	47
		<code>\in</code> ( $\in$ )	100	<code>\intcup</code> ( $\int$ )	48
		<code>\in</code> ( $\in$ )	99	<code>\intcupsl</code> ( $\int$ )	50
		<code>\in</code> ( $\in$ )	60	<code>\intcupup</code> ( $\int$ )	50
		inches	<i>see</i> <code>\second</code> <i>and</i>	<code>\INTEGER</code> ( $\mathbb{Z}$ )	95
		<code>\textquotedbl</code>		<code>\Integer</code> ( $\mathbb{Z}$ )	95
		<code>\incoh</code> ( $\asymp$ )	64	integers ( $\mathbb{Z}$ )	<i>see</i> alphabets, math
		<code>\increment</code> ( $\Delta$ )	124	integrals	40–51, 123, 228
		independence		product	51
		probabilistic	228	integrals (wasysym package option)	42
		statistical	228	<code>\intercal</code> ( $\intercal$ )	31
		stochastic	<i>see</i> <code>\bot</code>	<code>\intercal</code> ( $\intercal$ )	35, 100
		<code>\independent</code> ( $\perp$ )	229	<code>\intercal</code> ( $\intercal$ )	34
		<code>\Industry</code> ( $\mathcal{I}$ )	178	<code>\intercal</code> ( $\intercal$ )	99
		inequalities	14, 67–72	<code>\intercal</code> ( $\intercal$ )	36, 100
		inexact differential	<i>see</i> <code>\dbar</code>	interior	<i>see</i> <code>\mathring</code>
		<code>\inf</code> ( $\inf$ )	94	<code>\interleave</code> ( $\mathcal{I}$ )	32
		infimum	<i>see</i> <code>\inf</code> <i>and</i> <code>\sqcap</code>	<code>\interleave</code> ( $\mathcal{I}$ )	36
		infinity	120, 122–124, 228	intersection	<i>see</i> <code>\cap</code>
		<code>\Info</code> ( $\mathcal{I}$ )	178	<code>\Interval</code> ( $\mathcal{I}$ )	179
		<code>\Info</code> ( $\mathcal{I}$ )	188	<code>\intlarhk</code> ( $\int$ )	48
		information symbols	178	<code>\intlarhksl</code> ( $\int$ )	50
		informer symbols	182	<code>\intlarhkup</code> ( $\int$ )	50
		<code>\infty</code> ( $\infty$ )	122		
		<code>\infty</code> ( $\infty$ )	122		
		<code>\infty</code> ( $\infty$ )	123		

<code>\intprod</code> ( $\int$ ) . . . . .	34, 35, 123
<code>\intprod</code> ( $\int$ ) . . . . .	36
<code>\intprodr</code> ( $\int$ ) . . . . .	34, 35, 123
<code>\intprodr</code> ( $\int$ ) . . . . .	36
<code>\intsl</code> ( $\int$ ) . . . . .	49
<code>\intup</code> ( $\int$ ) . . . . .	48
<code>\intup</code> ( $\int$ ) . . . . .	49
<code>\intx</code> ( $\int$ ) . . . . .	48
<code>\intxsl</code> ( $\int$ ) . . . . .	50
<code>\intxup</code> ( $\int$ ) . . . . .	50
<code>\inva</code> ( $\in$ ) . . . . .	19
<code>\invamp</code> ( $\in$ ) . . . . .	32
<code>\invamp</code> ( $\in$ ) . . . . .	37
<code>\invbackneg</code> ( $\in$ ) . . . . .	123
<code>\INVd</code> ( $\in$ ) . . . . .	133
<code>\invdiameter</code> ( $\in$ ) . . . . .	177
<code>\inve</code> ( $\in$ ) . . . . .	20
inverse limit . . . . .	<i>see</i> <code>\varprojlim</code>
<code>\inversebullet</code> ( $\in$ ) . . . . .	124
<code>\inversewhitecircle</code> ( $\in$ ) . . . . .	145
<code>\InversTransformHoriz</code> ( $\in$ ) . . . . .	63
<code>\InversTransformVert</code> ( $\in$ ) . . . . .	63
inverted symbols . . . . .	17–20, 24, 225–226
inverters . . . . .	133
<code>\invf</code> ( $\in$ ) . . . . .	19
<code>\invglotstop</code> ( $\in$ ) . . . . .	19
<code>\invh</code> ( $\in$ ) . . . . .	19
<code>\INVI</code> ( $\in$ ) . . . . .	133
<code>\invlazys</code> ( $\in$ ) . . . . .	36
<code>\invlegr</code> ( $\in$ ) . . . . .	19
<code>\invm</code> ( $\in$ ) . . . . .	19
<code>\invneg</code> ( $\in$ ) . . . . .	52
<code>\invneg</code> ( $\in$ ) . . . . .	123
<code>\invneg</code> ( $\in$ ) . . . . .	123
<code>\invnot</code> ( $\in$ ) . . . . .	123
<code>\invnot</code> ( $\in$ ) . . . . .	123
<code>\invnot</code> ( $\in$ ) . . . . .	124
<code>\INVr</code> ( $\in$ ) . . . . .	133
<code>\invr</code> ( $\in$ ) . . . . .	19
<code>\invscr</code> ( $\in$ ) . . . . .	19
<code>\invscripta</code> ( $\in$ ) . . . . .	19
<code>\invsmileface</code> ( $\in$ ) . . . . .	192
<code>\INVu</code> ( $\in$ ) . . . . .	133
<code>\invv</code> ( $\in$ ) . . . . .	19
<code>\invw</code> ( $\in$ ) . . . . .	19
<code>\invwhitelowerhalfcircle</code> ( $\in$ ) . . . . .	145
<code>\invwhiteupperhalfcircle</code> ( $\in$ ) . . . . .	145
<code>\invy</code> ( $\in$ ) . . . . .	19
<code>\IO</code> ( $\in$ ) . . . . .	132
<code>\ion</code> ( $\in$ ) . . . . .	135
<code>\Iota</code> ( $\in$ ) . . . . .	96
<code>\iota</code> ( $\in$ ) . . . . .	96

iota, upside-down . . . . .	225
<code>\iotaup</code> ( $\in$ ) . . . . .	97
<code>\ipagamma</code> ( $\in$ ) . . . . .	19
<code>\ipercatal</code> ( $\in$ ) . . . . .	185
<code>\Ireland</code> ( $\in$ ) . . . . .	191
<code>\IroningI</code> ( $\in$ ) . . . . .	178
<code>\IroningII</code> ( $\in$ ) . . . . .	178
<code>\IroningIII</code> ( $\in$ ) . . . . .	178
irony mark ( $\in$ ) . . . . .	225
irrational numbers ( $\mathbb{J}$ ) . . . . .	<i>see</i> alphabets, math
<code>\Irritant</code> ( $\in$ ) . . . . .	179
<code>\isindot</code> ( $\in$ ) . . . . .	60
<code>\isinE</code> ( $\in$ ) . . . . .	60
<code>\isinobar</code> ( $\in$ ) . . . . .	60
<code>\isins</code> ( $\in$ ) . . . . .	60
<code>\isinvb</code> ( $\in$ ) . . . . .	60
<code>\ismodeledby</code> ( $\in$ ) . . . . .	226
ISO character entities . . . . .	240
isoent (package) . . . . .	240
Isthmian script . . . . .	157–158
italic . . . . .	14, 15, 27, 232, 234–236, 238
<code>\Italy</code> ( $\in$ ) . . . . .	191

## J

<code>\j</code> ( $\in$ ) . . . . .	21
<code>\JackStar</code> ( $\in$ ) . . . . .	142
<code>\JackStarBold</code> ( $\in$ ) . . . . .	142
Jewish star . . . . .	141, 142
<code>\jmath</code> ( $\in$ ) . . . . .	99, 109
<code>\jmath</code> ( $\in$ ) . . . . .	100
<code>\jmath</code> ( $\in$ ) . . . . .	100
<code>\Joch</code> ( $\in$ ) . . . . .	179
<code>\Join</code> ( $\in$ ) . . . . .	51, 52
<code>\Join</code> ( $\in$ ) . . . . .	35, 57
<code>\Join</code> ( $\in$ ) . . . . .	34
<code>\Join</code> ( $\in$ ) . . . . .	124
<code>\joinrel</code> . . . . .	226
joint denial . . . . .	<i>see</i> <code>\downarrow</code>
junicode (package) . . . . .	241, 243
<code>Junicode.ttf</code> (file) . . . . .	241
<code>\Juno</code> ( $\in$ ) . . . . .	131
<code>\Jupiter</code> ( $\in$ ) . . . . .	130
<code>\Jupiter</code> ( $\in$ ) . . . . .	129
<code>\Jupiter</code> ( $\in$ ) . . . . .	131
<code>\jupiter</code> ( $\in$ ) . . . . .	129

## K

<code>\k</code> ( $\in$ ) . . . . .	24
<code>\k</code> ( $\in$ ) . . . . .	21
<code>\Kappa</code> ( $\in$ ) . . . . .	96
<code>\kappa</code> ( $\in$ ) . . . . .	96
<code>\kappaup</code> ( $\in$ ) . . . . .	97
<code>\ker</code> ( $\in$ ) . . . . .	94
<code>\kernelcontraction</code> ( $\in$ ) . . . . .	59
<code>\kernelcontraction</code> ( $\in$ ) . . . . .	60
ket . . . . .	102

<code>\Keyboard</code> ( $\in$ ) . . . . .	132
keyboard symbols . . . . .	132
keys, computer . . . . .	132
keystroke (package) . . . . .	132, 243
<code>\keystroke</code> ( $\in$ ) . . . . .	132
king . . . . .	183, 220–222
<code>\Knife</code> ( $\in$ ) . . . . .	192
knight . . . . .	183, 220–222
knitting (package) . . . . .	189, 243, 244
knitting symbols . . . . .	189
knot (package) . . . . .	209, 213, 243
knots . . . . .	209–213
Knuth, Donald E. . . . .	12, 238, 245
symbols by . . . . .	177
<code>\Kochtopf</code> ( $\in$ ) . . . . .	192
<code>\Koppa</code> ( $\in$ ) . . . . .	156
<code>\koppa</code> ( $\in$ ) . . . . .	156
<code>\Kr</code> ( $\in$ ) . . . . .	161
<code>\kreuz</code> ( $\in$ ) . . . . .	177
Kronecker product . . . . .	<i>see</i> <code>\otimes</code>
Kronecker sum . . . . .	<i>see</i> <code>\oplus</code>
<code>\Kronos</code> ( $\in$ ) . . . . .	131
kroužek ( $\in$ ) . . . . .	<i>see</i> accents
<code>\kside</code> ( $\in$ ) . . . . .	182

## L

<code>\L</code> ( $\in$ ) . . . . .	15
<code>\l</code> ( $\in$ ) . . . . .	15
<code>\labdentalnas</code> ( $\in$ ) . . . . .	19
<code>\labvel</code> . . . . .	23
<code>\Ladiesroom</code> ( $\in$ ) . . . . .	178
Lagrangian ( $\mathcal{L}$ ) . . . . .	<i>see</i> alphabets, math
<code>\Lambda</code> ( $\in$ ) . . . . .	96
<code>\lambda</code> ( $\in$ ) . . . . .	96
<code>\lambdabar</code> ( $\in$ ) . . . . .	122
<code>\lambdabar</code> ( $\in$ ) . . . . .	123
<code>\lambdaslash</code> ( $\in$ ) . . . . .	122
<code>\lambdaslash</code> ( $\in$ ) . . . . .	123
<code>\lambdaup</code> ( $\in$ ) . . . . .	97
Lamport, Leslie . . . . .	242, 245
<code>\land</code> . . . . .	<i>see</i> <code>\wedge</code>
<code>\land</code> ( $\in$ ) . . . . .	35
<code>\land</code> ( $\in$ ) . . . . .	36
land masses . . . . .	190
<code>\landdownint</code> ( $\in$ ) . . . . .	45
<code>\landdownint</code> ( $\in$ ) . . . . .	47
<code>\landdownint</code> ( $\in$ ) . . . . .	46
<code>\landupint</code> ( $\in$ ) . . . . .	45
<code>\landupint</code> ( $\in$ ) . . . . .	47
<code>\landupint</code> ( $\in$ ) . . . . .	46
<code>\Langle</code> ( $\in$ ) . . . . .	127
<code>\lAngle</code> ( $\in$ ) . . . . .	108
<code>\lAngle</code> ( $\in$ ) . . . . .	105
<code>\lAngle</code> ( $\in$ ) . . . . .	106





<code>\leftarrowonoplus</code> ( $\oplus$ ) .. 88	<code>\leftharpoonup</code> ( $\curvearrowleft$ ) ..... 85	<code>\lefrightharpoonup</code> ( $\curvearrowright$ ) 83
<code>\leftarrowplus</code> ( $\leftarrowplus$ ) ..... 88	<code>\leftharpoonup</code> ( $\leftarrow$ ) ..... 90	<code>\lefrightharpoon</code> ( $\leftarrow$ ) .. 77
<code>\leftarrowshortrightarrow</code>	<code>\leftharpoonupbar</code> ( $\bar{\leftarrow}$ ) .. 90	<code>\lefrightharpoonowdown</code>
( $\leftarrow$ ) ..... 88	<code>\leftharpoonupdash</code> ( $\doteq$ ) .. 90	( $\rightarrow$ ) ..... 91
<code>\leftarrowssimilar</code> ( $\leftarrowssimilar$ ) .. 88	<code>\leftleftarrow</code> ( $\leftleftarrow$ ) ... 83	<code>\lefrightharpoonowdownup</code> ( $\rightarrow$ )
<code>\leftarrowsubset</code> ( $\leftarrowsubset$ ) ... 66	<code>\leftleftarrow</code> ( $\leftleftarrow$ ) .... 76	..... 85
<code>\leftarrowtail</code> ( $\leftarrowtail$ ) .... 75	<code>\leftleftarrow</code> ( $\leftleftarrow$ ) .... 75	<code>\lefrightharpoonowdownup</code> ( $\rightarrow$ )
<code>\leftarrowtail</code> ( $\leftarrowtail$ ) ..... 86	<code>\leftleftarrow</code> ( $\leftleftarrow$ ) .... 86	..... 80
<code>\leftarrowtail</code> ( $\leftarrowtail$ ) ..... 81	<code>\leftleftarrow</code> ( $\leftleftarrow$ ) .... 81	<code>\lefrightharpoonowdownup</code> ( $\rightarrow$ )
<code>\leftarrowtail</code> ( $\leftarrowtail$ ) ..... 78	<code>\leftleftarrow</code> ( $\leftleftarrow$ ) .... 78	..... 91
<code>\leftarrowtail</code> ( $\leftarrowtail$ ) ..... 88	<code>\leftleftarrow</code> ( $\leftleftarrow$ ) .... 89	<code>\lefrightharpoons</code> ( $\rightleftharpoons$ ) . 77
<code>\leftarrowtriangle</code> ( $\leftarrowtriangle$ ) .. 86	<code>\leftleftarrow</code> ( $\leftleftarrow$ ) .. 77	<code>\lefrightharpoons</code> ( $\rightleftharpoons$ ) . 76
<code>\leftarrowtriangle</code> ( $\leftarrowtriangle$ ) . 76	<code>\leftleftarrow</code> ( $\leftleftarrow$ ) ... 83	<code>\lefrightharpoons</code> ( $\rightleftharpoons$ ) .. 87
<code>\leftarrowtriangle</code> ( $\leftarrowtriangle$ ) .. 86	<code>\leftleftarrow</code> ( $\leftleftarrow$ ) ... 78	<code>\lefrightharpoons</code> ( $\rightleftharpoons$ ) .. 85
<code>\leftarrowtriangle</code> ( $\leftarrowtriangle$ ) .. 88	<code>\leftmapsto</code> ( $\leftmapsto$ ) ..... 81	<code>\lefrightharpoons</code> ( $\rightleftharpoons$ ) .. 80
<code>\leftarrowx</code> ( $\leftarrowx$ ) ..... 88	<code>\leftmapsto</code> ( $\leftarrow$ ) ..... 81	<code>\lefrightharpoons</code> ( $\rightleftharpoons$ ) .. 90
<code>\leftAssert</code> ( $\dashv$ ) ..... 57	<code>\leftmapsto</code> ( $\leftarrow$ ) ..... 78	<code>\lefrightharpoonsdown</code> ( $\rightleftharpoons$ ) 90
<code>\leftassert</code> ( $\dashv$ ) ..... 57	<code>\leftModels</code> ( $\rightleftharpoons$ ) ..... 54	<code>\lefrightharpoonsfill</code> .. 116
<code>\leftbarharpoon</code> ( $\rightleftharpoons$ ) .... 77	<code>\leftmodels</code> ( $\rightleftharpoons$ ) ..... 57	<code>\lefrightharpoonsup</code> ( $\rightleftharpoons$ ) 90
<code>\leftbkarrow</code> ( $\leftbkarrow$ ) ..... 81	<code>\leftmodels</code> ( $\rightleftharpoons$ ) ..... 54	<code>\lefrightharpoonowdown</code> ( $\rightarrow$ )
<code>\leftbkarrow</code> ( $\leftbkarrow$ ) ..... 89	<code>\leftmoon</code> ( $\mathbb{C}$ ) ..... 130	..... 85
<code>\leftblackarrow</code> ( $\blackrightarrow$ ) .... 86	<code>\leftmoon</code> ( $\mathbb{C}$ ) ..... 130	<code>\lefrightharpoonowdownup</code> ( $\rightarrow$ )
<code>\leftblackspoon</code> ( $\blackrightarrow$ ) .... 93	<code>\leftmoon</code> ( $\mathbb{C}$ ) ..... 129	..... 80
<code>\LEFTCIRCLE</code> ( $\bigcirc$ ) ..... 143	<code>\leftouterjoin</code> ( $\bowtie$ ) ..... 124	<code>\lefrightharpoonowdownup</code> ( $\rightarrow$ )
<code>\LEFTcircle</code> ( $\bigcirc$ ) ..... 143	<code>\lefttp</code> ( $\leftarrow$ ) ..... 25	..... 90
<code>\Leftcircle</code> ( $\bigcirc$ ) ..... 143	<code>\leftpitchfork</code> ( $\leftarrow$ ) ..... 93	<code>\lefrightharpoonowup</code> ( $\leftarrow$ ) 90
<code>\leftcurvedarrow</code> ( $\leftcurvedarrow$ ) ... 83	<code>\leftpitchfork</code> ( $\leftarrow$ ) ..... 92	<code>\Leftrightline</code> ( $\rightleftharpoons$ ) ..... 54
<code>\leftcurvedarrow</code> ( $\leftcurvedarrow$ ) ... 89	<code>\leftpointright</code> ( $\rightarrow$ ) ... 139	<code>\leftrightline</code> ( $\rightarrow$ ) ..... 54
<code>\leftdasharrow</code> ( $\leftdasharrow$ ) ..... 86	<code>\leftpropto</code> ( $\propto$ ) ..... 54	<code>\lefrightspoon</code> ( $\rightarrow$ ) ..... 93
<code>\leftdasharrow</code> ( $\leftdasharrow$ ) ..... 89	<code>\leftrcurvearrow</code> ( $\leftrcurvearrow$ ) ... 83	<code>\lefrightsquigarrow</code> ( $\leftleftarrow$ ) 76
<code>\leftdbkarrow</code> ( $\leftdbkarrow$ ) ..... 89	<code>\Lefttrightarrow</code> ( $\Lefttrightarrow$ ) .... 75	<code>\lefrightsquigarrow</code> ( $\leftleftarrow$ ) 75
<code>\leftdbltail</code> ( $\leftdbltail$ ) ..... 60	<code>\Lefttrightarrow</code> ( $\Lefttrightarrow$ ) .... 81	<code>\lefrightsquigarrow</code> ( $\leftarrow$ ) 86
<code>\leftdotarrow</code> ( $\leftdotarrow$ ) ..... 89	<code>\Lefttrightarrow</code> ( $\Lefttrightarrow$ ) .... 78	<code>\lefrightsquigarrow</code> ( $\leftarrow$ ) 82
<code>\leftdowncurvedarrow</code> ( $\leftdowncurvedarrow$ ) 83	<code>\Lefttrightarrow</code> ( $\Lefttrightarrow$ ) .... 89	<code>\lefrightsquigarrow</code> ( $\leftarrow$ ) 78
<code>\leftdowncurvedarrow</code> ( $\leftdowncurvedarrow$ ) 89	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) .... 76	<code>\lefrightsquigarrow</code> ( $\leftarrow$ ) 89
<code>\lefttevaw</code> ( $\lefttevaw$ ) ..... 107	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) .... 75	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 81
<code>\leftfilledspoon</code> ( $\leftfilledspoon$ ) ... 91	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) .... 81	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 81
<code>\leftfishtail</code> ( $\leftfishtail$ ) ..... 60	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) .... 78	<code>\LeftScissors</code> ( $\LeftScissors$ ) ..... 138
<code>\leftfootline</code> ( $\leftfootline$ ) ..... 57	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) .... 89	<code>\leftslice</code> ( $\leftslice$ ) ..... 32
<code>\leftfootline</code> ( $\leftfootline$ ) ..... 54	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 110	<code>\leftslice</code> ( $\leftslice$ ) ..... 35
<code>\leftfree</code> ( $\leftfree$ ) ..... 54	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftslice</code> ( $\leftslice$ ) ..... 54
<code>\lefthalfcap</code> ( $\lefthalfcap$ ) ..... 33	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftspoon</code> ( $\leftspoon$ ) ..... 93
<code>\lefthalfcup</code> ( $\lefthalfcup$ ) ..... 33	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftspoon</code> ( $\leftspoon$ ) ..... 91
<code>\lefthand</code> ( $\lefthand$ ) ..... 139	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftsquigarrow</code> ( $\leftsquigarrow$ ) ... 76
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) .. 110	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftsquigarrow</code> ( $\leftsquigarrow$ ) ... 76
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) ..... 80	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftsquigarrow</code> ( $\leftsquigarrow$ ) ... 86
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) ..... 80	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftsquigarrow</code> ( $\leftsquigarrow$ ) ... 82
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) ... 77	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftsquigarrow</code> ( $\leftsquigarrow$ ) ... 89
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) ... 75	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftt</code> ( $\leftt$ ) ..... 25
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) ... 87	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\lefttail</code> ( $\lefttail$ ) ..... 60
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) ... 85	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\lefttherefore</code> ( $\lefttherefore$ ) ..... 118
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) ... 90	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\lefttherefore</code> ( $\lefttherefore$ ) .. 33, 118
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) .. 90	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftthreearrows</code> ( $\leftthreearrows$ ) ... 89
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) .. 90	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftthreetimes</code> ( $\leftthreetimes$ ) ... 122
<code>\leftharpoonsupdown</code> ( $\leftharpoonsupdown$ ) . 90	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftthreetimes</code> ( $\leftthreetimes$ ) ... 31
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) ..... 77	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftthreetimes</code> ( $\leftthreetimes$ ) ... 35
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) ..... 75	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftthreetimes</code> ( $\leftthreetimes$ ) ... 34
<code>\leftharpoonow</code> ( $\leftharpoonow$ ) ..... 87	<code>\lefrightharpoonow</code> ( $\rightleftharpoons$ ) 89	<code>\leftthreetimes</code> ( $\leftthreetimes$ ) ... 33

<code>\leftthreetimes</code> ( $\times$ ) . . . . .	36	<code>\lesdot</code> ( $\lesdot$ ) . . . . .	72	letter-like symbols . . . . .	99–101, 195–198
<code>\leftthumbsdown</code> ( $\left\downarrow$ ) . . . . .	139	<code>\lesdoto</code> ( $\lesdoto$ ) . . . . .	72	letters . <i>see</i> alphabets, 226, 227	
<code>\leftthumbsup</code> ( $\left\uparrow$ ) . . . . .	139	<code>\lesdotor</code> ( $\lesdotor$ ) . . . . .	72	barred . . . . .	226
<code>\lefttorightarrow</code> ( $\rightarrow$ ) . . . . .	76	<code>\lesg</code> ( $\lesg$ ) . . . . .	70	non-ASCII . . . . .	15
<code>\lefttorightarrow</code> ( $\rightarrow$ ) . . . . .	86	<code>\lesges</code> ( $\lesges$ ) . . . . .	72	slashed . . . . .	227
<code>\Lefttorque</code> ( $\curvearrowleft$ ) . . . . .	134	<code>\less</code> ( $<$ ) . . . . .	70	variant Greek . . . . .	98
<code>\leftturn</code> ( $\curvearrowleft$ ) . . . . .	177	<code>\less</code> ( $<$ ) . . . . .	69	variant Latin . . . . .	98
<code>\leftupcurvedarrow</code> ( $\curvearrowup$ ) . . . . .	82	less-than signs . <i>see</i> inequalities			
<code>\leftVDash</code> ( $\Vdash$ ) . . . . .	57	<code>\lessapprox</code> ( $\lesapprox$ ) . . . . .	68	<code>\levaw</code> ( $\left\langle$ ) . . . . .	107
<code>\leftVdash</code> ( $\Vdash$ ) . . . . .	57	<code>\lessapprox</code> ( $\lesapprox$ ) . . . . .	67	<code>\LF</code> ( $\blacksquare$ ) . . . . .	133
<code>\leftVdash</code> ( $\Vdash$ ) . . . . .	54	<code>\lessapprox</code> ( $\lesapprox$ ) . . . . .	71	<code>\lfbowtie</code> ( $\bowtie$ ) . . . . .	60
<code>\leftvDash</code> ( $\vDash$ ) . . . . .	57	<code>\lessapprox</code> ( $\lesapprox$ ) . . . . .	70	<code>\lfilet</code> ( $\left\langle$ ) . . . . .	103
<code>\leftvdash</code> ( $\vDash$ ) . . . . .	57	<code>\lessapprox</code> ( $\lesapprox$ ) . . . . .	69	<code>\lFloor</code> ( $\lfloor$ ) . . . . .	108
<code>\leftvdash</code> ( $\vDash$ ) . . . . .	54	<code>\lessapprox</code> ( $\lesapprox$ ) . . . . .	72	<code>\lfloor</code> ( $\lfloor$ ) . . . . .	102
<code>\leftwave</code> ( $\left\langle$ ) . . . . .	107	<code>\lesscc</code> ( $\triangleleft$ ) . . . . .	70	<code>\lfloor</code> ( $\lfloor$ ) . . . . .	105
<code>\leftwavearrow</code> ( $\curvearrowleft$ ) . . . . .	81	<code>\lessclosed</code> ( $\triangleleft$ ) . . . . .	70, 74	<code>\lfloor</code> ( $\lfloor$ ) . . . . .	104
<code>\leftwavearrow</code> ( $\curvearrowleft$ ) . . . . .	89	<code>\lessclosed</code> ( $\triangleleft$ ) . . . . .	69, 73	<code>\lfloor</code> ( $\lfloor$ ) . . . . .	106
<code>\leftwhitearrow</code> ( $\leftrightarrow$ ) . . . . .	86	<code>\lessdot</code> ( $\triangleleft$ ) . . . . .	68	<code>\lftborder</code> ( $\left $ ) . . . . .	184
<code>\leftwhitearrow</code> ( $\leftrightarrow$ ) . . . . .	89	<code>\lessdot</code> ( $\triangleleft$ ) . . . . .	67	<code>\lftbotcorner</code> ( $\llcorner$ ) . . . . .	184
<code>\leftwhiteroundarrow</code> ( $\leftrightarrow$ ) . . . . .	86	<code>\lessdot</code> ( $\triangleleft$ ) . . . . .	35	<code>\lftimes</code> ( $\times$ ) . . . . .	60
<code>\leftY</code> ( $\leftarrow$ ) . . . . .	34	<code>\lessdot</code> ( $\triangleleft$ ) . . . . .	70	<code>\lfttopcorner</code> ( $\ulcorner$ ) . . . . .	184
<code>\leftY</code> ( $\leftarrow$ ) . . . . .	33	<code>\lessdot</code> ( $\triangleleft$ ) . . . . .	69	<code>\LG</code> ( $\oplus$ ) . . . . .	132
<code>\leftzigzagarrow</code> ( $\curvearrowleft$ ) . . . . .	86	<code>\lessdot</code> ( $\triangleleft$ ) . . . . .	72	<code>\lg</code> ( $\lg$ ) . . . . .	94
legal symbols 14, 15, 27, 28, 239		<code>\lesseqgtr</code> ( $\lesseqgtr$ ) . . . . .	68	<code>\lgblkcircle</code> ( $\bullet$ ) . . . . .	144
<code>\legm</code> ( $\mu$ ) . . . . .	19	<code>\lesseqgtr</code> ( $\lesseqgtr$ ) . . . . .	67	<code>\lgblkcircle</code> ( $\bullet$ ) . . . . .	145
<code>\legr</code> ( $\Gamma$ ) . . . . .	19	<code>\lesseqgtr</code> ( $\lesseqgtr$ ) . . . . .	71	<code>\lgblksquare</code> ( $\blacksquare$ ) . . . . .	144
<code>\length</code> ( $!$ ) . . . . .	25	<code>\lesseqgtr</code> ( $\lesseqgtr$ ) . . . . .	70	<code>\lgblksquare</code> ( $\blacksquare$ ) . . . . .	145
<code>\Leo</code> ( $\mathcal{L}$ ) . . . . .	129	<code>\lesseqgtr</code> ( $\lesseqgtr$ ) . . . . .	69	<code>\lgE</code> ( $\cong$ ) . . . . .	72
<code>\Leo</code> ( $\mathcal{L}$ ) . . . . .	131	<code>\lesseqgtr</code> ( $\lesseqgtr$ ) . . . . .	72	<code>\lgroup</code> ( $($ ) . . . . .	103
<code>\leo</code> ( $\mathcal{L}$ ) . . . . .	129	<code>\lesseqgtrslant</code> ( $\lesseqgtrslant$ ) . . . . .	70	<code>\lgroup</code> ( $($ ) . . . . .	105
<code>\leq</code> ( $\leq$ ) . . . . .	68	<code>\lesseqgtrslant</code> ( $\lesseqgtrslant$ ) . . . . .	69	<code>\lgroup</code> ( $($ ) . . . . .	104
<code>\leq</code> ( $\leq$ ) . . . . .	67, 68	<code>\lesseqqgtr</code> ( $\lesseqqgtr$ ) . . . . .	70	<code>\lgroup</code> ( $)$ . . . . .	106
<code>\leq</code> ( $\leq$ ) . . . . .	70	<code>\lesseqqgtr</code> ( $\lesseqqgtr$ ) . . . . .	67	<code>\lgwhtcircle</code> ( $\circ$ ) . . . . .	144
<code>\leq</code> ( $\leq$ ) . . . . .	69	<code>\lesseqqgtr</code> ( $\lesseqqgtr$ ) . . . . .	71	<code>\lgwhtcircle</code> ( $\circ$ ) . . . . .	145
<code>\leq</code> ( $\leq$ ) . . . . .	72	<code>\lesseqqgtr</code> ( $\lesseqqgtr$ ) . . . . .	70	<code>\lgwhtsquare</code> ( $\square$ ) . . . . .	144
<code>\leqclosed</code> ( $\triangleleft$ ) . . . . .	70, 74	<code>\lesseqqgtr</code> ( $\lesseqqgtr$ ) . . . . .	69	<code>\lgwhtsquare</code> ( $\square$ ) . . . . .	145
<code>\leqclosed</code> ( $\triangleleft$ ) . . . . .	69, 73	<code>\lesseqqgtr</code> ( $\lesseqqgtr$ ) . . . . .	72	<code>\LHD</code> ( $\blacktriangleleft$ ) . . . . .	32
<code>\leqdot</code> ( $\leqdot$ ) . . . . .	70	<code>\lesseqqgtr</code> ( $\lesseqqgtr$ ) . . . . .	70	<code>\lhd</code> ( $\triangleleft$ ) . . . . .	31, 32
<code>\leqdot</code> ( $\leqdot$ ) . . . . .	69	<code>\lesseqqgtr</code> ( $\lesseqqgtr$ ) . . . . .	70	<code>\lhd</code> ( $\triangleleft$ ) . . . . .	70
<code>\leqq</code> ( $\leqq$ ) . . . . .	68	<code>\lesseqqgtr</code> ( $\lesseqqgtr$ ) . . . . .	69	<code>\lhd</code> ( $\triangleleft$ ) . . . . .	69, 73
<code>\leqq</code> ( $\leqq$ ) . . . . .	67	<code>\lesseqqgtr</code> ( $\lesseqqgtr$ ) . . . . .	72	<code>\lhd</code> ( $\triangleleft$ ) . . . . .	36, 146
<code>\leqq</code> ( $\leqq$ ) . . . . .	71	<code>\lesseqslantgtr</code> ( $\lesseqslantgtr$ ) . . . . .	70	<code>\lhd bend</code> ( $\curvearrowleft$ ) . . . . .	177
<code>\leqq</code> ( $\leqq$ ) . . . . .	70	<code>\lessgtr</code> ( $\lesgtr$ ) . . . . .	68	<code>\lhook</code> ( $\hookleftarrow$ ) . . . . .	94
<code>\leqq</code> ( $\leqq$ ) . . . . .	69	<code>\lessgtr</code> ( $\lesgtr$ ) . . . . .	67	<code>\lhookdownarrow</code> ( $\downdownarrows$ ) . . . . .	82
<code>\leqq</code> ( $\leqq$ ) . . . . .	72	<code>\lessgtr</code> ( $\lesgtr$ ) . . . . .	71	<code>\lhookdownarrow</code> ( $\downdownarrows$ ) . . . . .	78
<code>\leqqslant</code> ( $\lesseqslant$ ) . . . . .	72	<code>\lessgtr</code> ( $\lesgtr$ ) . . . . .	70	<code>\lhookleftarrow</code> ( $\leftrightarrow$ ) . . . . .	82
<code>\leqslant</code> ( $\leqslant$ ) . . . . .	67	<code>\lessgtr</code> ( $\lesgtr$ ) . . . . .	69	<code>\lhookleftarrow</code> ( $\leftrightarrow$ ) . . . . .	78
<code>\leqslant</code> ( $\leqslant$ ) . . . . .	71	<code>\lessgtr</code> ( $\lesgtr$ ) . . . . .	72	<code>\lhooknearrow</code> ( $\curvearrowright$ ) . . . . .	82
<code>\leqslant</code> ( $\leqslant$ ) . . . . .	70	<code>\lessneqqgtr</code> ( $\lessneqqgtr$ ) . . . . .	69		
<code>\leqslant</code> ( $\leqslant$ ) . . . . .	69	<code>\LessOrEqual</code> ( $\leq$ ) . . . . .	120		
<code>\leqslant</code> ( $\leqslant$ ) . . . . .	72	<code>\lessssim</code> ( $\lesssim$ ) . . . . .	68		
<code>\leqslantdot</code> ( $\leqslantdot$ ) . . . . .	70	<code>\lessssim</code> ( $\lesssim$ ) . . . . .	67		
<code>\leqslantdot</code> ( $\leqslantdot$ ) . . . . .	69	<code>\lessssim</code> ( $\lesssim$ ) . . . . .	71		
<code>\leqslcc</code> ( $\leqslcc$ ) . . . . .	70	<code>\lessssim</code> ( $\lesssim$ ) . . . . .	70		
<code>\lescc</code> ( $\lescc$ ) . . . . .	71	<code>\lessssim</code> ( $\lesssim$ ) . . . . .	69		
<code>\lescc</code> ( $\lescc$ ) . . . . .	72	<code>\lessssim</code> ( $\lesssim$ ) . . . . .	72		
<code>\lesdot</code> ( $\lesdot$ ) . . . . .	70	<code>\Letter</code> ( $\text{\Letter}$ ) . . . . .	134		
		<code>\Letter</code> ( $\text{\Letter}$ ) . . . . .	179		
		<code>\Letter</code> ( $\text{\Letter}$ vs. $\text{\Letter}$ ) . . . . .	223		
















<code>\LinearAXCIX</code> ( $\text{Z}$ )	151	<code>\LK</code> ( $\vdash$ )	132	<code>\lnapprox</code> ( $\approx$ )	68
<code>\LinearAXCV</code> ( $\text{R}$ )	153	<code>\ll</code> ( $\ll$ )	68	<code>\lnapprox</code> ( $\approx$ )	67
<code>\LinearAXCVI</code> ( $\text{O}$ )	153	<code>\ll</code> ( $\ll$ )	67	<code>\lnapprox</code> ( $\approx$ )	71
<code>\LinearAXCVII</code> ( $\text{D}$ )	153	<code>\ll</code> ( $\ll$ )	70	<code>\lnapprox</code> ( $\approx$ )	70
<code>\LinearAXCVIII</code> ( $\text{I}$ )	153	<code>\ll</code> ( $\ll$ )	69	<code>\lnapprox</code> ( $\approx$ )	69
<code>\LinearAXI</code> ( $\text{O}$ )	152	<code>\ll</code> ( $\ll$ )	72	<code>\lnapprox</code> ( $\approx$ )	72
<code>\LinearAXII</code> ( $\text{R}$ )	152	<code>\llangle</code> ( $\llcorner$ )	104	<code>\lneq</code> ( $\lesssim$ )	68
<code>\LinearAXIII</code> ( $\text{H}$ )	152	<code>\llangle</code> ( $\text{D}$ )	102	<code>\lneq</code> ( $\lesssim$ )	67
<code>\LinearAXIV</code> ( $\text{F}$ )	152	<code>\llap</code>	25, 229	<code>\lneq</code> ( $\lesssim$ )	71
<code>\LinearAXIX</code> ( $\text{S}$ )	152	<code>\llarc</code> ( $\text{C}$ )	124	<code>\lneq</code> ( $\lesssim$ )	70
<code>\LinearAXL</code> ( $\text{S}$ )	152	<code>\llblacktriangle</code> ( $\blacktriangleleft$ )	145	<code>\lneq</code> ( $\lesssim$ )	72
<code>\LinearAXLI</code> ( $\text{S}$ )	152	<code>\llbracket</code> ( $\llbracket$ )	103	<code>\lneqq</code> ( $\lesseqgtr$ )	68
<code>\LinearAXLII</code> ( $\text{S}$ )	152	<code>\llbracket</code> ( $\llbracket$ )	108	<code>\lneqq</code> ( $\lesseqgtr$ )	67
<code>\LinearAXLIII</code> ( $\text{H}$ )	152	<code>\llceil</code> ( $\llceil$ )	101	<code>\lneqq</code> ( $\lesseqgtr$ )	71
<code>\LinearAXLIV</code> ( $\text{H}$ )	152	<code>\llcorner</code> ( $\llcorner$ )	101	<code>\lneqq</code> ( $\lesseqgtr$ )	70
<code>\LinearAXLV</code> ( $\text{S}$ )	152	<code>\llcorner</code> ( $\llcorner$ )	101	<code>\lneqq</code> ( $\lesseqgtr$ )	69
<code>\LinearAXLVI</code> ( $\text{S}$ )	152	<code>\llcorner</code> ( $\llcorner$ )	101	<code>\lneqq</code> ( $\lesseqgtr$ )	72
<code>\LinearAXLVII</code> ( $\text{S}$ )	152	<code>\llcorner</code> ( $\llcorner$ )	101	<code>\lnot</code>	<i>see</i> <code>\neg</code>
<code>\LinearAXLVIII</code> ( $\text{H}$ )	152	<code>\llcorner</code> ( $\llcorner$ )	105	<code>\lnot</code> ( $\neg$ )	123
<code>\LinearAXV</code> ( $\text{A}$ )	152	<code>\llcorner</code> ( $\llcorner$ )	104	<code>\lnot</code> ( $\neg$ )	123
<code>\LinearAXVI</code> ( $\text{H}$ )	152	<code>\llcorner</code> ( $\llcorner$ )	102	<code>\lnot</code> ( $\neg$ )	124
<code>\LinearAXVII</code> ( $\text{O}$ )	152	<code>\llcorner</code> ( $\llcorner$ )	102	<code>\lnsim</code> ( $\lesssim$ )	68
<code>\LinearAXVIII</code> ( $\text{R}$ )	152	<code>\llcurly</code> ( $\llcurly$ )	53	<code>\lnsim</code> ( $\lesssim$ )	67
<code>\LinearAXX</code> ( $\text{A}$ )	152	<code>\llcurly</code> ( $\llcurly$ )	59	<code>\lnsim</code> ( $\lesssim$ )	71
<code>\LinearAXXI</code> ( $\text{A}$ )	152	<code>\Lleftarrow</code> ( $\Lleftarrow$ )	89	<code>\lnsim</code> ( $\lesssim$ )	70
<code>\LinearAXXII</code> ( $\text{B}$ )	152	<code>\Lleftarrow</code> ( $\Lleftarrow$ )	75	<code>\lnsim</code> ( $\lesssim$ )	69
<code>\LinearAXXIII</code> ( $\text{O}$ )	152	<code>\Lleftarrow</code> ( $\Lleftarrow$ )	86	<code>\lnsim</code> ( $\lesssim$ )	71
<code>\LinearAXXIV</code> ( $\text{R}$ )	152	<code>\Lleftarrow</code> ( $\Lleftarrow$ )	81	<code>\L0</code> ( $\text{O}$ )	132
<code>\LinearAXXIX</code> ( $\text{S}$ )	152	<code>\Lleftarrow</code> ( $\Lleftarrow$ )	78	local ring ( $\mathcal{O}$ )	<i>see</i> alphabets, math
<code>\LinearAXXV</code> ( $\text{F}$ )	152	<code>\Lleftarrow</code> ( $\Lleftarrow$ )	89	<code>\log</code> ( $\log$ )	94, 236
<code>\LinearAXXVI</code> ( $\text{A}$ )	152	<code>\llfloor</code> ( $\llfloor$ )	101	log-like symbols	94, 95, 236
<code>\LinearAXXVII</code> ( $\text{D}$ )	152	<code>\lll</code> ( $\lll$ )	68	logic (package)	133
<code>\LinearAXXVIII</code> ( $\text{E}$ )	152	<code>\lll</code> ( $\lll$ )	67	logic gates	133
<code>\LinearAXXX</code> ( $\text{E}$ )	152	<code>\lll</code> ( $\lll$ vs. $\lll$ )	223	logical operators	
<code>\LinearAXXXI</code> ( $\text{I}$ )	152	<code>\lll</code> ( $\lll$ )	71	and	<i>see</i> <code>\wedge</code>
<code>\LinearAXXXII</code> ( $\text{F}$ )	152	<code>\lll</code> ( $\lll$ )	70	not	<i>see</i> <code>\neg</code> and <code>\sim</code>
<code>\LinearAXXXIII</code> ( $\text{D}$ )	152	<code>\lll</code> ( $\lll$ )	70	or	<i>see</i> <code>\vee</code>
<code>\LinearAXXXIV</code> ( $\text{L}$ )	152	<code>\lll</code> ( $\lll$ )	69	<code>\logof</code> ( $\text{O}$ )	52
<code>\LinearAXXXIX</code> ( $\text{A}$ )	152	<code>\lll</code> ( $\lll$ )	72	lollipop	<i>see</i> <code>\multimap</code>
<code>\LinearAXXXV</code> ( $\text{S}$ )	152	<code>\lllless</code>	<i>see</i> <code>\lll</code>	long s (f)	225
<code>\LinearAXXXVI</code> ( $\text{I}$ )	152	<code>\lllless</code> ( $\lllless$ )	70	long division	111, 113
<code>\LinearAXXXVII</code> ( $\text{I}$ )	152	<code>\lllless</code> ( $\lllless$ )	69	<code>\longa</code> ( $\text{H}$ )	160
<code>\LinearAXXXVIII</code> ( $\text{I}$ )	152	<code>\lllless</code> ( $\lllless$ )	72	<code>\longa</code> ( $\text{L}$ )	185
linearb (package)	154, 155, 243, 244	<code>\lllless</code> ( $\lllless$ )	72	<code>\longcastling</code> ( $\text{O-O-O}$ )	182
<code>\linefeed</code> ( $\downarrow$ )	86	<code>\lllnest</code> ( $\lllnest$ )	72	<code>\longdashv</code> ( $\text{—}$ )	57
<code>\linefeed</code> ( $\downarrow$ )	89	<code>\llparenthesis</code> ( $\llparenthesis$ )	101	<code>\longdashv</code> ( $\text{—}$ )	60
<code>\Lineload</code> ( $\text{III}$ )	134	<code>\llparenthesis</code> ( $\llparenthesis$ )	102	longdiv (package)	111
linguistic symbols	17–20	<code>\lltriangle</code> ( $\blacktriangleright$ )	145	longdiv.tex (file)	111
<code>\Lisa</code> (  )	185	<code>\lmoustache</code> ( $\int$ )	103	<code>\longdivision</code> ( $\overline{\text{H}}$ )	111, 113
<code>\Lithuania</code> ( $\text{L}$ )	190	<code>\lmoustache</code> ( $\int$ )	105	<code>\longleadsto</code> ( $\rightsquigarrow$ )	82
liturgical music	161	<code>\lmoustache</code> ( $\int$ )	104	<code>\Longleftarrow</code> ( $\Longleftarrow$ )	75
<code>\lJoin</code> ( $\times$ )	53	<code>\lmoustache</code> ( $\int$ )	106	<code>\Longleftarrow</code> ( $\Longleftarrow$ )	77
<code>\lJoin</code> ( $\times$ )	35	<code>\ln</code> ( $\ln$ )	94	<code>\Longleftarrow</code> ( $\Longleftarrow$ )	81
				<code>\Longleftarrow</code> ( $\Longleftarrow$ )	89
				<code>\longleftarrow</code> ( $\leftarrow$ )	77
				<code>\longleftarrow</code> ( $\leftarrow$ )	75
				<code>\longleftarrow</code> ( $\leftarrow$ )	81



*Magic: The Gathering* symbols  
 ..... 220

magical signs ..... 186

majuscules ..... 96

`\makeatletter` ..... 229

`\makeatother` ..... 229

`\MALE` (♂) ..... 134

`\Male` (♂) ..... 134

male .. 129–131, 134, 193–198,  
 202–205

`\male` (♂) ..... 134

`\male` (♂) ..... 134

`\MaleMale` (♂) ..... 134

`\Malta` ( ) ..... 190

`\maltese` (✕) ..... 15

`\maltese` (✕) ..... 123

`\maltese` (✕) ..... 123

`\maltese` (✕) ..... 123

`\maltese` (✕) ..... 124

man .. 150, 178, 193, 200–202,  
 213–217

`\manboldkidney` (☉) ..... 177

`\manconcentriccircles` (◎) ..  
 ..... 177

`\manconcentricdiamond` (◊) ..  
 ..... 177

`\mancone` (▽) ..... 177

`\mancube` (⊞) ..... 177

`\manerrarrow` (↖) ..... 177

`\ManFace` (☹) ..... 178

`\manfilledquartercircle` (◐) .  
 ..... 177

manfnt (package) .... 177, 243

`\manhpennib` (⌞) ..... 177

`\manimpossiblecube` (⊞) .. 177

`\mankidney` (☉) ..... 177

`\manlhpenkidney` (☉) ..... 177

`\manpenkidney` (☉) ..... 177

`\manquadrifolium` (☼) ... 177

`\manquartercircle` (⌒) ... 177

`\manrotatedquadrifolium` (☼)  
 ..... 177

`\manrotatedquartercircle` (⌒)  
 ..... 177

`\manstar` (☆) ..... 177

`\mantiltppennib` (⌞) ..... 177

`\mantriangledown` (▼) ... 177

`\mantriangleright` (►) ... 177

`\mantriangleup` (▲) ..... 177

`\manvpennib` (⌞) ..... 177

map symbols ..... 200–202

`\Mappedfromchar` ( ) ..... 94

`\mappedfromchar` ( ) ..... 94

maps ..... 190

`\Mapsdown` (⌇) ..... 82

`\mapsdown` (⌇) ..... 86

`\mapsdown` (⌇) ..... 82

`\mapsdown` (⌇) ..... 87

`\Mapsfrom` (⇐) ..... 76

`\Mapsfrom` (⇐) ..... 86

`\Mapsfrom` (⇐) ..... 82

`\Mapsfrom` (⇐) ..... 87

`\mapsfrom` (⇐) ..... 76

`\mapsfrom` (⇐) ..... 86

`\mapsfrom` (⇐) ..... 82

`\mapsfrom` (⇐) ..... 87

`\Mapsfromchar` ( ) ..... 94

`\Mapsfromchar` ( ) ..... 94

`\mapsfromchar` ( ) ..... 94

`\mapsfromchar` ( ) ..... 94

`\Mapsto` (⇒) ..... 76

`\Mapsto` (⇒) ..... 86

`\Mapsto` (⇒) ..... 83

`\Mapsto` (⇒) ..... 87

`\mapsto` (⇒) ..... 75

`\mapsto` (⇒) ..... 86

`\mapsto` (⇒) ..... 82

`\mapsto` (⇒) ..... 78

`\mapsto` (⇒) ..... 87

`\Mapstochar` ( ) ..... 94

`\Mapstochar` ( ) ..... 94

`\mapstochar` ( ) ..... 94

`\mapstochar` ( ) ..... 94

`\Mapsup` (⌈) ..... 83

`\mapsup` (⌈) ..... 86

`\mapsup` (⌈) ..... 83

`\mapsup` (⌈) ..... 87

`\marcato` (♠) ..... 164

`\marcatoDown` (♠) ..... 164



`\Marge` ( ) ..... 185

`\markera` (X) ..... 182

`\markerb` (O) ..... 182

married .... *see* `\textmarried`

`\Mars` (♂) ..... 130

`\Mars` (♂) ..... 129

`\Mars` (♂) ..... 131

`\mars` (♂) ..... 129

marvosym (package) ..... 25,  
 26, 120, 129, 132, 134, 138,  
 140, 178, 188, 223

masonic cipher ..... 187

`\mate` (#) ..... 182

material biconditional .....  
*see* `\leftrightharrow and`  
`\equiv`

material conditional ..... *see*  
`\rightarrow and \supset`

material equivalence .....  
*see* `\leftrightharrow and`  
`\equiv`

material implication ..... *see*  
`\rightarrow and \supset`

material nonimplication .....  
 ... *see* `\nrightarrow and`  
`\nsupset`

math alphabets ..... 126

mathabx (package) ..... 30,  
 33, 37, 42, 53, 54, 65, 68,  
 73, 76, 77, 94, 99, 101, 103,  
 109, 113, 120, 122, 130, 182,  
 222, 223, 243

`\mathaccent` ..... 226, 227

`\mathbb` ..... 126, 127

`\mathbbm` ..... 126

`\mathbbmss` ..... 126

`\mathbbmtt` ..... 126

mathbbol (package) .. 126, 127

`\mathbf` ..... 237

`\mathbin` ..... 235

`\mathbold` ..... 237

mathcal (euscript package option)  
 ..... 126

`\mathcal` ..... 126

`\mathcent` (¢) ..... 99

`\mathchoice` ..... 228

`\mathclose` ..... 235

`\mathcolon` (:) ..... 118

mathcomp (package) ..... 119

mathdesign (package) 26, 37, 51,  
 100, 107, 125, 243

`\mathdollar` (\$) ..... 30

`\mathdollar` (\$) ..... 100

mathdots (package) .. 109, 117,  
 118, 230, 243

`\mathds` ..... 126

`\mathellipsis` (...) ..... 30

`\mathellipsis` (...) ..... 118

mathematical symbols . 30–127

`\mathfrak` ..... 126

`\mathit` ..... 126

`\mathnormal` ..... 126

`\mathop` ..... 235

`\mathopen` ..... 235

`\mathord` ..... 235

`\mathpalette` ..... 228, 229

`\mathparagraph` (¶) ..... 30

`\mathparagraph` (¶) ..... 100

`\mathpunct` ..... 235

`\mathratio` (:) ..... 118

`\mathrel` ..... 226, 235

`\mathring` (̇) ..... 110

`\mathring` (̇) ..... 109, 111

`\mathrm` ..... 126

mathsfs (package) ... 126, 243





mathscr (euscript package option)  
 ..... 126

mathscr (urwchancal package op-  
 tion) ..... 126

`\mathscr` ..... 126

<code>\mathsection (§)</code> .....	30	<code>\mdwhtcircle (○)</code> .....	145	<code>\medslash (↘)</code> .....	33
<code>\mathsection (§)</code> .....	124	<code>\mdwhtdiamond (◇)</code> .....	39	<code>\medsquare (□)</code> .....	38
<code>\mathslash (/)</code> .....	105	<code>\mdwhtdiamond (◇)</code> .....	145	<code>\medsquare (□)</code> .....	38
<code>\mathslash (/)</code> .....	106	<code>\mdwhtlozenge (◇)</code> .....	144	<code>\medstar (★)</code> .....	39
<code>mathspec</code> (package) .....	96	<code>\mdwhtlozenge (◇)</code> .....	145	<code>\medstar (☆)</code> .....	38
<code>mathspec.sty</code> (file) .....	96	<code>\mdwhtsquare (□)</code> .....	39	<code>\medstarofdavid (✳)</code> .....	144
<code>\mathsterling (£)</code> .....	99	<code>\mdwhtsquare (□)</code> .....	146	<code>\medtriangledown (▽)</code> .....	38, 74
<code>\mathsterling (£)</code> .....	30	<code>mdwmath</code> (package) ..	115, 243, 244	<code>\medtriangledown (▽)</code> .....	38, 73
<code>\mathsterling (£)</code> .....	100	<code>\measanglelftosw (↙)</code> .....	121	<code>\medtriangleleft (◁)</code> .....	38, 74
<code>mathtools</code> (package) ..	30, 62, 113, 115, 243	<code>\measangledrtose (↘)</code> .....	121	<code>\medtriangleleft (◁)</code> .....	38, 73
<code>\mathunderscore (⏟)</code> .....	30	<code>\measanglelftonw (↖)</code> .....	121	<code>\medtriangleright (▷)</code> .....	38, 74
<code>\mathvisiblespace (⏟)</code> ..	124	<code>\measanglerdtose (↘)</code> .....	121	<code>\medtriangleright (▷)</code> .....	38, 73
<code>\max</code> (max) .....	94	<code>\measanglerutone (↗)</code> .....	121	<code>\medtriangleup (△)</code> .....	38, 74
<code>\maxima</code> (⏟) .....	160	<code>\measangleultonw (↖)</code> .....	121	<code>\medtriangleup (△)</code> .....	38, 73
Maxwell-Stefan diffusion coefficient .....	<i>see</i> <code>\DH</code>	<code>\measangleurtone (↗)</code> .....	121	<code>\medvert ( )</code> .....	33, 34
<code>\maya</code> .....	120	<code>\measeq (≡)</code> .....	60	<code>\medvertdot (⋮)</code> .....	33
Mayan numerals .....	120	<code>\measuredangle (∠)</code> .....	122	<code>\medwhitestar (☆)</code> .....	38
<code>\Mb (♠)</code> .....	184	<code>\measuredangle (∠)</code> .....	121	<code>\medwhitestar (☆)</code> .....	146
<code>\mb (♠)</code> .....	184	<code>\measuredangle (∠)</code> .....	121	Mellin transform ( $\mathcal{M}$ ) .....	<i>see</i> alphabets, math
<code>\Mbb (♠)</code> .....	184	<code>\measuredangle (∠)</code> .....	121	membership .....	<i>see</i> <code>\in</code>
<code>\mBb (♠)</code> .....	184	<code>\measuredangle (∠)</code> .....	121	<code>\Mercury (♃)</code> .....	130
<code>\mbb (♠)</code> .....	184	<code>\measuredangle (∠)</code> .....	121	<code>\Mercury (♃)</code> .....	129
<code>mbboard</code> (package) ..	126, 127, 243	<code>\measuredangleleft (⤵)</code> ..	121	<code>\Mercury (♃)</code> .....	131
<code>\mbbx (⏟)</code> .....	184	<code>\measuredangleleft (⤵)</code> ..	121	<code>\mercury (♃)</code> .....	129
<code>\mbox</code> .....	228, 229	<code>\measuredrightangle (⊥)</code> ..	121	<code>\merge (⋈)</code> .....	32
<code>\MC (M<sup>c</sup>)</code> .....	131	<code>\measuredrightangle (⊥)</code> ..	121	<code>\merge (⋈)</code> .....	35
<code>\mdblkcircle (●)</code> .....	145	<code>\measuredrightangle (⊥)</code> ..	121	METAFONT ..	12, 127, 232–235
<code>\mdblkdiamond (◆)</code> .....	39	<code>\measuredrightangledot (⊥)</code> ..	121	METAFONTbook symbols ..	177
<code>\mdblkdiamond (◆)</code> .....	145	.....	121	<code>\meterplus (⊕)</code> .....	160
<code>\mdblkllozenge (◇)</code> .....	144	mechanical scaling ...	232, 235	<code>\method (M)</code> .....	135
<code>\mdblkllozenge (◇)</code> .....	145	<code>\medbackslash (↘)</code> .....	34, 35	<code>metre</code> (package) ..	24, 109, 184, 243
<code>\mdblksquare (■)</code> .....	39	<code>\medbackslash (↘)</code> .....	33, 34	<code>metre</code> .....	184
<code>\mdblksquare (■)</code> .....	145	<code>\medblackcircle (●)</code> .....	39	metrical symbols .....	184, 185
<code>\mdlgbkcircle (●)</code> .....	39	<code>\medblackdiamond (◆)</code> .....	39	mezzo ( <i>m</i> ) .....	164, 175
<code>\mdlgbkcircle (●)</code> .....	145	<code>\medblacklozenge (◇)</code> .....	144	.mf files .....	12, 200, 232
<code>\mdlgbkdiamond (◆)</code> .....	39	<code>\medblacksquare (■)</code> .....	39	<code>\mglgwhtcircle (○)</code> .....	146
<code>\mdlgbkdiamond (◆)</code> .....	145	<code>\medblackstar (★)</code> .....	39	<code>\mglgwhtlozenge (◇)</code> .....	146
<code>\mdlgbkllozenge (◇)</code> .....	144	<code>\medblackstar (★)</code> .....	146	<code>\mho (℧)</code> .....	122
<code>\mdlgbkllozenge (◇)</code> .....	40, 146	<code>\medblacktriangledown (▼)</code> ..	38, 74	<code>\mho (℧)</code> .....	98
<code>\mdlgbklksquare (■)</code> .....	39	.....	74	micro .....	<i>see</i> <code>\textmu</code>
<code>\mdlgbklksquare (■)</code> ..	145, 146	<code>\medblacktriangleleft (◀)</code> ..	38, 74	<code>\micro (μ)</code> .....	128
<code>\mdlgwhtcircle (○)</code> .....	39	<code>\medblacktriangleleft (◀)</code> ..	38, 74	Microsoft <sup>®</sup> Windows <sup>®</sup> ..	240
<code>\mdlgwhtcircle (○)</code> .....	40	<code>\medblacktriangleleft (◀)</code> ..	38, 74	<code>\mid ( )</code> .....	51, 104
<code>\mdlgwhtdiamond (◇)</code> .....	39	<code>\medblacktriangleleft (◀)</code> ..	38, 74	<code>\mid ( )</code> .....	57
<code>\mdlgwhtdiamond (◇)</code> .....	145	<code>\medblacktriangleup (▲)</code> ..	38, 74	<code>\mid ( )</code> .....	60
<code>\mdlgwhtlozenge (◇)</code> .....	144	.....	74	<code>\midbarvee (∨)</code> .....	36
<code>\mdlgwhtlozenge (◇)</code> .....	145	<code>\medbullet (●)</code> .....	32	<code>\midbarwedge (⋈)</code> .....	36
<code>\mdlgwhtsquare (□)</code> .....	39	<code>\medcirc (○)</code> .....	32	<code>\midcir (⊝)</code> .....	93
<code>\mdlgwhtsquare (□)</code> ..	145, 146	<code>\medcircle (○)</code> .....	38	<code>\midcir (⊝)</code> .....	61
<code>\mdsmbkcircle (●)</code> .....	145	<code>\medcircle (○)</code> .....	33	<code>\middle</code> .....	102
<code>\mdsmbklsquare (■)</code> .....	145	<code>\meddiamond (◇)</code> .....	38	<code>\middlebar (≡)</code> .....	110
<code>\mdsmwhtcircle (○)</code> .....	145	<code>\meddiamond (◇)</code> .....	38	<code>\middleslash (≡)</code> .....	110
<code>\mdsmwhtsquare (□)</code> .....	145	media control symbols ...	178, 195–198	<code>\midtilde (~)</code> .....	25
		<code>\medlozenge (◇)</code> .....	144	MIL-STD-806 .....	133
		<code>\medlozenge (◇)</code> .....	144	millesimal sign .....	<i>see</i> <code>\textperthousand</code>
		<code>\medslash (↘)</code> .....	34, 35, 38	<code>milstd</code> (package) ..	133, 243, 244



	<code>\NANDd</code> .....	133
	<code>\NAND1</code> .....	133
	<code>\NANDr</code> .....	133
	<code>\NANDu</code> .....	133
$\approx$	<code>\napprox</code> ( $\approx$ ) .....	54
$\neq$	<code>\napprox</code> ( $\neq$ ) .....	58
$\approx$	<code>\napprox</code> ( $\approx$ ) .....	55
$\approx$	<code>\napprox</code> ( $\approx$ ) .....	62
$\approx$	<code>\napproxeq</code> ( $\approx$ ) .....	53
$\approx$	<code>\napproxeq</code> ( $\approx$ ) .....	58
$\approx$	<code>\napproxeq</code> ( $\approx$ ) .....	55
$\approx$	<code>\napproxeqq</code> ( $\approx$ ) .....	62
$\approx$	<code>\napproxident</code> ( $\approx$ ) .....	58
$\neq$	<code>\narceq</code> ( $\neq$ ) .....	59, 93
$\#$	<code>\nAssert</code> ( $\#$ ) .....	59
$\#$	<code>\nassert</code> ( $\#$ ) .....	59
$*$	<code>\nasymp</code> ( $*$ ) .....	53
$*$	<code>\nasymp</code> ( $*$ ) .....	59, 93
$*$	<code>\nasymp</code> ( $*$ ) .....	92
$*$	<code>\nasymp</code> ( $*$ ) .....	62
$\mathbb{N}$	<code>\Natal</code> ( $\mathbb{N}$ ) .....	131
nath (package)	... 102, 108, 243	
$\mathbb{N}$	<code>\NATURAL</code> ( $\mathbb{N}$ ) .....	95
$\mathbb{N}$	<code>\Natural</code> ( $\mathbb{N}$ ) .....	95
$\natural$	<code>\natural</code> ( $\natural$ ) .....	159
$\natural$	<code>\natural</code> ( $\natural$ ) .....	159
$\natural$	<code>\natural</code> ( $\natural$ ) .....	159
$\natural$	<code>\natural</code> ( $\natural$ ) .....	163
$\natural$	<code>\natural</code> ( $\natural$ ) .....	159
$\natural$	<code>\natural</code> ( $\natural$ ) .....	159
natural numbers ( $\mathbb{N}$ )	alphabets, math	<i>see</i>
$\approx$	<code>\nbackapprox</code> ( $\approx$ ) .....	55
$\approx$	<code>\nbackapproxeq</code> ( $\approx$ ) .....	55
$\neq$	<code>\nbackcong</code> ( $\neq$ ) .....	58
$\neq$	<code>\nbackcong</code> ( $\neq$ ) .....	55
$\approx$	<code>\nbackeqsim</code> ( $\approx$ ) .....	55
$\sim$	<code>\nbacksim</code> ( $\sim$ ) .....	53
$\sim$	<code>\nbacksim</code> ( $\sim$ ) .....	58
$\sim$	<code>\nbacksim</code> ( $\sim$ ) .....	55
$\neq$	<code>\nbacksimeq</code> ( $\neq$ ) .....	53
$\neq$	<code>\nbacksimeq</code> ( $\neq$ ) .....	58
$\neq$	<code>\nbacksimeq</code> ( $\neq$ ) .....	56
$\approx$	<code>\nbacktriplesim</code> ( $\approx$ ) .....	56
$\bar{\vee}$	<code>\nBarv</code> ( $\bar{\vee}$ ) .....	59
$\bar{\vee}$	<code>\nbarV</code> ( $\bar{\vee}$ ) .....	59
$\curvearrowleft$	<code>\nbdleftarccarrow</code> ( $\curvearrowleft$ ) .....	83
$\curvearrowright$	<code>\nbdnearccarrow</code> ( $\curvearrowright$ ) .....	83
$\curvearrowright$	<code>\nbdnwarccarrow</code> ( $\curvearrowright$ ) .....	83
$\curvearrowright$	<code>\nbdoverarccarrow</code> ( $\curvearrowright$ ) .....	83
$\curvearrowright$	<code>\nbdrightarccarrow</code> ( $\curvearrowright$ ) .....	83
$\curvearrowright$	<code>\nbdsearccarrow</code> ( $\curvearrowright$ ) .....	83




$\curvearrowright$	<code>\nbdswarccarrow</code> ( $\curvearrowright$ ) .....	83
$\curvearrowright$	<code>\nbdunderarccarrow</code> ( $\curvearrowright$ ) ..	83
$\spadesuit$	<code>\nblackwhitespoon</code> ( $\spadesuit$ ) ..	93
$\%$	<code>\NBSP</code> ( $\%$ ) .....	133
$\%$	<code>\NBSP</code> ( $\%$ ) .....	133
$\neq$	<code>\nBumpeq</code> ( $\neq$ ) .....	53
$\neq$	<code>\nBumpeq</code> ( $\neq$ ) .....	58
$\neq$	<code>\nBumpeq</code> ( $\neq$ ) .....	56
$\neq$	<code>\nBumpeq</code> ( $\neq$ ) .....	62
$\neq$	<code>\nbumpeq</code> ( $\neq$ ) .....	53
$\neq$	<code>\nbumpeq</code> ( $\neq$ ) .....	58
$\neq$	<code>\nbumpeq</code> ( $\neq$ ) .....	56
$\neq$	<code>\nbumpeq</code> ( $\neq$ ) .....	62
$\neq$	<code>\nbumpeqq</code> ( $\neq$ ) .....	58
$\neq$	<code>\ncirceq</code> ( $\neq$ ) .....	58
$\neq$	<code>\ncirceq</code> ( $\neq$ ) .....	56
$\circlearrowleft$	<code>\ncirclearrowleft</code> ( $\circlearrowleft$ ) ..	84
$\circlearrowleft$	<code>\ncirclearrowleft</code> ( $\circlearrowleft$ ) ..	80
$\circlearrowright$	<code>\ncirclearrowright</code> ( $\circlearrowright$ ) ..	84
$\circlearrowright$	<code>\ncirclearrowright</code> ( $\circlearrowright$ ) ..	80
$\neq$	<code>\ncirmid</code> ( $\neq$ ) .....	93
$\neq$	<code>\nclosedequal</code> ( $\neq$ ) .....	56
$\neq$	<code>\nclosure</code> ( $\neq$ ) .....	59, 93
$\neq$	<code>\ncong</code> ( $\neq$ ) .....	54
$\neq$	<code>\ncong</code> ( $\neq$ ) .....	52
$\neq$	<code>\ncong</code> ( $\neq$ ) .....	60
$\neq$	<code>\ncong</code> ( $\neq$ ) .....	58
$\neq$	<code>\ncong</code> ( $\neq$ ) .....	56
$\neq$	<code>\ncong</code> ( $\neq$ ) .....	62
$\neq$	<code>\ncongdot</code> ( $\neq$ ) .....	62
$\neq$	<code>\ncurlyeqprec</code> ( $\neq$ ) .....	54
$\neq$	<code>\ncurlyeqprec</code> ( $\neq$ ) .....	58
$\neq$	<code>\ncurlyeqprec</code> ( $\neq$ ) .....	56
$\neq$	<code>\ncurlyeqsucc</code> ( $\neq$ ) .....	54
$\neq$	<code>\ncurlyeqsucc</code> ( $\neq$ ) .....	58
$\neq$	<code>\ncurlyeqsucc</code> ( $\neq$ ) .....	56
$\curvearrowright$	<code>\ncurvearrowdownup</code> ( $\curvearrowright$ ) ..	79
$\curvearrowright$	<code>\ncurvearrowleft</code> ( $\curvearrowright$ ) ..	84
$\curvearrowright$	<code>\ncurvearrowleft</code> ( $\curvearrowright$ ) ..	80
$\curvearrowright$	<code>\ncurvearrowleftright</code> ( $\curvearrowright$ ) ..	79
$\curvearrowright$	<code>\ncurvearrownesw</code> ( $\curvearrowright$ ) ..	79
$\curvearrowright$	<code>\ncurvearrownwse</code> ( $\curvearrowright$ ) ..	79
$\curvearrowright$	<code>\ncurvearrowright</code> ( $\curvearrowright$ ) ..	84
$\curvearrowright$	<code>\ncurvearrowright</code> ( $\curvearrowright$ ) ..	80
$\curvearrowright$	<code>\ncurvearrowrightleft</code> ( $\curvearrowright$ ) ..	79
$\curvearrowright$	<code>\ncurvearrowssene</code> ( $\curvearrowright$ ) ..	79
$\curvearrowright$	<code>\ncurvearrowsswne</code> ( $\curvearrowright$ ) ..	79
$\curvearrowright$	<code>\ncurvearrowupdown</code> ( $\curvearrowright$ ) ..	79
$\circlearrowdown$	<code>\ncwcirclearrowdown</code> ( $\circlearrowdown$ ) ..	83
$\circlearrowleft$	<code>\ncwcirclearrowleft</code> ( $\circlearrowleft$ ) ..	83
$\circlearrowright$	<code>\ncwcirclearrowright</code> ( $\circlearrowright$ ) ..	83
$\circlearrowup$	<code>\ncwcirclearrowup</code> ( $\circlearrowup$ ) ..	83
$\circlearrowright$	<code>\ncwgapcirclearrow</code> ( $\circlearrowright$ ) ..	84
$\curvearrowright$	<code>\ncwleftarccarrow</code> ( $\curvearrowright$ ) .....	83
$\curvearrowright$	<code>\ncwnearccarrow</code> ( $\curvearrowright$ ) .....	83
$\curvearrowright$	<code>\ncwnwarccarrow</code> ( $\curvearrowright$ ) .....	83
$\circlearrowright$	<code>\ncwopencirclearrow</code> ( $\circlearrowright$ ) ..	84
$\curvearrowright$	<code>\ncwoverarccarrow</code> ( $\curvearrowright$ ) ..	83
$\curvearrowright$	<code>\ncwrightarccarrow</code> ( $\curvearrowright$ ) ..	84
$\curvearrowright$	<code>\ncwsearccarrow</code> ( $\curvearrowright$ ) .....	84
$\curvearrowright$	<code>\ncwswarccarrow</code> ( $\curvearrowright$ ) .....	84
$\curvearrowright$	<code>\ncwunderarccarrow</code> ( $\curvearrowright$ ) ..	84
$\dashrightarrow$	<code>\ndasharrow</code> ( $\dashrightarrow$ ) .....	84
$\dashrightarrow$	<code>\ndasharrow</code> ( $\dashrightarrow$ ) .....	80
$\downdownarrows$	<code>\ndasheddownarrow</code> ( $\downdownarrows$ ) ..	79
$\dashrightarrow$	<code>\ndashedleftarrow</code> ( $\dashrightarrow$ ) ..	79
$\dashrightarrow$	<code>\ndashednearrow</code> ( $\dashrightarrow$ ) .....	79
$\dashrightarrow$	<code>\ndashednwarrow</code> ( $\dashrightarrow$ ) .....	79
$\dashrightarrow$	<code>\ndashedrightarrow</code> ( $\dashrightarrow$ ) ..	79
$\dashrightarrow$	<code>\ndashedsearrow</code> ( $\dashrightarrow$ ) .....	79
$\dashrightarrow$	<code>\ndashedswarrow</code> ( $\dashrightarrow$ ) .....	79
$\dashrightarrow$	<code>\ndasheduparrow</code> ( $\dashrightarrow$ ) .....	79
$\dashrightarrow$	<code>\ndashleftarrow</code> ( $\dashrightarrow$ ) .....	84
$\dashrightarrow$	<code>\ndashleftarrow</code> ( $\dashrightarrow$ ) .....	80
$\dashrightarrow$	<code>\ndashrightarrow</code> ( $\dashrightarrow$ ) ..	84
$\dashrightarrow$	<code>\ndashrightarrow</code> ( $\dashrightarrow$ ) ..	80
$\neq$	<code>\nDashV</code> ( $\neq$ ) .....	54
$\neq$	<code>\nDashV</code> ( $\neq$ ) .....	59
$\neq$	<code>\nDashv</code> ( $\neq$ ) .....	54
$\neq$	<code>\nDashv</code> ( $\neq$ ) .....	59
$\neq$	<code>\ndashV</code> ( $\neq$ ) .....	54
$\neq$	<code>\ndashV</code> ( $\neq$ ) .....	58
$\neq$	<code>\ndashv</code> ( $\neq$ ) .....	54
$\neq$	<code>\ndashv</code> ( $\neq$ ) .....	59
$\neq$	<code>\ndashv</code> ( $\neq$ ) .....	56
$\neq$	<code>\ndashVv</code> ( $\neq$ ) .....	54
$\neq$	<code>\ndashVv</code> ( $\neq$ ) .....	58
$\neq$	<code>\nDdashv</code> ( $\neq$ ) .....	58
$\neq$	<code>\nDdownarrow</code> ( $\neq$ ) .....	84
$\neq$	<code>\nddtstile</code> ( $\neq$ ) .....	63
$\times$	<code>\ndiagdown</code> ( $\times$ ) .....	56
$\times$	<code>\ndiagup</code> ( $\times$ ) .....	56
$\neq$	<code>\ndivides</code> ( $\neq$ ) .....	56
$\neq$	<code>\nDoteq</code> ( $\neq$ ) .....	58
$\neq$	<code>\nDoteq</code> ( $\neq$ ) .....	56
$\neq$	<code>\ndoteq</code> ( $\neq$ ) .....	58
$\neq$	<code>\ndoteq</code> ( $\neq$ ) .....	56
$\neq$	<code>\ndoublefrown</code> ( $\neq$ ) .....	92
$\neq$	<code>\ndoublefrowneq</code> ( $\neq$ ) .....	92
$\neq$	<code>\ndoublesmile</code> ( $\neq$ ) .....	92
$\neq$	<code>\ndoublesmileeq</code> ( $\neq$ ) .....	92
$\neq$	<code>\nDownarrow</code> ( $\neq$ ) .....	84
$\neq$	<code>\nDownarrow</code> ( $\neq$ ) .....	79
$\neq$	<code>\ndownarrow</code> ( $\neq$ ) .....	84
$\neq$	<code>\ndownarrow</code> ( $\neq$ ) .....	79
$\neq$	<code>\ndownarrowtail</code> ( $\neq$ ) .....	84
$\neq$	<code>\ndownarrowtail</code> ( $\neq$ ) .....	79
$\neq$	<code>\ndownAssert</code> ( $\neq$ ) .....	58
$\neq$	<code>\ndownassert</code> ( $\neq$ ) .....	58
$\neq$	<code>\ndownbkarrow</code> ( $\neq$ ) .....	84
$\neq$	<code>\ndownblackspoon</code> ( $\neq$ ) .....	93
$\neq$	<code>\ndowndownarrows</code> ( $\neq$ ) ..	84
$\neq$	<code>\ndowndownarrows</code> ( $\neq$ ) ..	79
$\neq$	<code>\ndownfilledspoon</code> ( $\neq$ ) ..	91
$\neq$	<code>\ndownfootline</code> ( $\neq$ ) .....	56
$\neq$	<code>\ndownfree</code> ( $\neq$ ) .....	56
$\neq$	<code>\ndownharpoonccw</code> ( $\neq$ ) .....	81

<code>\downharpooncw</code> ( $\downdownarrows$ )	81	<code>\nearrowtail</code> ( $\nearrowtail$ )	77	<code>\nequiv</code> ( $\nequiv$ )	62
<code>\downharpoonleft</code> ( $\downdownarrowsleft$ )	85	<code>\nebkarrow</code> ( $\nebkarrow$ )	82	<code>\nequivclosed</code> ( $\nequivclosed$ )	56
<code>\downharpoonright</code> ( $\downdownarrowsright$ )	85	<code>\nefilledspoon</code> ( $\nefilledspoon$ )	91	<code>\nercurvearrow</code> ( $\nercurvearrow$ )	83
<code>\downlcurvearrow</code> ( $\downlcurvearrow$ )	84	<code>\nefootline</code> ( $\nefootline$ )	54	<code>\nersquigarrow</code> ( $\nersquigarrow$ )	77
<code>\downleftcurvedarrow</code> ( $\downleftcurvedarrow$ )	84	<code>\nefree</code> ( $\nefree$ )	54	<code>\nespoon</code> ( $\nespoon$ )	91
<code>\downlsquigarrow</code> ( $\downlsquigarrow$ )	84	<code>\neg</code> ( $\neg$ )	122	<code>\Neswarrow</code> ( $\Neswarrow$ )	82
<code>\downlsquigarrow</code> ( $\downlsquigarrow$ )	79	<code>\neg</code> ( $\neg$ )	123	<code>\Neswarrow</code> ( $\Neswarrow$ )	77
<code>\nDownmapsto</code> ( $\nDownmapsto$ )	84	<code>\neg</code> ( $\neg$ )	123	<code>\neswarrow</code> ( $\neswarrow$ )	229
<code>\downmapsto</code> ( $\downmapsto$ )	84	<code>\neg</code> ( $\neg$ )	124	<code>\neswarrow</code> ( $\neswarrow$ )	82
<code>\ndownmapsto</code> ( $\ndownmapsto$ )	79	negation ... <i>see</i> <code>\neg</code> and <code>\sim</code>		<code>\neswarrow</code> ( $\neswarrow$ )	77
<code>\downModels</code> ( $\downModels$ )	56	<code>\neharpoonccw</code> ( $\neharpoonccw$ )	80	<code>\neswarrow</code> ( $\neswarrow$ )	88
<code>\downmodels</code> ( $\downmodels$ )	58	<code>\neharpooncw</code> ( $\neharpooncw$ )	80	<code>\neswarrows</code> ( $\neswarrows$ )	82
<code>\downmodels</code> ( $\downmodels$ )	56	<code>\neharpoonnw</code> ( $\neharpoonnw$ )	85	<code>\neswarrows</code> ( $\neswarrows$ )	77
<code>\downpitchfork</code> ( $\downpitchfork$ )	93	<code>\neharpoonse</code> ( $\neharpoonse$ )	85	<code>\neswbipropto</code> ( $\neswbipropto$ )	34
<code>\downpitchfork</code> ( $\downpitchfork$ )	92	<code>\nelcurvearrow</code> ( $\nelcurvearrow$ )	83	<code>\neswcrossing</code> ( $\neswcrossing$ )	56
<code>\downrcurvearrow</code> ( $\downrcurvearrow$ )	84	<code>\nelsquigarrow</code> ( $\nelsquigarrow$ )	77	<code>\neswcurvearrow</code> ( $\neswcurvearrow$ )	83
<code>\downrightcurvedarrow</code> ( $\downrightcurvedarrow$ )	84	<code>\nemapsto</code> ( $\nemapsto$ )	77	<code>\neswharpoonnwse</code> ( $\neswharpoonnwse$ )	85
<code>\downrsquigarrow</code> ( $\downrsquigarrow$ )	84	<code>\neModels</code> ( $\neModels$ )	54	<code>\neswharpoonnwse</code> ( $\neswharpoonnwse$ )	80
<code>\downrsquigarrow</code> ( $\downrsquigarrow$ )	79	<code>\nemodels</code> ( $\nemodels$ )	54	<code>\neswharpoons</code> ( $\neswharpoons$ )	85
<code>\downspoon</code> ( $\downspoon$ )	93	<code>\nenearrows</code> ( $\nenearrows$ )	82	<code>\neswharpoons</code> ( $\neswharpoons$ )	80
<code>\downspoon</code> ( $\downspoon$ )	91	<code>\nenearrows</code> ( $\nenearrows$ )	77	<code>\neswharpoonsenw</code> ( $\neswharpoonsenw$ )	85
<code>\downuparrows</code> ( $\downuparrows$ )	84	<code>\neovnwarrow</code> ( $\neovnwarrow$ )	88	<code>\neswharpoonsenw</code> ( $\neswharpoonsenw$ )	80
<code>\downuparrows</code> ( $\downuparrows$ )	79	<code>\neovsearrow</code> ( $\neovsearrow$ )	88	<code>\Neswline</code> ( $\Neswline$ )	54
<code>\downupcurvearrow</code> ( $\downupcurvearrow$ )	84	<code>\nepitchfork</code> ( $\nepitchfork$ )	92	<code>\neswline</code> ( $\neswline$ )	54
<code>\downupharpoons</code> ( $\downupharpoons$ )	85	<code>\Neptune</code> ( $\Neptune$ )	130	<code>\Netherlands</code> ( $\Netherlands$ )	190
<code>\downupharpoons</code> ( $\downupharpoons$ )	81	<code>\Neptune</code> ( $\Neptune$ )	129	neumes	161
<code>\downupharpoonsleftright</code> ( $\downupharpoonsleftright$ )	85	<code>\Neptune</code> ( $\Neptune$ )	131	<code>\neuter</code> ( $\neuter$ )	134
<code>\downupsquigarrow</code> ( $\downupsquigarrow$ )	84	<code>\neptune</code> ( $\neptune$ )	129	<code>\Neutral</code> ( $\Neutral$ )	134
<code>\downVDash</code> ( $\downVDash$ )	58	<code>\neq</code> ( $\neq$ )	54	<code>\Neutrey</code> ( $\Neutrey$ )	192
<code>\downVdash</code> ( $\downVdash$ )	58	<code>\neq</code> ( $\neq$ )	67	<code>\neutrino</code> ( $\neutrino$ )	135
<code>\downVdash</code> ( $\downVdash$ )	56	<code>\neq</code> ( $\neq$ )	60	<code>\neutron</code> ( $n^0$ )	135
<code>\downvDash</code> ( $\downvDash$ )	58	<code>\neq</code> ( $\neq$ )	59	<code>\neVdash</code> ( $\neVdash$ )	54
<code>\downvdash</code> ( $\downvdash$ )	58	<code>\neq</code> ( $\neq$ )	56	<code>\nevdash</code> ( $\nevdash$ )	54
<code>\downvdash</code> ( $\downvdash$ )	56	<code>\neq</code> ( $\neq$ )	62	<code>\newextarrow</code>	116
<code>\downwavearrow</code> ( $\downwavearrow$ )	84	<code>\neqbump</code> ( $\neqbump$ )	56	<code>\newmetrics</code>	185
<code>\ndtstile</code> ( $\ndtstile$ )	63	<code>\neqcirc</code> ( $\neqcirc$ )	58	<code>\newmoon</code> ( $\newmoon$ )	130
<code>\ndtstile</code> ( $\ndtstile$ )	63	<code>\neqcirc</code> ( $\neqcirc$ )	56	<code>\newmoon</code> ( $\newmoon$ )	129
<code>\ndttstile</code> ( $\ndttstile$ )	63	<code>\neqdot</code> ( $\neqdot$ )	58	<code>\newtie</code> ( $\newtie$ )	21
<code>\ndualmap</code> ( $\ndualmap$ )	93	<code>\neqdot</code> ( $\neqdot$ )	56	<code>\nexists</code> ( $\nexists$ )	99
<code>\NE</code> ( $\NE$ )	132	<code>\neqfrown</code> ( $\neqfrown$ )	92	<code>\nexists</code> ( $\nexists$ )	99
<code>\ne</code>	<i>see</i> <code>\neq</code>	<code>\neqsim</code> ( $\neqsim$ )	58	<code>\nexists</code> ( $\nexists$ )	100
<code>\ne</code> ( $\ne$ )	59	<code>\neqsim</code> ( $\neqsim$ )	56	<code>\nexists</code> ( $\nexists$ )	100
<code>\ne</code> ( $\ne$ )	56	<code>\neqsim</code> ( $\neqsim$ )	62	<code>\nexists</code> ( $\nexists$ )	99
<code>\ne</code> ( $\ne$ )	62	<code>\neqslantgtr</code> ( $\neqslantgtr$ )	68	<code>\nexists</code> ( $\nexists$ )	100
<code>\Nearrow</code> ( $\Nearrow$ )	76	<code>\neqslantgtr</code> ( $\neqslantgtr$ )	70	<code>\nfallingdotseq</code> ( $\nfallingdotseq$ )	58
<code>\Nearrow</code> ( $\Nearrow$ )	86	<code>\neqslantgtr</code> ( $\neqslantgtr$ )	69	<code>\nfallingdotseq</code> ( $\nfallingdotseq$ )	56
<code>\Nearrow</code> ( $\Nearrow$ )	82	<code>\neqslantgtr</code> ( $\neqslantgtr$ )	71	<code>\nforksnot</code> ( $\nforksnot$ )	62
<code>\Nearrow</code> ( $\Nearrow$ )	77	<code>\neqslantless</code> ( $\neqslantless$ )	68	<code>\nfrown</code> ( $\nfrown$ )	58, 93
<code>\Nearrow</code> ( $\Nearrow$ )	87	<code>\neqslantless</code> ( $\neqslantless$ )	70	<code>\nfrown</code> ( $\nfrown$ )	92
<code>\nearrow</code> ( $\nearrow$ )	76	<code>\neqslantless</code> ( $\neqslantless$ )	69	<code>\nfrowneq</code> ( $\nfrowneq$ )	58, 93
<code>\nearrow</code> ( $\nearrow$ )	75, 229	<code>\neqslantless</code> ( $\neqslantless$ )	71	<code>\nfrowneq</code> ( $\nfrowneq$ )	92
<code>\nearrow</code> ( $\nearrow$ )	82	<code>\neqsmile</code> ( $\neqsmile$ )	92	<code>\nfrowneqsmile</code> ( $\nfrowneqsmile$ )	92
<code>\nearrow</code> ( $\nearrow$ )	77	<code>\nequal</code> ( $\nequal$ )	58	<code>\nfrownsmile</code> ( $\nfrownsmile$ )	58, 93
<code>\nearrow</code> ( $\nearrow$ )	88	<code>\nequal</code> ( $\nequal$ )	56	<code>\nfrownsmile</code> ( $\nfrownsmile$ )	92
<code>\nearrowcorner</code> ( $\nearrowcorner$ )	86	<code>\nequalclosed</code> ( $\nequalclosed$ )	56	<code>\nfrownsmileeq</code> ( $\nfrownsmileeq$ )	92
<code>\nearrowtail</code> ( $\nearrowtail$ )	82	<code>\nequiv</code> ( $\nequiv$ )	53	<code>\NG</code> ( $\NG$ )	132
		<code>\nequiv</code> ( $\nequiv$ )	60	<code>\NG</code> (I)	15
		<code>\nequiv</code> ( $\nequiv$ )	58	<code>\ng</code> ( $\ng$ )	15
		<code>\nequiv</code> ( $\nequiv$ )	56	<code>\nge</code> ( $\nge$ )	72

<code>\ngeq</code> (≧)	68	<code>\ngtreqlantless</code> (≧̸)	70	<code>\nphi</code> (φ)	19
<code>\ngeq</code> (≧̸)	67, 68	<code>\ngtrless</code> (≧̸)	67	<code>\niplus</code> (⊕)	52
<code>\ngeq</code> (≧̇)	71	<code>\ngtrless</code> (≧̇)	70	<code>\niplus</code> (⊕)	59
<code>\ngeq</code> (≧̈)	70	<code>\ngtrless</code> (≧̈)	69	<code>\nis</code> (∅)	61
<code>\ngeq</code> (≧̉)	69	<code>\ngtrless</code> (≧̉)	72	<code>\nisd</code> (∋)	59
<code>\ngeq</code> (≧̊)	71, 72	<code>\ngtrsim</code> (≧̊)	68	<code>\nisd</code> (∋)	61
<code>\ngeqclosed</code> (≧̅)	70, 74	<code>\ngtrsim</code> (≧̋)	67	<code>\nisigma</code> (σ)	19
<code>\ngeqclosed</code> (≧̅̇)	69, 73	<code>\ngtrsim</code> (≧̌)	70	<code>\nitheta</code> (θ)	19
<code>\ngeqdot</code> (≧̇)	70	<code>\ngtrsim</code> (≧̍)	72	<code>\niupsilon</code> (ι)	19
<code>\ngeqdot</code> (≧̇̇)	69	<code>\nhateq</code> (≧̈)	59	<code>\niv</code> (L)	102
<code>\ngeqq</code> (≧̈)	68	<code>\nhateq</code> (≧̈̇)	56	<code>\nj</code> (J)	19
<code>\ngeqq</code> (≧̈̇)	67	<code>\nHdownarrow</code> (⤵)	87	<code>nkarta</code> (package)	200, 243
<code>\ngeqq</code> (≧̈̈)	71	<code>\nHdownarrow</code> (⤵)	90	<code>\nlcirclearrowdown</code> (⤵)	79
<code>\ngeqq</code> (≧̈̉)	70	<code>\nhknearrow</code> (↗)	84	<code>\nlcirclearrowleft</code> (⤵)	79
<code>\ngeqq</code> (≧̈̊)	69	<code>\nhknwarrow</code> (↖)	84	<code>\nlcirclearrowright</code> (⤵)	79
<code>\ngeqq</code> (≧̈̋)	72	<code>\nhksearrow</code> (↗)	84	<code>\nlcirclearrowup</code> (⤵)	79
<code>\ngeqslant</code> (≧̇)	67	<code>\nhkswarrow</code> (↖)	84	<code>\nlcurvearrowdown</code> (⤵)	79
<code>\ngeqslant</code> (≧̇̇)	71	<code>\nhookdownarrow</code> (⤵)	84	<code>\nlcurvearrowleft</code> (⤵)	79
<code>\ngeqslant</code> (≧̇̈)	70	<code>\nhookleftarrow</code> (↖)	84	<code>\nlcurvearrowne</code> (↗)	79
<code>\ngeqslant</code> (≧̇̉)	69	<code>\nhookleftarrow</code> (↖)	80	<code>\nlcurvearrownw</code> (↖)	79
<code>\ngeqslant</code> (≧̇̊)	72	<code>\nhooknearrow</code> (↗)	84	<code>\nlcurvearrowright</code> (↗)	79
<code>\ngeqslantdot</code> (≧̇̇)	70	<code>\nhooknwarrow</code> (↖)	84	<code>\nlcurvearrowse</code> (↘)	79
<code>\ngeqslantdot</code> (≧̇̇̇)	69	<code>\nhookrightarrow</code> (↗)	84	<code>\nlcurvearrowsw</code> (↖)	79
<code>\ngeqslcc</code> (≧̇)	70	<code>\nhookrightarrow</code> (↗)	80	<code>\nlcurvearrowup</code> (⤵)	79
<code>\ngescc</code> (≧̈)	71	<code>\nhooksearrow</code> (↘)	84	<code>\nle</code> (≧̈)	72
<code>\ngesdot</code> (≧̈̇)	71	<code>\nhookswarrow</code> (↖)	84	<code>\nleadsto</code> (↗)	85
<code>\ngesl</code> (≧̈̇)	71	<code>\nhookuparrow</code> (⤵)	84	<code>\nleadsto</code> (↗)	80
<code>\ngets</code> (↔)	84	<code>\nhpar</code> (∥)	62	<code>\nLeftarrow</code> (⇐)	76
<code>\ngets</code> (↔)	80	<code>\nHuparrow</code> (⤴)	87	<code>\nLeftarrow</code> (⇐)	75
<code>\ngets</code> (↔)	90	<code>\nHuparrow</code> (⤴)	90	<code>\nLeftarrow</code> (⇐)	87
<code>\ngg</code> (≧̈)	67	<code>\nhVvert</code> (≡)	36	<code>\nLeftarrow</code> (⇐)	83
<code>\ngg</code> (≧̈̇)	70	<code>\ni</code> (∋)	99, 227	<code>\nLeftarrow</code> (⇐)	79
<code>\ngg</code> (≧̈̈)	69	<code>\ni</code> (∋)	57	<code>\nLeftarrow</code> (⇐)	90
<code>\ngg</code> (≧̈̉)	72	<code>\ni</code> (∋)	100	<code>\nLeftarrow</code> (⇐)	76
<code>\nggg</code> (≧̈̈̈)	70	<code>\ni</code> (∋)	99	<code>\nleftarrow</code> (⇐)	75
<code>\nggg</code> (≧̈̈̈̇)	69	<code>\ni</code> (∋)	61	<code>\nleftarrow</code> (⇐)	87
<code>\ngtcc</code> (≧̈)	70	<code>\nialpha</code> (α)	19	<code>\nleftarrow</code> (⇐)	83
<code>\ngtr</code> (≧)	68	<code>\nibar</code>	<i>see</i> \ownsbar	<code>\nleftarrow</code> (⇐)	79
<code>\ngtr</code> (≧̇)	67	<code>\nibeta</code> (β)	19	<code>\nleftarrow</code> (⇐)	90
<code>\ngtr</code> (≧̈)	71	<code>\NibLeft</code> (↶)	138	<code>\nleftarrowtail</code> (⇐)	83
<code>\ngtr</code> (≧̉)	70	<code>\NibRight</code> (↷)	138	<code>\nleftarrowtail</code> (⇐)	79
<code>\ngtr</code> (≧̊)	69	<code>nibs</code>	138, 139	<code>\nleftAssert</code> (≧̈)	58
<code>\ngtr</code> (≧̋)	72	<code>\NibSolidLeft</code> (↶)	138	<code>\nleftassert</code> (≧̈)	58
<code>\ngtrapprox</code> (≧̇)	68	<code>\NibSolidRight</code> (↷)	138	<code>\nleftbkarrow</code> (⇐)	83
<code>\ngtrapprox</code> (≧̇̇)	67	<code>nicefrac</code> (package)	124, 243, 244	<code>\nleftblackspoon</code> (⇐)	93
<code>\ngtrapprox</code> (≧̇̈)	70	<code>niceframe</code> (package)	206–209, 213	<code>\nleftcurvedarrow</code> (⇐)	85
<code>\ngtrcc</code> (≧̈)	70	<code>\NiceReapey</code> (↶)	192	<code>\nleftdowncurvedarrow</code> (⇐)	84
<code>\ngtrclosed</code> (≧̅)	70, 74	<code>\nichu</code> (χ)	19	<code>\nleftfilledspoon</code> (⇐)	91
<code>\ngtrclosed</code> (≧̅̇)	69, 73	<code>\niepsilon</code> (ε)	19	<code>\nleftfootline</code> (⇐)	58
<code>\ngtrdot</code> (≧̇)	70	<code>\nigamma</code> (γ)	19	<code>\nleftfootline</code> (⇐)	55
<code>\ngtrdot</code> (≧̇̇)	69	<code>\niiota</code> (ι)	19	<code>\nleftfree</code> (⇐)	55
<code>\ngtreqlless</code> (≧̇)	70	<code>\nilambda</code> (λ)	19	<code>\nleftharpoonccw</code> (⇐)	81
<code>\ngtreqlless</code> (≧̇̇)	69	<code>\nimageof</code> (↗)	93	<code>\nleftharpooncw</code> (⇐)	81
<code>\ngtreqllesslant</code> (≧̇)	70	<code>\nin</code> (≧̈)	58, 100	<code>\nleftharpoondown</code> (⇐)	85
<code>\ngtreqllesslant</code> (≧̇̇)	69	<code>\nin</code> (≧̈̇)	99	<code>\nleftharpoonup</code> (⇐)	85
<code>\ngtreqlless</code> (≧̈)	70	<code>\Ninja</code> (🥷)	192	<code>\nleftlcurvearrow</code> (⇐)	84
<code>\ngtreqlless</code> (≧̈̇)	69	<code>\niobar</code> (̄)	61	<code>\nleftleftarrows</code> (⇐)	83
<code>\ngtreqlless</code> (≧̈̈)	70	<code>\niomega</code> (ω)	19	<code>\nleftleftarrows</code> (⇐)	79
<code>\ngtreqlless</code> (≧̈̉)	69			<code>\nleftlsquigarrow</code> (⇐)	84



<code>\nleftlsquigarrow</code> ( $\leftarrow$ ) ...	79	<code>\nleq</code> ( $\leq$ ) .....	70	<code>\nlhooknwarrow</code> ( $\nearrow$ ) .....	79
<code>\nLeftmapsto</code> ( $\Leftarrow$ ) .....	83	<code>\nleq</code> ( $\leq$ ) .....	69	<code>\nlhookrightarrow</code> ( $\rightarrow$ ) ...	79
<code>\nleftmapsto</code> ( $\leftarrow$ ) .....	83	<code>\nleq</code> ( $\leq$ ) .....	72	<code>\nlhooksearrow</code> ( $\searrow$ ) .....	79
<code>\nleftmapsto</code> ( $\leftarrow$ ) .....	79	<code>\nleqclosed</code> ( $\leq$ ) .....	70, 74	<code>\nlhookswarrow</code> ( $\swarrow$ ) .....	79
<code>\nleftModels</code> ( $\#$ ) .....	55	<code>\nleqclosed</code> ( $\leq$ ) .....	69, 73	<code>\nlhookuparrow</code> ( $\uparrow$ ) .....	79
<code>\nleftmodels</code> ( $\#$ ) .....	58	<code>\nleqdot</code> ( $\leq$ ) .....	70	<code>\nll</code> ( $\ll$ ) .....	67
<code>\nleftmodels</code> ( $\#$ ) .....	55	<code>\nleqdot</code> ( $\leq$ ) .....	69	<code>\nll</code> ( $\ll$ ) .....	70
<code>\nleftpitchfork</code> ( $\pitchfork$ ) ...	93	<code>\nleqq</code> ( $\leqq$ ) .....	68	<code>\nll</code> ( $\ll$ ) .....	69
<code>\nleftpitchfork</code> ( $\pitchfork$ ) ...	92	<code>\nleqq</code> ( $\leqq$ ) .....	67	<code>\nll</code> ( $\ll$ ) .....	72
<code>\nleftcurvearrow</code> ( $\curvearrowright$ ) ..	84	<code>\nleqq</code> ( $\leqq$ ) .....	71	<code>\nLleftarrow</code> ( $\Leftarrow$ ) .....	83
<code>\nLeftrightarrowW</code> ( $\Leftrightarrow$ ) ...	87	<code>\nleqq</code> ( $\leqq$ ) .....	70	<code>\nLleftarrow</code> ( $\Leftarrow$ ) .....	79
<code>\nLeftrightarrow</code> ( $\Leftrightarrow$ ) ...	76	<code>\nleqq</code> ( $\leqq$ ) .....	69	<code>\nlll</code> ( $\lll$ ) .....	70
<code>\nLeftrightarrow</code> ( $\Leftrightarrow$ ) ...	75	<code>\nleqq</code> ( $\leqq$ ) .....	72	<code>\nlll</code> ( $\lll$ ) .....	69
<code>\nLeftrightarrow</code> ( $\Leftrightarrow$ ) ...	87	<code>\nleqslant</code> ( $\leqslant$ ) .....	67	<code>\nlongdashv</code> ( $\dashv$ ) .....	59
<code>\nLeftrightarrow</code> ( $\Leftrightarrow$ ) ...	83	<code>\nleqslant</code> ( $\leqslant$ ) .....	71	<code>\nlongleadsto</code> ( $\leadsto$ ) .....	84
<code>\nLeftrightarrow</code> ( $\Leftrightarrow$ ) ...	79	<code>\nleqslant</code> ( $\leqslant$ ) .....	70	<code>\nLongleftarrow</code> ( $\Leftarrow$ ) ...	83
<code>\nLeftrightarrow</code> ( $\Leftrightarrow$ ) ...	90	<code>\nleqslant</code> ( $\leqslant$ ) .....	69	<code>\nlongleftarrow</code> ( $\leftarrow$ ) ...	83
<code>\nleftrightharpoonup</code> ( $\rightharpoonup$ ) ...	76	<code>\nleqslant</code> ( $\leqslant$ ) .....	72	<code>\nlongleftfootline</code> ( $\leftarrow$ )	58
<code>\nleftrightharpoonup</code> ( $\rightharpoonup$ ) .	30, 75	<code>\nleqslantdot</code> ( $\leqslant\dot{\phantom{x}}$ ) .....	70	<code>\nLongleftrightharpoonup</code> ( $\Leftrightarrow$ )	83
<code>\nleftrightharpoonup</code> ( $\rightharpoonup$ ) ...	87	<code>\nleqslantdot</code> ( $\leqslant\dot{\phantom{x}}$ ) .....	69	<code>\nlongleftrightharpoonup</code> ( $\Leftrightarrow$ )	83
<code>\nleftrightharpoonup</code> ( $\rightharpoonup$ ) ...	83	<code>\nleslcc</code> ( $\leqslant\llcorner$ ) .....	70	<code>\nlongleftsquigarrow</code> ( $\leftarrow$ )	84
<code>\nleftrightharpoonup</code> ( $\rightharpoonup$ ) ...	79	<code>\nlescc</code> ( $\leqslant\llcorner$ ) .....	70	<code>\nlongleftwavearrow</code> ( $\leftarrow$ )	83
<code>\nleftrightharpoonup</code> ( $\rightharpoonup$ ) ...	90	<code>\nlesdot</code> ( $\leqslant\dot{\phantom{x}}$ ) .....	70	<code>\nLongmapsfrom</code> ( $\Leftarrow$ ) ..	58, 83
<code>\nleftrightharpoons</code> ( $\leftrightharpoons$ ) ..	83	<code>\nlesg</code> ( $\leqslant\grave{\phantom{x}}$ ) .....	70	<code>\nlongmapsfrom</code> ( $\leftarrow$ ) ..	58, 83
<code>\nleftrightharpoons</code> ( $\leftrightharpoons$ ) ...	79	<code>\nless</code> ( $\less$ ) .....	68	<code>\nLongmapsto</code> ( $\mapsto$ ) .....	83
<code>\nleftrightharpoons</code> ( $\leftrightharpoons$ )	93	<code>\nless</code> ( $\less$ ) .....	67	<code>\nlongmapsto</code> ( $\mapsto$ ) .....	83
<code>\nleftrightharpoons</code> ( $\leftrightharpoons$ )	84	<code>\nless</code> ( $\less$ ) .....	71	<code>\nLongrightarrow</code> ( $\Rightarrow$ ) ..	83
<code>\nleftrightharpoondownup</code> ( $\rightleftharpoons$ )	85	<code>\nless</code> ( $\less$ ) .....	70	<code>\nlongrightarrow</code> ( $\rightarrow$ ) ..	83
<code>\nleftrightharpoondownup</code> ( $\rightleftharpoons$ )	81	<code>\nless</code> ( $\less$ ) .....	69	<code>\nlongrightfootline</code> ( $\rightarrow$ )	58
<code>\nleftrightharpoons</code> ( $\leftrightharpoons$ ) .	85	<code>\nless</code> ( $\less$ ) .....	72	<code>\nlongrightsquigarrow</code> ( $\rightarrow$ ) .	84
<code>\nleftrightharpoons</code> ( $\leftrightharpoons$ ) .	81	<code>\nlessapprox</code> ( $\lesssim$ ) .....	68	<code>\nlongrightwavearrow</code> ( $\rightarrow$ )	83
<code>\nleftrightharpoonupdown</code> ( $\rightleftharpoons$ )	85	<code>\nlessapprox</code> ( $\lesssim$ ) .....	67	<code>\nltcc</code> ( $\llcorner$ ) .....	71
<code>\nleftrightharpoonupdown</code> ( $\rightleftharpoons$ )	81	<code>\nlessapprox</code> ( $\lesssim$ ) .....	70	<code>\nMapsdown</code> ( $\Downarrow$ ) .....	84
<code>\nleftrightharpoonupdown</code> ( $\rightleftharpoons$ )	81	<code>\nlesscc</code> ( $\leqslant\llcorner$ ) .....	70	<code>\nmapsdown</code> ( $\Downarrow$ ) .....	84
<code>\nLeftrightarrow</code> ( $\Leftrightarrow$ ) .....	55	<code>\nlessclosed</code> ( $\leqslant\llcorner$ ) .....	70, 74	<code>\nMapsfrom</code> ( $\Uparrow$ ) .....	84
<code>\nLeftrightarrow</code> ( $\Leftrightarrow$ ) .....	55	<code>\nlessclosed</code> ( $\leqslant\llcorner$ ) .....	69, 73	<code>\nmapsfrom</code> ( $\Uparrow$ ) .....	84
<code>\nleftrightspoon</code> ( $\rightsquigarrow$ ) ...	93	<code>\nlessdot</code> ( $\leqslant\dot{\phantom{x}}$ ) .....	70	<code>\nMapsto</code> ( $\mapsto$ ) .....	84
<code>\nleftrightsquigarrow</code> ( $\rightsquigarrow$ )	84	<code>\nlessdot</code> ( $\leqslant\dot{\phantom{x}}$ ) .....	69	<code>\nmapsto</code> ( $\mapsto$ ) .....	84
<code>\nleftrightsquigarrow</code> ( $\rightsquigarrow$ )	80	<code>\nlesseqgtr</code> ( $\gtrless$ ) .....	70	<code>\nmapsto</code> ( $\mapsto$ ) .....	80
<code>\nleftrightwvearrow</code> ( $\rightsquigarrow$ )	83	<code>\nlesseqgtr</code> ( $\gtrless$ ) .....	69	<code>\nMapsup</code> ( $\Uparrow$ ) .....	84
<code>\nleftsquigarrow</code> ( $\leftarrow$ ) ..	84	<code>\nlesseqgtrslant</code> ( $\gtrless$ ) .....	71	<code>\nmapsup</code> ( $\Uparrow$ ) .....	84
<code>\nleftsquigarrow</code> ( $\leftarrow$ ) ..	79	<code>\nlesseqgtrslant</code> ( $\gtrless$ ) .....	69	<code>\nmid</code> ( $\mid$ ) .....	52
<code>\nleftspoon</code> ( $\leftarrow$ ) .....	93	<code>\nlesseqgtr</code> ( $\gtrless$ ) .....	70	<code>\nmid</code> ( $\mid$ ) .....	60
<code>\nleftspoon</code> ( $\leftarrow$ ) .....	91	<code>\nlesseqgtr</code> ( $\gtrless$ ) .....	69	<code>\nmid</code> ( $\mid$ ) .....	58
<code>\nleftsquigarrow</code> ( $\leftarrow$ ) ...	84	<code>\nlesseqgtr</code> ( $\gtrless$ ) .....	69	<code>\nmid</code> ( $\mid$ ) .....	56
<code>\nleftupcurvedarrow</code> ( $\curvearrowright$ )	84	<code>\nlesseqgtr</code> ( $\gtrless$ ) .....	69	<code>\nmid</code> ( $\mid$ ) .....	62
<code>\nleftVDash</code> ( $\#$ ) .....	58	<code>\nlesseqslantgtr</code> ( $\gtrless$ ) .....	70	<code>\nmidcir</code> ( $\textcircled{\mid}$ ) .....	93
<code>\nleftVDash</code> ( $\#$ ) .....	58	<code>\nlessgtr</code> ( $\lessgtr$ ) .....	67	<code>\nmodels</code> ( $\#$ ) .....	59
<code>\nleftVDash</code> ( $\#$ ) .....	56	<code>\nlessgtr</code> ( $\lessgtr$ ) .....	70	<code>\nmodels</code> ( $\#$ ) .....	56
<code>\nleftvDash</code> ( $\#$ ) .....	58	<code>\nlessgtr</code> ( $\lessgtr$ ) .....	69	<code>\nmultimap</code> ( $\rightsquigarrow$ ) .....	93
<code>\nleftvdash</code> ( $\#$ ) .....	58	<code>\nlessgtr</code> ( $\lessgtr$ ) .....	72	<code>\nmultimap</code> ( $\rightsquigarrow$ ) .....	91
<code>\nleftvdash</code> ( $\#$ ) .....	55	<code>\nlessssim</code> ( $\lesssim$ ) .....	68	<code>\nmultimapinv</code> ( $\rightsquigarrow$ )	93
<code>\nleftwvearrow</code> ( $\leftarrow$ ) .....	83	<code>\nlessssim</code> ( $\lesssim$ ) .....	67	<code>\NN</code> ( $\aleph$ ) .....	132
<code>\nleq</code> ( $\leq$ ) .....	68	<code>\nlessssim</code> ( $\lesssim$ ) .....	70	<code>\nndtstile</code> ( $\text{█}$ ) .....	63
<code>\nleq</code> ( $\leq$ ) .....	67, 68	<code>\nlessssim</code> ( $\lesssim$ ) .....	72	<code>\nNarrow</code> ( $\nearrow$ ) .....	83
<code>\nleq</code> ( $\leq$ ) .....	71	<code>\nlessssim</code> ( $\lesssim$ ) .....	70	<code>\nNarrow</code> ( $\nearrow$ ) .....	79
		<code>\nlhookdownarrow</code> ( $\downarrow$ ) .....	79	<code>\nnarrow</code> ( $\nearrow$ ) .....	76
		<code>\nlhookleftarrow</code> ( $\leftarrow$ ) ...	80	<code>\nnarrow</code> ( $\nearrow$ ) .....	86
		<code>\nlhooknearrow</code> ( $\nearrow$ ) .....	80		





<code>\nnearrow</code> ( $\nearrow$ )	83	<code>\nnwharpoonccw</code> ( $\nwarrow$ )	81	<code>not</code>	<i>see</i> <code>\neg</code>
<code>\nnearrow</code> ( $\nearrow$ )	79	<code>\nnwharpooncw</code> ( $\nwarrow$ )	81	<code>\not</code>	54, 228
<code>\nnearrowtail</code> ( $\nearrow$ )	83	<code>\nnwharpoonne</code> ( $\nwarrow$ )	85	<code>not equal</code> ( $\neq$ vs. $\neq$ )	54
<code>\nnearrowtail</code> ( $\nearrow$ )	79	<code>\nnwharpoonsw</code> ( $\nwarrow$ )	85	<code>\notasymp</code> ( $\not\approx$ )	54
<code>\nnebkarrow</code> ( $\nearrow$ )	84	<code>\nnwlcurvearrow</code> ( $\nwarrow$ )	84	<code>\notbackslash</code> ( $\nabla$ )	131
<code>\nnefilledspoon</code> ( $\nearrow$ )	91	<code>\nnwlsquigararrow</code> ( $\nwarrow$ )	79	<code>\notbot</code> ( $\perp$ )	99
<code>\nnefootline</code> ( $\nearrow$ )	56	<code>\nnwmapsto</code> ( $\nwarrow$ )	79	<code>\notbot</code> ( $\perp$ )	123
<code>\nnefree</code> ( $\nearrow$ )	56	<code>\nnwModels</code> ( $\nwarrow$ )	56	<code>\notchar</code> ( $\gamma$ )	61
<code>\nneharpoonccw</code> ( $\nearrow$ )	81	<code>\nnwmodels</code> ( $\nwarrow$ )	56	<code>\NotCongruent</code> ( $\not\equiv$ )	120
<code>\nneharpooncw</code> ( $\nearrow$ )	81	<code>\nnwnwarrows</code> ( $\nwarrow$ )	84	<code>\notdivides</code> ( $\nmid$ )	54
<code>\nneharpoonnw</code> ( $\nearrow$ )	85	<code>\nnwnwarrows</code> ( $\nwarrow$ )	79	<code>\notequiv</code> ( $\not\equiv$ )	54
<code>\nneharpoonse</code> ( $\nearrow$ )	85	<code>\nnwpitchfork</code> ( $\nwarrow$ )	92	<code>\notin</code> ( $\notin$ )	99
<code>\nnelcurvearrow</code> ( $\nearrow$ )	84	<code>\nnwrcurvearrow</code> ( $\nwarrow$ )	85	<code>\notin</code> ( $\notin$ )	99
<code>\nnelsquigararrow</code> ( $\nearrow$ )	79	<code>\nnwrsquigararrow</code> ( $\nwarrow$ )	79	<code>\notin</code> ( $\notin$ )	100
<code>\nnemapsto</code> ( $\nearrow$ )	79	<code>\nNwsearrow</code> ( $\nwarrow$ )	84	<code>\notin</code> ( $\notin$ )	59
<code>\nneModels</code> ( $\nwarrow$ )	56	<code>\nNwsearrow</code> ( $\nwarrow$ )	79	<code>\notin</code> ( $\notin$ )	100
<code>\nnemodels</code> ( $\nwarrow$ )	56	<code>\nnwsearrow</code> ( $\nwarrow$ )	84	<code>\notin</code> ( $\notin$ )	99
<code>\nnenearrows</code> ( $\nwarrow$ )	84	<code>\nnwsearrow</code> ( $\nwarrow$ )	79	<code>\notin</code> ( $\notin$ )	62
<code>\nnenearrows</code> ( $\nwarrow$ )	79	<code>\nnwsearrows</code> ( $\nwarrow$ )	84	<code>\notin</code> ( $\notin$ )	99
<code>\nnepitchfork</code> ( $\nwarrow$ )	92	<code>\nnwsearrows</code> ( $\nwarrow$ )	79	<code>\notin</code> ( $\notin$ )	99
<code>\nnercurvearrow</code> ( $\nwarrow$ )	84	<code>\nnwsecurvearrow</code> ( $\nwarrow$ )	85	<code>\notowns</code>	<i>see</i> <code>\notowner</code> and <code>\notni</code>
<code>\nnersquigararrow</code> ( $\nwarrow$ )	79	<code>\nnwseharpoonnesw</code> ( $\nwarrow$ )	85	<code>\notperp</code> ( $\perp$ )	54
<code>\nnespoon</code> ( $\nwarrow$ )	91	<code>\nnwseharpoonnesw</code> ( $\nwarrow$ )	81	<code>\notslash</code> ( $\nmid$ )	131
<code>\nNeswarrow</code> ( $\nwarrow$ )	84	<code>\nnwseharpoons</code> ( $\nwarrow$ )	85	<code>\notsmallin</code> ( $\notin$ )	100
<code>\nNeswarrow</code> ( $\nwarrow$ )	79	<code>\nnwseharpoons</code> ( $\nwarrow$ )	81	<code>\notsmallowns</code> ( $\notin$ )	100
<code>\nneswarrow</code> ( $\nwarrow$ )	84	<code>\nnwseharpoonswne</code> ( $\nwarrow$ )	85	<code>\nottop</code> ( $\nabla$ )	99
<code>\nneswarrow</code> ( $\nwarrow$ )	79	<code>\nnwseharpoonswne</code> ( $\nwarrow$ )	81	<code>\nottop</code> ( $\nabla$ )	123
<code>\nneswarrows</code> ( $\nwarrow$ )	84	<code>\nNwseline</code> ( $\nwarrow$ )	56	<code>\NoTumbler</code> ( $\boxtimes$ )	178
<code>\nneswarrows</code> ( $\nwarrow$ )	79	<code>\nNwseline</code> ( $\nwarrow$ )	56	<code>\novelty</code> (N)	182
<code>\nneswcurvearrow</code> ( $\nwarrow$ )	84	<code>\nnwspoon</code> ( $\nwarrow$ )	91	<code>\noway</code> ( $\ominus$ )	178
<code>\nneswharpoonnwse</code> ( $\nwarrow$ )	85	<code>\nnwVdash</code> ( $\nwarrow$ )	56	<code>\nowns</code> ( $\neq$ )	58, 100
<code>\nneswharpoonnwse</code> ( $\nwarrow$ )	81	<code>\nnwvdash</code> ( $\nwarrow$ )	56	<code>\nowns</code> ( $\exists$ )	100
<code>\nneswharpoons</code> ( $\nwarrow$ )	85	no entry	<i>see</i> <code>\noway</code>	<code>\nowns</code> ( $\exists$ )	99
<code>\nneswharpoons</code> ( $\nwarrow$ )	81	<code>\NoBleech</code> ( $\triangle$ )	178	<code>\nparallel</code> ( $\parallel$ )	52
<code>\nneswharpoonssenw</code> ( $\nwarrow$ )	85	<code>\NoChemicalCleaning</code> ( $\odot$ )	178	<code>\nparallel</code> ( $\parallel$ )	60
<code>\nneswharpoonssenw</code> ( $\nwarrow$ )	81	nointegrals (wasysym package option)	42	<code>\nparallel</code> ( $\parallel$ )	58
<code>\nNeswline</code> ( $\nwarrow$ )	56	<code>\NoIroning</code> ( $\triangle$ )	178	<code>\nparallel</code> ( $\parallel$ )	56
<code>\nneVdash</code> ( $\nwarrow$ )	56	non-commutative division	117	<code>\nparallel</code> ( $\parallel$ )	62
<code>\nnevDash</code> ( $\nwarrow$ )	56	nonbreaking space	133	<code>\nparallelslant</code> ( $\#$ )	64
<code>\nni</code> ( $\neq$ )	59	NOR gates	133	<code>\nperp</code> ( $\perp$ )	59
<code>\nni</code> ( $\exists$ )	100			<code>\nperp</code> ( $\perp$ )	56
<code>\nni</code> ( $\neq$ )	62	<code>\NORd</code> ( $\nwarrow$ )	133	<code>\npitchfork</code> ( $\pitchfork$ )	93
<code>\nnststile</code> ( $\blacksquare$ )	63	<code>\norigof</code> ( $\nwarrow$ )	93	<code>\npitchfork</code> ( $\pitchfork$ )	92
<code>\nntstile</code> ( $\blacksquare$ )	62	<code>\NORl</code> ( $\nwarrow$ )	133	<code>\nplus</code> ( $\oplus$ )	32
<code>\nnttstile</code> ( $\blacksquare$ )	62	norm	<i>see</i> <code>\lVert</code> and <code>\rVert</code>	<code>\nplus</code> ( $\oplus$ )	35
<code>\nNwarrow</code> ( $\nwarrow$ )	84			<code>\npolint</code> ( $\int$ )	49
<code>\nNwarrow</code> ( $\nwarrow$ )	79	<code>\NORr</code> ( $\nwarrow$ )	133	<code>\npolintsl</code> ( $\int$ )	50
<code>\nnwarrow</code> ( $\nwarrow$ )	76	<code>\NorthNode</code> ( $\nwarrow$ )	131	<code>\npolintup</code> ( $\int$ )	50
<code>\nnwarrow</code> ( $\nwarrow$ )	86			<code>\nprec</code> ( $\prec$ )	54
<code>\nnwarrow</code> ( $\nwarrow$ )	84	<code>\NORu</code> ( $\nwarrow$ )	133	<code>\nprec</code> ( $\prec$ )	52
<code>\nnwarrow</code> ( $\nwarrow$ )	79	<code>\Norway</code> ( $\nwarrow$ )	190	<code>\nprec</code> ( $\prec$ )	60
<code>\nnwarrowtail</code> ( $\nwarrow$ )	84	<code>\NoSun</code> ( $\bullet$ )	179	<code>\nprec</code> ( $\prec$ )	58
<code>\nnwarrowtail</code> ( $\nwarrow$ )	79	<code>\Not</code> ( $\Rightarrow$ )	61	<code>\nprec</code> ( $\prec$ )	56
<code>\nnwbkarrow</code> ( $\nwarrow$ )	84			<code>\nprec</code> ( $\prec$ )	62
<code>\nnwfilledspoon</code> ( $\nwarrow$ )	91			<code>\nprecapprox</code> ( $\not\approx$ )	54
<code>\nnwfootline</code> ( $\nwarrow$ )	56			<code>\nprecapprox</code> ( $\not\approx$ )	53
<code>\nnwfree</code> ( $\nwarrow$ )	56			<code>\nprecapprox</code> ( $\not\approx$ )	58
				<code>\nprecapprox</code> ( $\not\approx$ )	56



<code>\nsmilefrown</code> (☹) . . . . .	92	<code>\nstareq</code> (≠) . . . . .	58	<code>\nsupset</code> (⊃) . . . . .	65
<code>\nsqdoublefrown</code> (☹) . . . . .	92	<code>\nststile</code> (≡) . . . . .	62	<code>\nsupset</code> (⊃) . . . . .	66
<code>\nsqdoublefrown</code> (☹) . . . . .	92	<code>\nsttstile</code> (≡) . . . . .	63	<code>\nsupseteq</code> (⊇) . . . . .	65
<code>\nsqdoublemile</code> (☺) . . . . .	92	<code>\nSubset</code> (⊆) . . . . .	65	<code>\nsupseteq</code> (⊇) . . . . .	64
<code>\nsqdoublemileeq</code> (☺) . . . . .	92	<code>\nSubset</code> (⊆) . . . . .	65	<code>\nsupseteq</code> (⊇) . . . . .	66
<code>\nsqeqfrown</code> (☹) . . . . .	92	<code>\nSubset</code> (⊆) . . . . .	66	<code>\nsupseteq</code> (⊇) . . . . .	66
<code>\nsqeqsmile</code> (☺) . . . . .	92	<code>\nSubset</code> (⊆) . . . . .	65	<code>\nsupseteq</code> (⊇) . . . . .	65
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nsupseteq</code> (⊇) . . . . .	66
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nsupseteqq</code> (⊇) . . . . .	65
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nsupseteqq</code> (⊇) . . . . .	64
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nsupseteqq</code> (⊇) . . . . .	66
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nsupseteqq</code> (⊇) . . . . .	66
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nsupseteqq</code> (⊇) . . . . .	65
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nsupseteqq</code> (⊇) . . . . .	67
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nSwarrow</code> (↘) . . . . .	83
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nSwarrow</code> (↘) . . . . .	79
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswarrow</code> (↘) . . . . .	83
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswarrow</code> (↘) . . . . .	79
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswarrowtail</code> (↘) . . . . .	83
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswarrowtail</code> (↘) . . . . .	79
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswbkarrow</code> (↘) . . . . .	83
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswfilledspoon</code> (↘) . . . . .	91
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswfootline</code> (↘) . . . . .	56
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswfree</code> (↘) . . . . .	56
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswharpoonccw</code> (↘) . . . . .	81
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswharpooncw</code> (↘) . . . . .	81
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswharpoonnw</code> (↘) . . . . .	85
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswharpoonse</code> (↘) . . . . .	85
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswlcurvearrow</code> (↘) . . . . .	84
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswlsquigarrow</code> (↘) . . . . .	79
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswmapsto</code> (↘) . . . . .	79
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswModels</code> (↘) . . . . .	56
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswmodels</code> (↘) . . . . .	56
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswnearrows</code> (↘) . . . . .	83
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswnearrows</code> (↘) . . . . .	79
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswnecurvearrow</code> (↘) . . . . .	84
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswneharpoons</code> (↘) . . . . .	85
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswneharpoons</code> (↘) . . . . .	81
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswpitchfork</code> (↘) . . . . .	92
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswrcurvearrow</code> (↘) . . . . .	84
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswrsquigarrow</code> (↘) . . . . .	79
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswspoon</code> (↘) . . . . .	91
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswswarrows</code> (↘) . . . . .	83
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nswswarrows</code> (↘) . . . . .	79
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswVdash</code> (↘) . . . . .	56
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\nswvdash</code> (↘) . . . . .	56
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\NT</code> (∼) . . . . .	132
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\ntdtstile</code> (≡) . . . . .	63
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>ntheorem</code> (package) . . . . .	122
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nthickapprox</code> (≈) . . . . .	53
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nto</code> (→) . . . . .	84
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\nto</code> (→) . . . . .	80
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\ntriangleeq</code> (≐) . . . . .	74
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\ntriangleeq</code> (≐) . . . . .	73
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\ntriangleleft</code> (◁) . . . . .	73
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	65	<code>\ntriangleleft</code> (◁) . . . . .	72
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\ntriangleleft</code> (◁) . . . . .	74
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66	<code>\ntriangleleft</code> (◁) . . . . .	74
<code>\nsqfrown</code> (☹) . . . . .	92	<code>\nsubset</code> (⊂) . . . . .	66		

<code>\ntriangleleft</code> (↶) . . . . .	69, 73	numerals 28, 120, 128, 141, 175,	<code>\nupmodels</code> (≡) . . . . .	58
<code>\ntrianglelefteq</code> (≧) . . . . .	73	183, 184, 200–202, 220	<code>\nupmodels</code> (≡) . . . . .	56
<code>\ntrianglelefteq</code> (≧) . . . . .	72	circled . 141, 183, 184, 220	<code>\nuppitchfork</code> (⚡) . . . . .	93
<code>\ntrianglelefteq</code> (≧) . . . . .	74	Epi-Olmec . . . . .	<code>\nuppitchfork</code> (⚡) . . . . .	92
<code>\ntrianglelefteq</code> (≧) . . . . .	74	Isthmian . . . . .	<code>\nuprighcurvearrow</code> (↗) . . . . .	84
<code>\ntrianglelefteq</code> (≧) . . . . .	74	LCD . . . . .	<code>\nuprightcurvearrow</code> (↗) . . . . .	84
<code>\ntrianglelefteq</code> (≧) . . . . .	69, 73	Linear B . . . . .	<code>\nuprsquigarrow</code> (↗) . . . . .	85
<code>\ntrianglelefteq</code> (≧) . . . . .	74	Mayan . . . . .	<code>\nuprsquigarrow</code> (↗) . . . . .	79
<code>\ntrianglelefteqslant</code> (≧) . . . . .	72	old-style . . . . .	<code>\nupspoon</code> (⚡) . . . . .	93
<code>\ntriangleright</code> (↷) . . . . .	73	segmented . . . . .	<code>\nupspoon</code> (⚡) . . . . .	91
<code>\ntriangleright</code> (↷) . . . . .	72	<code>\NumLock</code> ( [Num] ) . . . . .	<code>\nuparrows</code> (↗↘) . . . . .	84
<code>\ntriangleright</code> (↷) . . . . .	74	<code>\nUparrow</code> (⤴) . . . . .	<code>\nuparrows</code> (↗↘) . . . . .	80
<code>\ntriangleright</code> (↷) . . . . .	74	<code>\nUparrow</code> (⤴) . . . . .	<code>\nupVDash</code> (≡) . . . . .	58
<code>\ntriangleright</code> (↷) . . . . .	69, 73	<code>\nuparrow</code> (↗) . . . . .	<code>\nupVDash</code> (≡) . . . . .	58
<code>\ntrianglerighteq</code> (≧) . . . . .	73	<code>\nuparrow</code> (↗) . . . . .	<code>\nupVDash</code> (≡) . . . . .	56
<code>\ntrianglerighteq</code> (≧) . . . . .	72	<code>\nuparrowtail</code> (↗) . . . . .	<code>\nupVDash</code> (≡) . . . . .	58
<code>\ntrianglerighteq</code> (≧) . . . . .	74	<code>\nuparrowtail</code> (↗) . . . . .	<code>\nupvdash</code> (±) . . . . .	58
<code>\ntrianglerighteq</code> (≧) . . . . .	74	<code>\nupAssert</code> (≡) . . . . .	<code>\nupvdash</code> (±) . . . . .	56
<code>\ntrianglerighteq</code> (≧) . . . . .	69, 73	<code>\nupassert</code> (±) . . . . .	<code>\nupwvearrow</code> (↗) . . . . .	84
<code>\ntrianglerighteq</code> (≧) . . . . .	74	<code>\nupbkarrow</code> (↗) . . . . .	<code>\Nursey</code> (☺) . . . . .	192
<code>\ntrianglerighteqslant</code> (≧) . . . . .	72	<code>\nupblackspoon</code> (⚡) . . . . .	<code>\nuup</code> (v) . . . . .	97
<code>\ntriplefrown</code> (⤵) . . . . .	92	<code>\nUpdownarrow</code> (↕) . . . . .	<code>\nUparrow</code> (⤴) . . . . .	84
<code>\ntriplesim</code> (≈) . . . . .	58	<code>\nUpdownarrow</code> (↕) . . . . .	<code>\nvardownwvearrow</code> (↘) . . . . .	84
<code>\ntriplesim</code> (≈) . . . . .	56	<code>\nupdownarrow</code> (↘) . . . . .	<code>\nvargseq</code> (≧) . . . . .	68
<code>\ntriplesmile</code> (☺) . . . . .	92	<code>\nupdownarrow</code> (↘) . . . . .	<code>\nvarhookdownarrow</code> (⤵) . . . . .	84
<code>\ntststile</code> (≡) . . . . .	63	<code>\nupdownarrows</code> (↕) . . . . .	<code>\nvarhookleftarrow</code> (↖) . . . . .	84
<code>\nttstile</code> (≡) . . . . .	63	<code>\nupdownarrows</code> (↕) . . . . .	<code>\nvarhooknearrow</code> (↗) . . . . .	84
<code>\ntttstile</code> (≡) . . . . .	63	<code>\nupdownarrows</code> (↕) . . . . .	<code>\nvarhooknarrow</code> (↗) . . . . .	84
<code>\ntwoheaddownarrow</code> (⤵) . . . . .	83	<code>\nupdowncurvearrow</code> (↘) . . . . .	<code>\nvarhookrightarrow</code> (↗) . . . . .	84
<code>\ntwoheaddownarrow</code> (⤵) . . . . .	79	<code>\nupdownharpoonleftright</code> (↔) . . . . .	<code>\nvarhooksearrow</code> (↗) . . . . .	84
<code>\ntwoheadleftarrow</code> (↖) . . . . .	53	<code>\nupdownharpoonleftright</code> (↔) . . . . .	<code>\nvarhookswarrow</code> (↖) . . . . .	84
<code>\ntwoheadleftarrow</code> (↖) . . . . .	83	<code>\nupdownharpoonrightleft</code> (↔) . . . . .	<code>\nvarhookuparrow</code> (⤴) . . . . .	84
<code>\ntwoheadleftarrow</code> (↖) . . . . .	79	<code>\nupdownharpoonrightleft</code> (↔) . . . . .	<code>\nvarisinobar</code> (≡) . . . . .	62
<code>\ntwoheadnearrow</code> (↗) . . . . .	83	<code>\nupdownharpoonrightleft</code> (↔) . . . . .	<code>\nvarleftwvearrow</code> (↖) . . . . .	84
<code>\ntwoheadnearrow</code> (↗) . . . . .	79	<code>\nupdownharpoons</code> (↕) . . . . .	<code>\nvarleftwvearrow</code> (↖) . . . . .	84
<code>\ntwoheadnarrow</code> (↗) . . . . .	83	<code>\nupdownharpoons</code> (↕) . . . . .	<code>\nvarleq</code> (≧) . . . . .	68
<code>\ntwoheadnarrow</code> (↗) . . . . .	79	<code>\nupdownharpoonsleftright</code> (↕) . . . . .	<code>\nvarniobar</code> (≡) . . . . .	62
<code>\ntwoheadrightarrow</code> (↗) . . . . .	53	<code>\nupdownharpoonsleftright</code> (↕) . . . . .	<code>\nvarparallel</code> (≡) . . . . .	53
<code>\ntwoheadrightarrow</code> (↗) . . . . .	83	<code>\nUpdownline</code> (≡) . . . . .	<code>\nvarparallelinv</code> (≡) . . . . .	53
<code>\ntwoheadrightarrow</code> (↗) . . . . .	79	<code>\nupdownline</code> (≡) . . . . .	<code>\nvarrightwvearrow</code> (↗) . . . . .	84
<code>\ntwoheadsearrow</code> (↖) . . . . .	83	<code>\nupdownsquigarrow</code> (↗) . . . . .	<code>\nvartriangleleft</code> (↶) . . . . .	74
<code>\ntwoheadsearrow</code> (↖) . . . . .	79	<code>\nupdownwvearrow</code> (↗) . . . . .	<code>\nvartriangleright</code> (↷) . . . . .	74
<code>\ntwoheadswarrow</code> (↖) . . . . .	83	<code>\nupfilledspoon</code> (⤴) . . . . .	<code>\nvarupdownwvearrow</code> (↕) . . . . .	84
<code>\ntwoheadswarrow</code> (↖) . . . . .	79	<code>\nupfootline</code> (⤴) . . . . .	<code>\nvarupwvearrow</code> (↗) . . . . .	84
<code>\ntwoheaduparrow</code> (⤴) . . . . .	83	<code>\nupfree</code> (⤴) . . . . .	<code>\nVbar</code> (≡) . . . . .	59
<code>\ntwoheaduparrow</code> (⤴) . . . . .	79	<code>\nupharpoonccw</code> (↖) . . . . .	<code>\nVDash</code> (≡) . . . . .	54
<code>\Nu</code> (N) . . . . .	96	<code>\nupharpooncw</code> (↖) . . . . .	<code>\nVDash</code> (≡) . . . . .	52
<code>\nu</code> (ν) . . . . .	96	<code>\nupharpoonleft</code> (↖) . . . . .	<code>\nVDash</code> (≡) . . . . .	60
nuclear power plant . . . . .	<i>see</i> <code>\SNPP</code>	<code>\nupharpoonright</code> (↖) . . . . .	<code>\nVDash</code> (≡) . . . . .	59
<code>\nucleus</code> (☛) . . . . .	135	<code>\nuplcurvearrow</code> (↖) . . . . .	<code>\nVDash</code> (≡) . . . . .	56
<code>\NUL</code> (␣) . . . . .	133	<code>\nupleftcurvedarrow</code> (↖) . . . . .	<code>\nVDash</code> (≡) . . . . .	62
<code>\NUL</code> (␣) . . . . .	133	<code>\nuplsquigarrow</code> (↗) . . . . .	<code>\nVDash</code> (≡) . . . . .	54
null infinity . . . . .	<i>see</i> alphabets, math	<code>\nuplsquigarrow</code> (↗) . . . . .	<code>\nVDash</code> (≡) . . . . .	53
null set . . . . .	121–123	<code>\nUpmapsto</code> (⤴) . . . . .	<code>\nVDash</code> (≡) . . . . .	60
number sets . . . . .	<i>see</i> alphabets, math	<code>\nupmapsto</code> (⤴) . . . . .	<code>\nVDash</code> (≡) . . . . .	59
number sign . . . . .	<i>see</i> <code>\textnumero</code>	<code>\nupmapsto</code> (⤴) . . . . .	<code>\nVDash</code> (≡) . . . . .	56
numbers . . . . .	<i>see</i> numerals	<code>\nupModels</code> (≡) . . . . .	<code>\nVDash</code> (≡) . . . . .	62



<code>\oiintup</code> ( $\text{\O}$ )	49	<code>\ominus</code> ( $\ominus$ )	38	<code>\oslash</code> ( $\oslash$ )	37
<code>\oiint</code> ( $\text{\O}$ )	43	<code>\ominus</code> ( $\ominus$ )	40	<code>\oslash</code> ( $\oslash$ )	31
<code>\oiint</code> ( $\text{\O}$ )	42	<code>\onlymove</code> ( $\square$ )	182	<code>\oslash</code> ( $\oslash$ )	39
<code>\oiint</code> ( $\text{\O}$ )	44	<code>\oo</code> ( $\infty$ )	184	<code>\oslash</code> ( $\oslash$ )	38
<code>\oiint</code> ( $\text{\O}$ )	45	<code>\oo</code> ( $\infty$ )	19	<code>\oslash</code> ( $\oslash$ )	38
<code>\oiint</code> ( $\text{\O}$ )	47	<code>\oalign</code>	227	<code>\oslash</code> ( $\oslash$ )	40
<code>\oiint</code> ( $\text{\O}$ )	51	<code>\open</code> ( $\circ$ )	25	<code>\ostar</code> ( $\otimes$ )	38
<code>\oiint</code> ( $\text{\O}$ )	46	open unit disk ( $\mathbb{D}$ )	<i>see</i>	<code>\osum</code> ( $\Sigma$ )	47
<code>\oiint</code> ( $\text{\O}$ )	48	alphabets, math		<code>.otf</code> files	159
<code>\oiintclockwise</code> ( $\text{\O}$ )	44	<code>\openJoin</code> ( $\times$ )	53	<code>\Otimes</code> ( $\otimes$ )	40
<code>\oiintctrlockwise</code> ( $\text{\O}$ )	44	<code>\openo</code> ( $\circ$ )	20	<code>\otimes</code> ( $\otimes$ )	37
<code>\oiintsl</code> ( $\text{\O}$ )	49	<code>\openo</code> ( $\circ$ )	19	<code>\otimes</code> ( $\otimes$ )	31
<code>\oiintup</code> ( $\text{\O}$ )	49	<code>\openo</code> ( $\circ$ )	20	<code>\otimes</code> ( $\otimes$ )	39
<code>\oint</code> ( $\oint$ )	43	<code>\opentimes</code> ( $\times$ )	53	<code>\otimes</code> ( $\otimes$ )	38
<code>\oint</code> ( $\oint$ )	42	OpenType	159	<code>\otimes</code> ( $\otimes$ )	38
<code>\oint</code> ( $\oint$ )	42	operators	30–33, 37, 38	<code>\otimes</code> ( $\otimes$ )	40
<code>\oint</code> ( $\oint$ )	41	binary	31–40	<code>\otimeshat</code> ( $\hat{\otimes}$ )	40
<code>\oint</code> ( $\oint$ )	47	logical	<i>see</i> logical operators	<code>\otimeslhrim</code> ( $\otimes$ )	36
<code>\oint</code> ( $\oint$ )	46	set	<i>see</i> set operators	<code>\otimesrhrim</code> ( $\otimes$ )	36
<code>\oint</code> ( $\oint$ )	48	unary	30	<code>\otop</code> ( $\oplus$ )	37
<code>\ointclockwise</code> ( $\oint$ )	43	<code>\operp</code> ( $\perp$ )	40	<code>\otop</code> ( $\oplus$ )	39
<code>\ointclockwise</code> ( $\oint$ )	45	<code>\oplus</code> ( $\oplus$ )	37	<code>\otriangle</code> ( $\triangle$ )	39
<code>\ointclockwise</code> ( $\oint$ )	47	<code>\oplus</code> ( $\oplus$ )	30, 31, 225	<code>\otriangle</code> ( $\triangle$ )	38, 73
<code>\ointclockwise</code> ( $\oint$ )	51	<code>\oplus</code> ( $\oplus$ )	39	<code>\otriangleup</code> ( $\triangle$ )	37
<code>\ointctrlockwise</code> ( $\oint$ )	43	<code>\oplus</code> ( $\oplus$ )	38	<code>\oturnedcomma</code> ( $\text{\O}$ )	110
<code>\ointctrlockwise</code> ( $\oint$ )	45	<code>\oplus</code> ( $\oplus$ )	38	outer joins	124
<code>\ointctrlockwise</code> ( $\oint$ )	47	<code>\oplus</code> ( $\oplus$ )	40	ovals	147, 169–174, 200–202,
<code>\ointctrlockwise</code> ( $\oint$ )	51	<code>\opluslhrim</code> ( $\oplus$ )	36	206–207, 218	
<code>\ointctrlockwise</code> ( $\oint$ )	48	<code>\oplusrhrim</code> ( $\oplus$ )	36	<code>\ovee</code> ( $\vee$ )	32
<code>\ointctrlockwisesl</code> ( $\oint$ )	49	<code>\opposbishops</code> ( $\text{\O}$ )	182	<code>\ovee</code> ( $\vee$ )	39
<code>\ointctrlockwiseup</code> ( $\oint$ )	49	<code>\Opposition</code> ( $\text{\O}$ )	131	<code>\Oven</code> ( $\text{\O}$ )	192
<code>\ointsl</code> ( $\oint$ )	49	<code>\opposition</code> ( $\text{\O}$ )	129	<code>\oven</code> ( $\text{\O}$ )	192
<code>\ointup</code> ( $\oint$ )	49	optical scaling	232	<code>\oven</code> ( $\text{\O}$ )	192
<code>\olcross</code> ( $\otimes$ )	40	options	<i>see</i> package options	<code>\overarc</code> ( $\text{\O}$ )	24
old-style numerals	28	<code>\OR</code> ( $\vee$ )	132	<code>\overbrace</code> ( $\overbrace{\square}$ )	113
<code>\olddWinkey</code> ( $\text{\O}$ )	193	or	<i>see</i> <code>\vee</code>	<code>\overbrace</code> ( $\overbrace{\square}$ )	112
<code>\oldGclef</code> ( $\text{\O}$ )	161	OR gates	133	<code>\overbrace</code> ( $\overbrace{\square}$ )	112
<code>\oldstylenums</code>	28	<code>\orbit</code> ( $\text{\O}$ )	135	<code>\overbrace</code> ( $\overbrace{\square}$ )	113
<code>\oldWinkey</code> ( $\text{\O}$ )	192			<code>\overbrace</code> ( $\overbrace{\square}$ )	113
<code>\oleft</code> ( $\oplus$ )	37	<code>\ORd</code> ( $\text{\O}$ )	133	<code>\overbrace</code> ( $\overbrace{\square}$ )	113
<code>\oleft</code> ( $\oplus$ )	39	<code>\oright</code> ( $\oplus$ )	37	<code>\overbrace</code> ( $\overbrace{\square}$ )	111
<code>\olessthan</code> ( $\otimes$ )	32	<code>\oright</code> ( $\oplus$ )	39	<code>\overbracket</code> ( $\text{\O}$ )	113
<code>\olessthan</code> ( $\otimes$ )	39	<code>\origof</code> ( $\text{\O}$ )	93	<code>\overbracket</code> ( $\text{\O}$ )	113
<code>\olessthan</code> ( $\otimes$ )	40	<code>\origof</code> ( $\text{\O}$ )	61	<code>\overbracket</code> ( $\text{\O}$ )	113
Olschok, Marc	225	oriscus	<i>see</i> <code>musixgre</code>	<code>\overbracket</code> ( $\text{\O}$ )	231, 232
<code>\OM</code> ( $\omega$ )	132			<code>\overbridge</code> ( $\text{\O}$ )	23
<code>\Omega</code> ( $\Omega$ )	96	<code>\ORl</code> ( $\text{\O}$ )	133	<code>\overgroup</code> ( $\text{\O}$ )	113
<code>\omega</code> ( $\omega$ )	96	<code>\OrnamentDiamondSolid</code> ( $\text{\O}$ )	149	<code>\overgroup</code> ( $\text{\O}$ )	112
<code>\omegaaup</code> ( $\omega$ )	97	ornaments	142, 143, 149,	<code>\overgroup</code> ( $\text{\O}$ )	112
<code>\Omicron</code> ( $\text{\O}$ )	96	205–207, 209–213		<code>\overleftarrow</code> ( $\text{\O}$ )	113
<code>\omicron</code> ( $\text{\O}$ )	96			<code>\overleftarrow</code> ( $\text{\O}$ )	111
<code>\ominus</code> ( $\ominus$ )	37	<code>\ORr</code> ( $\text{\O}$ )	133	<code>\overlefttharp</code> ( $\text{\O}$ )	91
<code>\ominus</code> ( $\ominus$ )	31	orthogonal to	<i>see</i> <code>\bot</code>	<code>\overlefttharpdown</code> ( $\text{\O}$ )	91
<code>\ominus</code> ( $\ominus$ )	39			<code>\overlefttharpoon</code> ( $\text{\O}$ )	112
<code>\ominus</code> ( $\ominus$ )	39	<code>\ORu</code> ( $\text{\O}$ )	133	<code>\overlefttharpoon</code> ( $\text{\O}$ )	112
<code>\ominus</code> ( $\ominus$ )	39			<code>\overlefttharpoon</code> ( $\text{\O}$ )	113

$\overleftarrow{\rightarrow}$  (↔) . 113  
 $\overleftarrow{\rightarrow}$  (↔) 112  
 $\overline{\rule{0.5cm}{0.4pt}}$  . . . 30, 109, 111  
 $\overline{\rule{0.5cm}{0.4pt}}$  (↖) . . . 112  
 $\overline{\rule{0.5cm}{0.4pt}}$  (↖) . . . 112  
 $\overparen{\rule{0.5cm}{0.4pt}}$  . . . . . 113  
 $\overparentesis{\rule{0.5cm}{0.4pt}}$  (↖) 231, 232  
 $\overrightarrow{\rule{0.5cm}{0.4pt}}$  (↗) . . . . 111  
overrightarrow (package) 111, 243  
 $\overrightarrow{\rule{0.5cm}{0.4pt}}$  (↗) . . . . 113  
 $\overrightarrow{\rule{0.5cm}{0.4pt}}$  (↗) . . . . 111  
 $\overrightarrow{\rule{0.5cm}{0.4pt}}$  (↗) . . . . . 91  
 $\overrightarrow{\rule{0.5cm}{0.4pt}}$  (↗) . . . . . 91  
 $\overrightarrow{\rule{0.5cm}{0.4pt}}$  (↗) . . . . 112  
 $\overrightarrow{\rule{0.5cm}{0.4pt}}$  (↗) . . . . 112  
 $\overrightarrow{\rule{0.5cm}{0.4pt}}$  (↗) . . . . 113  
 $\overrightarrow{\rule{0.5cm}{0.4pt}}$  (↗) . . . . 113  
 $\overrightarrow{\rule{0.5cm}{0.4pt}}$  (↗) . . . . . 25  
 $\overset{\rule{0.5cm}{0.4pt}}{\rule{0.5cm}{0.4pt}}$  . . . . . 226  
 $\overtop{\rule{0.5cm}{0.4pt}}{\rule{0.5cm}{0.4pt}}$  . . . . . 38  
 $\overtop{\rule{0.5cm}{0.4pt}}{\rule{0.5cm}{0.4pt}}$  . . . . . 38  
 $\ovhook{\rule{0.5cm}{0.4pt}}$  . . . . . 110  
 $\ovoid{\rule{0.5cm}{0.4pt}}$  . . . . . 37  
 $\owedge{\rule{0.5cm}{0.4pt}}$  . . . . . 32  
 $\owedge{\rule{0.5cm}{0.4pt}}$  . . . . . 39  
 $\owns$  . . . . . *see*  $\ni$   
 $\owns{\rule{0.5cm}{0.4pt}}$  . . . . . 99  
 $\owns{\rule{0.5cm}{0.4pt}}$  . . . . . 57, 100  
 $\owns{\rule{0.5cm}{0.4pt}}$  . . . . . 100  
 $\owns{\rule{0.5cm}{0.4pt}}$  . . . . . 99  
 $\owns{\rule{0.5cm}{0.4pt}}$  . . . . . 61  
 $\ownsbar{\rule{0.5cm}{0.4pt}}$  . . . . . 99

**P**

$\P$  (¶) . . . . . 15, 239  
 $\P$  (¶) . . . . . 15  
 $\p$  (.) . . . . . 184  
 $\p@$  . . . . . 230  
package options  
a (esvect) . . . . . 114  
arrows (boisik) . . . . . 87  
b (esvect) . . . . . 114  
bbgreekl (mathbbol) . . . . . 127  
c (esvect) . . . . . 114  
crescent (fge) . . . . . 110  
d (esvect) . . . . . 114  
e (esvect) . . . . . 114  
f (esvect) . . . . . 114  
g (esvect) . . . . . 114  
german (keystroke) . . . . . 132  
greek (babel) 16, 96, 97, 156  
h (esvect) . . . . . 114  
heartctrbull (bullcntr) . . . . . 181  
integrals (wasysym) . . . . . 42  
largectrbull (bullcntr) . . . . . 181  
mathcal (euscript) . . . . . 126  
mathscr (euscript) . . . . . 126  
mathscr (urwchancal) . . . . . 126

nointegrals (wasysym) . . . . . 42  
polutonikogreek (babel) 16, 96, 97  
sans (dsfont) . . . . . 126  
scaled (CountriesOfEurope) . . . . . 191  
scr (rsfso) . . . . . 126  
smallctrbull (bullcntr) . . . . . 181  
smartctrbull (bullcntr) . . . . . 181  
upint (stix) . . . . . 40, 41, 49, 50  
utf8x (inputenc) . . . . . 241  
varg (txfonts/pxfonts) . . . . . 98  
packages  
abraces . . . . . 114, 243, 244  
accents . . . . . 109, 230, 243, 244  
actuarialangle 115, 231, 243  
adorn . . . . . 137, 142, 143, 149, 243, 244  
adfsymbols . . . . . 137, 140, 142, 147, 243  
 $\mathcal{AMS}$  12, 15, 31, 42, 52, 64, 67, 72, 75, 76, 95, 96, 98, 99, 101, 103, 109, 112, 115, 117, 121, 122, 127, 222, 223, 242  
amsbsy . . . . . 237  
amsfonts . . . . . 122, 126  
amsmath 12, 95, 109, 226, 236  
amssymb 12, 109, 122, 126, 156, 243  
amstext . . . . . 228, 229  
apl . . . . . 132, 243  
ar . . . . . 128, 243  
arcs . . . . . 24, 243  
arev 137–141, 148, 159, 192, 243  
ascii . . . . . 133, 238, 243  
astrosym . . . . . 202, 243  
babel . . . . . 16, 96, 97, 156  
bartel-chess-fonts . . . . . 220, 221, 243  
bbding . . . . . 136, 138–140, 142, 147, 149, 223, 243  
bbm . . . . . 126, 243  
bbold . . . . . 126, 243  
bclogo . . . . . 193, 194, 243, 244  
begriff . . . . . 119, 243  
bigints . . . . . 45, 243, 244  
bm . . . . . 237, 243, 244  
boisik . . . . . 35, 39, 48, 59, 60, 66, 71, 74, 86, 87, 98–101, 110, 121, 123, 144, 148, 156, 159, 243  
braket . . . . . 102  
bullcntr . . . . . 181, 243, 244  
bullenum . . . . . 181  
calligra . . . . . 126, 243, 244  
calrsfs . . . . . 126

cancel . . . . . 111  
ccicons . . . . . 28, 243, 244  
ccllicenses . . . . . 28, 243  
centernot . . . . . 228  
chancery . . . . . 243  
chemarr . . . . . 115, 243  
chemarrow . . . . . 91, 116, 243  
 $\mathcal{CMA2e}$  26, 95, 127, 187, 188  
china2e . . . . . 126, 243, 244  
clock . . . . . 180, 243, 244  
cmll 30, 37, 51, 64, 101, 243  
colonequals 30, 64, 243, 244  
combelow . . . . . 25, 243, 244  
cookingsymbols . . . . . 192, 243, 244  
CountriesOfEurope 190, 243, 244  
cryst . . . . . 218, 243  
cypriot . . . . . 155, 243, 244  
dancers . . . . . 213, 243  
dblaccnt . . . . . 230  
dice . . . . . 219, 243  
dictsym . . . . . 185, 243  
dingbat 138, 139, 149, 209, 223, 243  
DotArrow . . . . . 116, 243, 244  
dozenal 120, 181, 243, 244  
dsfont . . . . . 126, 243  
epiolmec 157, 158, 243, 244  
epsdice . . . . . 180, 243  
esint . . . . . 45, 243  
esvect . . . . . 114, 243  
eufrak . . . . . 126  
eurosymb . . . . . 27, 243  
euscript . . . . . 126, 243  
extrarrows . . . . . 116, 243  
extpfeil . . . . . 116, 243  
extraipa . . . . . 23, 243  
fc . . . . . 16, 21  
fclfont . . . . . 243  
fdsymbol . . . . . 34, 35, 38, 39, 47, 57, 58, 66, 70, 74, 81–85, 93, 98, 100, 105, 106, 110, 112, 118, 121, 123, 144, 148, 159, 243  
feyn . . . . . 135, 243, 244  
fge . . . . . 91, 101, 110, 120, 124, 243  
fixmath . . . . . 237  
fontawesome . . . . . 26, 27, 129, 134, 137–139, 141, 143, 148, 195, 198, 243, 244  
fontenc 12, 15, 17, 21, 238, 240  
fontspec . . . . . 159, 241, 242  
fourier 27, 64, 97, 101, 108, 114, 139, 143, 178, 243  
frege . . . . . 119, 243, 244  
gensymb . . . . . 128



go . . . . . 184, 243  
 graphics . . . . . 91, 225  
 graphicx . . . . . 24, 222, 225  
 greenpoint . . . . . 200, 243  
 hands . . . . . 200, 243  
 harmony . . . . . 161, 243  
 harpoon . . . . . 91, 243, 244  
 hhcount 180, 181, 243, 244  
 hieroglf . . . . . 151, 243  
 holtplot . . . . . 117, 243  
 ifsym . . 128, 146, 147, 179,  
 223, 225, 243  
 igo . . . . . 183, 243  
 inputenc . . . . . 241  
 isoent . . . . . 240  
 junicode . . . . . 241, 243  
 keystroke . . . . . 132, 243  
 knitting . . . . . 189, 243, 244  
 knot . . . . . 209, 213, 243  
 latexsym 31, 51, 64, 75, 122,  
 222, 243  
 lilyglyphs . . 159, 162–169,  
 174–176  
 lilyglyphs . . . . . 243  
 linearA . . . . . 151, 243, 244  
 linearb . 154, 155, 243, 244  
 logic . . . . . 133  
 longdiv . . . . . 111  
 magic . . . . . 220, 243  
 manfnt . . . . . 177, 243  
 marvosym . . . . . 25,  
 26, 120, 129, 132, 134, 138,  
 140, 178, 188, 223  
 mathabx 30, 33, 37, 42, 53,  
 54, 65, 68, 73, 76, 77, 94,  
 99, 101, 103, 109, 113, 120,  
 122, 130, 182, 222, 223, 243  
 mathbbol . . . . . 126, 127  
 mathcomp . . . . . 119  
 mathdesign 26, 37, 51, 100,  
 107, 125, 243  
 mathdots . . 109, 117, 118,  
 230, 243  
 mathrsfs . . . . . 126, 243  
 mathspec . . . . . 96  
 mathtools 30, 62, 113, 115,  
 243  
 mbboard . . . . . 126, 127, 243  
 mdwmath . . . 115, 243, 244  
 metre . . . 24, 109, 184, 243  
 milstd . . . . . 133, 243, 244  
 MnSymbol . 30, 33, 34, 38,  
 46, 54–56, 65, 69, 73, 77–81,  
 91, 92, 98, 99, 104, 110–112,  
 118, 121, 123, 144, 148, 159,  
 243  
 moonphase . . . . . 202, 243  
 musixgre . . . . . 161  
 musixlit . . . . . 161  
 musixper . . . . . 161  
 musixtex . . . . . 243, 244  
 nath . . . . . 102, 108, 243  
 nicefrac . . . . . 124, 243, 244  
 niceframe . . . 206–209, 213  
 nkarta . . . . . 200, 243  
 ntheorem . . . . . 122  
 ogonek . . . . . 24, 243, 244  
 overrightarrow . . . 111, 243  
 phaistos . . . . . 150, 243  
 phonetic . . 20, 23, 225, 243  
 pict2e . . . . . 129  
 pifont 17, 136, 138–142, 147,  
 149, 200, 206, 217, 225, 243  
 pigpen . . . . . 187, 243, 244  
 pmbboxdraw . . 186, 243, 244  
 polynom . . . . . 111  
 prodint . . . . . 51, 243  
 protosem . . . . . 150, 243  
 psnfss . . . . . 141  
 PSTricks . . . . . 194  
 pxfonts . 30, 32, 43, 53, 65,  
 67, 76, 94, 97–99, 122, 126,  
 148, 222, 238  
 recycle . . . . . 188, 243  
 relsize . . . . . 24  
 rotating . . . . . 28, 132  
 rsfs . . . . . 126, 243  
 rubikcube . . . 199, 243, 244  
 sarabian . . . . . 156, 243, 244  
 savesym . . . . . 222  
 semaphor . . . 216, 217, 243  
 semtrans . . . . 20, 24, 243  
 shuffle . . . . . 37, 243, 244  
 simplewick . . . . . 232  
 simpsons . . . . . 185, 243  
 skak . . . . . 182, 183, 243  
 skull . . . . . 182, 243  
 slashed . . . . . 227, 228  
 soyombo . . . . 189, 243, 244  
 starfont . . . . 131, 243, 244  
 staves . . . . . 186, 243  
 steinmetz . . . 129, 243, 244  
 stix . . . . . 36, 40, 41,  
 48, 49, 60–62, 66, 71, 72, 74,  
 87, 89–91, 94, 98–100, 102,  
 106, 110, 113, 118, 120, 121,  
 124, 130, 132, 134, 145, 146,  
 148, 159, 180, 243, 244  
 stmaryrd . . . . . 32, 42,  
 52, 65, 72, 76, 94, 101, 103,  
 223, 227, 242, 243  
 svrsymbols . . 135, 243, 244  
 t4phonet . . . . 20, 24, 243  
 teubner 27, 119, 156, 185,  
 243, 244  
 textcomp 12, 14, 15, 21, 25–  
 28, 75, 109, 124, 128, 159,  
 177, 222, 238, 240, 243  
 textgreek . 16, 97, 243, 244  
 tfrucee . . . . . 27, 243, 244  
 TikZ . . . . . 192–194, 199  
 tikzsymbols . 192, 193, 243,  
 244  
 timing . . . . . 128  
 tipa 17, 18, 20, 21, 23, 24,  
 225, 243  
 tipx . . . . . 18, 243  
 trfsigns . . 64, 100, 117, 243  
 trsym . . . . . 63, 243  
 turnstile . . . . . 62, 63, 243  
 txfonts . 30, 32, 43, 53, 65,  
 67, 76, 94, 97–99, 122, 126,  
 148, 222, 224, 238, 243  
 typelcm . . . . . 222  
 ucs . . . . . 241  
 ulsy . . . . . 37, 93, 225, 243  
 umranda . . . . 206, 207, 243  
 umrandb . . . . 207, 208, 243  
 underscore . . . . . 14  
 undertilde . . . . . 114, 243  
 units . . . . . 124  
 universa . . . . 147, 178, 243  
 upgreek . . . . . 16, 97, 243  
 upquote . . . . . 238  
 url . . . . . 238  
 urwchancal . . . . 126, 243  
 ushort . . . . . 115, 243, 244  
 vietnam . . . . . 243  
 vntex . . . . . 16, 21  
 wasysym . . . . . 20, 26, 28,  
 32, 42, 52, 65, 67, 117, 122,  
 128, 129, 131, 134, 140, 141,  
 143, 159, 177, 223, 243  
 webomints . . 205, 206, 243  
 wsuipa 19, 23, 25, 223, 225,  
 230, 243  
 xfrac . . . . . 124  
 yfonts . . . . . 126, 127, 243  
 yhmath 111, 112, 114, 119,  
 230, 243  
 \PackingWaste (♻) . . . . . 188  
 Pakin, Scott . . 1, 229, 231, 242  
 \Pallas (♀) . . . . . 131  
 \pan (⇔) . . . . . 192  
 \pan (⇌) . . . . . 192  
 paperclip . . . . . 193–194  
 \PaperLandscape (☞) . . . . 179  
 \PaperPortrait (☞) . . . . . 179  
 par . . . . . *see* \bindnasrepma,  
 \invamp, and \parr  
 paragraph mark . . . . . *see* \P  
 \parallel (||) . . . . . 51, 104  
 \parallel (||) . . . . . 57  
 \parallel (||) . . . . . 55



phonetic symbols . . . . .	17–20	<code>{\pigpenfont J}</code> (⌵) . . . . .	187	<code>\Pisymbol{astroSYM}{13}</code> (⌶)	202
<code>\phonon</code> (Ɔ) . . . . .	135	<code>{\pigpenfont K}</code> (⌷) . . . . .	187	<code>\Pisymbol{astroSYM}{14}</code> (⌷)	202
<code>\photon</code> (Ɔ) . . . . .	128, 135	<code>{\pigpenfont L}</code> (⌸) . . . . .	187	<code>\Pisymbol{astroSYM}{15}</code> (⌸)	202
photons . . . . .	135	<code>{\pigpenfont M}</code> (⌹) . . . . .	187	<code>\Pisymbol{astroSYM}{16}</code> (⌹)	202
<code>\PHoxBack</code> (⌺) . . . . .	150	<code>{\pigpenfont N}</code> (⌺) . . . . .	187	<code>\Pisymbol{astroSYM}{17}</code> (⌺)	202
<code>\PHpapyrus</code> (⌻) . . . . .	150	<code>{\pigpenfont O}</code> (⌻) . . . . .	187	<code>\Pisymbol{astroSYM}{18}</code> (⌻)	202
<code>\PHpedestrian</code> (⌼) . . . . .	150	<code>{\pigpenfont P}</code> (⌼) . . . . .	187	<code>\Pisymbol{astroSYM}{19}</code> (⌼)	202
<code>\PHplaneTree</code> (⌽) . . . . .	150	<code>{\pigpenfont Q}</code> (⌽) . . . . .	187	<code>\Pisymbol{astroSYM}{20}</code> (⌽)	203
<code>\PHplumedHead</code> (⌾) . . . . .	150	<code>{\pigpenfont R}</code> (⌿) . . . . .	187	<code>\Pisymbol{astroSYM}{21}</code> (⌿)	203
<code>\PHram</code> (⌿) . . . . .	150	<code>{\pigpenfont S}</code> (⌶) . . . . .	187	<code>\Pisymbol{astroSYM}{22}</code> (⌶)	203
<code>\PHrosette</code> (⌿) . . . . .	150	<code>{\pigpenfont T}</code> (⌷) . . . . .	187	<code>\Pisymbol{astroSYM}{23}</code> (⌷)	203
<code>\PHsaw</code> (⌿) . . . . .	150	<code>{\pigpenfont U}</code> (⌸) . . . . .	187	<code>\Pisymbol{astroSYM}{24}</code> (⌸)	203
<code>\PHshield</code> (⌿) . . . . .	150	<code>{\pigpenfont V}</code> (⌸) . . . . .	187	<code>\Pisymbol{astroSYM}{25}</code> (⌸)	203
<code>\PHship</code> (⌿) . . . . .	150	<code>{\pigpenfont W}</code> (⌸) . . . . .	187	<code>\Pisymbol{astroSYM}{26}</code> (⌸)	203
<code>\PHsling</code> (⌿) . . . . .	150	<code>{\pigpenfont X}</code> (⌸) . . . . .	187	<code>\Pisymbol{astroSYM}{27}</code> (⌸)	203
<code>\PHsmallAxe</code> (⌿) . . . . .	150	<code>{\pigpenfont Y}</code> (⌸) . . . . .	187	<code>\Pisymbol{astroSYM}{28}</code> (⌸)	203
<code>\PHstrainer</code> (⌿) . . . . .	150	<code>{\pigpenfont Z}</code> (⌸) . . . . .	187	<code>\Pisymbol{astroSYM}{29}</code> (⌸)	203
<code>\PHtattooedHead</code> (⌿) . . . . .	150	picrow . . . . .	<i>see</i> <code>\P</code>	<code>\Pisymbol{astroSYM}{30}</code> (⌸)	203
<code>\PHtiara</code> (⌿) . . . . .	150	pipe . . . . .	<i>see</i> <code>\textpipe</code>	<code>\Pisymbol{astroSYM}{31}</code> (⌸)	203
<code>\PHtunny</code> (⌿) . . . . .	150	<code>\Pisces</code> (♋) . . . . .	129	<code>\Pisymbol{astroSYM}{32}</code> (⌸)	203
<code>\PHvine</code> (⌿) . . . . .	150	<code>\Pisces</code> (♋) . . . . .	131	<code>\Pisymbol{astroSYM}{33}</code> (⌸)	203
<code>\PHwavyBand</code> (⌿) . . . . .	150	<code>\Pisces</code> (♋) . . . . .	129	<code>\Pisymbol{astroSYM}{34}</code> (⌸)	203
<code>\PHwoman</code> (⌿) . . . . .	150	<code>\pisces</code> (♋) . . . . .	129	<code>\Pisymbol{astroSYM}{35}</code> (⌸)	203
physical symbols . . . . .	128	<code>\Pisymbol</code> . . . . .	200–221, 225	<code>\Pisymbol{astroSYM}{36}</code> (⌸)	203
<code>\Pi</code> (Π) . . . . .	96	<code>\Pisymbol{astroSYM}{0}</code> (⌸) . . . . .	202	<code>\Pisymbol{astroSYM}{37}</code> (⌸)	203
<code>\pi</code> (π) . . . . .	96	<code>\Pisymbol{astroSYM}{1}</code> (♀) . . . . .	202		
<code>\pi</code> (π) . . . . .	97	<code>\Pisymbol{astroSYM}{2}</code> (♀) . . . . .	202		
“pi” fonts . . . . .	225	<code>\Pisymbol{astroSYM}{3}</code> (♁) . . . . .	202		
piano (♩) . . . . .	164, 175	<code>\Pisymbol{astroSYM}{4}</code> (♁) . . . . .	202		
<code>\Pickup</code> (⊙) . . . . .	134	<code>\Pisymbol{astroSYM}{5}</code> (♁) . . . . .	202		
<code>pict2e</code> (package) . . . . .	129	<code>\Pisymbol{astroSYM}{6}</code> (♁) . . . . .	202		
<code>pifont</code> (package) . . . . .	17, 136, 138–142, 147, 149, 200, 206, 217, 225, 243	<code>\Pisymbol{astroSYM}{7}</code> (♁) . . . . .	202		
<code>pigpen</code> (package) . . . . .	187, 243, 244	<code>\Pisymbol{astroSYM}{8}</code> (♁) . . . . .	202		
<code>pigpen</code> cipher . . . . .	187	<code>\Pisymbol{astroSYM}{9}</code> (♁) . . . . .	202		
<code>{\pigpenfont A}</code> (⌵) . . . . .	187	<code>\Pisymbol{astroSYM}{10}</code> (♁) . . . . .	202		
<code>{\pigpenfont B}</code> (⌷) . . . . .	187	<code>\Pisymbol{astroSYM}{11}</code> (♁) . . . . .	202		
<code>{\pigpenfont C}</code> (⌸) . . . . .	187	<code>\Pisymbol{astroSYM}{12}</code> (♁) . . . . .	202		
<code>{\pigpenfont D}</code> (⌹) . . . . .	187				
<code>{\pigpenfont E}</code> (⌺) . . . . .	187				
<code>{\pigpenfont F}</code> (⌻) . . . . .	187				
<code>{\pigpenfont G}</code> (⌼) . . . . .	187				
<code>{\pigpenfont H}</code> (⌽) . . . . .	187				
<code>{\pigpenfont I}</code> (⌿) . . . . .	187				

<code>\Pisymbol{astroSYM}{38}</code> (◻)	<code>\Pisymbol{astroSYM}{64}</code> (♁)	<code>\Pisymbol{astroSYM}{113}</code> (♁)
..... 203	..... 204	..... 204
<code>\Pisymbol{astroSYM}{39}</code> (○)	<code>\Pisymbol{astroSYM}{65}</code> (♁)	<code>\Pisymbol{astroSYM}{114}</code>
..... 203	..... 204	(♁) ..... 204
<code>\Pisymbol{astroSYM}{40}</code> (●)	<code>\Pisymbol{astroSYM}{66}</code> (♁)	<code>\Pisymbol{astroSYM}{115}</code> (♁)
..... 203	..... 204	..... 204
<code>\Pisymbol{astroSYM}{41}</code> (☽)	<code>\Pisymbol{astroSYM}{67}</code> (♁)	<code>\Pisymbol{astroSYM}{116}</code>
..... 203	..... 204	(♁) ..... 204
<code>\Pisymbol{astroSYM}{42}</code> (☾)	<code>\Pisymbol{astroSYM}{68}</code> (♁)	<code>\Pisymbol{astroSYM}{117}</code> (♁)
..... 203	..... 204	..... 204
<code>\Pisymbol{astroSYM}{43}</code> (☾)	<code>\Pisymbol{astroSYM}{69}</code> (♁)	<code>\Pisymbol{astroSYM}{118}</code>
..... 203	..... 204	(♁) ..... 204
<code>\Pisymbol{astroSYM}{44}</code> (♁)	<code>\Pisymbol{astroSYM}{90}</code> (♁)	<code>\Pisymbol{astroSYM}{119}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{45}</code> (♁)	<code>\Pisymbol{astroSYM}{91}</code> (♁)	<code>\Pisymbol{astroSYM}{120}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{46}</code> (♁)	<code>\Pisymbol{astroSYM}{92}</code> (♁)	<code>\Pisymbol{astroSYM}{121}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{47}</code> (♁)	<code>\Pisymbol{astroSYM}{93}</code> (♁)	<code>\Pisymbol{astroSYM}{122}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{48}</code> (♁)	<code>\Pisymbol{astroSYM}{94}</code> (♁)	<code>\Pisymbol{astroSYM}{123}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{49}</code> (♁)	<code>\Pisymbol{astroSYM}{95}</code> (♁)	<code>\Pisymbol{astroSYM}{124}</code>
..... 203	..... 204	(♁) ..... 205
<code>\Pisymbol{astroSYM}{50}</code> (♁)	<code>\Pisymbol{astroSYM}{100}</code> (♁)	<code>\Pisymbol{astroSYM}{125}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{51}</code> (♁)	<code>\Pisymbol{astroSYM}{101}</code> (♁)	<code>\Pisymbol{astroSYM}{126}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{52}</code> (♁)	<code>\Pisymbol{astroSYM}{102}</code> (♁)	<code>\Pisymbol{astroSYM}{127}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{53}</code> (♁)	<code>\Pisymbol{astroSYM}{103}</code> (♁)	<code>\Pisymbol{astroSYM}{128}</code>
..... 203	..... 204	(♁) ..... 205
<code>\Pisymbol{astroSYM}{54}</code> (♁)	<code>\Pisymbol{astroSYM}{104}</code> (♁)	<code>\Pisymbol{astroSYM}{129}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{55}</code> (♁)	<code>\Pisymbol{astroSYM}{105}</code> (♁)	<code>\Pisymbol{astroSYM}{130}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{56}</code> (♁)	<code>\Pisymbol{astroSYM}{106}</code> (♁)	<code>\Pisymbol{astroSYM}{131}</code> (♁)
..... 203	..... 204	..... 205
<code>\Pisymbol{astroSYM}{57}</code>	<code>\Pisymbol{astroSYM}{107}</code> (♁)	<code>\Pisymbol{astroSYM}{132}</code>
(♁) ..... 204	..... 204	(♁) ..... 202
<code>\Pisymbol{astroSYM}{58}</code> (♁)	<code>\Pisymbol{astroSYM}{108}</code>	<code>\Pisymbol{astroSYM}{133}</code> (♁)
..... 204	(♁) ..... 204	..... 202
<code>\Pisymbol{astroSYM}{59}</code> (♁)	<code>\Pisymbol{astroSYM}{109}</code> (♁)	<code>\Pisymbol{astroSYM}{134}</code>
..... 204	..... 204	(♁) ..... 202
<code>\Pisymbol{astroSYM}{60}</code> (♁)	<code>\Pisymbol{astroSYM}{110}</code> (♁)	<code>\Pisymbol{astroSYM}{135}</code> (♁)
..... 204	..... 204	..... 202
<code>\Pisymbol{astroSYM}{61}</code> (♁)	<code>\Pisymbol{astroSYM}{111}</code> (♁)	<code>\Pisymbol{astroSYM}{136}</code> (♁)
..... 204	..... 204	..... 202
<code>\Pisymbol{astroSYM}{62}</code> (♁)	<code>\Pisymbol{astroSYM}{112}</code> (♁)	<code>\Pisymbol{astroSYM}{137}</code> (♁)
..... 204	..... 204	..... 202
<code>\Pisymbol{astroSYM}{63}</code> (♁)		<code>\Pisymbol{astroSYM}{138}</code> (♁)
..... 204		..... 202



















































































<code>\Pisymbol{astroSYM}{139}</code> (○)	<code>\Pisymbol{astroSYM}{165}</code> (⊖)	<code>\Pisymbol{astroSYM}{206}</code> (⊗)
..... 202	..... 203	..... 204
<code>\Pisymbol{astroSYM}{140}</code> (●)	<code>\Pisymbol{astroSYM}{166}</code> (⊗)	<code>\Pisymbol{astroSYM}{207}</code> (⊗)
..... 202	..... 203	..... 204
<code>\Pisymbol{astroSYM}{141}</code> (⊖)	<code>\Pisymbol{astroSYM}{167}</code> (⊗)	<code>\Pisymbol{astroSYM}{208}</code>
..... 202	..... 203	(⊗) ..... 204
<code>\Pisymbol{astroSYM}{142}</code> (●)	<code>\Pisymbol{astroSYM}{168}</code> (⊗)	<code>\Pisymbol{astroSYM}{209}</code> (⊗)
..... 202	..... 203	..... 204
<code>\Pisymbol{astroSYM}{143}</code> (⊖)	<code>\Pisymbol{astroSYM}{169}</code> (⊗)	<code>\Pisymbol{astroSYM}{210}</code> (⊗)
..... 202	..... 203	..... 204
<code>\Pisymbol{astroSYM}{144}</code> (⊗)	<code>\Pisymbol{astroSYM}{178}</code> (⊗)	<code>\Pisymbol{astroSYM}{211}</code> (⊗)
..... 202	..... 203	..... 204
<code>\Pisymbol{astroSYM}{145}</code> (⊗)	<code>\Pisymbol{astroSYM}{179}</code>	<code>\Pisymbol{astroSYM}{212}</code> (⊗)
..... 202	(⊗) ..... 203	..... 204
<code>\Pisymbol{astroSYM}{146}</code> (●)	<code>\Pisymbol{astroSYM}{180}</code>	<code>\Pisymbol{astroSYM}{213}</code> (⊗)
..... 202	(⊗) ..... 203	..... 204
<code>\Pisymbol{astroSYM}{147}</code> (⊖)	<code>\Pisymbol{astroSYM}{181}</code> (⊗)	<code>\Pisymbol{astroSYM}{214}</code>
..... 202	..... 203	(⊗) ..... 204
<code>\Pisymbol{astroSYM}{148}</code> (⊗)	<code>\Pisymbol{astroSYM}{182}</code> (⊗)	<code>\Pisymbol{astroSYM}{215}</code> (⊗)
..... 202	..... 203	..... 204
<code>\Pisymbol{astroSYM}{149}</code> (⊗)	<code>\Pisymbol{astroSYM}{183}</code>	<code>\Pisymbol{astroSYM}{216}</code>
..... 202	(⊗) ..... 203	(⊗) ..... 204
<code>\Pisymbol{astroSYM}{150}</code> (⊗)	<code>\Pisymbol{astroSYM}{184}</code> (⊗)	<code>\Pisymbol{astroSYM}{217}</code> (⊗)
..... 202	..... 203	..... 204
<code>\Pisymbol{astroSYM}{151}</code> (⊗)	<code>\Pisymbol{astroSYM}{185}</code>	<code>\Pisymbol{astroSYM}{218}</code>
..... 202	(⊗) ..... 203	(⊗) ..... 204
<code>\Pisymbol{astroSYM}{152}</code>	<code>\Pisymbol{astroSYM}{186}</code> (⊗)	<code>\Pisymbol{astroSYM}{219}</code> (⊗)
(⊗) ..... 203	..... 203	..... 204
<code>\Pisymbol{astroSYM}{153}</code> (⊗)	<code>\Pisymbol{astroSYM}{187}</code> (⊗)	<code>\Pisymbol{astroSYM}{220}</code> (⊗)
..... 203	..... 203	..... 204
<code>\Pisymbol{astroSYM}{154}</code> (⊗)	<code>\Pisymbol{astroSYM}{188}</code> (⊗)	<code>\Pisymbol{astroSYM}{221}</code> (⊗)
..... 203	..... 203	..... 204
<code>\Pisymbol{astroSYM}{155}</code> (⊗)	<code>\Pisymbol{astroSYM}{189}</code> (⊗)	<code>\Pisymbol{astroSYM}{222}</code> (⊗)
..... 203	..... 203	..... 204
<code>\Pisymbol{astroSYM}{156}</code> (⊗)	<code>\Pisymbol{astroSYM}{190}</code> (⊗)	<code>\Pisymbol{astroSYM}{223}</code> (⊗)
..... 203	..... 203	..... 204
<code>\Pisymbol{astroSYM}{157}</code>	<code>\Pisymbol{astroSYM}{191}</code> (⊗)	<code>\Pisymbol{astroSYM}{224}</code>
(⊗) ..... 203	..... 203	(⊗) ..... 204
<code>\Pisymbol{astroSYM}{158}</code>	<code>\Pisymbol{astroSYM}{200}</code> (⊗)	<code>\Pisymbol{astroSYM}{225}</code> (⊗)
(⊗) ..... 203	..... 203	..... 204
<code>\Pisymbol{astroSYM}{159}</code> (⊗)	<code>\Pisymbol{astroSYM}{201}</code> (⊗)	<code>\Pisymbol{astroSYM}{226}</code> (⊗)
..... 203	..... 203	..... 204
<code>\Pisymbol{astroSYM}{160}</code> (⊗)	<code>\Pisymbol{astroSYM}{202}</code> (⊗)	<code>\Pisymbol{astroSYM}{227}</code> (⊗)
..... 203	..... 203	..... 204
<code>\Pisymbol{astroSYM}{161}</code>	<code>\Pisymbol{astroSYM}{203}</code> (⊗)	<code>\Pisymbol{astroSYM}{228}</code>
(⊗) ..... 203	..... 203	(⊗) ..... 204
<code>\Pisymbol{astroSYM}{162}</code> (⊗)	<code>\Pisymbol{astroSYM}{204}</code> (⊗)	<code>\Pisymbol{astroSYM}{229}</code> (⊗)
..... 203	..... 203	..... 204
<code>\Pisymbol{astroSYM}{163}</code>	<code>\Pisymbol{astroSYM}{205}</code> (⊗)	<code>\Pisymbol{astroSYM}{230}</code> (⊗)
(⊗) ..... 203	..... 203	..... 204
<code>\Pisymbol{astroSYM}{164}</code> (⊗)	<code>\Pisymbol{astroSYM}{206}</code> (⊗)	<code>\Pisymbol{astroSYM}{231}</code> (⊗)
..... 203	..... 204	..... 204


















































































<code>\Pisymbol{astroSYM}{232}</code>	<code>\Pisymbol{cryst}{5}</code> (↖) . 218	<code>\Pisymbol{cryst}{97}</code> (↖) 218
(☐) . . . . . 204	<code>\Pisymbol{cryst}{6}</code> (●) . 218	<code>\Pisymbol{cryst}{98}</code> (↖) 218
<code>\Pisymbol{astroSYM}{233}</code> (✱)	<code>\Pisymbol{cryst}{7}</code> (↖) . 218	<code>\Pisymbol{cryst}{99}</code> (↖) 218
. . . . . 204	<code>\Pisymbol{cryst}{8}</code> (↖) . 218	<code>\Pisymbol{cryst}{102}</code> (✱) 218
<code>\Pisymbol{astroSYM}{234}</code>	<code>\Pisymbol{cryst}{9}</code> (↖) . 218	<code>\Pisymbol{cryst}{103}</code> (✱) 218
(☐) . . . . . 204	<code>\Pisymbol{cryst}{10}</code> (○) . 218	<code>\Pisymbol{cryst}{104}</code> (♠) 218
<code>\Pisymbol{astroSYM}{235}</code> (↖)	<code>\Pisymbol{cryst}{12}</code> (0) . 218	<code>\Pisymbol{cryst}{105}</code> (↖) 218
. . . . . 204	<code>\Pisymbol{cryst}{15}</code> (♣) 218	<code>\Pisymbol{cryst}{107}</code> (↖) 218
<code>\Pisymbol{astroSYM}{236}</code> (○)	<code>\Pisymbol{cryst}{20}</code> (♠) . 218	<code>\Pisymbol{cryst}{108}</code> (↖) 218
. . . . . 204	<code>\Pisymbol{cryst}{21}</code> (♠) . 218	<code>\Pisymbol{cryst}{109}</code> (↖) 218
<code>\Pisymbol{astroSYM}{237}</code> (○)	<code>\Pisymbol{cryst}{22}</code> (↖) 218	<code>\Pisymbol{cryst}{112}</code> (✱) 218
. . . . . 204	<code>\Pisymbol{cryst}{24}</code> (♠) 218	<code>\Pisymbol{cryst}{113}</code> (✱) 218
<code>\Pisymbol{astroSYM}{238}</code> (□)	<code>\Pisymbol{cryst}{25}</code> (↖) 218	<code>\Pisymbol{cryst}{120}</code> (✱) 218
. . . . . 204	<code>\Pisymbol{cryst}{27}</code> (↖) 218	<code>\Pisymbol{cryst}{121}</code> (✱) 218
<code>\Pisymbol{astroSYM}{239}</code> (○)	<code>\Pisymbol{cryst}{28}</code> (↖) 218	<code>\Pisymbol{cryst}{123}</code> (✱) 218
. . . . . 204	<code>\Pisymbol{cryst}{29}</code> (↖) 218	<code>\Pisymbol{cryst}{124}</code> (♠) 218
<code>\Pisymbol{astroSYM}{240}</code> (●)	<code>\Pisymbol{cryst}{30}</code> (▲) 218	<code>\Pisymbol{cryst}{125}</code> (↖) 218
. . . . . 204	<code>\Pisymbol{cryst}{31}</code> (▲) 218	<code>\Pisymbol{cryst}{127}</code> (↖) 218
<code>\Pisymbol{astroSYM}{241}</code> (○)	<code>\Pisymbol{cryst}{32}</code> (▲) 218	<code>\Pisymbol{cryst}{128}</code> (↖) 218
. . . . . 204	<code>\Pisymbol{cryst}{35}</code> (↖) . 218	<code>\Pisymbol{cryst}{129}</code> (↖) 218
<code>\Pisymbol{astroSYM}{242}</code> (●)	<code>\Pisymbol{cryst}{36}</code> (♠) 218	<code>\Pisymbol{cryst}{130}</code> (♠) 218
. . . . . 204	<code>\Pisymbol{cryst}{37}</code> (↖) 218	<code>\Pisymbol{cryst}{131}</code> (♠) 218
<code>\Pisymbol{astroSYM}{243}</code> (○)	<code>\Pisymbol{cryst}{38}</code> (↖) . 218	<code>\Pisymbol{cryst}{132}</code> (♠) 218
. . . . . 205	<code>\Pisymbol{cryst}{39}</code> (↖) 218	<code>\Pisymbol{cryst}{133}</code> (✱) 218
<code>\Pisymbol{astroSYM}{244}</code> (○)	<code>\Pisymbol{cryst}{40}</code> (♠) 218	<code>\Pisymbol{cryst}{135}</code> (↖) 218
. . . . . 205	<code>\Pisymbol{cryst}{41}</code> (♠) 218	<code>\Pisymbol{cryst}{136}</code> (♠) 218
<code>\Pisymbol{astroSYM}{245}</code> (○)	<code>\Pisymbol{cryst}{42}</code> (♠) 218	<code>\Pisymbol{cryst}{137}</code> (↖) 218
. . . . . 205	<code>\Pisymbol{cryst}{43}</code> (♠) 218	<code>\Pisymbol{cryst}{138}</code> (↖) 218
<code>\Pisymbol{astroSYM}{246}</code> (●)	<code>\Pisymbol{cryst}{44}</code> (■) 218	<code>\Pisymbol{cryst}{139}</code> (↖) 218
. . . . . 205	<code>\Pisymbol{cryst}{45}</code> (↖) . 218	<code>\Pisymbol{cryst}{140}</code> (♠) 218
<code>\Pisymbol{astroSYM}{247}</code> (●)	<code>\Pisymbol{cryst}{47}</code> (↖) . 218	<code>\Pisymbol{cryst}{141}</code> (♠) 218
. . . . . 205	<code>\Pisymbol{cryst}{48}</code> (↖) . 218	<code>\Pisymbol{cryst}{142}</code> (♠) 218
<code>\Pisymbol{astroSYM}{248}</code> (○)	<code>\Pisymbol{cryst}{49}</code> (↖) . 218	<code>\Pisymbol{cryst}{143}</code> (♠) 218
. . . . . 205	<code>\Pisymbol{cryst}{50}</code> (♠) 218	<code>\Pisymbol{cryst}{145}</code> (↖) 218
<code>\Pisymbol{astroSYM}{249}</code> (○)	<code>\Pisymbol{cryst}{55}</code> (♠) . 218	<code>\Pisymbol{cryst}{147}</code> (↖) 218
. . . . . 205	<code>\Pisymbol{cryst}{57}</code> (♠) . 218	<code>\Pisymbol{cryst}{148}</code> (↖) 218
<code>\Pisymbol{astroSYM}{250}</code> (✱)	<code>\Pisymbol{cryst}{58}</code> (♠) . 218	<code>\Pisymbol{cryst}{149}</code> (↖) 218
. . . . . 205	<code>\Pisymbol{cryst}{59}</code> (♠) . 218	<code>\Pisymbol{cryst}{155}</code> (♠) 218
<code>\Pisymbol{astroSYM}{251}</code> (✱)	<code>\Pisymbol{cryst}{60}</code> (♠) 218	<code>\Pisymbol{cryst}{157}</code> (♠) 218
. . . . . 205	<code>\Pisymbol{cryst}{61}</code> (♠) 218	<code>\Pisymbol{cryst}{158}</code> (♠) 218
<code>\Pisymbol{astroSYM}{252}</code>	<code>\Pisymbol{cryst}{62}</code> (♠) 218	<code>\Pisymbol{cryst}{159}</code> (♠) 218
(☐) . . . . . 205	<code>\Pisymbol{cryst}{63}</code> (♠) 218	<code>\Pisymbol{cryst}{175}</code> (♠) 218
<code>\Pisymbol{astroSYM}{253}</code> (□)	<code>\Pisymbol{cryst}{64}</code> (♠) 218	<code>\Pisymbol{cryst}{177}</code> (♠) 218
. . . . . 205	<code>\Pisymbol{cryst}{65}</code> (♠) 218	<code>\Pisymbol{cryst}{178}</code> (♠) 218
<code>\Pisymbol{astroSYM}{254}</code> (♠)	<code>\Pisymbol{cryst}{66}</code> (♠) 218	<code>\Pisymbol{cryst}{179}</code> (♠) 218
. . . . . 205	<code>\Pisymbol{cryst}{75}</code> (♠) . 218	<code>\Pisymbol{cryst}{185}</code> (♠) 218
<code>\Pisymbol{astroSYM}{255}</code> (○)	<code>\Pisymbol{cryst}{77}</code> (♠) . 218	<code>\Pisymbol{cryst}{187}</code> (♠) 218
. . . . . 205	<code>\Pisymbol{cryst}{78}</code> (♠) . 218	<code>\Pisymbol{cryst}{188}</code> (♠) 218
<code>\Pisymbol{cryst}{0}</code> (○) . . 218	<code>\Pisymbol{cryst}{79}</code> (♠) . 218	<code>\Pisymbol{cryst}{189}</code> (♠) 218
<code>\Pisymbol{cryst}{2}</code> (♠) . . 218	<code>\Pisymbol{cryst}{80}</code> (♠) 218	<code>\Pisymbol{cryst}{195}</code> (♠) 218
<code>\Pisymbol{cryst}{3}</code> (♠) . 218	<code>\Pisymbol{cryst}{81}</code> (♠) 218	<code>\Pisymbol{cryst}{197}</code> (♠) 218
<code>\Pisymbol{cryst}{4}</code> (♠) . 218	<code>\Pisymbol{cryst}{82}</code> (♠) 218	<code>\Pisymbol{cryst}{198}</code> (♠) 218
	<code>\Pisymbol{cryst}{83}</code> (♠) 218	<code>\Pisymbol{cryst}{199}</code> (♠) 218
	<code>\Pisymbol{cryst}{84}</code> (♠) 218	<code>\Pisymbol{cryst}{202}</code> (♠) 218
	<code>\Pisymbol{cryst}{85}</code> (♠) . 218	<code>\Pisymbol{cryst}{203}</code> (♠) 218
	<code>\Pisymbol{cryst}{87}</code> (♠) 218	<code>\Pisymbol{cryst}{204}</code> (♠) 218
	<code>\Pisymbol{cryst}{88}</code> (♠) . 218	<code>\Pisymbol{cryst}{210}</code> (♠) 218
	<code>\Pisymbol{cryst}{89}</code> (♠) 218	<code>\Pisymbol{cryst}{212}</code> (♠) . .
	<code>\Pisymbol{cryst}{95}</code> (♠) 218	. . . . . 218


















































































































<code>\Pisymbol{dancers}{217}</code>  .. ..... 214	<code>\Pisymbol{dancers}{246}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{111}</code>  . ..... 219
<code>\Pisymbol{dancers}{218}</code>  .. ..... 214	<code>\Pisymbol{dancers}{247}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{112}</code>  . ..... 219
<code>\Pisymbol{dancers}{219}</code>  .. ..... 214	<code>\Pisymbol{dancers}{248}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{113}</code>  . ..... 219
<code>\Pisymbol{dancers}{220}</code>  .. ..... 214	<code>\Pisymbol{dancers}{249}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{114}</code>  . ..... 219
<code>\Pisymbol{dancers}{221}</code>  .. ..... 215	<code>\Pisymbol{dancers}{250}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{115}</code>  . ..... 219
<code>\Pisymbol{dancers}{222}</code>  .. ..... 215	<code>\Pisymbol{dancers}{251}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{116}</code>  . ..... 219
<code>\Pisymbol{dancers}{223}</code>  .. ..... 215	<code>\Pisymbol{dancers}{252}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{117}</code>  . ..... 219
<code>\Pisymbol{dancers}{224}</code>  .. ..... 215	<code>\Pisymbol{dancers}{253}</code>  .. ..... 216	<code>\Pisymbol{dice3d}{118}</code>  . ..... 219
<code>\Pisymbol{dancers}{225}</code>  .. ..... 215	<code>\Pisymbol{dancers}{254}</code>  .. ..... 216	<code>\Pisymbol{dice3d}{119}</code>  . ..... 219
<code>\Pisymbol{dancers}{226}</code>  .. ..... 215	<code>\Pisymbol{dancers}{255}</code>  .. ..... 216	<code>\Pisymbol{dice3d}{120}</code>  . ..... 219
<code>\Pisymbol{dancers}{227}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{49}</code>  219	<code>\Pisymbol{dingbat}{69}</code>  ) .... 209
<code>\Pisymbol{dancers}{228}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{50}</code>  219	<code>\Pisymbol{dingbat}{70}</code>  ) .... 209
<code>\Pisymbol{dancers}{229}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{51}</code>  219	<code>\Pisymbol{dingbat}{71}</code>  ) .... 209
<code>\Pisymbol{dancers}{229}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{52}</code>  219	<code>\Pisymbol{dingbat}{72}</code>  ) .... 209
<code>\Pisymbol{dancers}{230}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{53}</code>  219	<code>\Pisymbol{dingbat}{74}</code>  ) .... 209
<code>\Pisymbol{dancers}{230}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{54}</code>  219	<code>\Pisymbol{dingbat}{75}</code>  ) .... 209
<code>\Pisymbol{dancers}{231}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{97}</code>  .. ..... 219	<code>\Pisymbol{dingbat}{76}</code>  ) .... 209
<code>\Pisymbol{dancers}{232}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{98}</code>  .. ..... 219	<code>\Pisymbol{dingbat}{77}</code>  ) .... 209
<code>\Pisymbol{dancers}{232}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{99}</code>  .. ..... 219	<code>\Pisymbol{dingbat}{97}</code>  ) ..... 209
<code>\Pisymbol{dancers}{233}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{100}</code>  .. ..... 219	<code>\Pisymbol{dingbat}{98}</code>  ( ) ..... 209
<code>\Pisymbol{dancers}{234}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{101}</code>  .. ..... 219	
<code>\Pisymbol{dancers}{235}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{102}</code>  .. ..... 219	
<code>\Pisymbol{dancers}{236}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{103}</code>  .. ..... 219	
<code>\Pisymbol{dancers}{237}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{104}</code>  .. ..... 219	
<code>\Pisymbol{dancers}{238}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{105}</code>  .. ..... 219	
<code>\Pisymbol{dancers}{239}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{106}</code>  .. ..... 219	
<code>\Pisymbol{dancers}{240}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{107}</code>  .. ..... 219	
<code>\Pisymbol{dancers}{241}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{108}</code>  .. ..... 219	
<code>\Pisymbol{dancers}{242}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{109}</code>  .. ..... 219	
<code>\Pisymbol{dancers}{243}</code>  .. ..... 215	<code>\Pisymbol{dice3d}{110}</code>  .. ..... 219	
<code>\Pisymbol{dancers}{244}</code>  .. ..... 215		
<code>\Pisymbol{dancers}{245}</code>  .. ..... 215		


































































































<code>\Pisymbol{dingbat}{99}</code> (  ) .. ..... 209	<code>\Pisymbol{fselch}{23}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{49}</code> (  ) .. ..... 221
<code>\Pisymbol{dingbat}{100}</code> (  ) .. ..... 209	<code>\Pisymbol{fselch}{24}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{50}</code> (  ) .. ..... 221
<code>\Pisymbol{dingbat}{101}</code> (  ) .. ..... 209	<code>\Pisymbol{fselch}{25}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{51}</code> (  ) .. ..... 221
<code>\Pisymbol{dingbat}{102}</code> (  ) .. ..... 209	<code>\Pisymbol{fselch}{26}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{52}</code> (  ) .. ..... 221
<code>\Pisymbol{dingbat}{103}</code> (  ) .. ..... 209	<code>\Pisymbol{fselch}{27}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{53}</code> (  ) .. ..... 221
<code>\Pisymbol{dingbat}{104}</code> (  ) .. ..... 209	<code>\Pisymbol{fselch}{28}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{54}</code> (  ) .. ..... 221
<code>\Pisymbol{fselch}{0}</code> (  ) 220	<code>\Pisymbol{fselch}{29}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{55}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{1}</code> (  ) 220	<code>\Pisymbol{fselch}{30}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{56}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{2}</code> (  ) 220	<code>\Pisymbol{fselch}{31}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{57}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{3}</code> (  ) 220	<code>\Pisymbol{fselch}{32}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{58}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{4}</code> (  ) 220	<code>\Pisymbol{fselch}{33}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{59}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{5}</code> (  ) 220	<code>\Pisymbol{fselch}{34}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{60}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{6}</code> (  ) 220	<code>\Pisymbol{fselch}{35}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{61}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{7}</code> (  ) 220	<code>\Pisymbol{fselch}{36}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{62}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{8}</code> (  ) 220	<code>\Pisymbol{fselch}{37}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{63}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{9}</code> (  ) 220	<code>\Pisymbol{fselch}{38}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{64}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{10}</code> (  ) .. ..... 220	<code>\Pisymbol{fselch}{39}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{65}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{11}</code> (  ) .. ..... 220	<code>\Pisymbol{fselch}{40}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{66}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{12}</code> (  ) .. ..... 220	<code>\Pisymbol{fselch}{41}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{67}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{13}</code> (  ) .. ..... 220	<code>\Pisymbol{fselch}{42}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{68}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{14}</code> (  ) .. ..... 220	<code>\Pisymbol{fselch}{43}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{69}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{15}</code> (  ) .. ..... 220	<code>\Pisymbol{fselch}{44}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{70}</code> (  ) .. ..... 220
<code>\Pisymbol{fselch}{16}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{45}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{71}</code> (  ) .. ..... 221
<code>\Pisymbol{fselch}{17}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{46}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{72}</code> (  ) .. ..... 221
<code>\Pisymbol{fselch}{18}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{47}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{73}</code> (  ) .. ..... 221
<code>\Pisymbol{fselch}{19}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{48}</code> (  ) .. ..... 221	<code>\Pisymbol{fselch}{74}</code> (  ) .. ..... 221
<code>\Pisymbol{fselch}{20}</code> (  ) .. ..... 221		
<code>\Pisymbol{fselch}{21}</code> (  ) .. ..... 221		
<code>\Pisymbol{fselch}{22}</code> (  ) .. ..... 221		



<code>\Pisymbol{fselch}{192}</code> (☒) . ..... 221	<code>\Pisymbol{knot1}{72}</code> (☒) 209	<code>\Pisymbol{knot2}{60}</code> (☒) 210
<code>\Pisymbol{fselch}{198}</code> (☒) . ..... 221	<code>\Pisymbol{knot1}{73}</code> (☒) 209	<code>\Pisymbol{knot2}{61}</code> (☒) 210
<code>\Pisymbol{fselch}{204}</code> (☒) . ..... 221	<code>\Pisymbol{knot1}{74}</code> (☒) 209	<code>\Pisymbol{knot2}{62}</code> (☒) 210
<code>\Pisymbol{fselch}{210}</code> (☒) . ..... 221	<code>\Pisymbol{knot1}{75}</code> (☒) 210	<code>\Pisymbol{knot2}{63}</code> (☒) 210
<code>\Pisymbol{fselch}{216}</code> (☒) . ..... 221	<code>\Pisymbol{knot1}{76}</code> (☒) 210	<code>\Pisymbol{knot2}{64}</code> (☒) 210
<code>\Pisymbol{fselch}{222}</code> (☒) . ..... 221	<code>\Pisymbol{knot1}{77}</code> (☒) 210	<code>\Pisymbol{knot2}{65}</code> (☒) 210
<code>\Pisymbol{fselch}{228}</code> (☒) . ..... 221	<code>\Pisymbol{knot1}{78}</code> (☒) 210	<code>\Pisymbol{knot2}{66}</code> (☒) 210
<code>\Pisymbol{fselch}{234}</code> (☒) . ..... 221	<code>\Pisymbol{knot1}{79}</code> (☒) 210	<code>\Pisymbol{knot2}{67}</code> (☒) 210
<code>\Pisymbol{fselch}{240}</code> (☒) . ..... 221	<code>\Pisymbol{knot1}{80}</code> (☒) 210	<code>\Pisymbol{knot2}{68}</code> (☒) 210
<code>\Pisymbol{fselch}{246}</code> (☒) . ..... 221	<code>\Pisymbol{knot1}{81}</code> (☒) 210	<code>\Pisymbol{knot2}{69}</code> (☒) 210
<code>\Pisymbol{greenpoint}{71}</code> (●) ..... 200	<code>\Pisymbol{knot1}{82}</code> (☒) 210	<code>\Pisymbol{knot2}{70}</code> (☒) 210
<code>\Pisymbol{hands}{65}</code> (☒) 200	<code>\Pisymbol{knot1}{83}</code> (☒) 210	<code>\Pisymbol{knot2}{71}</code> (☒) 210
<code>\Pisymbol{hands}{66}</code> (☒) 200	<code>\Pisymbol{knot1}{84}</code> (☒) 209	<code>\Pisymbol{knot2}{72}</code> (☒) 210
<code>\Pisymbol{hands}{67}</code> (☒) 200	<code>\Pisymbol{knot1}{85}</code> (☒) 209	<code>\Pisymbol{knot2}{73}</code> (☒) 210
<code>\Pisymbol{hands}{68}</code> (☒) 200	<code>\Pisymbol{knot1}{86}</code> (☒) 209	<code>\Pisymbol{knot2}{74}</code> (☒) 210
<code>\Pisymbol{knot1}{48}</code> (☒) 209	<code>\Pisymbol{knot1}{87}</code> (☒) 209	<code>\Pisymbol{knot2}{75}</code> (☒) 210
<code>\Pisymbol{knot1}{49}</code> (☒) 209	<code>\Pisymbol{knot1}{88}</code> (☒) 209	<code>\Pisymbol{knot2}{76}</code> (☒) 210
<code>\Pisymbol{knot1}{50}</code> (☒) 209	<code>\Pisymbol{knot1}{96}</code> (☒) 209	<code>\Pisymbol{knot2}{77}</code> (☒) 210
<code>\Pisymbol{knot1}{51}</code> (◆) 209	<code>\Pisymbol{knot1}{97}</code> (☒) 209	<code>\Pisymbol{knot2}{78}</code> (☒) 210
<code>\Pisymbol{knot1}{52}</code> (●) 209	<code>\Pisymbol{knot1}{98}</code> (☒) 210	<code>\Pisymbol{knot2}{79}</code> (☒) 210
<code>\Pisymbol{knot1}{53}</code> (☒) 209	<code>\Pisymbol{knot1}{99}</code> (☒) 210	<code>\Pisymbol{knot2}{80}</code> (☒) 210
<code>\Pisymbol{knot1}{58}</code> (☒) 209	<code>\Pisymbol{knot1}{100}</code> (☒) . ..... 210	<code>\Pisymbol{knot2}{81}</code> (☒) 210
<code>\Pisymbol{knot1}{59}</code> (☒) 210	<code>\Pisymbol{knot1}{101}</code> (☒) . ..... 210	<code>\Pisymbol{knot2}{82}</code> (☒) 210
<code>\Pisymbol{knot1}{60}</code> (☒) 210	<code>\Pisymbol{knot1}{102}</code> (☒) . ..... 210	<code>\Pisymbol{knot2}{83}</code> (☒) 210
<code>\Pisymbol{knot1}{61}</code> (☒) 210	<code>\Pisymbol{knot1}{103}</code> (☒) . ..... 210	<code>\Pisymbol{knot2}{84}</code> (☒) 210
<code>\Pisymbol{knot1}{62}</code> (☒) 210	<code>\Pisymbol{knot1}{104}</code> (☒) . ..... 210	<code>\Pisymbol{knot2}{85}</code> (☒) 210
<code>\Pisymbol{knot1}{63}</code> (☒) 210	<code>\Pisymbol{knot1}{105}</code> (☒) . ..... 210	<code>\Pisymbol{knot2}{86}</code> (☒) 210
<code>\Pisymbol{knot1}{64}</code> (☒) 210	<code>\Pisymbol{knot2}{48}</code> (☒) 210	<code>\Pisymbol{knot2}{87}</code> (☒) 210
<code>\Pisymbol{knot1}{65}</code> (☒) 210	<code>\Pisymbol{knot2}{49}</code> (☒) 210	<code>\Pisymbol{knot2}{88}</code> (☒) 210
<code>\Pisymbol{knot1}{66}</code> (☒) 210	<code>\Pisymbol{knot2}{50}</code> (☒) 210	<code>\Pisymbol{knot2}{96}</code> (☒) 210
<code>\Pisymbol{knot1}{67}</code> (☒) 210	<code>\Pisymbol{knot2}{51}</code> (◆) 210	<code>\Pisymbol{knot2}{97}</code> (☒) 210
<code>\Pisymbol{knot1}{68}</code> (☒) 209	<code>\Pisymbol{knot2}{52}</code> (●) 210	<code>\Pisymbol{knot2}{98}</code> (☒) 210
<code>\Pisymbol{knot1}{69}</code> (☒) 209	<code>\Pisymbol{knot2}{53}</code> (☒) 210	<code>\Pisymbol{knot2}{99}</code> (☒) 210
<code>\Pisymbol{knot1}{70}</code> (☒) 209	<code>\Pisymbol{knot2}{58}</code> (☒) 210	<code>\Pisymbol{knot2}{100}</code> (☒) . ..... 210
<code>\Pisymbol{knot1}{71}</code> (☒) 209	<code>\Pisymbol{knot2}{59}</code> (☒) 210	<code>\Pisymbol{knot2}{101}</code> (☒) . ..... 210
		<code>\Pisymbol{knot2}{102}</code> (☒) . ..... 210

<code>\Pisymbol{knot2}{103}</code>		.	<code>\Pisymbol{knot3}{86}</code>		210	<code>\Pisymbol{knot4}{74}</code>		211
.....	210		<code>\Pisymbol{knot3}{87}</code>		210	<code>\Pisymbol{knot4}{75}</code>		211
<code>\Pisymbol{knot2}{104}</code>		.	<code>\Pisymbol{knot3}{88}</code>		210	<code>\Pisymbol{knot4}{76}</code>		211
.....	210		<code>\Pisymbol{knot3}{96}</code>		210	<code>\Pisymbol{knot4}{77}</code>		211
<code>\Pisymbol{knot2}{105}</code>		.	<code>\Pisymbol{knot3}{97}</code>		210	<code>\Pisymbol{knot4}{78}</code>		211
.....	210		<code>\Pisymbol{knot3}{98}</code>		210	<code>\Pisymbol{knot4}{79}</code>		211
<code>\Pisymbol{knot3}{48}</code>		210	<code>\Pisymbol{knot3}{99}</code>		210	<code>\Pisymbol{knot4}{80}</code>		211
<code>\Pisymbol{knot3}{49}</code>		210	<code>\Pisymbol{knot3}{100}</code>		.	<code>\Pisymbol{knot4}{81}</code>		211
<code>\Pisymbol{knot3}{50}</code>		210	.....	210		<code>\Pisymbol{knot4}{82}</code>		211
<code>\Pisymbol{knot3}{51}</code>		210	<code>\Pisymbol{knot3}{101}</code>		.	<code>\Pisymbol{knot4}{83}</code>		211
<code>\Pisymbol{knot3}{52}</code>		210	.....	211		<code>\Pisymbol{knot4}{84}</code>		211
<code>\Pisymbol{knot3}{53}</code>		210	<code>\Pisymbol{knot3}{102}</code>		.	<code>\Pisymbol{knot4}{85}</code>		211
<code>\Pisymbol{knot3}{58}</code>		210	.....	211		<code>\Pisymbol{knot4}{86}</code>		211
<code>\Pisymbol{knot3}{59}</code>		210	<code>\Pisymbol{knot3}{103}</code>		.	<code>\Pisymbol{knot4}{87}</code>		211
<code>\Pisymbol{knot3}{60}</code>		210	.....	211		<code>\Pisymbol{knot4}{88}</code>		211
<code>\Pisymbol{knot3}{61}</code>		210	<code>\Pisymbol{knot3}{104}</code>		.	<code>\Pisymbol{knot4}{96}</code>		211
<code>\Pisymbol{knot3}{62}</code>		211	.....	211		<code>\Pisymbol{knot4}{97}</code>		211
<code>\Pisymbol{knot3}{63}</code>		211	<code>\Pisymbol{knot3}{105}</code>		.	<code>\Pisymbol{knot4}{98}</code>		211
<code>\Pisymbol{knot3}{64}</code>		211	.....	211		<code>\Pisymbol{knot4}{99}</code>		211
<code>\Pisymbol{knot3}{65}</code>		211	<code>\Pisymbol{knot4}{48}</code>		211	<code>\Pisymbol{knot4}{100}</code>		.
<code>\Pisymbol{knot3}{66}</code>		211	<code>\Pisymbol{knot4}{49}</code>		211	.....	211	
<code>\Pisymbol{knot3}{67}</code>		211	<code>\Pisymbol{knot4}{50}</code>		211	<code>\Pisymbol{knot4}{101}</code>		.
<code>\Pisymbol{knot3}{68}</code>		210	<code>\Pisymbol{knot4}{51}</code>		211	.....	211	
<code>\Pisymbol{knot3}{69}</code>		210	<code>\Pisymbol{knot4}{52}</code>		211	<code>\Pisymbol{knot4}{102}</code>		.
<code>\Pisymbol{knot3}{70}</code>		210	<code>\Pisymbol{knot4}{53}</code>		211	.....	211	
<code>\Pisymbol{knot3}{71}</code>		210	<code>\Pisymbol{knot4}{58}</code>		211	<code>\Pisymbol{knot4}{103}</code>		.
<code>\Pisymbol{knot3}{72}</code>		210	<code>\Pisymbol{knot4}{59}</code>		211	.....	211	
<code>\Pisymbol{knot3}{73}</code>		210	<code>\Pisymbol{knot4}{60}</code>		211	<code>\Pisymbol{knot4}{104}</code>		.
<code>\Pisymbol{knot3}{74}</code>		210	<code>\Pisymbol{knot4}{61}</code>		211	.....	211	
<code>\Pisymbol{knot3}{75}</code>		210	<code>\Pisymbol{knot4}{62}</code>		211	<code>\Pisymbol{knot4}{105}</code>		.
<code>\Pisymbol{knot3}{76}</code>		210	<code>\Pisymbol{knot4}{63}</code>		211	.....	211	
<code>\Pisymbol{knot3}{77}</code>		210	<code>\Pisymbol{knot4}{64}</code>		211	<code>\Pisymbol{knot5}{48}</code>		211
<code>\Pisymbol{knot3}{78}</code>		211	<code>\Pisymbol{knot4}{65}</code>		211	<code>\Pisymbol{knot5}{49}</code>		211
<code>\Pisymbol{knot3}{79}</code>		211	<code>\Pisymbol{knot4}{66}</code>		211	<code>\Pisymbol{knot5}{50}</code>		211
<code>\Pisymbol{knot3}{80}</code>		211	<code>\Pisymbol{knot4}{67}</code>		211	<code>\Pisymbol{knot5}{51}</code>		211
<code>\Pisymbol{knot3}{81}</code>		211	<code>\Pisymbol{knot4}{68}</code>		211	<code>\Pisymbol{knot5}{52}</code>		211
<code>\Pisymbol{knot3}{82}</code>		211	<code>\Pisymbol{knot4}{69}</code>		211	<code>\Pisymbol{knot5}{53}</code>		211
<code>\Pisymbol{knot3}{83}</code>		211	<code>\Pisymbol{knot4}{70}</code>		211	<code>\Pisymbol{knot5}{58}</code>		211
<code>\Pisymbol{knot3}{84}</code>		210	<code>\Pisymbol{knot4}{71}</code>		211	<code>\Pisymbol{knot5}{59}</code>		211
<code>\Pisymbol{knot3}{85}</code>		210	<code>\Pisymbol{knot4}{72}</code>		211	<code>\Pisymbol{knot5}{60}</code>		211
			<code>\Pisymbol{knot4}{73}</code>		211	<code>\Pisymbol{knot5}{61}</code>		211



<code>\Pisymbol{knot7}{75}</code>		212	<code>\Pisymbol{magic}{84}</code>		220	<code>\Pisymbol{nkarta}{73}</code>		201
<code>\Pisymbol{knot7}{76}</code>		212	<code>\Pisymbol{magic}{85}</code>		220	<code>\Pisymbol{nkarta}{74}</code>		201
<code>\Pisymbol{knot7}{77}</code>		212	<code>\Pisymbol{magic}{87}</code>		220	<code>\Pisymbol{nkarta}{75}</code>		201
<code>\Pisymbol{knot7}{78}</code>		212	<code>\Pisymbol{magic}{88}</code>		220	<code>\Pisymbol{nkarta}{76}</code>		..
<code>\Pisymbol{knot7}{79}</code>		212	<code>\Pisymbol{magic}{90}</code>		220	.....		201
<code>\Pisymbol{knot7}{80}</code>		212	<code>\Pisymbol{moonphase}{0}</code>		220	<code>\Pisymbol{nkarta}{77}</code>		201
<code>\Pisymbol{knot7}{81}</code>		212	.....		202	<code>\Pisymbol{nkarta}{78}</code>		201
<code>\Pisymbol{knot7}{82}</code>		212	<code>\Pisymbol{moonphase}{1}</code>		..	.....		201
<code>\Pisymbol{knot7}{83}</code>		213	.....		202	<code>\Pisymbol{nkarta}{80}</code>		..
<code>\Pisymbol{knot7}{84}</code>		212	<code>\Pisymbol{moonphase}{2}</code>		202	.....		201
<code>\Pisymbol{knot7}{85}</code>		212	.....		202	<code>\Pisymbol{nkarta}{81}</code>		201
<code>\Pisymbol{knot7}{86}</code>		212	<code>\Pisymbol{moonphase}{3}</code>		..	.....		201
<code>\Pisymbol{knot7}{87}</code>		212	.....		202	<code>\Pisymbol{nkarta}{82}</code>		201
<code>\Pisymbol{knot7}{88}</code>		212	<code>\Pisymbol{nkarta}{33}</code>		200	<code>\Pisymbol{nkarta}{83}</code>		201
<code>\Pisymbol{knot7}{96}</code>		212	<code>\Pisymbol{nkarta}{34}</code>		200	<code>\Pisymbol{nkarta}{84}</code>		201
<code>\Pisymbol{knot7}{97}</code>		212	<code>\Pisymbol{nkarta}{35}</code>		200	<code>\Pisymbol{nkarta}{85}</code>		..
<code>\Pisymbol{knot7}{98}</code>		212	<code>\Pisymbol{nkarta}{36}</code>		200	.....		201
<code>\Pisymbol{knot7}{99}</code>		212	<code>\Pisymbol{nkarta}{37}</code>		200	<code>\Pisymbol{nkarta}{86}</code>		201
<code>\Pisymbol{knot7}{100}</code>		..	<code>\Pisymbol{nkarta}{38}</code>		..	<code>\Pisymbol{nkarta}{87}</code>		201
.....		212	.....		200	<code>\Pisymbol{nkarta}{88}</code>		201
<code>\Pisymbol{knot7}{101}</code>		..	<code>\Pisymbol{nkarta}{39}</code>		200	<code>\Pisymbol{nkarta}{89}</code>		201
.....		212	<code>\Pisymbol{nkarta}{40}</code>		200	<code>\Pisymbol{nkarta}{90}</code>		201
<code>\Pisymbol{knot7}{102}</code>		..	<code>\Pisymbol{nkarta}{41}</code>		200	<code>\Pisymbol{nkarta}{91}</code>		201
.....		212	<code>\Pisymbol{nkarta}{42}</code>		..	<code>\Pisymbol{nkarta}{92}</code>		..
<code>\Pisymbol{knot7}{103}</code>		..	.....		200	.....		202
.....		212	<code>\Pisymbol{nkarta}{43}</code>		200	<code>\Pisymbol{nkarta}{93}</code>		202
<code>\Pisymbol{knot7}{104}</code>		..	<code>\Pisymbol{nkarta}{44}</code>		..	.....		202
.....		212	.....		200	<code>\Pisymbol{nkarta}{94}</code>		..
<code>\Pisymbol{knot7}{105}</code>		..	<code>\Pisymbol{nkarta}{45}</code>		201	.....		202
.....		212	<code>\Pisymbol{nkarta}{46}</code>		201	<code>\Pisymbol{nkarta}{95}</code>		202
<code>\Pisymbol{magic}{48}</code>		220	<code>\Pisymbol{nkarta}{47}</code>		201	<code>\Pisymbol{nkarta}{96}</code>		200
<code>\Pisymbol{magic}{49}</code>		220	<code>\Pisymbol{nkarta}{48}</code>		201	<code>\Pisymbol{nkarta}{97}</code>		200
<code>\Pisymbol{magic}{50}</code>		220	<code>\Pisymbol{nkarta}{49}</code>		201	<code>\Pisymbol{nkarta}{98}</code>		200
<code>\Pisymbol{magic}{51}</code>		220	<code>\Pisymbol{nkarta}{50}</code>		201	<code>\Pisymbol{nkarta}{99}</code>		200
<code>\Pisymbol{magic}{52}</code>		220	<code>\Pisymbol{nkarta}{51}</code>		201	<code>\Pisymbol{nkarta}{100}</code>		..
<code>\Pisymbol{magic}{53}</code>		220	<code>\Pisymbol{nkarta}{52}</code>		201	.....		200
<code>\Pisymbol{magic}{54}</code>		220	<code>\Pisymbol{nkarta}{53}</code>		201	<code>\Pisymbol{nkarta}{101}</code>		..
<code>\Pisymbol{magic}{55}</code>		220	<code>\Pisymbol{nkarta}{54}</code>		201	.....		200
<code>\Pisymbol{magic}{56}</code>		220	<code>\Pisymbol{nkarta}{55}</code>		201	<code>\Pisymbol{nkarta}{102}</code>		..
<code>\Pisymbol{magic}{57}</code>		220	<code>\Pisymbol{nkarta}{56}</code>		201	.....		200
<code>\Pisymbol{magic}{66}</code>		220	<code>\Pisymbol{nkarta}{57}</code>		201	<code>\Pisymbol{nkarta}{103}</code>		..
<code>\Pisymbol{magic}{71}</code>		220	<code>\Pisymbol{nkarta}{58}</code>		201	.....		200
<code>\Pisymbol{magic}{82}</code>		220	<code>\Pisymbol{nkarta}{59}</code>		201	<code>\Pisymbol{nkarta}{104}</code>		..
			<code>\Pisymbol{nkarta}{60}</code>		201	.....		200
			<code>\Pisymbol{nkarta}{61}</code>		201	<code>\Pisymbol{nkarta}{105}</code>		..
			<code>\Pisymbol{nkarta}{62}</code>		201	.....		200
			<code>\Pisymbol{nkarta}{63}</code>		201	<code>\Pisymbol{nkarta}{106}</code>		..
			<code>\Pisymbol{nkarta}{64}</code>		201	.....		200
			<code>\Pisymbol{nkarta}{65}</code>		201	<code>\Pisymbol{nkarta}{107}</code>		..
			<code>\Pisymbol{nkarta}{66}</code>		201	.....		200
			<code>\Pisymbol{nkarta}{67}</code>		201	<code>\Pisymbol{nkarta}{108}</code>		..
			<code>\Pisymbol{nkarta}{68}</code>		201	.....		201
			<code>\Pisymbol{nkarta}{69}</code>		201	<code>\Pisymbol{nkarta}{109}</code>		..
			<code>\Pisymbol{nkarta}{70}</code>		201	.....		201
			<code>\Pisymbol{nkarta}{71}</code>		201	<code>\Pisymbol{nkarta}{110}</code>		..
			<code>\Pisymbol{nkarta}{72}</code>		..	.....		201
			.....		201			










































































<code>\Pisymbol{nkarta}{111}</code> (○) . ..... 201	<code>\Pisymbol{nkarta}{175}</code> (◻) . ..... 201	<code>\Pisymbol{nkarta}{205}</code> (●) . ..... 201
<code>\Pisymbol{nkarta}{112}</code> (◇) . ..... 201	<code>\Pisymbol{nkarta}{176}</code> (●) .. ..... 201	<code>\Pisymbol{nkarta}{206}</code> (▣) .. ..... 201
<code>\Pisymbol{nkarta}{113}</code> (♁) . ..... 201	<code>\Pisymbol{nkarta}{177}</code> (▣) .. ..... 201	<code>\Pisymbol{nkarta}{207}</code> (♁) .. ..... 201
<code>\Pisymbol{nkarta}{114}</code> (⊕) .. ..... 201	<code>\Pisymbol{nkarta}{178}</code> (Ⓢ) .. ..... 201	<code>\Pisymbol{nkarta}{208}</code> (⊗) . ..... 201
<code>\Pisymbol{nkarta}{115}</code> (♁) . ..... 201	<code>\Pisymbol{nkarta}{179}</code> (⊗) .. ..... 201	<code>\Pisymbol{nkarta}{209}</code> (↵) . ..... 201
<code>\Pisymbol{nkarta}{116}</code> (⊙) .. ..... 201	<code>\Pisymbol{nkarta}{180}</code> (□) .. ..... 201	<code>\Pisymbol{nkarta}{210}</code> (↵) . ..... 201
<code>\Pisymbol{nkarta}{117}</code> (☪) . ..... 201	<code>\Pisymbol{nkarta}{181}</code> (♁) .. ..... 201	<code>\Pisymbol{nkarta}{211}</code> (←) . ..... 201
<code>\Pisymbol{nkarta}{118}</code> (♁) . ..... 201	<code>\Pisymbol{nkarta}{182}</code> (♁) . ..... 201	<code>\Pisymbol{nkarta}{212}</code> (↓) . ..... 201
<code>\Pisymbol{nkarta}{119}</code> (♁) . ..... 201	<code>\Pisymbol{nkarta}{183}</code> (★) .. ..... 201	<code>\Pisymbol{nkarta}{213}</code> (↑) . ..... 201
<code>\Pisymbol{nkarta}{120}</code> (⊕) .. ..... 201	<code>\Pisymbol{nkarta}{184}</code> (⊕) . ..... 201	<code>\Pisymbol{nkarta}{214}</code> (↖) .. ..... 201
<code>\Pisymbol{nkarta}{121}</code> (◻) .. ..... 201	<code>\Pisymbol{nkarta}{185}</code> (▷) . ..... 201	<code>\Pisymbol{nkarta}{215}</code> (♣) .. ..... 201
<code>\Pisymbol{nkarta}{122}</code> (♯) 201	<code>\Pisymbol{nkarta}{186}</code> (♣) .. ..... 201	<code>\Pisymbol{nkarta}{216}</code> (●) . ..... 201
<code>\Pisymbol{nkarta}{123}</code> (—) .. ..... 201	<code>\Pisymbol{nkarta}{187}</code> (♣) . ..... 201	<code>\Pisymbol{nkarta}{217}</code> (♣) . ..... 201
<code>\Pisymbol{nkarta}{124}</code> (♣) . ..... 201	<code>\Pisymbol{nkarta}{188}</code> (♣) 201	<code>\Pisymbol{nkarta}{218}</code> (●) .. ..... 201
<code>\Pisymbol{nkarta}{125}</code> (♣) . ..... 201	<code>\Pisymbol{nkarta}{189}</code> (♣) .. ..... 202	<code>\Pisymbol{nkarta}{219}</code> (♣) . ..... 201
<code>\Pisymbol{nkarta}{126}</code> (♣) .. ..... 201	<code>\Pisymbol{nkarta}{190}</code> (×) .. ..... 202	<code>\Pisymbol{nkarta}{220}</code> (■) . ..... 201
<code>\Pisymbol{nkarta}{161}</code> (♥) . ..... 201	<code>\Pisymbol{nkarta}{191}</code> (○) . ..... 202	<code>\Pisymbol{nkarta}{221}</code> (●) . ..... 201
<code>\Pisymbol{nkarta}{162}</code> (♦) .. ..... 201	<code>\Pisymbol{nkarta}{192}</code> (⊛) .. ..... 202	<code>\Pisymbol{nkarta}{222}</code> (●) .. ..... 201
<code>\Pisymbol{nkarta}{163}</code> (▲) .. ..... 201	<code>\Pisymbol{nkarta}{193}</code> (●) .. ..... 200	<code>\Pisymbol{nkarta}{223}</code> (↵) . ..... 201
<code>\Pisymbol{nkarta}{164}</code> (—) .. 201	<code>\Pisymbol{nkarta}{194}</code> (□) . ..... 200	<code>\Pisymbol{nkarta}{224}</code> (■) . ..... 201
<code>\Pisymbol{nkarta}{165}</code> (—) .. ..... 201	<code>\Pisymbol{nkarta}{195}</code> (♣) .. ..... 200	<code>\Pisymbol{nkarta}{225}</code> (♣) .. ..... 201
<code>\Pisymbol{nkarta}{166}</code> (↵) .. ..... 201	<code>\Pisymbol{nkarta}{196}</code> (⊗) . ..... 200	<code>\Pisymbol{nkarta}{226}</code> (■) .. ..... 201
<code>\Pisymbol{nkarta}{167}</code> (♣) . ..... 201	<code>\Pisymbol{nkarta}{197}</code> (♣) 200	<code>\Pisymbol{nkarta}{227}</code> (●) .. ..... 201
<code>\Pisymbol{nkarta}{168}</code> (⊕) .. ..... 201	<code>\Pisymbol{nkarta}{198}</code> (♣) . ..... 200	<code>\Pisymbol{nkarta}{228}</code> (★) .. ..... 201
<code>\Pisymbol{nkarta}{169}</code> (♣) 201	<code>\Pisymbol{nkarta}{199}</code> (♣) . ..... 200	<code>\Pisymbol{nkarta}{229}</code> (★) .. ..... 201
<code>\Pisymbol{nkarta}{170}</code> (■) .. ..... 201	<code>\Pisymbol{nkarta}{200}</code> (→) . ..... 200	<code>\Pisymbol{nkarta}{230}</code> (◦) .. ..... 201
<code>\Pisymbol{nkarta}{171}</code> (★) .. ..... 201	<code>\Pisymbol{nkarta}{201}</code> (△) .. ..... 200	<code>\Pisymbol{nkarta}{231}</code> (◻) . ..... 201
<code>\Pisymbol{nkarta}{172}</code> (□) . ..... 201	<code>\Pisymbol{nkarta}{202}</code> (◆) . ..... 200	<code>\Pisymbol{nkarta}{232}</code> (♥) . ..... 201
<code>\Pisymbol{nkarta}{173}</code> (♣) .. ..... 201	<code>\Pisymbol{nkarta}{203}</code> (■) . ..... 200	<code>\Pisymbol{nkarta}{233}</code> (♣) 201
<code>\Pisymbol{nkarta}{174}</code> (+) .. ..... 201	<code>\Pisymbol{nkarta}{204}</code> (■) . ..... 200	<code>\Pisymbol{nkarta}{234}</code> (♣) 201



<code>\Pisymbol{nkarta}{235}</code> (⊞) .. ..... 201	<code>\Pisymbol{smfpr10}{52}</code> (ྱྱྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{88}</code> (Ꞥ) .. ..... 217
<code>\Pisymbol{nkarta}{236}</code> (⊟) .. ..... 201	<code>\Pisymbol{smfpr10}{53}</code> (ྱྱྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{89}</code> (ྱྱ) .. ..... 217
<code>\Pisymbol{nkarta}{237}</code> (⊠) .. ..... 201	<code>\Pisymbol{smfpr10}{54}</code> (ྱྱྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{90}</code> (ꞥ) .. ..... 217
<code>\Pisymbol{nkarta}{238}</code> (⊡) .. ..... 201	<code>\Pisymbol{smfpr10}{55}</code> (ྱྱྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{97}</code> (⊔) .. ..... 217
<code>\Pisymbol{nkarta}{239}</code> (⊣) .. ..... 201	<code>\Pisymbol{smfpr10}{56}</code> (ྱྱྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{98}</code> (⊕) .. ..... 217
<code>\Pisymbol{nkarta}{240}</code> (⬢) .. ..... 201	<code>\Pisymbol{smfpr10}{57}</code> (ྱྱྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{99}</code> (ྱྱ) .. ..... 217
<code>\Pisymbol{nkarta}{241}</code> (⊗) .. ..... 201	<code>\Pisymbol{smfpr10}{65}</code> (⊔) .. ..... 216	<code>\Pisymbol{smfpr10}{100}</code> (ྱ) .. ..... 217
<code>\Pisymbol{nkarta}{242}</code> (⊕) .. ..... 201	<code>\Pisymbol{smfpr10}{66}</code> (⊕) .. ..... 216	<code>\Pisymbol{smfpr10}{101}</code> (ྱ) .. ..... 217
<code>\Pisymbol{nkarta}{243}</code> (⊗) .. ..... 201	<code>\Pisymbol{smfpr10}{67}</code> (ྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{102}</code> (ྱ) .. ..... 217
<code>\Pisymbol{nkarta}{244}</code> (+) .. ..... 201	<code>\Pisymbol{smfpr10}{68}</code> (ྱ) 216	<code>\Pisymbol{smfpr10}{103}</code> (⊔) .. ..... 217
<code>\Pisymbol{nkarta}{245}</code> (†) .. ..... 201	<code>\Pisymbol{smfpr10}{69}</code> (ྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{104}</code> (⊕) .. ..... 217
<code>\Pisymbol{nkarta}{246}</code> (⬢) .. ..... 201	<code>\Pisymbol{smfpr10}{70}</code> (ྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{105}</code> (⊕) .. ..... 217
<code>\Pisymbol{nkarta}{247}</code> (⊕) .. ..... 201	<code>\Pisymbol{smfpr10}{71}</code> (⊔) .. ..... 216	<code>\Pisymbol{smfpr10}{106}</code> (ྱ) .. ..... 217
<code>\Pisymbol{nkarta}{248}</code> (⬢) .. ..... 201	<code>\Pisymbol{smfpr10}{72}</code> (⊕) .. ..... 216	<code>\Pisymbol{smfpr10}{107}</code> (⊔) .. ..... 217
<code>\Pisymbol{nkarta}{249}</code> (⬢) .. ..... 201	<code>\Pisymbol{smfpr10}{73}</code> (⊕) .. ..... 216	<code>\Pisymbol{smfpr10}{108}</code> (⊕) .. ..... 217
<code>\Pisymbol{nkarta}{250}</code> (⬢) .. ..... 201	<code>\Pisymbol{smfpr10}{74}</code> (ྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{109}</code> (⊕) .. ..... 217
<code>\Pisymbol{nkarta}{251}</code> (⊗) .. ..... 201	<code>\Pisymbol{smfpr10}{75}</code> (⊔) .. ..... 216	<code>\Pisymbol{smfpr10}{110}</code> (⊕) .. ..... 217
<code>\Pisymbol{nkarta}{252}</code> (⬢) .. ..... 202	<code>\Pisymbol{smfpr10}{76}</code> (⊕) .. ..... 216	<code>\Pisymbol{smfpr10}{111}</code> (⊕) .. ..... 217
<code>\Pisymbol{nkarta}{253}</code> (⬢) .. ..... 202	<code>\Pisymbol{smfpr10}{77}</code> (⊕) .. ..... 216	<code>\Pisymbol{smfpr10}{112}</code> (⊕) .. ..... 217
<code>\Pisymbol{nkarta}{254}</code> (▶) .. ..... 202	<code>\Pisymbol{smfpr10}{78}</code> (⊕) .. ..... 217	<code>\Pisymbol{smfpr10}{113}</code> (⊕) .. ..... 217
<code>\Pisymbol{smfpr10}{34}</code> (⊔) 216	<code>\Pisymbol{smfpr10}{79}</code> (⊕) .. ..... 217	<code>\Pisymbol{smfpr10}{114}</code> (⊕) .. ..... 217
<code>\Pisymbol{smfpr10}{35}</code> (ྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{80}</code> (⊕) .. ..... 217	<code>\Pisymbol{smfpr10}{115}</code> (⊕) .. ..... 217
<code>\Pisymbol{smfpr10}{36}</code> (ྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{81}</code> (⊕) .. ..... 217	<code>\Pisymbol{smfpr10}{116}</code> (ྱ) .. ..... 216
<code>\Pisymbol{smfpr10}{42}</code> (⊕) .. ..... 216	<code>\Pisymbol{smfpr10}{82}</code> (⊕) .. ..... 217	<code>\Pisymbol{smfpr10}{117}</code> (ྱ) .. ..... 216
<code>\Pisymbol{smfpr10}{46}</code> (⊕) .. ..... 216	<code>\Pisymbol{smfpr10}{83}</code> (⊕) .. ..... 217	<code>\Pisymbol{smfpr10}{118}</code> (⊕) .. ..... 216
<code>\Pisymbol{smfpr10}{48}</code> (ྱྱྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{84}</code> (ྱ) .. ..... 217	<code>\Pisymbol{smfpr10}{119}</code> (Ꞥ) .. ..... 216
<code>\Pisymbol{smfpr10}{49}</code> (ྱྱྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{85}</code> (ྱ) .. ..... 217	<code>\Pisymbol{smfpr10}{120}</code> (Ꞥ) .. ..... 216
<code>\Pisymbol{smfpr10}{50}</code> (ྱྱྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{86}</code> (⊕) .. ..... 217	<code>\Pisymbol{smfpr10}{121}</code> (ྱ) .. ..... 216
<code>\Pisymbol{smfpr10}{51}</code> (ྱྱྱྱ) .. ..... 216	<code>\Pisymbol{smfpr10}{87}</code> (Ꞥ) .. ..... 217	<code>\Pisymbol{smfpr10}{122}</code> (Ꞥ) .. ..... 216

<code>\Pisymbol{smfpr10}{126}</code> (Ⓛ) . ..... 216	<code>\Pisymbol{smfpr10}{158}</code> (ĭ) . ..... 217	<code>\Pisymbol{smfpr10}{193}</code> (d) . ..... 216
<code>\Pisymbol{smfpr10}{128}</code> (d) . ..... 216	<code>\Pisymbol{smfpr10}{160}</code> (d) . ..... 217	<code>\Pisymbol{smfpr10}{194}</code> (d) . ..... 216
<code>\Pisymbol{smfpr10}{129}</code> (d) . ..... 216	<code>\Pisymbol{smfpr10}{161}</code> (d) . ..... 217	<code>\Pisymbol{smfpr10}{195}</code> (d) . ..... 216
<code>\Pisymbol{smfpr10}{130}</code> (ŷ) . ..... 216	<code>\Pisymbol{smfpr10}{162}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{196}</code> (d) . ..... 216
<code>\Pisymbol{smfpr10}{131}</code> (ŷ) . ..... 216	<code>\Pisymbol{smfpr10}{163}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{197}</code> (d) . ..... 216
<code>\Pisymbol{smfpr10}{132}</code> (ĭ) . ..... 216	<code>\Pisymbol{smfpr10}{164}</code> (ĭ) . ..... 217	<code>\Pisymbol{smfpr10}{199}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{133}</code> (ŕ) . ..... 216	<code>\Pisymbol{smfpr10}{165}</code> (ŕ) . ..... 217	<code>\Pisymbol{smfpr10}{200}</code> (ŕ) . ..... 216
<code>\Pisymbol{smfpr10}{134}</code> (ŕ) . ..... 216	<code>\Pisymbol{smfpr10}{166}</code> (ŕ) . ..... 217	<code>\Pisymbol{smfpr10}{201}</code> (ŕ) . ..... 216
<code>\Pisymbol{smfpr10}{135}</code> (b) . ..... 216	<code>\Pisymbol{smfpr10}{167}</code> (b) . ..... 217	<code>\Pisymbol{smfpr10}{202}</code> (ŕ) . ..... 216
<code>\Pisymbol{smfpr10}{136}</code> (đ) . ..... 216	<code>\Pisymbol{smfpr10}{168}</code> (đ) . ..... 217	<code>\Pisymbol{smfpr10}{203}</code> (ŕ) . ..... 216
<code>\Pisymbol{smfpr10}{137}</code> (đ) . ..... 216	<code>\Pisymbol{smfpr10}{169}</code> (đ) . ..... 217	<code>\Pisymbol{smfpr10}{204}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{138}</code> (đ) . ..... 216	<code>\Pisymbol{smfpr10}{170}</code> (đ) . ..... 217	<code>\Pisymbol{smfpr10}{205}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{139}</code> (ϕ) . ..... 216	<code>\Pisymbol{smfpr10}{171}</code> (ϕ) . ..... 217	<code>\Pisymbol{smfpr10}{206}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{140}</code> (ϕ) . ..... 216	<code>\Pisymbol{smfpr10}{172}</code> (ϕ) . ..... 217	<code>\Pisymbol{smfpr10}{207}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{142}</code> (ŷ) . ..... 216	<code>\Pisymbol{smfpr10}{174}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{209}</code> (ϕ) . ..... 216
<code>\Pisymbol{smfpr10}{143}</code> (†) . ..... 216	<code>\Pisymbol{smfpr10}{175}</code> (†) . ..... 217	<code>\Pisymbol{smfpr10}{210}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{144}</code> (†) . ..... 216	<code>\Pisymbol{smfpr10}{176}</code> (†) . ..... 217	<code>\Pisymbol{smfpr10}{211}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{145}</code> (Ⓛ) . ..... 216	<code>\Pisymbol{smfpr10}{177}</code> (Ⓛ) . ..... 217	<code>\Pisymbol{smfpr10}{212}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{146}</code> (Ⓛ) . ..... 216	<code>\Pisymbol{smfpr10}{178}</code> (Ⓛ) . ..... 217	<code>\Pisymbol{smfpr10}{213}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{147}</code> (Ⓛ) . ..... 216	<code>\Pisymbol{smfpr10}{179}</code> (Ⓛ) . ..... 217	<code>\Pisymbol{smfpr10}{214}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{148}</code> (ŷ) . ..... 216	<code>\Pisymbol{smfpr10}{180}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{216}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{149}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{181}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{217}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{150}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{182}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{218}</code> (ŷ) . ..... 216
<code>\Pisymbol{smfpr10}{151}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{183}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{219}</code> (ŷ) . ..... 217
<code>\Pisymbol{smfpr10}{152}</code> (†) . ..... 217	<code>\Pisymbol{smfpr10}{184}</code> (†) . ..... 216	<code>\Pisymbol{smfpr10}{220}</code> (ŷ) . ..... 217
<code>\Pisymbol{smfpr10}{153}</code> (k) . ..... 217	<code>\Pisymbol{smfpr10}{185}</code> (k) . ..... 216	<code>\Pisymbol{smfpr10}{221}</code> (†) . ..... 217
<code>\Pisymbol{smfpr10}{154}</code> (k) . ..... 217	<code>\Pisymbol{smfpr10}{186}</code> (k) . ..... 216	<code>\Pisymbol{smfpr10}{224}</code> (d) . ..... 217
<code>\Pisymbol{smfpr10}{155}</code> (k) . ..... 217	<code>\Pisymbol{smfpr10}{187}</code> (k) . ..... 216	<code>\Pisymbol{smfpr10}{225}</code> (d) . ..... 217
<code>\Pisymbol{smfpr10}{157}</code> (ŷ) . ..... 217	<code>\Pisymbol{smfpr10}{192}</code> (d) . ..... 216	<code>\Pisymbol{smfpr10}{226}</code> (d) . ..... 217

<code>\Pisymbol{smfpr10}{227}</code> (d) . ..... 217	<code>\Pisymbol{umranda}{5}</code> (♣) .. ..... 206	<code>\Pisymbol{umranda}{31}</code> (⊗) . ..... 207
<code>\Pisymbol{smfpr10}{228}</code> (d) . ..... 217	<code>\Pisymbol{umranda}{6}</code> (♠) .. ..... 206	<code>\Pisymbol{umranda}{32}</code> (⊙) . ..... 207
<code>\Pisymbol{smfpr10}{229}</code> (d) . ..... 217	<code>\Pisymbol{umranda}{7}</code> (♠) .. ..... 206	<code>\Pisymbol{umranda}{33}</code> (⊖) . ..... 207
<code>\Pisymbol{smfpr10}{231}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{8}</code> (☯) .. ..... 206	<code>\Pisymbol{umranda}{34}</code> (⊗) . ..... 206
<code>\Pisymbol{smfpr10}{232}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{9}</code> (☯) .. ..... 206	<code>\Pisymbol{umranda}{35}</code> (⊗) . ..... 206
<code>\Pisymbol{smfpr10}{233}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{10}</code> (☯) . ..... 206	<code>\Pisymbol{umranda}{36}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{234}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{11}</code> (☯) . ..... 206	<code>\Pisymbol{umranda}{37}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{235}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{12}</code> (☯) . ..... 206	<code>\Pisymbol{umranda}{38}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{236}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{13}</code> (☯) . ..... 206	<code>\Pisymbol{umranda}{39}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{237}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{14}</code> (☯) . ..... 206	<code>\Pisymbol{umranda}{40}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{238}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{15}</code> (☯) . ..... 207	<code>\Pisymbol{umranda}{41}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{239}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{16}</code> (☯) . ..... 207	<code>\Pisymbol{umranda}{42}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{241}</code> (♠) . ..... 217	<code>\Pisymbol{umranda}{17}</code> (☯) . ..... 207	<code>\Pisymbol{umranda}{43}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{242}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{18}</code> (☯) . ..... 207	<code>\Pisymbol{umranda}{44}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{243}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{19}</code> (☯) . ..... 207	<code>\Pisymbol{umranda}{45}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{244}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{20}</code> (⊗) . ..... 207	<code>\Pisymbol{umranda}{46}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{245}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{21}</code> (⊗) . ..... 207	<code>\Pisymbol{umranda}{47}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{246}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{22}</code> (⊗) . ..... 207	<code>\Pisymbol{umranda}{48}</code> (⊞) . ..... 206
<code>\Pisymbol{smfpr10}{248}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{23}</code> (⊗) . ..... 207	<code>\Pisymbol{umranda}{49}</code> (⊞) . ..... 207
<code>\Pisymbol{smfpr10}{249}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{24}</code> (⊗) . ..... 207	<code>\Pisymbol{umranda}{50}</code> (⊞) . ..... 207
<code>\Pisymbol{smfpr10}{250}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{25}</code> (⊗) . ..... 207	<code>\Pisymbol{umranda}{51}</code> (⊞) . ..... 207
<code>\Pisymbol{smfpr10}{251}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{26}</code> (⊗) . ..... 207	<code>\Pisymbol{umranda}{52}</code> (⊞) . ..... 207
<code>\Pisymbol{smfpr10}{252}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{27}</code> (⊗) . ..... 207	<code>\Pisymbol{umranda}{53}</code> (⊖) . ..... 207
<code>\Pisymbol{smfpr10}{253}</code> (¶) . ..... 217	<code>\Pisymbol{umranda}{28}</code> (⊗) . ..... 207	<code>\Pisymbol{umranda}{54}</code> (⊖) . ..... 207
<code>\Pisymbol{umranda}{0}</code> (♣) .. ..... 206	<code>\Pisymbol{umranda}{29}</code> (⊗) . ..... 207	<code>\Pisymbol{umranda}{55}</code> (⊖) . ..... 207
<code>\Pisymbol{umranda}{1}</code> (♠) .. ..... 206	<code>\Pisymbol{umranda}{30}</code> (⊗) . ..... 207	
<code>\Pisymbol{umranda}{2}</code> (♠) .. ..... 206		
<code>\Pisymbol{umranda}{3}</code> (♠) .. ..... 206		
<code>\Pisymbol{umranda}{4}</code> (♠) .. ..... 206		

<code>\Pisymbol{umranda}{56}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{80}</code> (  ) . ..... 206	<code>\Pisymbol{umrandb}{3}</code> (  ) .. ..... 207
<code>\Pisymbol{umranda}{57}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{81}</code> (  ) . ..... 206	<code>\Pisymbol{umrandb}{4}</code> (  ) .. ..... 207
<code>\Pisymbol{umranda}{58}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{82}</code> (  ) . ..... 206	<code>\Pisymbol{umrandb}{5}</code> (  ) .. ..... 207
<code>\Pisymbol{umranda}{59}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{83}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{6}</code> (  ) .. ..... 207
<code>\Pisymbol{umranda}{60}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{84}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{7}</code> (  ) .. ..... 207
<code>\Pisymbol{umranda}{61}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{85}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{8}</code> (  ) .. ..... 207
<code>\Pisymbol{umranda}{62}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{86}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{9}</code> (  ) .. ..... 207
<code>\Pisymbol{umranda}{63}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{87}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{10}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{64}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{88}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{11}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{65}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{89}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{12}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{66}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{90}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{13}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{67}</code> (  ) . ..... 207	<code>\Pisymbol{umranda}{91}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{14}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{68}</code> (  ) . ..... 206	<code>\Pisymbol{umranda}{92}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{15}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{69}</code> (  ) . ..... 206	<code>\Pisymbol{umranda}{93}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{16}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{70}</code> (  ) . ..... 206	<code>\Pisymbol{umranda}{94}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{17}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{71}</code> (  ) . ..... 206	<code>\Pisymbol{umranda}{95}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{18}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{72}</code> (  ) . ..... 206	<code>\Pisymbol{umranda}{96}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{19}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{73}</code> (  ) . ..... 206	<code>\Pisymbol{umranda}{97}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{20}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{74}</code> (  ) . ..... 206	<code>\Pisymbol{umranda}{98}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{21}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{75}</code> (  ) . ..... 206	<code>\Pisymbol{umranda}{99}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{22}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{76}</code> (  ) . ..... 206	<code>\Pisymbol{umranda}{100}</code> (  ) . ..... 207	<code>\Pisymbol{umrandb}{23}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{77}</code> (  ) . ..... 206	<code>\Pisymbol{umrandb}{0}</code> (  ) .. ..... 207	<code>\Pisymbol{umrandb}{24}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{78}</code> (  ) . ..... 206	<code>\Pisymbol{umrandb}{1}</code> (  ) .. ..... 207	<code>\Pisymbol{umrandb}{25}</code> (  ) .. ..... 208
<code>\Pisymbol{umranda}{79}</code> (  ) . ..... 206	<code>\Pisymbol{umrandb}{2}</code> (  ) .. ..... 207	<code>\Pisymbol{umrandb}{26}</code> (  ) .. ..... 208
		<code>\Pisymbol{umrandb}{27}</code> (  ) .. ..... 208
		<code>\Pisymbol{umrandb}{28}</code> (  ) .. ..... 208



<code>\Pisymbol{umrandb}{107}</code> (☰)	<code>\Pisymbol{WebOMintsGD}{57}</code>	<code>\Pisymbol{WebOMintsGD}{97}</code>
..... 208	(☱) ..... 205	(☱) ..... 205
<code>\Pisymbol{umrandb}{108}</code> (☷)	<code>\Pisymbol{WebOMintsGD}{65}</code>	<code>\Pisymbol{WebOMintsGD}{98}</code>
..... 208	(☶) ..... 205	(☶) ..... 205
<code>\Pisymbol{umrandb}{109}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{66}</code>	<code>\Pisymbol{WebOMintsGD}{99}</code>
..... 208	(☵) ..... 205	(☵) ..... 205
<code>\Pisymbol{umrandb}{110}</code> (☷)	<code>\Pisymbol{WebOMintsGD}{67}</code>	<code>\Pisymbol{WebOMintsGD}{100}</code>
..... 208	(☲) ..... 205	(☲) ..... 205
<code>\Pisymbol{umrandb}{111}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{68}</code>	<code>\Pisymbol{WebOMintsGD}{101}</code>
..... 208	(☱) ..... 205	(☱) ..... 205
<code>\Pisymbol{umrandb}{112}</code> (☰)	<code>\Pisymbol{WebOMintsGD}{69}</code>	<code>\Pisymbol{WebOMintsGD}{102}</code>
..... 208	(☲) ..... 205	(☲) ..... 205
<code>\Pisymbol{umrandb}{113}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{70}</code>	<code>\Pisymbol{WebOMintsGD}{103}</code>
..... 208	(☵) ..... 205	(☵) ..... 205
<code>\Pisymbol{umrandb}{114}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{71}</code>	<code>\Pisymbol{WebOMintsGD}{104}</code>
..... 208	(☲) ..... 205	(☲) ..... 205
<code>\Pisymbol{umrandb}{114}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{72}</code>	<code>\Pisymbol{WebOMintsGD}{105}</code>
..... 208	(☱) ..... 205	(☱) ..... 205
<code>\Pisymbol{umrandb}{115}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{73}</code>	<code>\Pisymbol{WebOMintsGD}{106}</code>
..... 208	(☲) ..... 205	(☲) ..... 205
<code>\Pisymbol{umrandb}{116}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{74}</code>	<code>\Pisymbol{WebOMintsGD}{107}</code>
..... 208	(☲) ..... 205	(☲) ..... 205
<code>\Pisymbol{umrandb}{117}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{75}</code>	<code>\Pisymbol{WebOMintsGD}{108}</code>
..... 208	(☲) ..... 205	(☲) ..... 205
<code>\Pisymbol{umrandb}{118}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{76}</code>	<code>\Pisymbol{WebOMintsGD}{109}</code>
..... 208	(☲) ..... 206	(☲) ..... 205
<code>\Pisymbol{umrandb}{119}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{77}</code>	<code>\Pisymbol{WebOMintsGD}{110}</code>
..... 208	(☲) ..... 206	(☲) ..... 205
<code>\Pisymbol{umrandb}{120}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{78}</code>	<code>\Pisymbol{WebOMintsGD}{111}</code>
..... 208	(☲) ..... 206	(☲) ..... 205
<code>\Pisymbol{umrandb}{121}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{79}</code>	<code>\Pisymbol{WebOMintsGD}{112}</code>
..... 208	(☲) ..... 206	(☲) ..... 205
<code>\Pisymbol{umrandb}{122}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{80}</code>	<code>\Pisymbol{WebOMintsGD}{113}</code>
..... 208	(☲) ..... 206	(☲) ..... 206
<code>\Pisymbol{umrandb}{123}</code> (☱)	<code>\Pisymbol{WebOMintsGD}{81}</code>	<code>\Pisymbol{WebOMintsGD}{114}</code>
..... 208	(☲) ..... 206	(☲) ..... 206
<code>\Pisymbol{WebOMintsGD}{47}</code>	<code>\Pisymbol{WebOMintsGD}{82}</code>	<code>\Pisymbol{WebOMintsGD}{115}</code>
(☱) ..... 205	(☲) ..... 206	(☲) ..... 206
<code>\Pisymbol{WebOMintsGD}{48}</code>	<code>\Pisymbol{WebOMintsGD}{83}</code>	<code>\Pisymbol{WebOMintsGD}{116}</code>
(☱) ..... 205	(☲) ..... 206	(☲) ..... 206
<code>\Pisymbol{WebOMintsGD}{49}</code>	<code>\Pisymbol{WebOMintsGD}{84}</code>	<code>\Pisymbol{WebOMintsGD}{117}</code>
(☱) ..... 205	(☲) ..... 206	(☲) ..... 206
<code>\Pisymbol{WebOMintsGD}{50}</code>	<code>\Pisymbol{WebOMintsGD}{85}</code>	<code>\Pisymbol{WebOMintsGD}{118}</code>
(☱) ..... 205	(☲) ..... 206	(☲) ..... 206
<code>\Pisymbol{WebOMintsGD}{51}</code>	<code>\Pisymbol{WebOMintsGD}{86}</code>	<code>\Pisymbol{WebOMintsGD}{119}</code>
(☱) ..... 205	(☲) ..... 206	(☲) ..... 206
<code>\Pisymbol{WebOMintsGD}{52}</code>	<code>\Pisymbol{WebOMintsGD}{87}</code>	<code>\Pisymbol{WebOMintsGD}{120}</code>
(☱) ..... 205	(☲) ..... 205	(☲) ..... 206
<code>\Pisymbol{WebOMintsGD}{53}</code>	<code>\Pisymbol{WebOMintsGD}{88}</code>	<code>\Pisymbol{WebOMintsGD}{121}</code>
(☱) ..... 205	(☲) ..... 205	(☲) ..... 206
<code>\Pisymbol{WebOMintsGD}{54}</code>	<code>\Pisymbol{WebOMintsGD}{89}</code>	<code>\Pisymbol{WebOMintsGD}{122}</code>
(☱) ..... 205	(☲) ..... 205	(☲) ..... 206
<code>\Pisymbol{WebOMintsGD}{55}</code>	<code>\Pisymbol{WebOMintsGD}{90}</code>	<code>\pitchfork (h)</code> ..... 122
(☱) ..... 205	(☲) ..... 205	<code>\pitchfork (h)</code> ..... 52
<code>\Pisymbol{WebOMintsGD}{56}</code>	<code>\Pisymbol{WebOMintsGD}{91}</code>	<code>\pitchfork (h)</code> ..... 59
(☱) ..... 205	(☲) ..... 205	<code>\pitchfork (h)</code> ..... 93
	<code>\Pisymbol{WebOMintsGD}{93}</code>	<code>\pitchfork (h)</code> ..... 92
	(☲) ..... 205	<code>\pitchfork (h)</code> ..... 61
		pitchfork symbols 52, 92, 93, 122

Pitman's base 12 symbols	120, 181	polynom (package)	111	$\backslash\text{precnapprox}$ ( $\approx$ )	56
$\backslash\text{piup}$ ( $\pi$ )	97	polynomial division	111	$\backslash\text{precnapprox}$ ( $\approx$ )	61
$\backslash\text{planck}$ ( $h$ )	20	polytonic Greek	16, 96, 97	$\backslash\text{precneq}$ ( $\neq$ )	54
$\backslash\text{Plane}$ ( $\text{✈}$ )	149	$\backslash\text{portato}$ ( $\text{◄}$ )	164	$\backslash\text{precneq}$ ( $\neq$ )	57, 58
planets	129–131, 202–205	$\backslash\text{portatoDown}$ ( $\text{◄}$ )	164	$\backslash\text{precneq}$ ( $\neq$ )	61
$\backslash\text{plasmon}$ ( $\text{~}\text{e}$ )	135	$\backslash\text{Portugal}$ ( $\text{☞}$ )	190	$\backslash\text{precneqq}$ ( $\neq$ )	53
playing cards	148	$\backslash\text{Poseidon}$ ( $\text{☞}$ )	131	$\backslash\text{precneqq}$ ( $\neq$ )	59
Plimsoll line	227	$\backslash\text{positron}$ ( $e^+$ )	135	$\backslash\text{precneqq}$ ( $\neq$ )	57, 58
$\backslash\text{Plus}$ ( $\text{⊕}$ )	140	$\backslash\text{postalmark}$ ( $\text{¯}$ )	124	$\backslash\text{precneqq}$ ( $\neq$ )	61
$\backslash\text{plus}$ ( $+$ )	34	$\backslash\text{Postbox}$ ( $\text{☒}$ )	188	$\backslash\text{precnsim}$ ( $\sim$ )	54
$\backslash\text{plus}$ ( $+$ )	34	PostScript	97, 127, 136, 225, 235	$\backslash\text{precnsim}$ ( $\sim$ )	52
plus-or-minus sign	<i>see</i> $\backslash\text{pm}$	PostScript fonts	136	$\backslash\text{precnsim}$ ( $\sim$ )	59
$\backslash\text{PlusCenterOpen}$ ( $\text{⊕}$ )	140	$\backslash\text{pot}$ ( $\text{☞}$ )	192	$\backslash\text{precnsim}$ ( $\sim$ )	57
$\backslash\text{pluscirc}$ ( $\text{⊕}$ )	33	$\backslash\text{pot}$ ( $\text{☞}$ )	192	$\backslash\text{precnsim}$ ( $\sim$ )	56
$\backslash\text{pluscirc}$ ( $\text{⊕}$ )	35	$\backslash\text{Pound}$ ( $\text{₤}$ )	26	$\backslash\text{precnsim}$ ( $\sim$ )	61
$\backslash\text{plusdot}$ ( $\text{⊕}$ )	34	$\backslash\text{pounds}$	15	$\backslash\text{precsim}$ ( $\lesssim$ )	53
$\backslash\text{plusdot}$ ( $\text{⊕}$ )	36	$\backslash\text{pounds}$ ( $\text{£}$ )	238, 239	$\backslash\text{precsim}$ ( $\lesssim$ )	52
$\backslash\text{pluseqq}$ ( $\text{⊕}$ )	36	power set	<i>see</i> alphabets, math	$\backslash\text{precsim}$ ( $\lesssim$ )	59
$\backslash\text{plushat}$ ( $\text{⊕}$ )	36	$\backslash\text{powerset}$ ( $\text{℘}$ )	99	$\backslash\text{precsim}$ ( $\lesssim$ )	57
$\backslash\text{PlusOutline}$ ( $\text{⊕}$ )	140	$\backslash\text{Pp}$ ( $\text{⋮}$ )	184	$\backslash\text{precsim}$ ( $\lesssim$ )	55
plusses	140, 200–202	$\backslash\text{pp}$ ( $\text{⋮}$ )	184	$\backslash\text{precsim}$ ( $\lesssim$ )	61
$\backslash\text{plussim}$ ( $\text{⊕}$ )	36	$\backslash\text{ppm}$ ( $\text{μ}$ )	184	prescription	<i>see</i> $\backslash\text{textrecipe}$
$\backslash\text{plussubtwo}$ ( $\text{⊕}$ )	36	$\backslash\text{Ppp}$ ( $\text{⋮}$ )	184	present-value symbols	115, 231
$\backslash\text{PlusThinCenterOpen}$ ( $\text{⊕}$ )	140	$\backslash\text{ppp}$ ( $\text{⋮}$ )	184	$\backslash\text{prime}$ ( $\text{′}$ )	122
$\backslash\text{plustrif}$ ( $\text{⊕}$ )	35	$\backslash\text{Pppp}$ ( $\text{⋮}$ )	184	$\backslash\text{prime}$ ( $\text{′}$ )	123
$\backslash\text{plustrif}$ ( $\text{⊕}$ )	36	$\backslash\text{Ppppp}$ ( $\text{⋮}$ )	184	$\backslash\text{prime}$ ( $\text{′}$ )	123
$\backslash\text{Pluto}$ ( $\text{♃}$ )	130	$\backslash\text{ppppp}$ ( $\text{⋮}$ )	184	$\backslash\text{prime}$ ( $\text{′}$ )	120
$\backslash\text{Pluto}$ ( $\text{♃}$ )	129	$\backslash\text{Pr}$ ( $\text{Pr}$ )	94	primes	120, 122, 123
$\backslash\text{Pluto}$ ( $\text{♃}$ )	131	$\backslash\text{Prec}$ ( $\text{⋈}$ )	61	$\backslash\text{Printer}$ ( $\text{☐}$ )	132
$\backslash\text{pluto}$ ( $\text{♃}$ )	129	$\backslash\text{prec}$ ( $\text{⋈}$ )	51	printer's fist	<i>see</i> fists
$\backslash\text{pm}$ ( $\text{±}$ )	31	$\backslash\text{prec}$ ( $\text{⋈}$ )	57	printer's flowers	<i>see</i> fleurons and flowers
$\backslash\text{pm}$ ( $\text{±}$ )	35	$\backslash\text{prec}$ ( $\text{⋈}$ )	55	probabilistic independence	228
$\backslash\text{pm}$ ( $\text{±}$ )	34	$\backslash\text{prec}$ ( $\text{⋈}$ )	61	probability limit (plim)	<i>see</i>
$\backslash\text{pm}$ ( $\text{±}$ )	34	$\backslash\text{precapprox}$ ( $\approx$ )	53	$\backslash\text{DeclareMathOperator}$	
$\backslash\text{pm}$ ( $\text{±}$ )	36	$\backslash\text{precapprox}$ ( $\approx$ )	52	$\backslash\text{prod}$ ( $\text{∏}$ )	41
$\backslash\text{pm}$ ( $\text{±}$ )	184	$\backslash\text{precapprox}$ ( $\approx$ )	59	$\backslash\text{prod}$ ( $\text{∏}$ )	47
$\backslash\text{pmb}$	237	$\backslash\text{precapprox}$ ( $\approx$ )	57	$\backslash\text{prod}$ ( $\text{∏}$ )	46
$\text{pmb}\text{boxdraw}$ (package)	186, 243, 244	$\backslash\text{precapprox}$ ( $\approx$ )	55	$\backslash\text{prod}$ ( $\text{∏}$ )	48
$\backslash\text{pmod}$	94	$\backslash\text{precapprox}$ ( $\approx$ )	61	$\backslash\text{PRODI}$	51
$\backslash\text{pod}$	95	$\backslash\text{preccurlyeq}$ ( $\approx$ )	53	$\backslash\text{PRODI}$ ( $\text{∏}$ )	51
$\backslash\text{pointer}$ ( $\text{☞}$ )	177	$\backslash\text{preccurlyeq}$ ( $\approx$ )	52	$\backslash\text{Prodi}$	51
pointing finger	<i>see</i> fists	$\backslash\text{preccurlyeq}$ ( $\approx$ )	59	$\backslash\text{Prodi}$ ( $\text{∏}$ )	51
$\backslash\text{PointingHand}$ ( $\text{☞}$ )	178	$\backslash\text{preccurlyeq}$ ( $\approx$ )	57	$\backslash\text{prodi}$	51
$\backslash\text{pointint}$ ( $\text{⊕}$ )	48	$\backslash\text{preccurlyeq}$ ( $\approx$ )	55	$\backslash\text{prodi}$ ( $\text{∏}$ )	51
$\backslash\text{pointintsl}$ ( $\text{⊕}$ )	50	$\backslash\text{preccurlyeq}$ ( $\approx$ )	61	$\backslash\text{prodi}$ ( $\text{∏}$ )	51
$\backslash\text{pointintup}$ ( $\text{⊕}$ )	50	$\backslash\text{precdot}$ ( $\text{⋈}$ )	53	prodint (package)	51, 243
$\backslash\text{pointright}$ ( $\text{☞}$ )	139	$\backslash\text{preceq}$ ( $\text{⋈}$ )	51	product integrals	51
$\backslash\text{Poland}$ ( $\text{☛}$ )	190	$\backslash\text{preceq}$ ( $\text{⋈}$ )	57	$\backslash\text{proflin}$ ( $\text{∧}$ )	124
$\backslash\text{polaron}$ ( $\text{~}\text{e}$ )	135	$\backslash\text{preceq}$ ( $\text{⋈}$ )	55	$\backslash\text{profsurf}$ ( $\text{∆}$ )	124
$\backslash\text{polishhook}$ ( $\text{˘}$ )	25	$\backslash\text{preceq}$ ( $\text{⋈}$ )	61	Project Gutenberg	225
$\backslash\text{polter}$ ( $\text{☐}$ )	117	$\backslash\text{preceq}$ ( $\text{⋈}$ )	53	projective space ( $\mathbb{P}$ )	<i>see</i>
polutonikogreek (babel package option)	16, 96, 97	$\backslash\text{preceq}$ ( $\text{⋈}$ )	57	alphabets, math	
polygons	143–146, 169–174, 200–202, 218	$\backslash\text{preceq}$ ( $\text{⋈}$ )	61	$\backslash\text{projlim}$ (projlim)	95
		$\backslash\text{preceqq}$ ( $\text{⋈}$ )	54	pronunciation symbols	<i>see</i>
		$\backslash\text{preceqq}$ ( $\text{⋈}$ )	52	phonetic symbols	
		$\backslash\text{preceqq}$ ( $\text{⋈}$ )	59	proof, end of	122
		$\backslash\text{preceqq}$ ( $\text{⋈}$ )	57		

proper subset/superset . . . . *see*  
 $\backslashsubsetneq/\backslashsupsetneq$   
proper vertices . . . . . 135  
 $\backslashPropertyLine$  ( $\Phi$ ) . . . . . 124  
 $\backslashpropfrom$  ( $\infty$ ) . . . . . 58  
 $\backslashpropto$  ( $\propto$ ) . . . . . 122  
 $\backslashpropto$  ( $\propto$ ) . . . . . 51  
 $\backslashpropto$  ( $\propto$ ) . . . . . 57  
 $\backslashpropto$  ( $\propto$ ) . . . . . 55  
 $\backslashpropto$  ( $\propto$ ) . . . . . 61  
proto-Semitic symbols . . . . . 150  
 $\backslashproton$  ( $p^+$ ) . . . . . 135  
protosem (package) . . . 150, 243  
 $\backslashProvidesPackage$  . . . . . 242  
 $\backslashPrtSc$  ( $\backslash\text{PrtSc}$ ) . . . . . 132  
 $\backslashprurel$  ( $\prec$ ) . . . . . 60  
 $\backslashprurel$  ( $\prec$ ) . . . . . 61  
 $\backslashps$  ( $\sqcup$ ) . . . . . 184  
pseudographics . . . . . 186  
 $\backslashPsi$  ( $\Psi$ ) . . . . . 96  
 $\backslashpsi$  ( $\psi$ ) . . . . . 96  
 $\backslashpsiup$  ( $\psi$ ) . . . . . 97  
psnffs (package) . . . . . 141  
PSTricks (package) . . . . . 194  
 $\backslashPsyche$  ( $\Psi$ ) . . . . . 131  
 $\backslashPu$  ( $\cdot$ ) . . . . . 161  
 $\backslashpullback$  ( $\sqsubset$ ) . . . . . 34  
 $\backslashpullback$  ( $\sqsubset$ ) . . . . . 61  
pullback diagrams . . . . . 229  
pulse diagram symbols . . . . 128  
 $\backslashPulseHigh$  ( $\sqcup$ ) . . . . . 128  
 $\backslashPulseLow$  ( $\sqcup$ ) . . . . . 128  
punctuation . . . . . 17  
punctum . . . . . *see* musixgre  
 $\backslashPurierstab$  ( $\text{!}$ ) . . . . . 192  
 $\backslashpushout$  ( $\sqsupset$ ) . . . . . 34  
 $\backslashpushout$  ( $\sqsupset$ ) . . . . . 61  
pushout diagrams . . . . . 229  
 $\backslashpwedge$  ( $\wedge$ ) . . . . . 20  
pxfonts (package) 30, 32, 43, 53,  
65, 67, 76, 94, 97–99, 122,  
126, 148, 222, 238  
 $\backslashPxp$  ( $\cdot$ ) . . . . . 184  
 $\backslashpxp$  ( $\cdot$ ) . . . . . 184

**Q**

Q.E.D. . . . . 122  
 $\backslashQED$  ( $\blacksquare$ ) . . . . . 124  
 $\backslashQoppa$  ( $\wp$ ) . . . . . 156  
 $\backslashqoppa$  ( $\wp$ ) . . . . . 156  
 $\backslashqoppa$  ( $\wp$ ) . . . . . 156  
 $\backslashqp$  ( $\wp$ ) . . . . . 160  
 $\backslashqprime$  ( $\wp$ ) . . . . . 120  
 $\backslashQQ$  ( $\mathbb{Q}$ ) . . . . . 132

$\backslashqqs$  ( $\wp$ ) . . . . . 160

$\backslashqs$  ( $\wp$ ) . . . . . 160  
 $\backslashqside$  ( $\ll$ ) . . . . . 182  
 $\backslashQuadrad$  ( $\mathbb{Q}$ ) . . . . . 109  
 $\backslashquadrad$  ( $\mathbb{Q}$ ) . . . . . 109  
 $\backslashQuadrads$  ( $\mathbb{Q}$ ) . . . . . 109  
 $\backslashquadrads$  ( $\mathbb{Q}$ ) . . . . . 109  
 $\backslashquark$  ( $q$ ) . . . . . 135  
 $\backslashquarkb$  ( $b$ ) . . . . . 135  
 $\backslashquarkc$  ( $c$ ) . . . . . 135  
 $\backslashquarkd$  ( $d$ ) . . . . . 135  
 $\backslashquarks$  ( $s$ ) . . . . . 135  
 $\backslashquarkt$  ( $t$ ) . . . . . 135  
 $\backslashquarku$  ( $u$ ) . . . . . 135  
quarter note . . . . . *see* musical  
symbols  
 $\backslashquarterNote$  ( $\text{♩}$ ) . . . . . 162  
 $\backslashquarternote$  ( $\text{♩}$ ) . . . . . 159  
 $\backslashquarternote$  ( $\text{♩}$ ) . . . . . 159  
 $\backslashquarterNoteDotted$  ( $\text{♩}$ ) . . 162  
 $\backslashquarterNoteDottedDouble$  ( $\text{♩}$ )  
. . . . . 162  
 $\backslashquarterNoteDottedDoubleDown$   
( $\text{♩}$ ) . . . . . 162  
 $\backslashquarterNoteDottedDown$  ( $\text{♩}$ ) . .  
. . . . . 162  
 $\backslashquarterNoteDown$  ( $\text{♩}$ ) . . . . 162  
quasi-quotation marks ( $\ulcorner$   $\urcorner$ ) *see*  
 $\backslashulcorner$  and  $\backslashurcorner$   
quaternions ( $\mathbb{H}$ ) *see* alphabets,  
math  
quaver . . . . . *see* musical symbols  
 $\backslashquaver$  ( $\text{♩}$ ) . . . . . 162  
 $\backslashquaverDotted$  ( $\text{♩}$ ) . . . . . 162  
 $\backslashquaverDottedDouble$  ( $\text{♩}$ ) . . 162  
 $\backslashquaverDottedDoubleDown$  ( $\text{♩}$ )  
. . . . . 162  
 $\backslashquaverDottedDown$  ( $\text{♩}$ ) . . . 162  
 $\backslashquaverDown$  ( $\text{♩}$ ) . . . . . 162  
 $\backslashquaverRest$  ( $\text{♩}$ ) . . . . . 164  
 $\backslashquaverRestDotted$  ( $\text{♩}$ ) . . . 164  
queen . . . . . 183, 220–222  
 $\backslashquesteq$  ( $\stackrel{?}{=}$ ) . . . . . 61  
 $\backslashQuestion$  ( $??$ ) . . . . . 124  
quilisma . . . . . *see* musixgre  
 $\backslashQuincunx$  ( $\text{⌘}$ ) . . . . . 131  
Quine corners ( $\ulcorner$   $\urcorner$ ) . . . . *see*  
 $\backslashulcorner$  and  $\backslashurcorner$   
quotation marks 14, 17, 28, 192,  
237, 240  
 $\backslashquotedblbase$  ( $\text{„}$ ) . . . . 17, 240  
 $\backslashquotesinglbase$  ( $\text{,}$ ) . . . . 17, 240

**R**

$\backslashR$  ( $\sim$ ) . . . . . 184  
 $\backslashr$  ( $\text{Ⓜ}$ ) . . . . . 21  
 $\backslashr$  ( $\sim$ ) . . . . . 184  
 $r$  ( $\text{Ⓜ}$ ) . . . . . 126

$\backslashRadiation$  ( $\text{☛}$ ) . . . . . 179  
 $\backslashradiation$  ( $\text{☛}$ ) . . . . . 192  
radicals . . . . . *see*  $\backslashsqrt$  and  $\backslashsurd$   
 $\backslashRadioactivity$  ( $\text{☛}$ ) . . . . . 134  
 $\backslashRadix$  ( $\text{℞}$ ) . . . . . 131  
 $\backslashRain$  ( $\text{☔}$ ) . . . . . 179  
 $\backslashRainCloud$  ( $\text{☔}$ ) . . . . . 179  
raindrop . . . . . 220  
raising . . . . . *see*  $\backslashtextraising$   
 $\backslashRaisingEdge$  ( $\text{⌈}$ ) . . . . . 128  
 $\backslashRangle$  ( $\text{⌵}$ ) . . . . . 127  
 $\backslashrAngle$  ( $\text{⌵}$ ) . . . . . 108  
 $\backslashrAngle$  ( $\text{⌵}$ ) . . . . . 105  
 $\backslashrAngle$  ( $\text{⌵}$ ) . . . . . 107  
 $\backslashrangle$  ( $\text{⌵}$ ) . . . . . 30, 102  
 $\backslashrangle$  ( $\text{⌵}$ ) . . . . . 105  
 $\backslashrangle$  ( $\text{⌵}$ ) . . . . . 104  
 $\backslashrangle$  ( $\text{⌵}$ ) . . . . . 107  
 $\backslashranglebar$  ( $\text{⌵}$ ) . . . . . 104  
 $\backslashrangledot$  ( $\text{⌵}$ ) . . . . . 105  
 $\backslashrangledot$  ( $\text{⌵}$ ) . . . . . 102  
 $\backslashrangledownzigzagarrow$  ( $\text{⌵}$ ) . .  
. . . . . 121  
 $\backslashRArrow$  ( $\text{⌵}$ ) . . . . . 132  
 $\backslashrarrowfill$  . . . . . 116  
 $\backslashratio$  ( $\text{:}$ ) . . . . . 64  
 $\backslashRATIONAL$  ( $\mathbb{Q}$ ) . . . . . 95  
 $\backslashRational$  ( $\mathbb{Q}$ ) . . . . . 95  
rational numbers ( $\mathbb{Q}$ ) . . . . . *see*  
alphabets, math  
rationalized Planck constant *see*  
 $\backslashhbar$   
 $\backslashRB$  ( $\text{⌵}$ ) . . . . . 132  
 $\backslashRbag$  ( $\text{⌵}$ ) . . . . . 101  
 $\backslashrbag$  ( $\text{⌵}$ ) . . . . . 101  
 $\backslashrbag$  ( $\text{⌵}$ ) . . . . . 35  
 $\backslashrbag$  ( $\text{⌵}$ ) . . . . . 102  
 $\backslashrblackbowtie$  ( $\text{⌵}$ ) . . . . . 35  
 $\backslashrblkrbrak$  ( $\text{⌵}$ ) . . . . . 102  
 $\backslashrBrace$  ( $\text{⌵}$ ) . . . . . 107  
 $\backslashrbrace$  ( $\text{⌵}$ ) . . . . . 105  
 $\backslashrbrace$  ( $\text{⌵}$ ) . . . . . 106  
 $\backslashrbrace$  ( $\text{⌵}$ ) . . . . . 104



<code>\rbrace</code> ( $\}$ )	107
<code>\Rbrack</code> ( $\parallel$ )	127
<code>\rBrack</code> ( $\parallel$ )	108
<code>\rBrack</code> ( $\parallel$ )	105
<code>\rBrack</code> ( $\parallel$ )	106
<code>\rBrack</code> ( $\parallel$ )	107
<code>\rbrack</code> ( $\}$ )	105
<code>\rbrack</code> ( $\}$ )	106
<code>\rbracklrtick</code> ( $\}$ )	102
<code>\rbrackubar</code> ( $\}$ )	102
<code>\rbrackurtick</code> ( $\}$ )	102
<code>\Rbrbrak</code> ( $\}$ )	102
<code>\rbrbrak</code> ( $\}$ )	107
<code>\rc</code> ( $\circlearrowright$ )	23
<code>\rCeil</code> ( $\parallel$ )	108
<code>\rceil</code> ( $\parallel$ )	102
<code>\rceil</code> ( $\parallel$ )	105
<code>\rceil</code> ( $\parallel$ )	104
<code>\rceil</code> ( $\parallel$ )	106
<code>\rcirclearrowdown</code> ( $\circlearrowdown$ )	78
<code>\rcirclearrowleft</code> ( $\circlearrowleft$ )	78
<code>\rcirclearrowright</code> ( $\circlearrowright$ )	78
<code>\rcirclearrowup</code> ( $\circlearrowup$ )	78
<code>\rcirclelefttint</code> ( $\circlearrowleft$ )	47
<code>\rcirclelefttint</code> ( $\circlearrowleft$ )	46
<code>\rcirclearighttint</code> ( $\circlearrowright$ )	47
<code>\rcirclearighttint</code> ( $\circlearrowright$ )	46
<code>\rcorners</code> ( $\ulcorner$ )	101
<code>\rcurvearrowdown</code> ( $\curvearrowright$ )	78
<code>\rcurvearrowleft</code> ( $\curvearrowleft$ )	78
<code>\rcurvearrowne</code> ( $\curvearrowright$ )	78
<code>\rcurvearrownw</code> ( $\curvearrowleft$ )	78
<code>\rcurvearrowright</code> ( $\curvearrowright$ )	78
<code>\rcurvearrowse</code> ( $\curvearrowright$ )	78
<code>\rcurvearrowsw</code> ( $\curvearrowleft$ )	78
<code>\rcurvearrowup</code> ( $\curvearrowright$ )	78
<code>\rcurvyangle</code> ( $\curvearrowright$ )	102
<code>\rdbrack</code> ( $\parallel$ )	103
<code>\rdiagovfdiag</code> ( $\times$ )	124
<code>\rdiagovsearrow</code> ( $\times$ )	88
<code>\Rdsh</code> ( $\hookrightarrow$ )	82
<code>\Rdsh</code> ( $\hookrightarrow$ )	88
<code>\Re</code> ( $\Re$ )	99
<code>\Re</code> ( $\Re$ )	100
<code>\REAL</code> ( $\mathbb{R}$ )	95
<code>\Real</code> ( $\mathbb{R}$ )	95

real numbers ( $\mathbb{R}$ )	<i>see</i> alphabets, math
recipe	<i>see</i> <code>\textrecipe</code>
<code>\recorder</code> ( $\circlearrowright$ )	177
<code>\Rectangle</code> ( $\square$ )	147
<code>\RectangleBold</code> ( $\square$ )	147
rectangles	147, 169–174, 200–202
<code>\RectangleThin</code> ( $\square$ )	147
<code>\Rectpipe</code> ( $\square$ )	134
<code>\Rectsteel</code> ( $\square$ )	134
recycle (package)	188, 243
<code>\recycle</code> ( $\textcircled{\text{R}}$ )	192



<code>\recycle</code> ( $\textcircled{\text{R}}$ )	188
<code>\Recycling</code> ( $\textcircled{\text{R}}$ )	188
recycling symbols	188, 192–198, 200
reduced quadrupole moment	<i>see</i> <code>\rqm</code>
<code>\reference</code> ( $R$ )	135
<code>\reflectbox</code>	225, 226
registered trademark	14, 27, 239
relational database symbols	124
relational symbols	51
binary	52–55, 57, 59–72, 91–93
negated binary	52–56, 58, 60, 62
triangle	72–74
<code>\Relbar</code> ( $\equiv$ )	94, 226
<code>\Relbar</code> ( $\equiv$ )	55
<code>\Relbar</code> ( $\equiv$ )	94
<code>\relbar</code> ( $\equiv$ )	94, 226
<code>\relbar</code> ( $\equiv$ )	55
<code>\relbar</code> ( $\equiv$ )	94
resize (package)	24
<code>\Request</code> ( $\textcircled{R}$ )	188
<code>\resizebox</code>	91, 222
<code>\Respondens</code> ( $\sim$ )	184
<code>\respondens</code> ( $\sim$ )	184
response ( $\mathbb{R}$ )	241, 242
<code>\restoresymbol</code>	222
<code>\restriction</code>	<i>see</i> <code>\upharpoonright</code>
<code>\restriction</code> ( $\upharpoonright$ )	76
<code>\restriction</code> ( $\upharpoonright$ )	85
<code>\restriction</code> ( $\upharpoonright$ )	80
<code>\restriction</code> ( $\upharpoonright$ )	91
rests	<i>see</i> musical symbols
retracting	<i>see</i> <code>\textretracting</code>
<code>\Retrograde</code> ( $\mathbb{R}$ )	131
<code>\Return</code> ( $\textcircled{\text{R}}$ )	132
return	<i>see</i> carriage return
<code>\revangle</code> ( $\Delta$ )	121
<code>\revangle</code> ( $\Delta$ )	121
<code>\revangleubar</code> ( $\Delta$ )	121

<code>\revaw</code> ( $\}$ )	107
<code>\revD</code> ( $\square$ )	20
<code>\revddots</code> ( $\ddots$ )	230
<code>\reve</code> ( $\ominus$ )	19
<code>\rereject</code> ( $\ominus$ )	19
<code>\revemptyset</code> ( $\emptyset$ )	123
<code>\revemptyset</code> ( $\emptyset$ )	121
<code>\repsilon</code> ( $\epsilon$ )	19
<code>\repsilon</code> ( $\epsilon$ )	225
reverse solidus	<i>see</i> <code>\textbackslash</code>
<code>\reverseallabreve</code> ( $\textcircled{\text{A}}$ )	160
<code>\reverseC</code> ( $\textcircled{\text{C}}$ )	160
reversed symbols	225–226
<code>\reversedvideobend</code> ( $\curvearrowright$ )	177
<code>\revglotstop</code> ( $\textcircled{\text{R}}$ )	19
<code>\revmeasuredangle</code> ( $\Delta$ )	121
<code>\revnmid</code> ( $\textcircled{\text{R}}$ )	61
<code>\revsphericalangle</code> ( $\triangleright$ )	121
<code>\Rewind</code> ( $\blacktriangleleft$ )	178
<code>\RewindToIndex</code> ( $\blacktriangleleft$ )	178
<code>\RewindToStart</code> ( $\blacktriangleleft$ )	178
<code>\rfilet</code> ( $\}$ )	103
<code>\rFloor</code> ( $\parallel$ )	108
<code>\rfloor</code> ( $\parallel$ )	102
<code>\rfloor</code> ( $\parallel$ )	105
<code>\rfloor</code> ( $\parallel$ )	104
<code>\rfloor</code> ( $\parallel$ )	106
<code>\rftimes</code> ( $\times$ )	61
<code>\rgroup</code> ( $\}$ )	103
<code>\rgroup</code> ( $\}$ )	105
<code>\rgroup</code> ( $\}$ )	104
<code>\rgroup</code> ( $\}$ )	106
<code>\RHD</code> ( $\blacktriangleright$ )	32
<code>\rhd</code> ( $\triangleright$ )	31, 32
<code>\rhd</code> ( $\triangleright$ )	71
<code>\rhd</code> ( $\triangleright$ )	69, 73
<code>\rhd</code> ( $\triangleright$ )	36, 146
<code>\Rho</code> ( $\rho$ )	96
<code>\rho</code> ( $\rho$ )	96
<code>\rho</code> ( $\rho$ )	97
<code>\rho</code> ( $\rho$ )	94
<code>\rho</code> ( $\rho$ )	83
<code>\rho</code> ( $\rho$ )	78
<code>\rho</code> ( $\rho$ )	83
<code>\rho</code> ( $\rho$ )	78

<code>\rhooknearrow</code> ( $\nearrow$ )	83	<code>\rightarrowx</code> ( $\rightarrow$ )	88	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ )	76
<code>\rhooknearrow</code> ( $\nearrow$ )	78	<code>\rightAssert</code> ( $\Vdash$ )	57	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ )	75
<code>\rhooknwarrow</code> ( $\nwarrow$ )	82	<code>\rightassert</code> ( $\dashv$ )	57	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ )	87
<code>\rhooknwarrow</code> ( $\nwarrow$ )	78	<code>\rightbarharpoon</code> ( $\Rightarrow$ )	77	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ )	85
<code>\rhookrightarrow</code> ( $\rightarrow$ )	82	<code>\rightbkarrow</code> ( $\rightarrow$ )	82	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ )	80
<code>\rhookrightarrow</code> ( $\rightarrow$ )	78	<code>\rightbkarrow</code> ( $\rightarrow$ )	88	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ )	90
<code>\rhooksearrow</code> ( $\searrow$ )	82	<code>\rightblackarrow</code> ( $\rightarrow$ )	86	<code>\rightleftharpoonsdown</code> ( $\rightleftharpoons$ )	90
<code>\rhooksearrow</code> ( $\searrow$ )	78	<code>\rightblackspoon</code> ( $\rightarrow$ )	93	<code>\rightleftharpoonsfill</code>	116
<code>\rhookswarrow</code> ( $\swarrow$ )	82	<code>\RIGHTCIRCLE</code> ( $\blacktriangleright$ )	143	<code>\rightleftharpoonsup</code> ( $\rightleftharpoons$ )	90
<code>\rhookswarrow</code> ( $\swarrow$ )	77	<code>\RIGHTcircle</code> ( $\circ$ )	143	<code>\rightleftsquigarrow</code> ( $\rightleftsquigarrow$ )	82
<code>\rhookuparrow</code> ( $\uparrow$ )	82	<code>\Rightcircle</code> ( $\circ$ )	143	<code>\rightlsquigarrow</code> ( $\rightlsquigarrow$ )	82
<code>\rhookuparrow</code> ( $\uparrow$ )	77	<code>\rightcurvedarrow</code> ( $\rightarrow$ )	82	<code>\rightlsquigarrow</code> ( $\rightlsquigarrow$ )	77
<code>\rhoup</code> ( $\rho$ )	97	<code>\rightcurvedarrow</code> ( $\rightarrow$ )	88	<code>\Rightmapsto</code> ( $\Rightarrow$ )	82
<code>\right</code>	102, 103, 107, 108, 222, 224	<code>\rightdasharrow</code> ( $\rightarrow$ )	86	<code>\rightmapsto</code> ( $\mapsto$ )	82
<code>\rightangle</code> ( $\angle$ )	121	<code>\rightdasharrow</code> ( $\rightarrow$ )	88	<code>\rightmapsto</code> ( $\mapsto$ )	77
<code>\rightangle</code> ( $\angle$ )	121	<code>\rightdbltail</code> ( $\rightarrow$ )	61	<code>\rightModels</code> ( $\models$ )	55
<code>\rightangle</code> ( $\angle$ )	125	<code>\RightDiamond</code> ( $\blacklozenge$ )	147	<code>\rightmodels</code> ( $\models$ )	57
<code>\rightangle</code> ( $\angle$ )	121	<code>\rightdotarrow</code> ( $\rightarrow$ )	88	<code>\rightmodels</code> ( $\models$ )	55
<code>\rightanglemdot</code> ( $\angle$ )	121	<code>\rightdowncurvedarrow</code> ( $\rightarrow$ )	82	<code>\rightmoon</code> ( $\mathbb{D}$ )	130
<code>\rightanglemdot</code> ( $\angle$ )	121	<code>\rightdowncurvedarrow</code> ( $\rightarrow$ )	88	<code>\rightmoon</code> ( $\mathbb{D}$ )	130
<code>\rightanglemdot</code> ( $\angle$ )	121	<code>\rightevaw</code> ( $\rightevaw$ )	107	<code>\rightmoon</code> ( $\mathbb{D}$ )	129
<code>\rightanglesqr</code> ( $\angle$ )	121	<code>\rightfilledspoon</code> ( $\rightarrow$ )	91	<code>\rightouterjoin</code> ( $\bowtie$ )	124
<code>\rightanglesqr</code> ( $\angle$ )	121	<code>\rightfishtail</code> ( $\rightarrow$ )	60	<code>\rightp</code> ( $\rightp$ )	25
<code>\rightanglesqr</code> ( $\angle$ )	121	<code>\rightfootline</code> ( $\rightarrow$ )	57	<code>\rightpentagon</code> ( $\square$ )	146
<code>\rightanglesquare</code> ( $\angle$ )	121	<code>\rightfootline</code> ( $\rightarrow$ )	55	<code>\rightpentagonblack</code> ( $\blacksquare$ )	146
<code>\RIGHTarrow</code> ( $\blacktriangleright$ )	177	<code>\rightfootline</code> ( $\rightarrow$ )	55	<code>\rightpitchfork</code> ( $\rightarrow$ )	93
<code>\Rightarrow</code> ( $\Rightarrow$ )	30, 75	<code>\rightfree</code> ( $\rightarrow$ )	55	<code>\rightpitchfork</code> ( $\rightarrow$ )	92
<code>\Rightarrow</code> ( $\Rightarrow$ )	82	<code>\righthalfcap</code> ( $\rightarrow$ )	34	<code>\rightpointleft</code> ( $\rightarrow$ )	139
<code>\Rightarrow</code> ( $\Rightarrow$ )	77	<code>\righthalfcup</code> ( $\rightarrow$ )	34	<code>\rightpointright</code> ( $\rightarrow$ )	139
<code>\Rightarrow</code> ( $\Rightarrow$ )	88	<code>\righthand</code> ( $\rightarrow$ )	139	<code>\rightpropto</code> ( $\propto$ )	54
<code>\rightarrow</code> ( $\rightarrow$ )	76	<code>\rightharpoonaccent</code> ( $\rightarrow$ )	110	<code>\rightrcurvearrow</code> ( $\rightarrow$ )	82
<code>\rightarrow</code> ( $\rightarrow$ )	75	<code>\rightharpoonccw</code> ( $\rightarrow$ )	80	<code>\rightrightarrow</code> ( $\rightarrow$ )	76
<code>\rightarrow</code> ( $\rightarrow$ )	82	<code>\rightharpooncw</code> ( $\rightarrow$ )	80	<code>\rightrightarrow</code> ( $\rightarrow$ )	75
<code>\rightarrow</code> ( $\rightarrow$ )	77	<code>\rightharpoondown</code> ( $\rightarrow$ )	77	<code>\rightrightarrow</code> ( $\rightarrow$ )	86
<code>\rightarrow</code> ( $\rightarrow$ )	88	<code>\rightharpoondown</code> ( $\rightarrow$ )	75	<code>\rightrightarrow</code> ( $\rightarrow$ )	81
<code>\rightarrowapprox</code> ( $\rightarrow$ )	88	<code>\rightharpoondown</code> ( $\rightarrow$ )	87	<code>\rightrightarrow</code> ( $\rightarrow$ )	77
<code>\rightarrowbackapprox</code> ( $\rightarrow$ )	88	<code>\rightharpoondown</code> ( $\rightarrow$ )	85	<code>\rightrightarrow</code> ( $\rightarrow$ )	88
<code>\rightarrowbar</code> ( $\rightarrow$ )	86	<code>\rightharpoondown</code> ( $\rightarrow$ )	90	<code>\rightrightarrow</code> ( $\rightarrow$ )	77
<code>\rightarrowbar</code> ( $\rightarrow$ )	88	<code>\rightharpoondownbar</code> ( $\rightarrow$ )	90	<code>\rightrightarrow</code> ( $\rightarrow$ )	82
<code>\rightarrowbsimilar</code> ( $\rightarrow$ )	88	<code>\rightharpoonsupdown</code> ( $\rightarrow$ )	90	<code>\rightrightarrow</code> ( $\rightarrow$ )	77
<code>\rightarrowcircle</code> ( $\rightarrow$ )	86	<code>\rightharpoonup</code> ( $\rightarrow$ )	77	<code>\RightScissors</code> ( $\rightarrow$ )	138
<code>\rightarrowdiamond</code> ( $\rightarrow$ )	88	<code>\rightharpoonup</code> ( $\rightarrow$ )	75	<code>\rightslice</code> ( $\rightarrow$ )	32
<code>\rightarrowgtr</code> ( $\rightarrow$ )	72	<code>\rightharpoonup</code> ( $\rightarrow$ )	87	<code>\rightslice</code> ( $\rightarrow$ )	35
<code>\rightarrowonoplus</code> ( $\rightarrow$ )	88	<code>\rightharpoonup</code> ( $\rightarrow$ )	85	<code>\rightslice</code> ( $\rightarrow$ )	54
<code>\rightarrowoplus</code> ( $\rightarrow$ )	88	<code>\rightharpoonup</code> ( $\rightarrow$ )	90	<code>\rightspoon</code> ( $\rightarrow$ )	93
<code>\rightarrowshortleftarrow</code> ( $\rightarrow$ )	88	<code>\rightharpoonupbar</code> ( $\rightarrow$ )	90	<code>\rightspoon</code> ( $\rightarrow$ )	91
<code>\rightarrowsimilar</code> ( $\rightarrow$ )	88	<code>\rightharpoonupdash</code> ( $\rightarrow$ )	90	<code>\rightsquigarrow</code> ( $\rightarrow$ )	76
<code>\rightarrowsupset</code> ( $\rightarrow$ )	67	<code>\rightimply</code> ( $\Rightarrow$ )	60	<code>\rightsquigarrow</code> ( $\rightarrow$ )	75
<code>\rightarrowtail</code> ( $\rightarrow$ )	75	<code>\rightlcurvearrow</code> ( $\rightarrow$ )	82	<code>\rightsquigarrow</code> ( $\rightarrow$ )	86
<code>\rightarrowtail</code> ( $\rightarrow$ )	86	<code>\rightleftarrows</code> ( $\rightleftarrows$ )	76	<code>\rightsquigarrow</code> ( $\rightarrow$ )	82
<code>\rightarrowtail</code> ( $\rightarrow$ )	82	<code>\rightleftarrows</code> ( $\rightleftarrows$ )	75	<code>\rightsquigarrow</code> ( $\rightarrow$ )	78
<code>\rightarrowtail</code> ( $\rightarrow$ )	77	<code>\rightleftarrows</code> ( $\rightleftarrows$ )	86	<code>\rightsquigarrow</code> ( $\rightarrow$ )	88, 89
<code>\rightarrowtail</code> ( $\rightarrow$ )	88	<code>\rightleftarrows</code> ( $\rightleftarrows$ )	82	<code>\rightt</code> ( $\rightarrow$ )	25
<code>\rightarrowTriangle</code> ( $\rightarrow$ )	86	<code>\rightleftarrows</code> ( $\rightleftarrows$ )	77	<code>\righttail</code> ( $\rightarrow$ )	60
<code>\rightarrowtriangle</code> ( $\rightarrow$ )	76	<code>\rightleftarrows</code> ( $\rightleftarrows$ )	88	<code>\righttherefore</code> ( $\therefore$ )	118
<code>\rightarrowtriangle</code> ( $\rightarrow$ )	86	<code>\rightleftcurvearrow</code> ( $\rightarrow$ )	82	<code>\righttherefore</code> ( $\therefore$ )	33, 118
<code>\rightarrowtriangle</code> ( $\rightarrow$ )	88	<code>\rightleftharpoon</code> ( $\rightarrow$ )	77	<code>\rightthreearrows</code> ( $\rightarrow$ )	86
<code>\rightarrowtriangle</code> ( $\rightarrow$ )	88	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ )	77	<code>\rightthreearrows</code> ( $\rightarrow$ )	88

<code>\rightthreetimes</code> ( $\times$ ) ... 122	Romanian comma-belo accent ( $\text{̣}$ ) ..... <i>see</i> accents	<code>\rrhF</code> ( $\text{⌞}$ ) ..... 199
<code>\rightthreetimes</code> ( $\times$ ) ... 31	rook ..... 183, 220–222	<code>\rrhFp</code> ( $\text{⌞}$ ) ..... 199
<code>\rightthreetimes</code> ( $\times$ ) ..... 35	roots ..... <i>see</i> <code>\sqrt</code>	<code>\rrhFw</code> ( $\text{⌞}$ ) ..... 199
<code>\rightthreetimes</code> ( $\times$ ) ..... 34	roshambo ..... 139	<code>\rrhFwp</code> ( $\text{⌞}$ ) ..... 199
<code>\rightthreetimes</code> ( $\times$ ) ..... 33	<code>\rotatebox</code> ..... 24, 225, 226	<code>\rrhL</code> ( $\text{⌞}$ ) ..... 199
<code>\rightthreetimes</code> ( $\times$ ) ..... 36	rotated symbols ..... 17–20, 24, 225–226	<code>\rrhLa</code> ( $\text{⌞}$ ) ..... 199
<code>\rightthumbsdown</code> ( $\text{⌵}$ ) ... 139	rotating (package) ..... 28, 132	<code>\rrhLap</code> ( $\text{⌞}$ ) ..... 199
<code>\rightthumbsup</code> ( $\text{⌶}$ ) ..... 139	<code>\rotm</code> ( $\text{⌶}$ ) ..... 20	<code>\rrhLp</code> ( $\text{⌞}$ ) ..... 199
<code>\righttoleftarrow</code> ( $\text{⤵}$ ) .. 76	<code>\rotOmega</code> ( $\text{⌶}$ ) ..... 20	<code>\rrhLs</code> ( $\text{⌞}$ ) ..... 199
<code>\righttopleftarrow</code> ( $\text{⤵}$ ) ... 86	<code>\rotr</code> ( $\text{⌶}$ ) ..... 20	<code>\rrhLsp</code> ( $\text{⌞}$ ) ..... 199
<code>\Righttorque</code> ( $\text{⌶}$ ) ..... 134	<code>\rotvara</code> ( $\text{⌶}$ ) ..... 20	<code>\rrhLw</code> ( $\text{⌞}$ ) ..... 199
<code>\rightturn</code> ( $\text{⤵}$ ) ..... 177	<code>\rotw</code> ( $\text{⌶}$ ) ..... 20	<code>\rrhLwp</code> ( $\text{⌞}$ ) ..... 199
<code>\rightupcurvedarrow</code> ( $\text{⤵}$ ) . 82	<code>\roty</code> ( $\text{⌶}$ ) ..... 20	<code>\rrhM</code> ( $\text{⌞}$ ) ..... 199
<code>\rightVDash</code> ( $\text{⌶}$ ) ..... 57	<code>\RoundedLsteel</code> ( $\text{L}$ ) ..... 134	<code>\rrhMp</code> ( $\text{⌞}$ ) ..... 199
<code>\rightVdash</code> ( $\text{⌶}$ ) ..... 57	<code>\RoundedLsteel</code> ( $\text{L}$ ) ..... 134	<code>\rrhR</code> ( $\text{⌞}$ ) ..... 199
<code>\rightVdash</code> ( $\text{⌶}$ ) ..... 54	<code>\RoundedTsteel</code> ( $\text{T}$ ) ..... 134	<code>\rrhRa</code> ( $\text{⌞}$ ) ..... 199
<code>\rightvDash</code> ( $\text{⌶}$ ) ..... 57	<code>\RoundedTsteel</code> ( $\text{T}$ ) ..... 134	<code>\rrhRap</code> ( $\text{⌞}$ ) ..... 199
<code>\rightvdash</code> ( $\text{⌶}$ ) ..... 57	<code>\RoundedTTsteel</code> ( $\text{I}$ ) ..... 134	<code>\rrhRp</code> ( $\text{⌞}$ ) ..... 199
<code>\rightvdash</code> ( $\text{⌶}$ ) ..... 54	<code>\Rparen</code> ( $\text{⌞}$ ) ..... 127	<code>\rrhRs</code> ( $\text{⌞}$ ) ..... 199
<code>\rightwave</code> ( $\text{⌶}$ ) ..... 107	<code>\rParen</code> ( $\text{⌞}$ ) ..... 106	<code>\rrhRsp</code> ( $\text{⌞}$ ) ..... 199
<code>\rightwavearrow</code> ( $\text{⤵}$ ) ..... 81	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhRw</code> ( $\text{⌞}$ ) ..... 199
<code>\rightwavearrow</code> ( $\text{⤵}$ ) ..... 88	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhRwp</code> ( $\text{⌞}$ ) ..... 199
<code>\rightwhitearrow</code> ( $\text{⤵}$ ) ... 86	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhSd</code> ( $\text{⌞}$ ) ..... 199
<code>\rightwhitearrow</code> ( $\text{⤵}$ ) ... 88	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhSdp</code> ( $\text{⌞}$ ) ..... 199
<code>\rightwhiteroundarrow</code> ( $\text{⤵}$ ) 86	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhSl</code> ( $\text{⌞}$ ) ..... 199
<code>\rightY</code> ( $\text{⤵}$ ) ..... 34	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhSlp</code> ( $\text{⌞}$ ) ..... 199
<code>\rightY</code> ( $\text{⤵}$ ) ..... 33	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhSr</code> ( $\text{⌞}$ ) ..... 199
<code>rinforzando</code> ( $\text{⌶}$ ) ..... 164	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhSrp</code> ( $\text{⌞}$ ) ..... 199
<code>\ring</code> ( $\text{̇}$ ) ..... 111	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhSu</code> ( $\text{⌞}$ ) ..... 199
<code>ring</code> ( $\text{̇}$ ) ..... <i>see</i> accents	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhSup</code> ( $\text{⌞}$ ) ..... 199
<code>ring equal to</code> ..... <i>see</i> <code>\circeq</code>	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhU</code> ( $\text{⌞}$ ) ..... 199
<code>ring in equal to</code> .. <i>see</i> <code>\eqcirc</code>	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhUa</code> ( $\text{⌞}$ ) ..... 199
<code>\ringplus</code> ( $\text{̇}$ ) ..... 36	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhUap</code> ( $\text{⌞}$ ) ..... 199
<code>\riota</code> ( $\text{⌶}$ ) ..... 123	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhUp</code> ( $\text{⌞}$ ) ..... 199
<code>\riota</code> ( $\text{⌶}$ ) ..... 20	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhUs</code> ( $\text{⌞}$ ) ..... 199
<code>\rip</code> ( $\text{⌶}$ ) ..... 182	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhUsp</code> ( $\text{⌞}$ ) ..... 199
<code>\risingdotseq</code> ( $\text{⌶}$ ) ..... 53	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhUw</code> ( $\text{⌞}$ ) ..... 199
<code>\risingdotseq</code> ( $\text{⌶}$ ) ..... 52	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\rrhUwp</code> ( $\text{⌞}$ ) ..... 199
<code>\risingdotseq</code> ( $\text{⌶}$ ) ..... 60	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\RRrightarrow</code> ( $\text{⌶}$ ) ..... 88
<code>\risingdotseq</code> ( $\text{⌶}$ ) ..... 57	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\Rightarrow</code> ( $\text{⌶}$ ) ..... 76
<code>\risingdotseq</code> ( $\text{⌶}$ ) ..... 54	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\Rightarrow</code> ( $\text{⌶}$ ) ..... 86
<code>\risingdotseq</code> ( $\text{⌶}$ ) ..... 60	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	<code>\Rightarrow</code> ( $\text{⌶}$ ) ..... 81
<code>\rJoin</code> ( $\text{⌶}$ ) ..... 53	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>\rJoin</code> ( $\text{⌶}$ ) ..... 35	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>\RK</code> ( $\text{⌶}$ ) ..... 132	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>\rlap</code> ..... 25, 147, 229	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>\rmoustache</code> ( $\text{⌶}$ ) ..... 103	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>\rmoustache</code> ( $\text{⌶}$ ) ..... 106	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>\rmoustache</code> ( $\text{⌶}$ ) ..... 104	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>\rmoustache</code> ( $\text{⌶}$ ) ..... 106	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>\RO</code> ( $\text{⌶}$ ) ..... 132	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>rock/paper/scissors</code> ..... 139	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>Roman coins</code> ..... 27	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
<code>\Romania</code> ( $\text{⌶}$ ) ..... 190	<code>\rparen</code> ( $\text{⌞}$ ) ..... 105	
	<code>\rrangle</code> ( $\text{⌶}$ ) ..... 104	
	<code>\rrangle</code> ( $\text{⌶}$ ) ..... 102	
	<code>\rrbracket</code> ( $\text{⌶}$ ) ..... 103	
	<code>\rrbracket</code> ( $\text{⌶}$ ) ..... 108	
	<code>\rrceil</code> ( $\text{⌶}$ ) ..... 101	
	<code>\RRelbar</code> ( $\text{⌶}$ ) ..... 94	
	<code>\Rrelbar</code> ( $\text{⌶}$ ) ..... 94	
	<code>\rrffloor</code> ( $\text{⌶}$ ) ..... 101	
	<code>\rrhD</code> ( $\text{⌶}$ ) ..... 199	
	<code>\rrhDa</code> ( $\text{⌶}$ ) ..... 199	
	<code>\rrhDap</code> ( $\text{⌶}$ ) ..... 199	
	<code>\rrhDp</code> ( $\text{⌶}$ ) ..... 199	
	<code>\rrhDs</code> ( $\text{⌶}$ ) ..... 199	
	<code>\rrhDsp</code> ( $\text{⌶}$ ) ..... 199	
	<code>\rrhDw</code> ( $\text{⌶}$ ) ..... 199	
	<code>\rrhDwp</code> ( $\text{⌶}$ ) ..... 199	
	<code>\rrhE</code> ( $\text{⌶}$ ) ..... 199	
	<code>\rrhEp</code> ( $\text{⌶}$ ) ..... 199	

$\backslash\text{Rrightarrow} (\Rightarrow)$  ..... 77  
 $\backslash\text{Rrightarrow} (\Rrightarrow)$  ..... 88  
 $\backslash\text{rrparenthesis} (\lrcorner)$  ..... 101  
 $\backslash\text{rrparenthesis} (\llcorner)$  ..... 102  
 $\backslash\text{RS} (\blacktriangle)$  ..... 133  
 $\backslash\text{rsem} (\mathbb{I})$  ..... 106  
 $\backslash\text{rsem} (\mathbb{J})$  ..... 104  
 $\backslash\text{rsemantic}$  .... *see*  $\backslash\text{rdbrack}$   
 $\text{rsfo}$  (package) ..... 126, 243  
 $\backslash\text{Rsh} (\rightarrow)$  ..... 76  
 $\backslash\text{Rsh} (\rrightarrow)$  ..... 75  
 $\backslash\text{Rsh} (\Rrightarrow)$  ..... 86  
 $\backslash\text{Rsh} (\rRrightarrow)$  ..... 81  
 $\backslash\text{Rsh} (\Rrightarrow)$  ..... 77  
 $\backslash\text{Rsh} (\rRrightarrow)$  ..... 88  
 $\backslash\text{rsolbar} (\dagger)$  ..... 36  
 $\backslash\text{rsqhook} (\sqsupset)$  ..... 60  
 $\backslash\text{rsub} (\supseteq)$  ..... 40  
 $\backslash\text{rtborder} (\top)$  ..... 184  
 $\backslash\text{rtbotcorner} (\perp)$  ..... 184  
 $\backslash\text{rtimes} (\times)$  ..... 33  
 $\backslash\text{rtimes} (\times)$  ..... 31  
 $\backslash\text{rtimes} (\times)$  ..... 35  
 $\backslash\text{rtimes} (\times)$  ..... 34, 35  
 $\backslash\text{rtimes} (\times)$  ..... 33  
 $\backslash\text{rtimes} (\times)$  ..... 36  
 $\backslash\text{rtimesblack} (\times)$  ..... 35  
 $\backslash\text{rtriltri} (\blacktriangleright)$  ..... 74  
 $\backslash\text{rtriple}$  ..... 108  
 $\backslash\text{rttopcorner} (\top)$  ..... 184  
 $\backslash\text{RU} (\text{C})$  ..... 132  
 Rubik's Cube ..... 199  
 $\text{rubikcube}$  (package) .. 199, 243, 244  
 $\backslash\text{ruledelayed} (\dashrightarrow)$  ..... 60  
 $\backslash\text{rupee} (\₹)$  ..... 27  
 $\backslash\text{RV} (\phi)$  ..... 132  
 $\backslash\text{rVert} (\mathbb{I})$  ..... 108  
 $\backslash\text{rVert} (\mathbb{J})$  ..... 103  
 $\backslash\text{rVert} (\mathbb{K})$  ..... 105  
 $\backslash\text{rvert} (\mathbb{I})$  ..... 103  
 $\backslash\text{rvert} (\mathbb{J})$  ..... 105  
 $\backslash\text{rVvert} (\mathbb{K})$  ..... 105  
 $\backslash\text{Rvzigzag} (\#)$  ..... 102  
 $\backslash\text{rvzigzag} (\#)$  ..... 102  
 $\backslash\text{rWalley} (\mathbb{E})$  ..... 192  
 $\backslash\text{rwave} (\mathfrak{W})$  ..... 107  
 $\backslash\text{rWavy} (\mathfrak{W})$  ..... 104  
 $\backslash\text{rwavy} (\mathfrak{W})$  ..... 104


S

$\backslash\text{S} (\S)$  ..... 15, 239  
 $\backslash\text{S} (\S)$  ..... 15  
 $\backslash\text{sA} (\mathbb{A})$  ..... 189  
 $\backslash\text{SAa} (\circ)$  ..... 156  
 $\backslash\text{SAb} (\mathbb{I})$  ..... 156  
 $\backslash\text{SAd} (\dagger)$  ..... 156  
 $\backslash\text{SAbd} (\mathbb{H})$  ..... 156  
 $\backslash\text{SAdd} (\mathbb{H})$  ..... 156  
 $\backslash\text{Sadey} (\ominus)$  ..... 192  
 $\backslash\text{sadface} (\ominus)$  ..... 192  
 $\backslash\text{SAf} (\diamond)$  ..... 156  
 safety-related symbols .... 134  
 $\backslash\text{Saftpresse} (\mathfrak{S})$  ..... 192  
 $\backslash\text{SAg} (\top)$  ..... 156  
 $\backslash\text{SAGA} (\mathbb{I})$  ..... 156  
 $\backslash\text{Sagittarius} (\♄)$  ..... 131  
 $\backslash\text{Sagittarius} (\♄)$  ..... 129  
 $\backslash\text{sagittarius} (\♄)$  ..... 129  
 $\backslash\text{SAh} (\Upsilon)$  ..... 156  
 $\backslash\text{SAhd} (\Psi)$  ..... 156  
 $\backslash\text{SAhu} (\Upsilon)$  ..... 156  
 $\backslash\text{SAk} (\dagger)$  ..... 156  
 $\backslash\text{SAl} (\top)$  ..... 156  
 $\backslash\text{SAlq} (\dagger)$  ..... 156  
 $\backslash\text{SAm} (\mathfrak{A})$  ..... 156  
 $\backslash\text{samebishops} (\blacksquare)$  ..... 182  
 $\backslash\text{Sampi} (\exists)$  ..... 156  
 $\backslash\text{Sampi} (\lambda)$  ..... 156  
 $\backslash\text{sampi} (\lambda)$  ..... 156  
 $\backslash\text{sampi} (\lambda)$  ..... 156  
 $\backslash\text{SAN} (\top)$  ..... 156  
 $\text{sans}$  (dsfont package option) 126  
 $\backslash\text{sansLmirrored} (\top)$  ..... 124  
 $\backslash\text{sansLturned} (\top)$  ..... 124  
 $\backslash\text{SAo} (\dagger)$  ..... 156  
 $\backslash\text{Sappho} (\mathfrak{S})$  ..... 131  
 $\backslash\text{SAq} (\dagger)$  ..... 156  
 $\backslash\text{SAr} (\top)$  ..... 156  
 $\backslash\text{sarabfamily}$  ..... 156  
 $\text{sarabian}$  (package) 156, 243, 244  
 $\backslash\text{SAs} (\mathfrak{S})$  ..... 156  
 $\backslash\text{SAsa} (\mathfrak{S})$  ..... 156  
 $\backslash\text{SAsd} (\mathfrak{S})$  ..... 156  
 $\backslash\text{SAsv} (\dagger)$  ..... 156  
 $\backslash\text{SAt} (\mathfrak{X})$  ..... 156  
 $\backslash\text{SAtb} (\mathfrak{S})$  ..... 156  
 $\backslash\text{SAtd} (\mathbb{I})$  ..... 156  
 $\backslash\text{satellitedish} (\mathfrak{S})$  ..... 149  
 satisfies ..... *see*  $\backslash\text{models}$   
 $\backslash\text{Saturn} (\♄)$  ..... 130  
 $\backslash\text{Saturn} (\♄)$  ..... 131  
 $\backslash\text{Saturn} (\♄)$  ..... 129  
 $\backslash\text{saturn} (\♄)$  ..... 129  
 $\text{savesym}$  (package) ..... 222  
 $\backslash\text{savesymbol}$  ..... 222  
 $\backslash\text{SAw} (\circ)$  ..... 156

$\backslash\text{SAy} (\dagger)$  ..... 156  
 $\backslash\text{SAz} (\mathfrak{X})$  ..... 156  
 $\backslash\text{SAzd} (\mathfrak{X})$  ..... 156  
 $\backslash\text{Sborder} (\mathbb{E})$  ..... 149  
 $\backslash\text{scalebox}$  ..... 222  
 $\text{scaled}$  (CountriesOfEurope package option) ..... 191  
 $\text{scaling}$  ..... 232, 235  
     mechanical ..... 232, 235  
     optical ..... 232  
 $\backslash\text{scd} (\text{D})$  ..... 19  
 $\backslash\text{scg} (\text{G})$  ..... 19  
 $\backslash\text{Schaler} (\mathfrak{S})$  ..... 192  
 $\backslash\text{Schneebesen} (\mathfrak{S})$  ..... 192  
 $\backslash\text{Schussel} (\cup)$  ..... 192  
 $\backslash\text{schwa} (\text{ə})$  ..... 20  
 $\backslash\text{schwa} (\text{ə})$  ..... 19  
 $\text{Schwartz distribution spaces}$  *see* alphabets, math  
 $\backslash\text{sci} (\text{i})$  ..... 19  
 $\text{scientific symbols}$  . 128–135, 218  
 $\backslash\text{ScissorHollowLeft} (\mathfrak{S})$  . 138  
 $\backslash\text{ScissorHollowRight} (\mathfrak{S})$  . 138  
 $\backslash\text{ScissorLeft} (\mathfrak{S})$  ..... 138  
 $\backslash\text{ScissorLeftBrokenBottom} (\mathfrak{S})$  ..... 138  
 $\backslash\text{ScissorLeftBrokenTop} (\mathfrak{S})$  .. 138  
 $\backslash\text{ScissorRight} (\mathfrak{S})$  ..... 138  
 $\backslash\text{ScissorRightBrokenBottom} (\mathfrak{S})$  ..... 138  
 $\backslash\text{ScissorRightBrokenTop} (\mathfrak{S})$  . 138  
 $\text{scissors}$  ..... 138, 195–198  
 $\backslash\text{scn} (\text{N})$  ..... 19  
 $\backslash\text{scoh} (\curvearrowright)$  ..... 64  
 $\backslash\text{Scorpio} (\♏)$  ..... 131  
 $\backslash\text{Scorpio} (\♏)$  ..... 129  
 $\backslash\text{scorpio} (\♏)$  ..... 129  
 $\backslash\text{scpolint} (\mathfrak{S})$  ..... 48  
 $\backslash\text{scpolintsl} (\mathfrak{S})$  ..... 50  
 $\backslash\text{scpolintup} (\mathfrak{S})$  ..... 50  
 $\text{scr}$  (rsfs package option) .. 126  
 $\backslash\text{scr} (\text{R})$  ..... 19  
 $\text{script letters}$  .... *see* alphabets, math  
 $\backslash\text{scripta} (\text{a})$  ..... 19  
 $\backslash\text{scriptg} (\text{g})$  ..... 19  
 $\backslash\text{scriptscriptstyle}$  ..... 228  
 $\backslash\text{scriptstyle}$  ..... 228  
 $\backslash\text{scriptv} (\text{v})$  ..... 19  
 $\backslash\text{Scroll} (\mathbb{E})$  ..... 132  
 $\backslash\text{scu} (\text{U})$  ..... 19  
 $\backslash\text{scurel} (\text{r})$  ..... 59  
 $\backslash\text{scurel} (\text{r})$  ..... 60  
 $\backslash\text{scy} (\text{Y})$  ..... 19  
 $\backslash\text{sddtstile} (\mathbb{E})$  ..... 63















































































































<code>\sDep</code> (*)	160	<code>\semibreve</code> (♩)	162	<code>\Shakel</code> (𐄂)	160
<code>\sdtstile</code> (≡)	63	<code>\semibreveDotted</code> (♩.)	162	<code>\Shakene</code> (𐄃)	160
<code>\sdtstile</code> (≡)	63	semidirect products	31, 33, 122	<code>\Shakenw</code> (𐄄)	160
<code>\sdtstile</code> (≡)	63	semiquaver	<i>see</i> musical symbols	<code>\Shakesw</code> (𐄅)	160
seagull	<i>see</i> <code>\textseagull</code>	<code>\semiquaver</code> (♩)	162	<code>\sharp</code> (#)	159
<code>\Searrow</code> (↘)	76	<code>\semiquaverDotted</code> (♩.)	162	<code>\sharp</code> (#)	159
<code>\Searrow</code> (↘)	86	<code>\semiquaverDottedDouble</code> (♩..)	162	<code>\sharp</code> (#)	159
<code>\Searrow</code> (↘)	81	<code>\semiquaverDottedDoubleDown</code> (♩'')	162	<code>\sharp</code> (#)	163
<code>\Searrow</code> (↘)	77	<code>\semiquaverDottedDown</code> (♩')	162	<code>\sharp</code> (#)	159
<code>\Searrow</code> (↘)	88	<code>\semiquaverDown</code> (♩)	162	<code>\sharp</code> (#)	159
<code>\searrow</code> (↘)	76	<code>\semiquaverRest</code> (♩̣)	164	<code>\sharpArrowboth</code> (↕)	163
<code>\searrow</code> (↘)	75, 229	<code>\semiquaverRestDotted</code> (♩̣.)	164	<code>\sharpArrowdown</code> (↕)	163
<code>\searrow</code> (↘)	81	<code>\Semisextile</code> (♮)	131	<code>\sharpArrowup</code> (↕)	163
<code>\searrow</code> (↘)	77	<code>\Semisquare</code> (⊿)	131	Sharpe, Michael	24
<code>\searrow</code> (↘)	88	semitic transliteration	20, 24	<code>\sharpSlashslashslashStem</code> (♯)	163
<code>\searrowtail</code> (↘)	81	<code>\seModels</code> (⊗)	54	<code>\sharpSlashslashslashStemstem</code> (♯)	163
<code>\searrowtail</code> (↘)	77	<code>\semodels</code> (⊗)	54	<code>\sharpSlashslashslashStemstemstem</code> (♯)	163
<code>\sebkarrow</code> (↘)	81	semtrans (package)	20, 24, 243	<code>\shfermion</code> (⤴)	135
<code>\sec</code> (sec)	94	<code>\senwarrows</code> (↔)	81	<code>\Shift</code> (⌘)	132
<code>\Sech</code> (♩)	161	<code>\senwarrows</code> (↔)	77	<code>\shift</code> (⇩)	30
<code>\SechBL</code> (♩)	161	<code>\senwcurvearrow</code> (↘)	82	<code>\Shilling</code> (β)	26
<code>\SechBl</code> (♩)	161	<code>\senwharpoons</code> (↔)	85	<code>\shneg</code> (↑)	30
<code>\SechBR</code> (♩)	161	<code>\senwharpoons</code> (↔)	80	<code>\shortcastling</code> (O-O)	182
<code>\SechBr</code> (♩)	161	<code>\seovnearrow</code> (↘)	88	<code>\shortdownarrow</code> (↓)	76
<code>\second</code> (//)	122	<code>\SePa</code> (♩)	161	<code>\shortdowntack</code> (⊥)	58
seconds, angular	<i>see</i> <code>\second</code>	<code>\separated</code> (⊗)	54	<code>\shortdowntack</code> (⊥)	60
<code>\secstress</code> (˘)	25	separation vector	126	<code>\ShortFifty</code> (V <sub>50</sub> )	178
section mark	<i>see</i> <code>\S</code>	<code>\sepitchfork</code> (⌘)	92	<code>\ShortForty</code> (V <sub>40</sub> )	178
<code>\SectioningDiamond</code> (⊠)	179	<code>\seppawns</code> (o-o)	182	<code>\shortleftarrow</code> (←)	76
<code>\sector</code> (∇)	123	<code>\Serbia</code> (☑)	191	<code>\shortlefttack</code> (⊥)	58
sedenions (\$) . . . <i>see</i> alphabets, math		<code>\sercurvearrow</code> (↘)	82	<code>\shortlefttack</code> (⊥)	60
<code>\sefilledspoon</code> (↘)	91	<code>\SerialInterface</code> (≡)	132	<code>\shortmid</code> ( )	52
<code>\sefootline</code> (↘)	54	<code>\SerialPort</code> (≡)	132	<code>\shortmid</code> ( )	59
<code>\sefree</code> (↘)	54	<code>\sersquigarrow</code> (↘)	77	<code>\shortmid</code> ( )	57
segmented numerals	128	<code>\sesearrows</code> (↔)	81	<code>\shortmid</code> ( )	34
<code>\Segno</code> (♩)	160	<code>\sesearrows</code> (↔)	77	<code>\shortmid</code> ( )	60
<code>\segno</code> (♩)	160	<code>\sespoon</code> (↘)	91	<code>\ShortNinetyFive</code> (V <sub>95</sub> )	178
<code>\seharpoonccw</code> (↘)	80	<code>\Sesquiquadrate</code> (⊠)	131	<code>\shortparallel</code> (  )	52
<code>\seharpooncw</code> (↘)	80	set interior	<i>see</i> <code>\mathring</code>	<code>\shortparallel</code> (  )	59
<code>\seharpoonne</code> (↘)	85	set operators		<code>\shortparallel</code> (  )	57
<code>\seharpoonsw</code> (↘)	85	intersection	<i>see</i> <code>\cap</code>	<code>\shortparallel</code> (  )	54
<code>\selcurvearrow</code> (↘)	82	membership	<i>see</i> <code>\in</code>	<code>\shortparallel</code> (  )	60
<code>\selectfont</code>	12	union	<i>see</i> <code>\cup</code>	<code>\ShortPulseHigh</code> (⊥)	128
<code>\selsquigarrow</code> (↘)	77	<code>\setminus</code> (∖)	31	<code>\ShortPulseLow</code> (⊥)	128
<code>\semaf.fd</code> (file)	217	<code>\setminus</code> (∖)	34	<code>\shortrightarrow</code> (→)	76
semantic valuation	103, 108	<code>\setminus</code> (∖)	34	<code>\shortrightarrowleftarrow</code> (↔)	88
semaphor (package)	216, 217, 243	<code>\setminus</code> (∖)	36	<code>\shortrighttack</code> (⊥)	57
semaphore symbols	216–217	<code>\seVdash</code> (⋈)	54	<code>\ShortSixty</code> (V <sub>60</sub> )	178
<code>\semapsto</code> (↘)	77	<code>\sevdash</code> (⋈)	54	<code>\ShortThirty</code> (V <sub>30</sub> )	178
semibreve	<i>see</i> musical symbols	<code>\Sextile</code> (✱)	131	<code>\shortuparrow</code> (↑)	76
		<code>\Sey</code> (⊙)	192		
		SGML	240		
		sha (III)	225		
		<code>\Shake</code> (𐄂)	160		
		<code>\shake</code> (𐄃)	160		














































<code>\shortuptack</code> ( $\perp$ )	57	<code>\SixteenStarLight</code> ( $\text{☼}$ )	142	<code>\smallbosenloopAs</code> ( $\text{♯}$ )	135
<code>\shortuptack</code> ( $\perp$ )	60	sixteenth note	see musical symbols	<code>\smallbosenloopVs</code> ( $\text{♯}$ )	135
<code>\showclock</code>	179	<code>\sixteenthNote</code> ( $\text{♪}$ )	162	<code>\SmallCircle</code> ( $\text{○}$ )	146
<code>\shpos</code> ( $\downarrow$ )	30	<code>\sixteenthnote</code> ( $\text{♩}$ )	159	<code>\smallcircle</code> ( $\text{◦}$ )	38
shuffle (package)	37, 243, 244	<code>\sixteenthNoteDotted</code> ( $\text{♪.}$ )	162	<code>\smallcirfnint</code> ( $f$ )	40
<code>\shuffle</code> ( $\text{⊎}$ )	36	<code>\sixteenthNoteDottedDouble</code> ( $\text{♪..}$ )	162	<code>\smallcirfnintsl</code> ( $f$ )	41
<code>\shuffle</code> ( $\text{⊎}$ )	37	<code>\sixteenthNoteDottedDoubleDown</code> ( $\text{♯..}$ )	162	<code>\smallcirfnintup</code> ( $f$ )	41
shuffle product ( $\text{⊎}$ )	37	<code>\sixteenthNoteDottedDoubleDown</code> ( $\text{♯..}$ )	162	<code>\SmallCross</code> ( $\text{×}$ )	146
<code>\SI</code> ( $\text{⋆}$ )	133	<code>\sixteenthNoteDottedDown</code> ( $\text{♯.}$ )	162	smallctrbull (bullcntr package option)	181
<code>\Sieb</code> ( $\text{☰}$ )	192	<code>\sixteenthNoteDottedDown</code> ( $\text{♯.}$ )	162	<code>\smallctrbull</code>	181
<code>\sieve</code> ( $\text{☰}$ )	192	<code>\sixteenthNoteDown</code> ( $\text{♯}$ )	162	<code>\smalldiamond</code> ( $\text{◇}$ )	38
<code>\sieve</code> ( $\text{☰}$ )	192	skak (package)	182, 183, 243	<code>\smalldiamond</code> ( $\text{◇}$ )	38
<code>\Sigma</code> ( $\text{Σ}$ )	96	skull (package)	182, 243	<code>\SmallDiamondshape</code> ( $\text{◇}$ )	146
<code>\sigma</code> ( $\text{σ}$ )	96	<code>\skull</code> ( $\text{☠}$ )	192	<code>\smalldivslash</code> ( $\text{∕}$ )	35
<code>\sigmaup</code> ( $\text{σ}$ )	97	<code>\skull</code> ( $\text{☠}$ )	182	<code>\smallfint</code> ( $f$ )	40
<code>\sim</code> ( $\text{~}$ )	51, 227, 238	skulls	182, 192, 220	<code>\smallfintsl</code> ( $f$ )	41
<code>\sim</code> ( $\text{~}$ )	57	<code>\slash</code> ( $\text{/}$ )	238	<code>\smallfintup</code> ( $f$ )	41
<code>\sim</code> ( $\text{~}$ )	54	<code>\slashb</code> ( $\text{ℓ}$ )	19	<code>\smallfrown</code> ( $\text{⤵}$ )	52
<code>\sim</code> ( $\text{~}$ )	60	<code>\slashc</code> ( $\text{ℓ}$ )	19	<code>\smallfrown</code> ( $\text{⤵}$ )	59
<code>\simbot</code> ( $\text{⤵}$ )	101	<code>\slashd</code> ( $\text{ℓ}$ )	19	<code>\smallfrown</code> ( $\text{⤵}$ )	57, 93
<code>\simcolon</code> ( $\text{~:}$ )	64	<code>\slashdiv</code> ( $\text{∕}$ )	33	<code>\smallfrown</code> ( $\text{⤵}$ )	92
<code>\simcoloncolon</code> ( $\text{~::}$ )	64	slashed (package)	227, 228	<code>\smallfrown</code> ( $\text{⤵}$ )	60
<code>\simeq</code> ( $\text{≈}$ )	51	<code>\slashed</code>	227, 228	<code>\SmallHBar</code> ( $\text{—}$ )	146
<code>\simeq</code> ( $\text{≈}$ )	57	slashed letters	227	<code>\smalliiiint</code> ( $\text{∫}$ )	40
<code>\simeq</code> ( $\text{≈}$ )	54	<code>\slashed.sty</code> (file)	228	<code>\smalliiiintsl</code> ( $\text{∫}$ )	41
<code>\simeq</code> ( $\text{≈}$ )	60	<code>\slashu</code> ( $\text{ℓ}$ )	19	<code>\smalliiiintup</code> ( $\text{∫}$ )	41
<code>\singE</code> ( $\text{≅}$ )	72	<code>\Sleet</code> ( $\text{☃}$ )	179	<code>\smalliiiint</code> ( $\text{∫}$ )	40
<code>\singtr</code> ( $\text{≷}$ )	72	<code>\sliding</code> ( $\text{▣}$ )	23	<code>\smalliiiintsl</code> ( $\text{∫}$ )	41
<code>\similarleftarrow</code> ( $\text{←}$ )	88	<code>\Slovakia</code> ( $\text{☞}$ )	191	<code>\smalliiiintup</code> ( $\text{∫}$ )	41
<code>\similarrightarrow</code> ( $\text{→}$ )	88	<code>\Slovenia</code> ( $\text{☞}$ )	191	<code>\smalliint</code> ( $\text{∫}$ )	40
<code>\simlE</code> ( $\text{≅}$ )	72	<code>\smallaltoclef</code> ( $\text{♯}$ )	160	<code>\smalliintsl</code> ( $\text{∫}$ )	41
<code>\simless</code> ( $\text{≲}$ )	72	<code>\smallawint</code> ( $f$ )	40	<code>\smalliintup</code> ( $\text{∫}$ )	41
<code>\simminussim</code> ( $\text{≈}$ )	60	<code>\smallawintsl</code> ( $f$ )	41	<code>\smalliint</code> ( $\text{∫}$ )	40
<code>\simneqq</code> ( $\text{≐}$ )	58	<code>\smallawintup</code> ( $f$ )	41	<code>\smalliintsl</code> ( $\text{∫}$ )	41
<code>\simneqq</code> ( $\text{≐}$ )	60	<code>\smallbassclef</code> ( $\text{♩}$ )	160	<code>\smalliintup</code> ( $\text{∫}$ )	41
<code>\simperp</code> ( $\text{⊥}$ )	64	<code>\smallblackcircle</code> ( $\text{●}$ )	38	<code>\smallin</code> ( $\text{€}$ )	100
simplewick (package)	232	<code>\smallblackdiamond</code> ( $\text{◆}$ )	38	<code>\smallin</code> ( $\text{€}$ )	60
<code>\simplus</code> ( $\text{⊕}$ )	36	<code>\smallblacklozenge</code> ( $\text{◆}$ )	144	<code>\smallint</code> ( $\text{∫}$ )	123
simpsons (package)	185, 243	<code>\smallblacksquare</code> ( $\text{■}$ )	38	<code>\smallint</code> ( $\text{∫}$ )	123
Simpsons characters	185	<code>\smallblackstar</code> ( $\text{★}$ )	38	<code>\smallint</code> ( $\text{∫}$ )	40
<code>\simrdots</code> ( $\text{≈}$ )	59	<code>\smallblacktriangledown</code> ( $\text{▼}$ )	38, 74	<code>\smallintBar</code> ( $f$ )	40
<code>\simrdots</code> ( $\text{≈}$ )	60	<code>\smallblacktriangleleft</code> ( $\text{◀}$ )	38, 74	<code>\smallintbar</code> ( $f$ )	40
<code>\sin</code> ( $\text{sin}$ )	94	<code>\smallblacktriangleleft</code> ( $\text{◀}$ )	146	<code>\smallintBarsl</code> ( $f$ )	41
<code>\sincoh</code> ( $\text{∩}$ )	64	<code>\smallblacktriangleright</code> ( $\text{▶}$ )	38, 74	<code>\smallintbarsl</code> ( $f$ )	41
<code>\sinewave</code> ( $\text{~}$ )	123	<code>\smallblacktriangleright</code> ( $\text{▶}$ )	38, 74	<code>\smallintBarup</code> ( $f$ )	41
<code>\sinewave</code> ( $\text{~}$ )	124	<code>\smallblacktriangleup</code> ( $\text{▲}$ )	38, 74	<code>\smallintbarup</code> ( $f$ )	41
<code>\sinh</code> ( $\text{sinh}$ )	94	<code>\smallbosenloops</code> ( $\text{♯}$ )	135	<code>\smallintcap</code> ( $f$ )	40
<code>\SixFlowerAlternate</code> ( $\text{✱}$ )	142	<code>\smallblacktriangleup</code> ( $\text{▲}$ )	38, 74	<code>\smallintcapsl</code> ( $f$ )	41
<code>\SixFlowerAltPetal</code> ( $\text{✱}$ )	142	<code>\smallbosenloops</code> ( $\text{♯}$ )	135	<code>\smallintcapup</code> ( $f$ )	41
<code>\SixFlowerOpenCenter</code> ( $\text{✱}$ )	142	<code>\smallblacktriangleleft</code> ( $\text{◀}$ )	38, 74	<code>\smallintclockwise</code> ( $f$ )	40
<code>\SixFlowerPetalDotted</code> ( $\text{✱}$ )	142	<code>\smallblacktriangleleft</code> ( $\text{◀}$ )	146	<code>\smallintclockwise</code> ( $f$ )	41
<code>\SixFlowerPetalRemoved</code> ( $\text{✱}$ )	142	<code>\smallblacktriangleright</code> ( $\text{▶}$ )	38, 74	<code>\smallintclockwise</code> ( $f$ )	41
<code>\SixFlowerRemovedOpenPetal</code> ( $\text{✱}$ )	142	<code>\smallblacktriangleright</code> ( $\text{▶}$ )	146	<code>\smallintclockwise</code> ( $f$ )	41
<code>\SixStar</code> ( $\text{✱}$ )	142	<code>\smallblacktriangleright</code> ( $\text{▶}$ )	38, 74	<code>\smallintcup</code> ( $f$ )	40
		<code>\smallblacktriangleright</code> ( $\text{▶}$ )	146	<code>\smallintcupsl</code> ( $f$ )	41
		<code>\smallblacktriangleup</code> ( $\text{▲}$ )	38, 74	<code>\smallintcupup</code> ( $f$ )	41
		<code>\smallbosenloops</code> ( $\text{♯}$ )	135	<code>\smallintlarhk</code> ( $f$ )	40
		<code>\smallbosenloops</code> ( $\text{♯}$ )	135	<code>\smallintlarhksl</code> ( $f$ )	41
		<code>\smallbosenloops</code> ( $\text{♯}$ )	135	<code>\smallintlarhkup</code> ( $f$ )	41
		<code>\smallbosenloops</code> ( $\text{♯}$ )	135	<code>\smallintsl</code> ( $f$ )	41
		<code>\smallbosenloops</code> ( $\text{♯}$ )	135	<code>\smallintup</code> ( $f$ )	41

<code>\smallintx</code> (∫) . . . . .	40	<code>\smallsumintsl</code> (∫) . . . . .	41	<code>\smilefrown</code> (☹) . . . . .	92
<code>\smallintxsl</code> (∫) . . . . .	41	<code>\smallsumintup</code> (∫) . . . . .	41	<code>\smilefrowneg</code> (☹) . . . . .	92
<code>\smallintxup</code> (∫) . . . . .	41	<code>\smalltrebleclef</code> (🎵) . . . . .	160	<code>\Smiley</code> (☺) . . . . .	178, 192
<code>\SmallLowerDiamond</code> (◊) . . . . .	146	<code>\SmallTriangleDown</code> (∇) . . . . .	146	<code>\smiley</code> (☺) . . . . .	177
<code>\smallloewint</code> (∫) . . . . .	40	<code>\smalltriangledown</code> (∇) . . . . .	37	smiley faces . . . . .	124, 133, 177, 178, 187, 192–198, 202–205
<code>\smallloewintsl</code> (∫) . . . . .	41	<code>\smalltriangledown</code> (∇) . . . . .	38, 74	<code>\smt</code> (≪) . . . . .	72
<code>\smallloewintup</code> (∫) . . . . .	41	<code>\smalltriangledown</code> (∇) . . . . .	38, 73	<code>\smt</code> (≲) . . . . .	72
<code>\smalllozenge</code> (◊) . . . . .	144	<code>\SmallTriangleLeft</code> (◁) . . . . .	146	<code>\smwhitestar</code> (★) . . . . .	39
<code>\smalllozenge</code> (◊) . . . . .	144	<code>\smalltriangleleft</code> (◁) . . . . .	37	<code>\smwhitestar</code> (★) . . . . .	145
<code>\smallni</code> (∋) . . . . .	60	<code>\smalltriangleleft</code> (◁) . . . . .	39, 74	<code>\smwhtcircle</code> (◦) . . . . .	39
<code>\smallnpoint</code> (∫) . . . . .	40	<code>\smalltriangleleft</code> (◁) . . . . .	38, 73	<code>\smwhtcircle</code> (◦) . . . . .	145, 146
<code>\smallnpointsl</code> (∫) . . . . .	41	<code>\SmallTriangleRight</code> (▷) . . . . .	146	<code>\smwhtdiamond</code> (◊) . . . . .	39
<code>\smallnpointup</code> (∫) . . . . .	41	<code>\smalltriangleright</code> (▷) . . . . .	37	<code>\smwhtdiamond</code> (◊) . . . . .	145, 146
<code>\smalloiint</code> (∬) . . . . .	40	<code>\smalltriangleright</code> (▷) . . . . .	39, 74	<code>\smwhtlozenge</code> (◊) . . . . .	144
<code>\smalloiintsl</code> (∬) . . . . .	41	<code>\smalltriangleright</code> (▷) . . . . .	38, 73	<code>\smwhtlozenge</code> (◊) . . . . .	145
<code>\smalloiintup</code> (∬) . . . . .	41	<code>\smalltriangleright</code> (▷) . . . . .	145	<code>\smwhtsquare</code> (◻) . . . . .	39
<code>\smallooint</code> (∬) . . . . .	40	<code>\SmallTriangleUp</code> (Δ) . . . . .	146	<code>\smwhtsquare</code> (◻) . . . . .	145
<code>\smalloointsl</code> (∬) . . . . .	41	<code>\smalltriangleup</code> (Δ) . . . . .	37	snakes . . . . .	206–207
<code>\smalloointup</code> (∬) . . . . .	41	<code>\smalltriangleup</code> (Δ) . . . . .	39, 74	<code>\sndtstile</code> (▣) . . . . .	63
<code>\smalloint</code> (∫) . . . . .	40	<code>\smalltriangleup</code> (Δ) . . . . .	38, 73	<code>\Snow</code> (❄) . . . . .	179
<code>\smallointctrlockwise</code> (∫) . . . . .	40	<code>\smallupint</code> (∫) . . . . .	40	<code>\SnowCloud</code> (☁) . . . . .	179
<code>\smallointctrlockwise</code> (∫) . . . . .	41	<code>\smallupintsl</code> (∫) . . . . .	41	<code>\Snowflake</code> (❄) . . . . .	142
<code>\smallointctrlockwiseup</code> (∫) . . . . .	41	<code>\smallupintup</code> (∫) . . . . .	41	<code>\SnowflakeChevron</code> (❄) . . . . .	142
<code>\smallointup</code> (∫) . . . . .	41	<code>\smallvarointclockwise</code> (∫) . . . . .	40	<code>\SnowflakeChevronBold</code> (❄) . . . . .	142
<code>\smallowns</code> (∋) . . . . .	100	<code>\smallvarointclockwise</code> (∫) . . . . .	41	snowflakes . . . . .	142
<code>\smallpencil</code> (🖊) . . . . .	138	<code>\smallvarointclockwise</code> (∫) . . . . .	41	<code>\Snowman</code> (☃) . . . . .	193
<code>\smallpointint</code> (∫) . . . . .	40	<code>\smallvarointclockwiseup</code> (∫) . . . . .	41	<code>\SNPP</code> (🇸🇳) . . . . .	185
<code>\smallpointintsl</code> (∫) . . . . .	41	<code>\SmallVBar</code> ( ) . . . . .	146	<code>\sntstile</code> (▣) . . . . .	63
<code>\smallpointintup</code> (∫) . . . . .	41	<code>\smallwhitestar</code> (★) . . . . .	39	<code>\sntstile</code> (▣) . . . . .	63
<code>\smallprod</code> (∏) . . . . .	33	<code>\smartctrbull</code> (bullctr package option) . . . . .	181	<code>\snttstile</code> (▣) . . . . .	63
<code>\SmallRightDiamond</code> (◊) . . . . .	146	<code>\smartctrbull</code> . . . . .	181	<code>\SO</code> (◦) . . . . .	132, 133
<code>\smallrppoint</code> (∫) . . . . .	40	<code>\smashtimes</code> (※) . . . . .	35	<code>\sO</code> (◦) . . . . .	189
<code>\smallrppointsl</code> (∫) . . . . .	41	<code>\smashtimes</code> (※) . . . . .	36	<code>\SOH</code> (⊖) . . . . .	133
<code>\smallrppointup</code> (∫) . . . . .	41	<code>\smbkcircle</code> (●) . . . . .	39	<code>\SOH</code> (⊖) . . . . .	133
<code>\smallscpoint</code> (∫) . . . . .	40	<code>\smbkcircle</code> (●) . . . . .	40	<code>\solid</code> (▣) . . . . .	135
<code>\smallscpointsl</code> (∫) . . . . .	41	<code>\smbkdiamond</code> (◆) . . . . .	39	South Arabian alphabet . . . . .	156
<code>\smallscpointup</code> (∫) . . . . .	41	<code>\smbkdiamond</code> (◆) . . . . .	145	<code>\SouthNode</code> (🇸🇳) . . . . .	131
<code>\smallsetminus</code> (∖) . . . . .	31	<code>\smbklozenge</code> (◊) . . . . .	144		
<code>\smallsetminus</code> (∖) . . . . .	35	<code>\smbklozenge</code> (◊) . . . . .	145	<code>\Soyombo</code> (🇸🇳) . . . . .	189
<code>\smallsetminus</code> (∖) . . . . .	35	<code>\smbksquare</code> (■) . . . . .	39	soyombo (package) . . . . .	189, 243, 244
<code>\smallsetminus</code> (∖) . . . . .	34	<code>\smbksquare</code> (■) . . . . .	145	Soyombo (font) . . . . .	189
<code>\smallsetminus</code> (∖) . . . . .	36	<code>\smepar</code> (∕) . . . . .	60	Soyombo symbols . . . . .	189
<code>\smallsmile</code> (☺) . . . . .	52	<code>\smile</code> (☺) . . . . .	51	space . . . . .	236
<code>\smallsmile</code> (☺) . . . . .	59	<code>\smile</code> (☺) . . . . .	59	thin . . . . .	236
<code>\smallsmile</code> (☺) . . . . .	57, 93	<code>\smile</code> (☺) . . . . .	57, 93	visible . . . . .	see
<code>\smallsmile</code> (☺) . . . . .	92	<code>\smile</code> (☺) . . . . .	92	<code>\textvisiblespace</code>	
<code>\smallsmile</code> (☺) . . . . .	60	<code>\smile</code> (☺) . . . . .	60	<code>\Spacebar</code> ( ) . . . . .	132
<code>\smallsqint</code> (∫) . . . . .	40	smile symbols . . . . .	92, 93	spades . . . . .	148, 149, 193–194
<code>\smallsqintsl</code> (∫) . . . . .	41	<code>\smileeq</code> (≅) . . . . .	57, 93	<code>\spadesuit</code> (♠) . . . . .	148
<code>\smallsqintup</code> (∫) . . . . .	41	<code>\smileeq</code> (≅) . . . . .	92	<code>\spadesuit</code> (♠) . . . . .	148
<code>\SmallSquare</code> (◻) . . . . .	146	<code>\smileeqfrown</code> (☹) . . . . .	92	<code>\spadesuit</code> (♠) . . . . .	148
<code>\smallsquare</code> (◻) . . . . .	38	<code>\smileface</code> (☺) . . . . .	192	<code>\spadesuit</code> (♠) . . . . .	148
<code>\smallsquare</code> (◻) . . . . .	38	<code>\smilefrown</code> (☹) . . . . .	57, 93	<code>\spadesuit</code> (♠) . . . . .	148
<code>\smallstar</code> (★) . . . . .	38				
<code>\smallsumint</code> (∫) . . . . .	40				

<code>\Spain</code> (🇪🇸) . . . . .	191	<code>\sqdoublemile</code> (≈) . . . . .	92	<code>\sqsupset</code> (⊃) . . . . .	67
<code>\Sparkle</code> (✨) . . . . .	142	<code>\sqdoublemileeq</code> (≅) . . . . .	92	<code>\sqsupseteq</code> (⊇) . . . . .	65
<code>\SparkleBold</code> (✨) . . . . .	142	<code>\sqeqfrown</code> (⋈) . . . . .	92	<code>\sqsupseteq</code> (⊇) . . . . .	64
sparkles . . . . .	142	<code>\sqeqsmile</code> (⋉) . . . . .	92	<code>\sqsupseteq</code> (⊇) . . . . .	66
“special” characters . . . . .	14	<code>\sqfrown</code> (⋊) . . . . .	92	<code>\sqsupseteq</code> (⊇) . . . . .	65
<code>\SpecialForty</code> (🏆) . . . . .	178	<code>\sqfrowneq</code> (⋋) . . . . .	92	<code>\sqsupseteq</code> (⊇) . . . . .	66
<code>\sPed</code> (👣) . . . . .	160	<code>\sqfrownqsmile</code> (⋌) . . . . .	92	<code>\sqsupseteqq</code> (⊇) . . . . .	65
<code>\sphericalangle</code> (∠) . . . . .	122	<code>\sqfrownsmile</code> (⋍) . . . . .	92	<code>\sqsupseteqq</code> (⊇) . . . . .	66
<code>\sphericalangle</code> (∠) . . . . .	121	<code>\sqiiint</code> (∫∫∫) . . . . .	44	<code>\sqsupseteqq</code> (⊇) . . . . .	65
<code>\sphericalangle</code> (∠) . . . . .	121	<code>\sqiint</code> (∫∫) . . . . .	44	<code>\sqsupsetneq</code> (⊋) . . . . .	65
<code>\sphericalangle</code> (∠) . . . . .	121	<code>\sqiint</code> (∫∫) . . . . .	45	<code>\sqsupsetneq</code> (⊋) . . . . .	66
<code>\sphericalangle</code> (∠) . . . . .	121	<code>\sqint</code> (∫) . . . . .	44	<code>\sqsupsetneq</code> (⊋) . . . . .	65
<code>\sphericalangle</code> (∠) . . . . .	121	<code>\sqint</code> (∫) . . . . .	45	<code>\sqsupsetneq</code> (⊋) . . . . .	66
<code>\sphericalangledown</code> (⤵) . . . . .	121	<code>\sqint</code> (∫) . . . . .	48	<code>\sqsupsetneqq</code> (⊋) . . . . .	65
<code>\sphericalangleleft</code> (⤵) . . . . .	121	<code>\sqintsl</code> (∫) . . . . .	50	<code>\sqsupsetneqq</code> (⊋) . . . . .	66
<code>\sphericalangleup</code> (⤴) . . . . .	121	<code>\sqintup</code> (∫) . . . . .	50	<code>\sqsupsetneqq</code> (⊋) . . . . .	65
<code>\sphericalangleup</code> (⤴) . . . . .	121	<code>\sqlozenge</code> (◊) . . . . .	145	<code>\sqtriplefrown</code> (⋎) . . . . .	92
<code>\spin</code> (↻) . . . . .	135	<code>\sqrt</code> (√) . . . . .	113	<code>\sqtriplesmile</code> (⋏) . . . . .	92
<code>\SpinDown</code> (⬇) . . . . .	146	<code>\sqrt</code> (√) . . . . .	111, 229	<code>\Square</code> (◻) . . . . .	131
<code>\spindown</code> (⬇) . . . . .	135	<code>\sqrt*</code> (√) . . . . .	115	<code>\Square</code> (◻) . . . . .	140
<code>\SpinUp</code> (⬆) . . . . .	146	<code>\sqsmile</code> (⋐) . . . . .	92	<code>\Square</code> (◻) . . . . .	147
spirals . . . . .	206–207	<code>\sqsmileeq</code> (⋑) . . . . .	92	<code>\Square</code> (◻) . . . . .	146
<code>\spirituslenis</code> (◌̇) . . . . .	110	<code>\sqsmileeqfrown</code> (⋒) . . . . .	92	<code>\Square</code> (◻) . . . . .	147
<code>\spirituslenis</code> (◌̇) . . . . .	110	<code>\sqsmilefrown</code> (⋓) . . . . .	92	<code>\Square</code> (◻ vs. ◻ vs. ◻) . . . . .	223
<code>\splitvert</code> (⋮) . . . . .	133	<code>\Sqsubset</code> (⊆) . . . . .	66	<code>\square</code> (◻) . . . . .	33
<code>\Spoon</code> (⚪) . . . . .	192	<code>\Sqsubset</code> (⊆) . . . . .	65	<code>\square</code> (◻) . . . . .	122
spoon symbols . . . . .	91, 93	<code>\sqSubset</code> (⊆) . . . . .	65	<code>\square</code> (◻) . . . . .	144
<code>\spreadlips</code> (👄) . . . . .	23	<code>\sqSubset</code> (⊆) . . . . .	66	<code>\square</code> (◻) . . . . .	39
<code>\Springtree</code> (🌳) . . . . .	193	<code>\sqsubset</code> (⊂) . . . . .	65	<code>\square</code> (◻) . . . . .	184
<code>\sqbullet</code> (▪) . . . . .	33	<code>\sqsubset</code> (⊂) . . . . .	64, 65	<code>\square</code> (◻) . . . . .	38
<code>\Sqcac</code> (◻) . . . . .	35	<code>\sqsubset</code> (⊂) . . . . .	66	<code>\square</code> (◻) . . . . .	146
<code>\Sqcac</code> (◻) . . . . .	36	<code>\sqsubset</code> (⊂) . . . . .	66	square impulse . . . . .	128
<code>\sqcac</code> (◻) . . . . .	33	<code>\sqsubset</code> (⊂) . . . . .	65	square root . . . . .	<i>see</i> <code>\sqrt</code>
<code>\sqcac</code> (◻) . . . . .	31	<code>\sqsubset</code> (⊂) . . . . .	67	hooked . . . . .	<i>see</i> <code>\hksqrt</code>
<code>\sqcac</code> (◻) . . . . .	34	<code>\sqsubseteq</code> (⊆) . . . . .	65	<code>\squarebotblack</code> (◼) . . . . .	145
<code>\sqcac</code> (◻) . . . . .	33	<code>\sqsubseteq</code> (⊆) . . . . .	64	<code>\SquareCastShadowBottomRight</code>	
<code>\sqcac</code> (◻) . . . . .	36	<code>\sqsubseteq</code> (⊆) . . . . .	66	◻ . . . . .	147
<code>\sqcapdot</code> (◻) . . . . .	34	<code>\sqsubseteq</code> (⊆) . . . . .	65	<code>\SquareCastShadowTopLeft</code>	
<code>\sqcapdot</code> (◻) . . . . .	33	<code>\sqsubseteq</code> (⊆) . . . . .	67	◻ . . . . .	147
<code>\sqcapplus</code> (◻) . . . . .	32	<code>\sqsubseteqq</code> (⊆) . . . . .	65	<code>\SquareCastShadowTopRight</code>	
<code>\sqcapplus</code> (◻) . . . . .	34	<code>\sqsubseteqq</code> (⊆) . . . . .	66	◻ . . . . .	147
<code>\sqcapplus</code> (◻) . . . . .	33	<code>\sqsubseteqq</code> (⊆) . . . . .	65	<code>\squarecrossfill</code> (◼) . . . . .	145
<code>\Sqcup</code> (◻) . . . . .	35	<code>\sqsubsetneq</code> (⊋) . . . . .	65	<code>\squaredots</code> (::) . . . . .	118
<code>\Sqcup</code> (◻) . . . . .	36	<code>\sqsubsetneq</code> (⊋) . . . . .	66	<code>\squaredots</code> (::) . . . . .	33, 118
<code>\sqcup</code> (⊃) . . . . .	33	<code>\sqsubsetneq</code> (⊋) . . . . .	65	<code>\squarehfill</code> (◻) . . . . .	145
<code>\sqcup</code> (⊃) . . . . .	30, 31	<code>\sqsubsetneq</code> (⊋) . . . . .	67	<code>\squarehvfill</code> (◻) . . . . .	145
<code>\sqcup</code> (⊃) . . . . .	34	<code>\sqsubsetneqq</code> (⊋) . . . . .	65	<code>\squareleftblack</code> (◼) . . . . .	145
<code>\sqcup</code> (⊃) . . . . .	33	<code>\sqsubsetneqq</code> (⊋) . . . . .	66	<code>\squarellblack</code> (◼) . . . . .	145
<code>\sqcup</code> (⊃) . . . . .	36	<code>\sqsubsetneqq</code> (⊋) . . . . .	65	<code>\squarellquad</code> (◻) . . . . .	145
<code>\sqcupdot</code> (⊃) . . . . .	34	<code>\Sqsupset</code> (⊇) . . . . .	66	<code>\squarelrblack</code> (◼) . . . . .	145
<code>\sqcupdot</code> (⊃) . . . . .	33	<code>\Sqsupset</code> (⊇) . . . . .	65	<code>\squarelrquad</code> (◻) . . . . .	145
<code>\sqcupplus</code> (⊃) . . . . .	32	<code>\sqSupset</code> (⊇) . . . . .	65	<code>\squareneswfill</code> (◼) . . . . .	145
<code>\sqcupplus</code> (⊃) . . . . .	34	<code>\sqSupset</code> (⊇) . . . . .	66	<code>\squarenwsefill</code> (◼) . . . . .	145
<code>\sqcupplus</code> (⊃) . . . . .	33	<code>\sqsupset</code> (⊃) . . . . .	65	<code>\Squarepipe</code> (◻) . . . . .	134
<code>\sqdoublecap</code> (◻) . . . . .	33	<code>\sqsupset</code> (⊃) . . . . .	64, 65	<code>\squarerightblack</code> (◼) . . . . .	145
<code>\sqdoublecup</code> (◻) . . . . .	33	<code>\sqsupset</code> (⊃) . . . . .	66	squares 144–149, 169–174, 183,	
<code>\sqdoublefrown</code> (⋈) . . . . .	92	<code>\sqsupset</code> (⊃) . . . . .	66	184, 200–202, 206–207, 218	
<code>\sqdoublefrowneq</code> (⋉) . . . . .	92	<code>\sqsupset</code> (⊃) . . . . .	65		
























<code>\SquareShadowA</code> (  ) . . . . . 146	<code>\starredbullet</code> ( $\star$ ) . . . . . 143	<code>\staveXIII</code> (  ) . . . . . 187
<code>\SquareShadowB</code> (  ) . . . . . 146	stars 122, 131, 141–146, 200–202	<code>\staveXIII</code> (  ) . . . . . 187
<code>\SquareShadowBottomRight</code> (  ) . . . . . 147	<code>\stater</code> ( $\text{\$}$ ) . . . . . 27	<code>\staveXIV</code> (  ) . . . . . 187
<code>\SquareShadowC</code> (  ) . . . . . 146	<code>\Station</code> (St) . . . . . 131	<code>\staveXIX</code> (  ) . . . . . 187
<code>\SquareShadowTopLeft</code> (  ) 147	statistical independence . . . . . 228	<code>\staveXL</code> (  ) . . . . . 187
<code>\SquareShadowTopRight</code> (  ) . . . . . 147	<code>\staveI</code> (  ) . . . . . 186	<code>\staveXLI</code> (  ) . . . . . 187
<code>\SquareSolid</code> (  ) . . . . . 147	<code>\staveII</code> (  ) . . . . . 186	<code>\staveXLII</code> (  ) . . . . . 187
<code>\Squaresteel</code> (  ) . . . . . 134	<code>\staveIII</code> (  ) . . . . . 186	<code>\staveXLIII</code> (  ) . . . . . 187
<code>\squaretopblack</code> (  ) . . . . . 145	<code>\staveIV</code> (  ) . . . . . 186	<code>\staveXLIV</code> (  ) . . . . . 187
<code>\squareulblack</code> (  ) . . . . . 145	<code>\staveIX</code> (  ) . . . . . 186	<code>\staveXLIX</code> (  ) . . . . . 186
<code>\squareulquad</code> (  ) . . . . . 145	<code>\staveL</code> (  ) . . . . . 186	<code>\staveXLV</code> (  ) . . . . . 187
<code>\squareurblack</code> (  ) . . . . . 145	<code>\staveL</code> (  ) . . . . . 187	<code>\staveXLVI</code> (  ) . . . . . 187
<code>\squareurquad</code> (  ) . . . . . 145	<code>\staveLI</code> (  ) . . . . . 186	<code>\staveXLVII</code> (  ) . . . . . 186
<code>\squarevfill</code> (  ) . . . . . 145	<code>\staveLII</code> (  ) . . . . . 186	<code>\staveXLVIII</code> (  ) . . . . . 186
<code>\squarewithdots</code> (  ) . . . . . 149	<code>\staveLIII</code> (  ) . . . . . 186	<code>\staveXV</code> (  ) . . . . . 187
<code>\squeezer</code> (  ) . . . . . 192	<code>\staveLIV</code> (  ) . . . . . 186	<code>\staveXVI</code> (  ) . . . . . 187
<code>\squeezer</code> (  ) . . . . . 192	<code>\staveLIX</code> (  ) . . . . . 187	<code>\staveXVII</code> (  ) . . . . . 187
<code>\squigarrowdownup</code> (  ) . . . . . 77	<code>\staveLV</code> (  ) . . . . . 186	<code>\staveXVIII</code> (  ) . . . . . 187
<code>\squigarrowleftright</code> (  ) . . . . . 77	<code>\staveLVI</code> (  ) . . . . . 187	<code>\staveXX</code> (  ) . . . . . 187
<code>\squigarrownesw</code> (  ) . . . . . 77	<code>\staveLVII</code> (  ) . . . . . 187	<code>\staveXXI</code> (  ) . . . . . 187
<code>\squigarrownwse</code> (  ) . . . . . 77	<code>\staveLVIII</code> (  ) . . . . . 187	<code>\staveXXII</code> (  ) . . . . . 187
<code>\squigarrowrightleft</code> (  ) . . . . . 77	<code>\staveLX</code> (  ) . . . . . 187	<code>\staveXXIII</code> (  ) . . . . . 187
<code>\squigarrowswne</code> (  ) . . . . . 77	<code>\staveLXI</code> (  ) . . . . . 187	<code>\staveXXIV</code> (  ) . . . . . 186
<code>\squigarrowupdown</code> (  ) . . . . . 77	<code>\staveLXII</code> (  ) . . . . . 187	<code>\staveXXIX</code> (  ) . . . . . 186
<code>\squoval</code> (  ) . . . . . 145	<code>\staveLXIII</code> (  ) . . . . . 187	<code>\staveXXV</code> (  ) . . . . . 186
<code>\sqplus</code> (  ) . . . . . 33	<code>\staveLXIV</code> (  ) . . . . . 187	<code>\staveXXVI</code> (  ) . . . . . 186
<code>\sqplus</code> (  ) . . . . . 35	<code>\staveLXV</code> (  ) . . . . . 187	<code>\staveXXVII</code> (  ) . . . . . 186
<code>\SS</code> (SS) . . . . . 15, 132	<code>\staveLXVI</code> (  ) . . . . . 187	<code>\staveXXVIII</code> (  ) . . . . . 186
<code>\ss</code> (ß) . . . . . 15	<code>\staveLXVII</code> (  ) . . . . . 187	<code>\staveXXX</code> (  ) . . . . . 186
<code>\ssdtstile</code> (  ) . . . . . 63	<code>\staveLXVIII</code> (  ) . . . . . 187	<code>\staveXXXI</code> (  ) . . . . . 186
<code>\ssearrow</code> ( $\backslash$ ) . . . . . 76	<code>\staveLXIX</code> (  ) . . . . . 187	<code>\staveXXXII</code> (  ) . . . . . 186
<code>\ssearrow</code> ( $\backslash$ ) . . . . . 86	<code>\staveLXX</code> (  ) . . . . . 187	<code>\staveXXXIII</code> (  ) . . . . . 187
<code>\sslash</code> ( $//$ ) . . . . . 32	<code>\staveLXXI</code> (  ) . . . . . 187	<code>\staveXXXIV</code> (  ) . . . . . 187
<code>\sslash</code> ( $//$ ) . . . . . 35	<code>\staveLXXII</code> (  ) . . . . . 187	<code>\staveXXXIX</code> (  ) . . . . . 187
<code>\sslash</code> ( $//$ ) . . . . . 36	<code>\staveLXXIII</code> (  ) . . . . . 187	<code>\staveXXXV</code> (  ) . . . . . 187
<code>\ssststile</code> (  ) . . . . . 63	<code>\staveLXXIV</code> (  ) . . . . . 187	<code>\staveXXXVI</code> (  ) . . . . . 187
<code>\sststile</code> (  ) . . . . . 63	<code>\staveLXXV</code> (  ) . . . . . 187	<code>\staveXXXVII</code> (  ) . . . . . 187
<code>\ssttstile</code> (  ) . . . . . 63	<code>\staveLXXVI</code> (  ) . . . . . 187	<code>\staveXXXVIII</code> (  ) . . . . . 187
<code>\sswarrow</code> ( $\swarrow$ ) . . . . . 76	<code>\staveLXXVII</code> (  ) . . . . . 187	
<code>\sswarrow</code> ( $\swarrow$ ) . . . . . 86	<code>\staveLXXVIII</code> (  ) . . . . . 187	
<code>\staccatissimo</code> ( $\text{\r}$ ) . . . . . 164	staves . . . . . 186	
<code>\stackrelrel</code> . . . . . 30, 226, 230, 231	staves (package) . . . . . 186, 243	
standard state . . . . . 227	<code>\staveV</code> (  ) . . . . . 186	
<code>\star</code> ( $\star$ ) . . . . . 31, 230	<code>\staveVI</code> (  ) . . . . . 186	
<code>\star</code> ( $\star$ ) . . . . . 39, 144	<code>\staveVII</code> (  ) . . . . . 186	
<code>\star</code> ( $\star$ ) . . . . . 39	<code>\staveVIII</code> (  ) . . . . . 186	
<code>\star</code> ( $\star$ ) . . . . . 38	<code>\staveX</code> (  ) . . . . . 187	
<code>\star</code> ( $\star$ ) . . . . . 40	<code>\staveXI</code> (  ) . . . . . 187	
Star of David . . . . . 141, 142		
<code>\stareq</code> ( $\hat{=}$ ) . . . . . 57		
<code>\stareq</code> ( $\hat{=}$ ) . . . . . 60		
starfont (package) 131, 243, 244		
<code>\starofdavid</code> ( $\star$ ) . . . . . 144		








<code>\stdtstile</code> (  )	62	<code>\sublptr</code> (  )	23	<code>\succapprox</code> (  )	59
<code>\steaming</code> (  )	192	<code>\submult</code> (  )	66	<code>\succapprox</code> (  )	57
<code>steinmetz</code> (package)	129, 243, 244	<code>\subrarr</code> (  )	66	<code>\succapprox</code> (  )	54
Steinmetz phasor notation	129	<code>\subrptr</code> (  )	23	<code>\succapprox</code> (  )	61
sterling	<i>see</i> <code>\pounds</code>	subscripts		<code>\succcurlyeq</code> (  )	53
stick figures	150, 193, 213–217	new symbols used in	228	<code>\succcurlyeq</code> (  )	52
<code>\Stigma</code> ( $\zeta$ )	156	<code>\Subset</code> (  )	65	<code>\succcurlyeq</code> (  )	59
<code>\Stigma</code> ( $\Gamma$ )	156	<code>\Subset</code> (  )	64	<code>\succcurlyeq</code> (  )	57
<code>\stigma</code> ( $\zeta$ )	156	<code>\Subset</code> (  )	66	<code>\succcurlyeq</code> (  )	54
<code>\stigma</code> ( $\tau$ )	156	<code>\Subset</code> (  )	66	<code>\succcurlyeq</code> (  )	61
<code>stix</code> (package)	36, 40, 41, 48, 49, 60–62, 66, 71, 72, 74, 87, 89–91, 94, 98–100, 102, 106, 110, 113, 118, 120, 121, 124, 130, 132, 134, 145, 146, 148, 159, 180, 243, 244	<code>\Subset</code> (  )	65	<code>\sucddot</code> ( $\succ$ )	53
<code>stmaryrd</code> (package)	32, 42, 52, 65, 72, 76, 94, 101, 103, 223, 227, 242, 243	<code>\subset</code> ( $\subset$ )	65	<code>\succeq</code> ( $\succ$ )	51
stochastic independence	<i>see</i> <code>\bot</code>	<code>\subset</code> ( $\subset$ )	64	<code>\succeq</code> ( $\succ$ )	57
<code>\StoneMan</code> (  )	179	<code>\subset</code> ( $\subset$ )	64	<code>\succeq</code> ( $\succ$ )	54
<code>\Stopsign</code> (  )	134	<code>\subset</code> ( $\subset$ )	66	<code>\succeqq</code> ( $\succ$ )	61
<code>\StopWatchEnd</code> (  )	179	<code>\subsetapprox</code> (  )	66	<code>\succeqq</code> ( $\succ$ )	53
<code>\StopWatchStart</code> (  )	179	<code>\subsetcirc</code> (  )	66	<code>\succeqq</code> ( $\succ$ )	57
<code>\stress</code> ( $\acute{\text{a}}$ )	25	<code>\subsetdot</code> ( $\subset$ )	66	<code>\succeqq</code> ( $\succ$ )	61
<code>\Strichmaxerl</code> ( $\text{\textcircled{R}}$ )	193	<code>\subseteq</code> ( $\subseteq$ )	65	<code>\succeqq</code> ( $\succ$ )	58
<code>\strictfi</code> ( $\varepsilon$ )	53	<code>\subseteq</code> ( $\subseteq$ )	64	<code>\succeqq</code> ( $\succ$ )	56
<code>\strictfi</code> ( $\varepsilon$ )	59	<code>\subseteq</code> ( $\subseteq$ )	66	<code>\succeqq</code> ( $\succ$ )	61
<code>\strictif</code> ( $\rightarrow$ )	53	<code>\subseteq</code> ( $\subseteq$ )	65	<code>\succeqq</code> ( $\succ$ )	54
<code>\strictif</code> ( $\rightarrow$ )	59	<code>\subseteq</code> ( $\subseteq$ )	66	<code>\succeqq</code> ( $\succ$ )	52
<code>\strictiff</code> ( $\varepsilon\rightarrow$ )	53	<code>\subseteq</code> ( $\subseteq$ )	65	<code>\succeqq</code> ( $\succ$ )	59
<code>\StrikingThrough</code> ( $\text{\textcircled{A}}$ )	25	<code>\subseteq</code> ( $\subseteq$ )	66	<code>\succeqq</code> ( $\succ$ )	58
<code>\strns</code> ( $\text{\textcircled{A}}$ )	124	<code>\subseteq</code> ( $\subseteq$ )	65	<code>\succeqq</code> ( $\succ$ )	56
<code>\strokedint</code> ( $f$ )	46	<code>\subseteq</code> ( $\subseteq$ )	66	<code>\succeqq</code> ( $\succ$ )	61
<code>\StrokeFive</code> (  )	179	<code>\subseteq</code> ( $\subseteq$ )	65	<code>\succeqq</code> ( $\succ$ )	53
<code>\StrokeFour</code> (  )	179	<code>\subseteq</code> ( $\subseteq$ )	64	<code>\succeqq</code> ( $\succ$ )	59
<code>\StrokeOne</code> ( $\text{\textcircled{A}}$ )	179	<code>\subseteq</code> ( $\subseteq$ )	66	<code>\succeqq</code> ( $\succ$ )	58
<code>\StrokeThree</code> (  )	179	<code>\subseteq</code> ( $\subseteq$ )	65	<code>\succeqq</code> ( $\succ$ )	61
<code>\stroketthrough</code> ( $\text{\textcircled{A}}$ )	110	<code>\subseteq</code> ( $\subseteq$ )	66	<code>\succeqq</code> ( $\succ$ )	54
<code>\StrokeTwo</code> (  )	179	<code>\subseteq</code> ( $\subseteq$ )	65	<code>\succeqq</code> ( $\succ$ )	52
<code>\stst</code> ( $\text{\textcircled{A}}$ )	227	<code>\subseteq</code> ( $\subseteq$ )	64	<code>\succeqq</code> ( $\succ$ )	59
<code>\stststile</code> (  )	62	<code>\subseteq</code> ( $\subseteq$ )	66	<code>\succeqq</code> ( $\succ$ )	57
<code>\sttstile</code> (  )	62	<code>\subseteq</code> ( $\subseteq$ )	65	<code>\succeqq</code> ( $\succ$ )	54
<code>\stttstile</code> (  )	62	<code>\subseteq</code> ( $\subseteq$ )	66	<code>\succeqq</code> ( $\succ$ )	61
<code>\STX</code> (  )	133	<code>\subsetplus</code> ( $\oplus$ )	65	<code>\succeqq</code> ( $\succ$ )	53
<code>.sty</code> files	12	<code>\subsetplus</code> ( $\oplus$ )	66	<code>\succeqq</code> ( $\succ$ )	52
<code>\SUB</code> ( $\rightarrow$ )	133	<code>\subsetplus</code> ( $\oplus$ )	66	<code>\succeqq</code> ( $\succ$ )	59
subatomic particles	135	<code>\subsetplus</code> ( $\oplus$ )	65	<code>\succeqq</code> ( $\succ$ )	57
<code>\subcorner</code> (  )	23	<code>\subsetplus</code> ( $\oplus$ )	66	<code>\succeqq</code> ( $\succ$ )	54
<code>\subdoublebar</code> (  )	23	<code>\subsetplus</code> ( $\oplus$ )	65	<code>\succeqq</code> ( $\succ$ )	60
<code>\subdoublevert</code> (  )	23	<code>\subsetplus</code> ( $\oplus$ )	66	<code>\succapprox</code> (  )	53
<code>\subedot</code> ( $\text{\textcircled{A}}$ )	66	<code>\subsets</code>	64–67	<code>\succapprox</code> (  )	52
		<code>\subsimeq</code> ( $\subseteq$ )	67		
		<code>\subsub</code> ( $\subseteq$ )	67		
		<code>\subsup</code> ( $\supseteq$ )	67		
		<code>\Succ</code> ( $\succ$ )	61		
		<code>\succ</code> ( $\succ$ )	51		
		<code>\succ</code> ( $\succ$ )	57		
		<code>\succ</code> ( $\succ$ )	54		
		<code>\succ</code> ( $\succ$ )	60		
		<code>\succapprox</code> (  )	53		
		<code>\succapprox</code> (  )	52		
		<code>\sum</code> ( $\sum$ )	41		
		<code>\sum</code> ( $\sum$ )	47		
		<code>\sum</code> ( $\sum$ )	46		
		<code>\sum</code> ( $\sum$ )	48		
		<code>\sumint</code> ( $\int$ )	47		
		<code>\sumint</code> ( $\int$ )	46		
		<code>\sumint</code> ( $\int$ )	48		
		<code>\sumintsl</code> ( $\int$ )	49		
		<code>\sumintup</code> ( $\int$ )	49		
		<code>\Summertree</code> (  )	193		
		<code>\Summit</code> (  )	179		
		<code>\SummitSign</code> (  )	179		
		<code>\Sun</code> ( $\odot$ )	130		
		<code>such that</code>	226, 227		
		<code>\suchthat</code> ( $\Rightarrow$ )	227		

<code>\Sun</code> (☉) .....	131	<code>\supsetplus</code> (⊃) .....	65	<code>\symA</code> (A) .....	126
<code>\Sun</code> (☼) .....	129	<code>\supsetplus</code> (⊃) .....	66	<code>\symAE</code> (Æ) .....	127
<code>\Sun</code> (☼) .....	179	<code>\supsetplus</code> (⊃) .....	66	<code>\symB</code> (B) .....	126
<code>\Sun</code> (☉ vs. ☼ vs. ☉) .....	223	<code>\supsetpluseq</code> (⊃) .....	65	<code>\symbishop</code> (♁) .....	183
<code>sun</code> ...	129–131, 149, 177, 179, 193–194, 220, 223	<code>\supsetpluseq</code> (⊃) .....	66	Symbol (font) .....	97, 225
<code>\sun</code> (☼) .....	130	<code>\supsim</code> (⌢) .....	66	symbols .....	14–150, 159–200, 202, 219, 220, 222, 224, 231, 236–237, 239
<code>\sun</code> (☼) .....	177	<code>\supsub</code> (⊆) .....	66	actuarial .....	115, 231
<code>\SunCloud</code> (☼) .....	179	<code>\supsup</code> (⊆) .....	67	alpine .....	179
<code>\SunshineOpenCircled</code> (☼) .....	149	<code>\surd</code> (√) .....	122	ancient language .....	150–159
<code>\sup</code> (sup) .....	94	<code>\surface</code> (φ) .....	135	annuity .....	115, 231
<code>\supdsub</code> (⊃) .....	67	<code>\SurveySign</code> (Δ) .....	179	APL ....	60–61, 131, 132
<code>\supedot</code> (⊆) .....	67	<code>svrsymbols</code> (package) ..	135, 243, 244	astrological ....	129–131, 202–205
superscripts		<code>\Swarrow</code> (↘) .....	76	astronomical .....	129–131, 187, 202–205
new symbols used in ..	228	<code>\Swarrow</code> (↘) .....	86	Begriffsschrift .....	119
supersets .....	64–67	<code>\Swarrow</code> (↘) .....	81	biological .....	134
<code>\suphsol</code> (⊃) .....	67	<code>\Swarrow</code> (↘) .....	77	block-element .....	186
<code>\suphsub</code> (⊃) .....	66	<code>\Swarrow</code> (↘) .....	88	body-text .....	14–29
<code>\suplarr</code> (⊃) .....	66	<code>\swarrow</code> (↙) .....	76	bold .....	236–237
<code>\supmult</code> (⊃) .....	66	<code>\swarrow</code> (↙) .....	75, 229	box-drawing .....	186
<code>\supremum</code> .....	<i>see</i> <code>\sup</code>	<code>\swarrow</code> (↙) .....	81	chess ..	182, 183, 220–222
<code>\Supset</code> (⊃) .....	65	<code>\swarrow</code> (↙) .....	77	cipher .....	187
<code>\Supset</code> (⊃) .....	64	<code>\swarrow</code> (↙) .....	88	clock ..	177–180, 193–194
<code>\Supset</code> (⊃) .....	66	<code>\swarrowtail</code> (↙) .....	81	communication .....	134
<code>\Supset</code> (⊃) .....	66	<code>\swarrowtail</code> (↙) .....	77	computer .....	195–198
<code>\Supset</code> (⊃) .....	65	<code>\swbkarrow</code> (↙) .....	81	computer hardware ..	132
<code>\Supset</code> (⊃) .....	66	<code>\Sweden</code> (♁) .....	191	contradiction .....	30, 93
<code>\supset</code> (⊃) .....	65	<code>\swfilledspoon</code> (↙) .....	91	cooking ....	192, 195–198
<code>\supset</code> (⊃) .....	64	<code>\swfootline</code> (↙) .....	54	countries .....	190
<code>\supset</code> (⊃) .....	66	<code>\swfree</code> (↙) .....	54	crystallography .....	218
<code>\supset</code> (⊃) .....	65	<code>\sharpoonccw</code> (↙) .....	80	currency ..	26, 27, 124, 127
<code>\supset</code> (⊃) .....	66	<code>\sharpooncw</code> (↙) .....	80	dangerous bend .....	177
<code>\supsetapprox</code> (⊃) .....	66	<code>\sharpoonnw</code> (↙) .....	85	database .....	124
<code>\supsetcirc</code> (⊃) .....	66	<code>\sharpoonse</code> (↙) .....	85	definition .....	30, 231
<code>\supsetdot</code> (⊃) .....	66	<code>\Switzerland</code> (♁) .....	191	dictionary ....	17–20, 185
<code>\supseteq</code> (⊃) .....	65	<code>\swlcurvearrow</code> (↙) .....	82	dingbat .....	136–149
<code>\supseteq</code> (⊃) .....	64	<code>\swlsquigarrow</code> (↙) .....	77	dot ....	14, 117–119, 230
<code>\supseteq</code> (⊃) .....	66	<code>\swmapsto</code> (↙) .....	77	electrical .....	128
<code>\supseteq</code> (⊃) .....	65	<code>\swModels</code> (↘) .....	54	engineering ..	124, 128, 134
<code>\supseteq</code> (⊃) .....	66	<code>\swmodels</code> (↘) .....	55	Epi-Olmec .....	157–158
<code>\supseteqq</code> (⊃) .....	65	<code>\swnearrows</code> (↘) .....	81	extensible ..	91, 111–117, 129, 224, 230–232
<code>\supseteqq</code> (⊃) .....	64	<code>\swnearrows</code> (↘) .....	78	Feynman diagram ....	135
<code>\supseteqq</code> (⊃) .....	66	<code>\swnearrowarrow</code> (↘) .....	82	file .....	195–198
<code>\supseteqq</code> (⊃) .....	66	<code>\swneharpoons</code> (↘) .....	85	Frege logic ..	91, 101, 119, 120, 124
<code>\supseteqq</code> (⊃) .....	65	<code>\swneharpoons</code> (↘) .....	80	frown .....	92, 93
<code>\supseteqq</code> (⊃) .....	66	swords .....	178	game-related ..	148, 179, 180, 182–184, 195–198, 219–222
<code>\supsetneq</code> (⊃) .....	65	<code>\swords</code> (X) .....	192	gates, digital logic ..	133
<code>\supsetneq</code> (⊃) .....	64	<code>\swpitchfork</code> (↘) .....	92	genealogical .....	177
<code>\supsetneq</code> (⊃) .....	66	<code>\swrcurvearrow</code> (↘) .....	83	general .....	177
<code>\supsetneq</code> (⊃) .....	66	<code>\swrsquigarrow</code> (↘) .....	78	Go stones .....	183, 184
<code>\supsetneq</code> (⊃) .....	65	<code>\swspoon</code> (↘) .....	91	information .....	178
<code>\supsetneq</code> (⊃) .....	66	<code>\swswarrows</code> (↘) .....	81	informer .....	182
<code>\supsetneq</code> (⊃) .....	65	<code>\swswarrows</code> (↘) .....	78		
<code>\supsetneqq</code> (⊃) .....	65	<code>swung dash</code> .....	<i>see</i> <code>\sim</code>		
<code>\supsetneqq</code> (⊃) .....	64	<code>\swVdash</code> (↘) .....	55		
<code>\supsetneqq</code> (⊃) .....	66	<code>\swvdash</code> (↘) .....	55		
<code>\supsetneqq</code> (⊃) .....	66	<code>\syl</code> (♁) .....	23		
<code>\supsetneqq</code> (⊃) .....	65	<code>\syllabic</code> (.) .....	25		
<code>\supsetneqq</code> (⊃) .....	66				

inverted	17–20, 24, 225–226
Isthmian	157–158
keyboard	132
knitting	189
Knuth’s	177
laundry	178
legal	14, 15, 27, 28, 239
letter-like	99–101, 195–198
life insurance	115, 231
linear logic	30–32, 37, 38, 41, 46–47, 51, 64, 99, 100
linguistic	17–20
log-like	94, 95, 236
logic	133
<i>Magic: The Gathering</i>	220
magical signs	186
map	200–202
maps	190
mathematical	30–127
media control	178, 195–198
METAFONTbook	177
metrical	184, 185
miscellaneous	122, 123, 125, 149, 177–194, 199
monetary	26, 27, 127
musical	28, 159–176, 193–198
non-commutative division	117
particle physics	135
Phaistos disk	150
phonetic	17–20
physical	128
pitchfork	52, 92, 93, 122
Pitman’s base 12	120, 181
present value	115, 231
proto-Semitic	150
pulse diagram	128
recycling	188, 192–198, 200
relational	51
relational database	124
reversed	225–226
rotated	17–20, 24, 225–226
safety-related	134
scientific	128–135, 218
semaphore	216–217
Simpsons characters	185
smile	92, 93
Soyombo	189
spoon	91, 93
staves	186
subset and superset	64–67
technological	128–135
TeXbook	177
transliteration	20
upside-down	17–20, 24, 225–226, 238
variable-sized	41–51, 222, 224
weather	179, 193–194
Web	195–198
yin-yang	178, 192–194, 206–207
zodiacal	129–131, 202–205
symbols.tex (file)	222, 242, 243
<code>\symC</code> (C)	126
<code>\symking</code> (♔)	183
<code>\symknight</code> (♞)	183
<code>\symOE</code> (ö)	127
<code>\sympawn</code> (♜)	183
<code>\symqueen</code> (♚)	183
<code>\symrook</code> (♝)	183
<code>\symUE</code> (ü)	127
<code>\SYN</code> (–)	133
<b>T</b>	
<code>\T</code>	16
<code>\T</code> (■)	24
<code>\T</code> (⊗)	184
<code>\t</code> (■)	21
<code>\t</code> (⊗)	184
t4phonet (package)	20, 24, 243
<code>\Tab</code> (↔)	132
<code>\tabcolsep</code>	226
tacks	51, 99
<code>\taild</code> (d)	19
<code>\tailinvr</code> (ı)	19
<code>\taill</code> (l)	19
<code>\tailn</code> (n)	19
<code>\tailr</code> (r)	19
<code>\tails</code> (s)	19
<code>\tailt</code> (t)	19
<code>\tailz</code> (z)	19
<code>\Takt</code>	161
<code>\talloblong</code> (  )	32
<code>\talloblong</code> (  )	39
<code>\talloblong</code> (  )	40
<code>\tally</code> (  L U □ N X)	181
tally markers	154, 179, 181
<code>\tan</code> (tan)	94
<code>\tanh</code> (tanh)	94
<code>\Tape</code> (♯)	149
<code>\Taschenuhr</code> (🕒)	179
Tate-Shafarevich group	<i>see sha</i>
<code>\Tau</code> (T)	96
<code>\tau</code> (τ)	96
<code>\Taurus</code> (♉)	130
<code>\Taurus</code> (♉)	131
<code>\Taurus</code> (♉)	129
<code>\taurus</code> (♉)	129
tautology	<i>see \top</i>
<code>\tauup</code> (τ)	97
<code>\tccentigrade</code> (°C)	119
<code>\tcmu</code> (μ)	119
<code>\tcohm</code> (Ω)	119
<code>\tcpertousand</code> (‰)	119
<code>\tcporthousand</code> (‰)	119
<code>\td</code> (■)	23
<code>\tddtstile</code> (   )	62
<code>\tdststile</code> (   )	63
<code>\tdtstile</code> (   )	63
<code>\tdttstile</code> (   )	63
technological symbols	128–135
<code>\Telefon</code> (☎)	134
<code>\Telephone</code> (☎)	179
<code>\Telephone</code> (☎)	188
Tennent, Bob	30
tensor product	<i>see \otimes</i>
<code>\Tent</code> (▲)	179
<code>\tenuto</code> (–)	164
<code>\Terminus</code> (⊗)	184
<code>\terminus</code> (⊗)	184
<code>\Terminus*</code> (⊕)	184
<code>\terminus*</code> (⊕)	184
<code>\Terra</code> (⊕)	131
<code>\tesh</code> (ʃ)	19
testfont.dvi (file)	234
testfont.tex (file)	234, 235
<code>\tetartemorion</code> (⊃)	27
teubner (package)	27, 119, 156, 185, 243, 244
TeX	12, 73, 74, 91, 118, 129, 186, 222, 225–232, 234–236, 238, 240, 241, 245
.tex files	240, 241
TeXbook, The	226–231, 235
symbols from	177
<code>\text</code>	30, 228, 229
<code>\textacutedbl</code> (")	25
<code>\textacutemacron</code> (̄)	21
<code>\textacutewedge</code> (̸)	21
<code>\textadvancing</code> (⏏)	21
<code>\textAlpha</code> (A)	16
<code>\textalpha</code> (α)	16
<code>\textaoilig</code> (æ)	18
<code>\textasciicircum</code> (˘)	25, 239
<code>\textasciibreve</code> (˘)	25
<code>\textasciicaron</code> (ˇ)	25
<code>\textasciicircum</code>	14
<code>\textasciicircum</code> (^)	14, 238, 240
<code>\textasciidieresis</code> (¨)	25, 239
<code>\textasciigrave</code> (˘)	25
<code>\textasciimacron</code>	238
<code>\textasciimacron</code> (˘)	25, 239
<code>\textasciitilde</code>	14
<code>\textasciitilde</code> (˜)	14, 238, 240
<code>\textasteriskcentered</code> (*)	14
<code>\textasteriskcentered</code> (*)	14
<code>\textbabygamma</code> (ɣ)	17
<code>\textbackslash</code>	14
<code>\textbackslash</code> (\)	237, 238
<code>\textbaht</code> (฿)	26

<code>\textbar</code> .....	14	<code>\textcrd</code> (đ) .....	17	<code>\textdoublevertline</code> (  ) .	18
<code>\textbar</code> (l) .....	237, 238	<code>\textcrg</code> (g) .....	17	<code>\textdownarrow</code> (↓) .....	75
<code>\textbarb</code> (b) .....	17	<code>\textcrh</code> (h) .....	20	<code>\textdownfullarrow</code> (⇓) ..	19
<code>\textbarc</code> (c) .....	17	<code>\textcrh</code> (h) .....	17	<code>\textdownstep</code> (⤵) .....	18
<code>\textbard</code> (d) .....	17	<code>\textcrinvglotstop</code> (š) ..	17	<code>\textdyoghlig</code> (đ) .....	18
<code>\textbardbl</code> (  ) .....	14	<code>\textcrlambda</code> (λ) .....	17	<code>\textdzlig</code> (đz) .....	18
<code>\textbardbl</code> (  ) .....	14	<code>\textcrtwo</code> (2) .....	17	<code>\texteightoldstyle</code> (8) ..	28
<code>\textbardotlessj</code> (j) ....	17	<code>\textctc</code> (c) .....	17	<code>\textellipsis</code> .....	14
<code>\textbarg</code> (g) .....	17	<code>\textctd</code> (d) .....	18	<code>\textemdash</code> .....	14
<code>\textbarglotstop</code> (ʔ) ....	17	<code>\textctdctzlig</code> (đz) .....	18	<code>\textendash</code> .....	14
<code>\textbari</code> (i) .....	17	<code>\textctesh</code> (f) .....	18	<code>\textEpsilon</code> (E) .....	16
<code>\textbarl</code> (l) .....	17	<code>\textctinvglotstop</code> (š) ..	18	<code>\textepsilon</code> (ε) .....	20
<code>\textbaro</code> (o) .....	17	<code>\textctj</code> (j) .....	18	<code>\textepsilon</code> (ε) .....	16, 18
<code>\textbarrevglotstop</code> (ʔ) .	17	<code>\textctjvar</code> (j) .....	18	<code>\textesh</code> (f) .....	20
<code>\textbaru</code> (u) .....	17	<code>\textctn</code> (n) .....	18	<code>\textesh</code> (f) .....	18
<code>\textbeltl</code> (t) .....	17	<code>\textctstretchc</code> (ĸ) .....	18	<code>\textestimated</code> (E) .....	28
<code>\textbentailyogh</code> (z) ...	18	<code>\textctstretchcvar</code> (ĸ) ..	18	<code>\textEta</code> (H) .....	16
<code>\textBeta</code> (B) .....	16	<code>\textctt</code> (t) .....	18	<code>\texteta</code> (η) .....	16
<code>\textbeta</code> (β) .....	16, 17	<code>\textcttctclig</code> (t̸) .....	18	<code>\texteuro</code> (€) .....	27
<code>\textbigcircle</code> (○) .....	14	<code>\textctturnt</code> (t) .....	18	<code>\texteuro</code> (€) .....	26
<code>\textbigcircle</code> (○) .....	14	<code>\textctyogh</code> (š) .....	18	<code>\texteuro</code> (€) .....	26, 240
<code>\textbktildegamma</code> (γ) ....	18	<code>\textctz</code> (z) .....	18	<code>\textexclamdown</code> .....	14
<code>\textblank</code> (b) .....	28	<code>\textctz</code> (z) .....	18	<code>\textfallrise</code> (↗) .....	22
<code>\textblock</code> (■) .....	186	<code>\textctz</code> (z) .....	18	<code>\textfemale</code> (♀) .....	19
<code>\textborn</code> (★) .....	177	<code>\textcurrency</code> (¤) ...	26, 239	<code>\textfishhookr</code> (r) .....	18
<code>\textbottomtiebar</code> (⚭) ...	21	<code>\textcyr</code> .....	155	<code>\textfiveoldstyle</code> (5) ...	28
<code>\textbraceleft</code> .....	14	<code>\textdagger</code> (†) .....	14	<code>\textfjlig</code> (fj) .....	20
<code>\textbraceright</code> .....	14	<code>\textdagger</code> (†) .....	14	<code>\textflorin</code> (f) .....	26
<code>\textbrevemacron</code> (ǎ) ....	21	<code>\textdaggerdbl</code> (‡) .....	14	<code>\textfouroldstyle</code> (4) ...	28
<code>\textbrokenbar</code> ( ) ...	28, 239	<code>\textdaggerdbl</code> (‡) .....	14	<code>\textfractionsolidus</code> (/) .	124
<code>\textbullet</code> (•) .....	14	<code>\textdbend</code> (⤵) .....	177	<code>\textfrak</code> .....	126
<code>\textbullet</code> (•) .....	14, 240	<code>\textdblhyphen</code> (=) .....	28	<code>\textfrbarn</code> (n) .....	19
<code>\textbullseye</code> (⊙) .....	17	<code>\textdblhyphenchar</code> (=) ...	28	<code>\textfrhookd</code> (d) .....	19
<code>\textcelsius</code> (°C) ...	128, 241	<code>\textdblig</code> (db) .....	18	<code>\textfrhookdvar</code> (d) .....	19
<code>\textcentpal</code> (°) .....	17	<code>\textdctzlig</code> (đz) .....	18	<code>\textfrhookt</code> (t) .....	19
<code>\textcent</code> (c) .....	26, 239	<code>\textdegree</code> (°) ...	124, 239	<code>\textfrtailgamma</code> (γ) ....	19
<code>\textcentoldstyle</code> (c) ...	26	<code>\textDelta</code> (Δ) .....	16	<code>\textg</code> (g) .....	18
<code>\textChi</code> (X) .....	16	<code>\textdelta</code> (δ) .....	16	<code>\textGamma</code> (Γ) .....	16
<code>\textchi</code> (χ) .....	16, 17	<code>\textdied</code> (†) .....	177	<code>\textgamma</code> (γ) .....	16, 18
<code>\textcircled</code> (⊙) .....	21	<code>\textdiscount</code> (%) .....	28	<code>\textglobfall</code> (↘) .....	18
<code>\textcircledP</code> .....	27	<code>\textdiv</code> (÷) .....	124	<code>\textglobrise</code> (↗) .....	18
<code>\textcircledP</code> (P) .....	27	<code>\textdivorced</code> (⊘) .....	177	<code>\textglotstop</code> (ʔ) .....	17
<code>\textcircumacute</code> (á) ....	21	<code>\textdkshade</code> (■) .....	186	<code>\textglotstopvari</code> (ʔ) ...	19
<code>\textcircumdot</code> (â) .....	21	<code>\textdnblock</code> (■) .....	186	<code>\textglotstopvarii</code> (ʔ) ..	19
<code>\textcloseepsilon</code> (ε) ...	17	<code>\textdollar</code> (\$) .....	14	<code>\textglotstopvariii</code> (ʔ) .	19
<code>\textcloseomega</code> (ω) .....	17	<code>\textdollar</code> (\$) .....	14, 26	<code>\textgoth</code> .....	126
<code>\textcloserevepsilon</code> (ε) .	17	<code>\textdollaroldstyle</code> (\$̄) ...	26	<code>\textgravecircum</code> (˘) ....	22
<code>\textcolonmonetary</code> (℄) ..	26	<code>\textdong</code> (₫) .....	26	<code>\textgravedbl</code> (˝) .....	25
<code>\textcommatailz</code> (z) ....	17	<code>\textdotacute</code> (đ) .....	21	<code>\textgravedot</code> (˙) .....	22
<code>textcomp</code> (package) .	12, 14, 15, 21, 25–28, 75, 109, 124, 128, 159, 177, 222, 238, 240, 243	<code>\textdotbreve</code> (đ) .....	21	<code>\textgravemacron</code> (˘) ....	22
<code>\textcopyleft</code> .....	27	<code>\textdoublebaresh</code> (š) ...	18	<code>\textgravemid</code> (˘) .....	22
<code>\textcopyleft</code> (©) .....	27	<code>\textdoublebarpipe</code> (‡) ..	18	<code>\textgravemid</code> (˘) .....	22
<code>\textcopyright</code> (©) ...	14, 27	<code>\textdoublebarpipevar</code> (‡) 18		<code>\textgreater</code> .....	14
<code>\textcopyright</code> (©) 14, 27, 239		<code>\textdoublebarslash</code> (≠) .	18	<code>\textgreater</code> (>) ...	237, 238
<code>\textcorner</code> (ˆ) .....	17	<code>\textdoublegrave</code> (˘) ....	21	<code>textgreek</code> (package) 16, 97, 243, 244	
<code>\textcrlb</code> (b) .....	17	<code>\textdoublegrave</code> (˘) ....	24	<code>\textgrgamma</code> (γ) .....	19
<code>\textcrd</code> (đ) .....	20	<code>\textdoublepipe</code> (  ) .....	18	<code>\textguarani</code> (G) .....	26
		<code>\textdoublepipevar</code> (  ) ..	18	<code>\texthalflength</code> (ˆ) .....	17
		<code>\textdoublevbaraccent</code> (⸰) 21		<code>\texthardsign</code> (̈) .....	17
		<code>\textdoublevbaraccent</code> (⸰) 24			

<code>\textheng</code> (h) .....	19	<code>\textkmit{@}</code> (●) .....	189	<code>\textlhbend</code> (  ) .....	177
<code>\texthighrise</code> (  ) .....	22	<code>\textkmit{[}</code> (↗) .....	189	<code>\textlhookfour</code> (4) .....	18
<code>\texthmlig</code> (hm) .....	19	<code>\textkmit{]}</code> (↖) .....	189	<code>\textlhookp</code> (p) .....	18
<code>\texthooktop</code> (°) .....	17	<code>\textkmit{A}</code> (Λ) .....	189	<code>\textlhookt</code> (t) .....	17
<code>\texthtb</code> (b) .....	20	<code>\textkmit{a}</code> (λ) .....	189	<code>\textlhti</code> (ι) .....	18
<code>\texthtb</code> (β) .....	17	<code>\textkmit{B}</code> (  ) .....	189	<code>\textlhtlongi</code> (ι) .....	17
<code>\texthtbardotlessj</code> (f) ...	17	<code>\textkmit{b}</code> (δ) .....	189	<code>\textlhtlongy</code> (υ) .....	17
<code>\texthtbardotlessjvar</code> (f) ..	18	<code>\textkmit{E}</code> (∇) .....	189	<code>\textlinb</code> .....	154, 155
<code>\texthtc</code> (t) .....	20	<code>\textkmit{F}</code> (  ) .....	189	<code>\textlira</code> (£) .....	26
<code>\texthtc</code> (c') .....	17	<code>\textkmit{f}</code> (∩) .....	189	<code>\textlnot</code> (¬) .....	124, 239
<code>\texthtd</code> (d') .....	20	<code>\textkmit{H}</code> (↑) .....	189	<code>\textlonglegr</code> (r) .....	17
<code>\texthtd</code> (d) .....	17	<code>\textkmit{h}</code> (↓) .....	189	<code>\textlooptoprevesh</code> (l) ...	18
<code>\texthtg</code> (g) .....	17	<code>\textkmit{I}</code> (  ) .....	189	<code>\textlowering</code> (  ) .....	22
<code>\texthth</code> (h) .....	17	<code>\textkmit{i}</code> (↗) .....	189	<code>\textlowrise</code> (  ) .....	22
<code>\texththeng</code> (hj) .....	17	<code>\textkmit{J}</code> (  ) .....	189	<code>\textlptr</code> (°) .....	17
<code>\texthtk</code> (k) .....	20	<code>\textkmit{j}</code> (↖) .....	189	<code>\textlquill</code> (f) .....	109
<code>\texthtk</code> (k) .....	17	<code>\textkmit{L}</code> (ℒ) .....	189	<code>\textltailm</code> (m) .....	17
<code>\texthtp</code> (p) .....	20	<code>\textkmit{l}</code> (λ) .....	189	<code>\textltailn</code> (n) .....	20
<code>\texthtp</code> (p) .....	17	<code>\textkmit{M}</code> (m) .....	189	<code>\textltailn</code> (n) .....	17
<code>\texthtq</code> (q) .....	17	<code>\textkmit{m}</code> (m) .....	189	<code>\textltilde</code> (t) .....	18
<code>\texthtrtaild</code> (d) .....	17	<code>\textkmit{O}</code> (O) .....	189	<code>\textltshade</code> (  ) .....	186
<code>\texthtscg</code> (g) .....	17	<code>\textkmit{Q}</code> (  ) .....	189	<code>\textlyoghlig</code> (h) .....	18
<code>\texthtt</code> (t) .....	20	<code>\textkmit{q}</code> (Ϛ) .....	189	<code>\textmarried</code> (∞) .....	177
<code>\texthtt</code> (t) .....	17	<code>\textkmit{R}</code> (℞) .....	189	<code>\textmho</code> (Ω) .....	128
<code>\texthvlig</code> (hv) .....	17	<code>\textkmit{r}</code> (℞) .....	189	<code>\textmicro</code> (μ) .....	16
<code>\textifsym</code> .....	128	<code>\textkmit{S}</code> (←) .....	189	<code>\textmidacute</code> (  ) .....	22
<code>\textinterrobang</code> (‽) .....	28	<code>\textkmit{s}</code> (→) .....	189	<code>\textminus</code> (−) .....	124
<code>\textinterrobangdown</code> (‽) ..	28	<code>\textkmit{T}</code> (  ) .....	189	<code>\textMu</code> (M) .....	16
<code>\textinvglotstop</code> (b) .....	17	<code>\textkmit{t}</code> (Q) .....	189	<code>\textmu</code> (μ) .....	128, 239
<code>\textinvomega</code> (ω) .....	18	<code>\textkmit{U}</code> (∩) .....	189	<code>\textmu</code> (μ) .....	16
<code>\textinvzca</code> (v) .....	18	<code>\textkmit{u}</code> (∩) .....	189	<code>\textmugreek</code> (μ) .....	16
<code>\textinvscr</code> (v) .....	17	<code>\textkmit{V}</code> (∇) .....	189	<code>\textmusicalnote</code> (♩) ...	159
<code>\textinvscripta</code> (a) .....	18	<code>\textkmit{v}</code> (∇) .....	189	<code>\textnaira</code> (₦) .....	26
<code>\textinvsubbridge</code> (  ) ...	22	<code>\textkmit{W}</code> (∇) .....	189	<code>\textnineoldstyle</code> (g) ...	28
<code>\textIota</code> (I) .....	16	<code>\textkmit{w}</code> (∇) .....	189	<code>\textnrleg</code> (η) .....	18
<code>\textiota</code> (ι) .....	20	<code>\textkmit{X}</code> (  ) .....	189	<code>\textNu</code> (N) .....	16
<code>\textiota</code> (ι) .....	16, 17	<code>\textkmit{x}</code> (Q) .....	189	<code>\textnu</code> (ν) .....	16
<code>\textKappa</code> (K) .....	16	<code>\textkmit{Y}</code> (∩) .....	189	<code>\textnumero</code> (№) .....	28
<code>\textkappa</code> (κ) .....	16	<code>\textkmit{Z}</code> (∞) .....	189	<code>\textObardotlessj</code> (j) ...	18
<code>\textkmit</code> .....	189	<code>\textkmit{z}</code> (∞) .....	189	<code>\textObullseye</code> (⊙) .....	18
<code>\textkmit{2}</code> (  ) .....	189	<code>\textLambda</code> (Λ) .....	16	<code>\textohm</code> (Ω) .....	128
<code>\textkmit{3}</code> (  ) .....	189	<code>\textlambd</code> (λ) .....	16, 17	<code>\textOlyoghlig</code> (h) .....	18
<code>\textkmit{4}</code> (λ) .....	189	<code>\textlangle</code> (⟨) ...	109, 238	<code>\textOmega</code> (Ω) .....	16
<code>\textkmit{5}</code> (λ) .....	189	<code>\textlbrackdbl</code> (⌋) .....	109	<code>\textomega</code> (ω) .....	16, 18
<code>\textkmit{6}</code> (∩) .....	189	<code>\textleaf</code> (  ) .....	177	<code>\textOmikron</code> (O) .....	16
<code>\textkmit{7}</code> (∩) .....	189	<code>\textleftarrow</code> (←) .....	75	<code>\textomikron</code> (o) .....	16
<code>\textkmit{8}</code> (∩) .....	189	<code>\textlengthmark</code> (:) .....	17	<code>\textonehalf</code> (½) ...	124, 239
<code>\textkmit{9}</code> (∩) .....	189	<code>\textless</code> .....	14	<code>\textoneoldstyle</code> .....	28
<code>\textkmit{"}</code> (  ) .....	189	<code>\textless</code> (<) .....	237, 238	<code>\textoneoldstyle</code> (1) ...	28
<code>\textkmit{}</code> (∩) .....	189	<code>\textlfblock</code> (  ) .....	186	<code>\textonequarter</code> (¼) .	124, 239
<code>\textkmit{*}</code> (*) .....	189	<code>\textlfishhookrlig</code> (f) ..	18	<code>\textonesuperior</code> (¹) ..	124, 239
<code>\textkmit{-}</code> ( ) .....	189			<code>\textopenbullet</code> (o) .....	28
<code>\textkmit{:}</code> (  ) .....	189			<code>\textopencorner</code> (°) .....	18
<code>\textkmit{;}</code> (  ) .....	189			<code>\textopeno</code> (o) .....	20
<code>\textkmit{&lt;}</code> (ℒ) .....	189			<code>\textopeno</code> (o) .....	18
				<code>\textordfeminine</code> (ª) ...	14
				<code>\textordfeminine</code> (ª) .	14, 239
				<code>\textordmasculine</code> (º) ...	14

<code>\textordmasculine</code> ( <sup>o</sup> )	14, 239	<code>\textreversedvideobend</code> (  )		<code>\textscriptg</code> (g)	17
<code>\textovercross</code> (  )	22		177	<code>\textscriptv</code> (f)	20
<code>\textoverw</code> (  )	22	<code>\textrevglotstop</code> (Γ)	18	<code>\textscriptv</code> (v)	17
<code>\textpalhook</code> (,) . . . . .	18	<code>\textrevscl</code> (ι)	19	<code>\textscu</code> (u)	17
<code>\textpalhooklong</code> (,) . . . . .	19	<code>\textrevscr</code> (π)	19	<code>\textscy</code> (y)	17
<code>\textpalhookvar</code> (,) . . . . .	19	<code>\textrevyogh</code> (ε)	18	<code>\textseagull</code> (  )	22
<code>\textparagraph</code> (¶)	14	<code>\textRho</code> (P)	16	<code>\textsecstress</code> (,) . . . . .	17
<code>\textparagraph</code> (¶)	14	<code>\textrho</code> (ρ)	16	<code>\textsection</code> (§)	14
<code>\textperiodcentered</code> (·)	14	<code>\textrho</code> (ρ)	16	<code>\textsection</code> (§)	14
<code>\textperiodcentered</code> (·)	14, 239	<code>\textrho</code> (ρ)	19	<code>\textservicemark</code>	27
		<code>\textrho</code> (ρ)	19	<code>\textservicemark</code> ( <sup>SM</sup> )	27
<code>\textpertenthousand</code> (‰)	14	<code>\textrho</code> (ρ)	19	<code>\textsevenoldstyle</code> (7)	28
<code>\textpertenthousand</code> (‰)	14	<code>\textrho</code> (ρ)	19	<code>\textSFi</code> (r)	186
<code>\textperthousand</code> (‰)	14	<code>\textrho</code> (ρ)	19	<code>\textSFii</code> (L)	186
<code>\textperthousand</code> (‰)	14, 240	<code>\textrho</code> (ρ)	18	<code>\textSFiii</code> (r)	186
<code>\textpeso</code> (P)	26	<code>\textrho</code> (ρ)	18	<code>\textSFiv</code> (J)	186
<code>\textPhi</code> (Φ)	16	<code>\textrho</code> (ρ)	18	<code>\textSFix</code> (J)	186
<code>\textphi</code> (φ)	16, 18	<code>\textrho</code> (ρ)	22	<code>\textSF1</code> (L)	186
<code>\textPi</code> (Π)	16	<code>\textrho</code> (ρ)	22	<code>\textSFli</code> (F)	186
<code>\textpi</code> (π)	16	<code>\textrho</code> (ρ)	22	<code>\textSFlii</code> (F)	186
<code>\textpilcrow</code> (¶)	28	<code>\textrho</code> (ρ)	18	<code>\textSFliii</code> (F)	186
<code>\textpipe</code> ( )	20	<code>\textrho</code> (ρ)	18	<code>\textSFliv</code> (F)	186
<code>\textpipe</code> ( )	18	<code>\textrho</code> (ρ)	20	<code>\textSFv</code> (J)	186
<code>\textpipevar</code> ( )	19	<code>\textrho</code> (ρ)	18	<code>\textSFvi</code> (r)	186
<code>\textpm</code> (±)	124, 239	<code>\textrho</code> (ρ)	19	<code>\textSFvii</code> (L)	186
<code>\textpmhg</code>	151	<code>\textrho</code> (ρ)	18	<code>\textSFviii</code> (L)	186
<code>\textpolhook</code> (  )	22	<code>\textrho</code> (ρ)	17	<code>\textSFvix</code> (-)	186
<code>\textprimstress</code> (˘)	18	<code>\textrho</code> (ρ)	17	<code>\textSFxi</code> (J)	186
<code>\textproto</code>	150	<code>\textrho</code> (ρ)	17	<code>\textSFxix</code> (J)	186
<code>\textPsi</code> (Ψ)	16	<code>\textrho</code> (ρ)	20	<code>\textSFxl</code> (L)	186
<code>\textpsi</code> (ψ)	16	<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
<code>\textqplig</code> (q)	19	<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
<code>\textquestiondown</code>	14	<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (=)	186
<code>\textquotedbl</code> (")	17, 237	<code>\textrho</code> (ρ)	186	<code>\textSFxliv</code> (L)	186
<code>\textquotedblleft</code>	14	<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
<code>\textquotedblright</code>	14	<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
<code>\textquoteleft</code>	14	<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
<code>\textquoteright</code>	14	<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
<code>\textquotesingle</code> (')	28, 237	<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
<code>\textquotestraightbase</code> (,)	28	<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
<code>\textquotestraightdblbase</code> (,,)	28	<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
<code>\textraiseglotstop</code> (ˆ)	18	<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
<code>\textraisevibyi</code> (l)	18	<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
<code>\textraising</code> (  )	22	<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
<code>\textramshorns</code> (x)	18	<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
<code>\textrangle</code> (})	109, 238	<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
<code>\textbrackdbl</code> (]])	109	<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
<code>\textrecipe</code> (R)	28, 224	<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
<code>\textrectangle</code> (◻)	19	<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
<code>\textreferencemark</code> (*)	28, 30	<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
<code>\textregistered</code> (®)	14, 27	<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
<code>\textregistered</code> (®)	14, 27, 239	<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
<code>\textretracting</code> (  )	22	<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
<code>\textretractingvar</code> (˘)	19	<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
<code>\textrevapostrophe</code> (˘)	18	<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
<code>\textreve</code> (ə)	18	<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
<code>\textreversible</code> (3)	18, 225	<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxliv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlv</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlvii</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlviii</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlix</code> (L)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxli</code> (F)	186
		<code>\textrho</code> (ρ)	17	<code>\textSFxlii</code> (F)	186
		<code>\textrho</code> (ρ)			





<code>\tilde</code> (̃) . . . . .	109, 230	<code>transpose</code> . . . . .	31	<code>\trianglerightrightblack</code> (▲) . . . . .	145
<code>\tildel</code> (†) . . . . .	19	<code>transversal intersection</code> . . . . .	<i>see</i>	<code>\trianglerightrighteq</code> (▷) . . . . .	73
<code>time of day</code> . . . . .	179, 180	<code>\pitchfork</code>		<code>\trianglerightrighteq</code> (▷) . . . . .	72
<code>time signatures</code> . . . . .	163	<code>\trapezium</code> (◻) . . . . .	145	<code>\trianglerightrighteq</code> (▷) . . . . .	74
<code>\timelimit</code> (⊕) . . . . .	182	<code>\trebleclef</code> (♩) . . . . .	160	<code>\trianglerightrighteq</code> (▷) . . . . .	74
<code>\times</code> (×) . . . . .	31	<code>trees</code> . . . . .	193, 220	<code>\trianglerightrighteq</code> (▷) . . . . .	69, 73
<code>\times</code> (×) . . . . .	35	<code>trema</code> (¨) . . . . .	<i>see accents</i>	<code>\trianglerightrighteq</code> (▷) . . . . .	74
<code>\times</code> (×) . . . . .	34	<code>trfsigns</code> (package) . . . . .	64, 100, 117, 243	<code>\trianglerightrighteqslant</code> (▷) . . . . .	72
<code>\times</code> (×) . . . . .	33	<code>\triangle</code> (△) . . . . .	122	<code>\trianglerightrighteqslant</code> (▷) . . . . .	74
<code>\times</code> (×) . . . . .	36	<code>\triangle</code> (△) . . . . .	39, 74	<code>triangles</code> 122, 131, 133, 144–147, 169–174, 183, 184, 200–202, 218	
<code>Times Roman</code> (font) . . . . .	26, 224	<code>\triangle</code> (△) . . . . .	184	<code>\triangles</code> (△) . . . . .	145
<code>\timesbar</code> (⊗) . . . . .	34	<code>\triangle</code> (△) . . . . .	73	<code>\triangleleserifs</code> (△) . . . . .	40
<code>\timesbar</code> (⊗) . . . . .	36	<code>\triangle</code> (△) . . . . .	40, 146	<code>\triangleletimes</code> (△) . . . . .	40
<code>timing</code> (package) . . . . .	128	<code>triangle relations</code> . . . . .	72–74	<code>\triangleubar</code> (△) . . . . .	145
<code>tipa</code> (package) 17, 18, 20, 21, 23, 24, 225, 243		<code>\trianglecdot</code> (△) . . . . .	145	<code>\TriangleUp</code> (▲) . . . . .	147
<code>tipx</code> (package) . . . . .	18, 243	<code>\TriangleDown</code> (▼) . . . . .	147	<code>\TriangleUp</code> (△) . . . . .	147
<code>\tminus</code> (−) . . . . .	36	<code>\TriangleDown</code> (▽) . . . . .	146	<code>\TriangleUp</code> (▲ vs. △) . . . . .	223
<code>\tndtstile</code> (   ) . . . . .	63	<code>\TriangleDown</code> (▼ vs. ▽) . . . . .	223	<code>\Tribar</code> (▲) . . . . .	193
<code>\tnststile</code> (   ) . . . . .	63	<code>\triangledown</code> (▽) . . . . .	122	<code>\trident</code> (†) . . . . .	192
<code>\tntstile</code> (   ) . . . . .	63	<code>\triangledown</code> (▽) . . . . .	144	<code>\trident</code> (†) . . . . .	192
<code>\tnttstile</code> (   ) . . . . .	63	<code>\triangledown</code> (▽) . . . . .	39, 74	<code>\trill</code> (⤿) . . . . .	160
<code>\to</code> . . . . .	<i>see \rightarrow</i>	<code>\triangledown</code> (▽) . . . . .	73	<code>\Trine</code> (Δ) . . . . .	131
<code>\to</code> (→) . . . . .	83	<code>\triangledown</code> (▽) . . . . .	145	<code>\triple</code> . . . . .	108
<code>\ToBottom</code> (▼) . . . . .	178	<code>\triangleleft</code> (◁) . . . . .	74	<code>\triplefrown</code> (⋈) . . . . .	92
<code>\toea</code> (⊗) . . . . .	88	<code>\triangleleft</code> (◁) . . . . .	73	<code>\tripleplus</code> (≡) . . . . .	36
<code>\tona</code> (⊗) . . . . .	88	<code>\triangleleft</code> (◁) . . . . .	31	<code>\triplesim</code> (≈) . . . . .	57
<code>\tone</code> . . . . .	18	<code>\triangleleft</code> (◁) . . . . .	74, 144	<code>\triplesim</code> (≈) . . . . .	55
<code>\Tongey</code> (☺) . . . . .	192	<code>\triangleleft</code> (◁) . . . . .	39, 74	<code>\triplesim</code> (≈) . . . . .	92
<code>\top</code> (⊤) . . . . .	31, 99, 228	<code>\triangleleft</code> (◁) . . . . .	73	<code>\triplemile</code> (≡) . . . . .	92
<code>\top</code> (⊤) . . . . .	100	<code>\triangleleft</code> (◁) . . . . .	73	<code>\trprime</code> (≡) . . . . .	120
<code>\top</code> (⊤) . . . . .	99	<code>\triangleleft</code> (◁) . . . . .	73	<code>\trslash</code> (///) . . . . .	36
<code>\top</code> (⊤) . . . . .	100	<code>\triangleleft</code> (◁) . . . . .	73	<code>trsym</code> (package) . . . . .	63, 243
<code>\topborder</code> (⊤) . . . . .	184	<code>\triangleleft</code> (◁) . . . . .	73	<code>\tsbm</code> (⊔) . . . . .	184
<code>\topbot</code> (⊤) . . . . .	228, 229	<code>\triangleleftblack</code> (▲) . . . . .	145	<code>\tsdtstile</code> (   ) . . . . .	63
<code>\topbot</code> (⊤) . . . . .	100	<code>\trianglelefteq</code> (◁) . . . . .	73	<code>\tsmb</code> (⊔) . . . . .	184
<code>\Topbottomheat</code> (⊤) . . . . .	192	<code>\trianglelefteq</code> (◁) . . . . .	72	<code>\tsmm</code> (⊔) . . . . .	184
<code>\topcir</code> (⊤) . . . . .	124	<code>\trianglelefteq</code> (◁) . . . . .	74	<code>\tsststile</code> (   ) . . . . .	63
<code>\topdoteq</code> (≐) . . . . .	53	<code>\trianglelefteq</code> (◁) . . . . .	74	<code>\Tsteel</code> (⊤) . . . . .	134
<code>\topfork</code> (⊤) . . . . .	59	<code>\trianglelefteq</code> (◁) . . . . .	69, 73	<code>\tststile</code> (   ) . . . . .	63
<code>\topfork</code> (⊤) . . . . .	61	<code>\trianglelefteq</code> (◁) . . . . .	74	<code>\tsttstile</code> (   ) . . . . .	63
<code>\Topheat</code> (⊤) . . . . .	192	<code>\trianglelefteq</code> (◁) . . . . .	74	<code>\ttdtstile</code> (   ) . . . . .	63
<code>\topsemicircle</code> (⊤) . . . . .	145	<code>\trianglelefteqslant</code> (◁) . . . . .	72	<code>\ttimes</code> (⊗) . . . . .	35
<code>torus</code> (⊤) <i>see alphabets, math</i>		<code>\trianglelefteqslant</code> (◁) . . . . .	74	<code>\TTsteel</code> (⊤) . . . . .	134
<code>\tosa</code> (⊗) . . . . .	88	<code>\triangleminus</code> (△) . . . . .	40	<code>\tststile</code> (   ) . . . . .	63
<code>\ToTop</code> (▲) . . . . .	178	<code>\triangleodot</code> (△) . . . . .	145	<code>\tttstile</code> (   ) . . . . .	63
<code>\towa</code> (⊗) . . . . .	89	<code>\triangleplus</code> (△) . . . . .	40	<code>\ttttstile</code> (   ) . . . . .	63
<code>\tplus</code> (+) . . . . .	36	<code>\triangleq</code> (≐) . . . . .	30, 72	<code>TUGboat</code> . . . . .	111, 245
<code>\TR</code> (℞) . . . . .	132	<code>\triangleq</code> (≐) . . . . .	59	<code>\Tumbler</code> (⊠) . . . . .	178
<code>trademark</code> . . . . .	14, 27, 239, 240	<code>\triangleq</code> (≐) . . . . .	74	<code>\turn</code> (↻) . . . . .	160
<code>registered</code> . . . . .	14, 27, 239	<code>\triangleq</code> (≐) . . . . .	73	<code>\turnangle</code> (↷) . . . . .	121
<code>\TransformHoriz</code> (◁) . . . . .	63	<code>\triangleq</code> (≐) . . . . .	74	<code>\turnedbackneg</code> (−) . . . . .	123
<code>transforms</code> . . . . .	63, 64, 117	<code>\TriangleRight</code> (▷) . . . . .	147	<code>\turneddiota</code> (ι) . . . . .	98
<code>\TransformVert</code> (◊) . . . . .	63	<code>\triangleright</code> (▷) . . . . .	73	<code>\turnedneg</code> (−) . . . . .	123
<code>transliteration</code> . . . . .	20, 24	<code>\triangleright</code> (▷) . . . . .	73	<code>\turnednot</code> (−) . . . . .	124
<code>semitic</code> . . . . .	20, 24	<code>\triangleright</code> (▷) . . . . .	31		
<code>transliteration symbols</code> . . . . .	20	<code>\triangleright</code> (▷) . . . . .	74, 144		
		<code>\triangleright</code> (▷) . . . . .	39, 74		
		<code>\trianglerightright</code> (▷) . . . . .	73		



<code>\Uparrow</code> ( $\Uparrow$ )	81	<code>\updownharpoonleftleft</code> ( $\llcorner$ )	90	<code>\uplambda</code> ( $\lambda$ )	97
<code>\Uparrow</code> ( $\Uparrow$ )	105	<code>\updownharpoonletright</code> ( $\lrcorner$ )	85	<code>\uplcurvearrow</code> ( $\curvearrowright$ )	83
<code>\Uparrow</code> ( $\Uparrow$ )	78	<code>\updownharpoonletright</code> ( $\lrcorner$ )	80	<code>\upleftcurvedarrow</code> ( $\curvearrowleft$ )	83
<code>\Uparrow</code> ( $\Uparrow$ )	89	<code>\updownharpoonletright</code> ( $\lrcorner$ )	90	<code>\uplett</code>	23
<code>\Uparrow</code> ( $\Uparrow$ )	106	<code>\updownharpoonrightleft</code> ( $\lrcorner$ )	85	<code>\uplsquigarrow</code> ( $\rightsquigarrow$ )	83
<code>\uparrow</code> ( $\uparrow$ )	75, 102, 222	<code>\updownharpoonrightleft</code> ( $\lrcorner$ )	80	<code>\uplsquigarrow</code> ( $\rightsquigarrow$ )	78
<code>\uparrow</code> ( $\uparrow$ )	105	<code>\updownharpoonrightleft</code> ( $\lrcorner$ )	90	<code>\uplus</code> ( $\uplus$ )	33
<code>\uparrow</code> ( $\uparrow$ )	81	<code>\updownharpoonrightleft</code> ( $\lrcorner$ )	90	<code>\uplus</code> ( $\uplus$ )	31
<code>\uparrow</code> ( $\uparrow$ )	78	<code>\updownharpoonrightright</code> ( $\lrcorner$ )	90	<code>\uplus</code> ( $\uplus$ )	35
<code>\uparrow</code> ( $\uparrow$ )	106	<code>\updownharpoons</code> ( $\Updownarrow$ )	77	<code>\uplus</code> ( $\uplus$ )	35
<code>\uparrow</code> ( $\uparrow$ )	89	<code>\updownharpoons</code> ( $\Updownarrow$ )	85	<code>\uplus</code> ( $\uplus$ )	34
<code>\uparrow</code> ( $\uparrow$ )	89	<code>\updownharpoons</code> ( $\Updownarrow$ )	80	<code>\uplus</code> ( $\uplus$ )	36
<code>\uparrow</code> ( $\uparrow$ )	145	<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	85	<code>\Upmapsto</code> ( $\Uparrow$ )	82
<code>\uparrow</code> ( $\uparrow$ )	82	<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	90	<code>\Upmapsto</code> ( $\Uparrow$ )	82
<code>\uparrow</code> ( $\uparrow$ )	78	<code>\Uppoline</code> ( $\Uparrow$ )	55	<code>\Upmapsto</code> ( $\Uparrow$ )	78
<code>\uparrow</code> ( $\uparrow$ )	57	<code>\updownline</code> ( $\Uparrow$ )	55	<code>\upModels</code> ( $\underline{\underline{\Uparrow}}$ )	55
<code>\uparrow</code> ( $\uparrow$ )	98	<code>\updownsqigarrow</code> ( $\Updownarrow$ )	83	<code>\upmodels</code> ( $\underline{\underline{\Uparrow}}$ )	57
<code>\uparrow</code> ( $\uparrow$ )	23	<code>\updownwavearrow</code> ( $\Updownarrow$ )	82	<code>\upmodels</code> ( $\underline{\underline{\Uparrow}}$ )	55
<code>\uparrow</code> ( $\uparrow$ )	97	<code>\updownwhitearrow</code> ( $\Updownarrow$ )	86	<code>\upmu</code> ( $\mu$ )	97
<code>\uparrow</code> ( $\uparrow$ )	82	<code>\upepsilon</code> ( $\epsilon$ )	97	<code>\upnu</code> ( $\nu$ )	97
<code>\uparrow</code> ( $\uparrow$ )	86	<code>\upeta</code> ( $\eta$ )	97	<code>\Upomega</code> ( $\Omega$ )	97
<code>\uparrow</code> ( $\uparrow$ )	93	<code>\upfilledspoon</code> ( $\uparrow$ )	91	<code>\Upomega</code> ( $\omega$ )	97
<code>\uparrow</code> ( $\uparrow$ )	160	<code>\upfishtail</code> ( $\Uparrow$ )	61	<code>\uppi</code> ( $\pi$ )	25
<code>\uparrow</code> ( $\uparrow$ )	34, 35	<code>\upfootline</code> ( $\Uparrow$ )	55	<code>\upparenthfill</code>	231
<code>\uparrow</code> ( $\uparrow$ )	231	<code>\upfree</code> ( $\Uparrow$ )	55	<code>\Upphi</code> ( $\Phi$ )	97
<code>\uparrow</code> ( $\uparrow$ )	97	<code>\Upgamma</code> ( $\Gamma$ )	97	<code>\upphi</code> ( $\phi$ )	97
<code>\uparrow</code> ( $\uparrow$ )	86	<code>\Upgamma</code> ( $\gamma$ )	97	<code>\Uppi</code> ( $\Pi$ )	97
<code>\uparrow</code> ( $\uparrow$ )	89	<code>upgreek</code> (package)	16, 97, 243	<code>\uppi</code> ( $\pi$ )	97
<code>\uparrow</code> ( $\uparrow$ )	97	<code>\upharpoonccw</code> ( $\lrcorner$ )	80	<code>\uppitchfork</code> ( $\pitchfork$ )	93
<code>\uparrow</code> ( $\uparrow$ )	97	<code>\upharpooncw</code> ( $\lrcorner$ )	80	<code>\uppitchfork</code> ( $\pitchfork$ )	92
<code>\uparrow</code> ( $\uparrow$ )	75, 102	<code>\upharpoonleft</code> ( $\lrcorner$ )	77	<code>\uppropto</code> ( $\propto$ )	55
<code>\uparrow</code> ( $\uparrow$ )	82	<code>\upharpoonleft</code> ( $\lrcorner$ )	76	<code>\Upsi</code> ( $\Psi$ )	97
<code>\uparrow</code> ( $\uparrow$ )	105	<code>\upharpoonleft</code> ( $\lrcorner$ )	87	<code>\uppsi</code> ( $\psi$ )	97
<code>\uparrow</code> ( $\uparrow$ )	78	<code>\upharpoonleft</code> ( $\lrcorner$ )	85	<code>upquote</code> (package)	238
<code>\uparrow</code> ( $\uparrow$ )	89	<code>\upharpoonleft</code> ( $\lrcorner$ )	90	<code>\uprcurvearrow</code> ( $\curvearrowright$ )	83
<code>\uparrow</code> ( $\uparrow$ )	106	<code>\upharpoonleftbar</code> ( $\lrcorner$ )	90	<code>\uprho</code> ( $\rho$ )	97
<code>\uparrow</code> ( $\uparrow$ )	75, 102	<code>\upharpoonright</code> ( $\lrcorner$ )	77	<code>upright Greek letters</code>	16, 97
<code>\uparrow</code> ( $\uparrow$ )	105	<code>\upharpoonright</code> ( $\lrcorner$ )	76	<code>\uprightcurvearrow</code> ( $\curvearrowright$ )	83
<code>\uparrow</code> ( $\uparrow$ )	82	<code>\upharpoonright</code> ( $\lrcorner$ )	87	<code>\uprightcurvearrow</code> ( $\curvearrowright$ )	89
<code>\uparrow</code> ( $\uparrow$ )	78	<code>\upharpoonright</code> ( $\lrcorner$ )	85	<code>\uprsquigarrow</code> ( $\rightsquigarrow$ )	83
<code>\uparrow</code> ( $\uparrow$ )	106	<code>\upharpoonright</code> ( $\lrcorner$ )	90, 91	<code>\uprsquigarrow</code> ( $\rightsquigarrow$ )	78
<code>\uparrow</code> ( $\uparrow$ )	89	<code>\upharpoonrightbar</code> ( $\lrcorner$ )	91	<code>upside-down symbols</code>	238
<code>\uparrow</code> ( $\uparrow$ )	86	<code>\upharpoonsleftright</code> ( $\Updownarrow$ )	91	<code>upside-down symbols</code>	17–20, 24, 225
<code>\uparrow</code> ( $\uparrow$ )	89	<code>\upin</code> ( $\uparrow$ )	61	<code>\Upsilon</code> ( $\Sigma$ )	97
<code>\uparrow</code> ( $\uparrow$ )	76	<code>upint</code> (stix package option)	40, 41, 49, 50	<code>\Upsilon</code> ( $\Sigma$ )	97
<code>\uparrow</code> ( $\uparrow$ )	82	<code>\upint</code> ( $\int$ )	48	<code>\Upsilon</code> ( $\Sigma$ )	96
<code>\uparrow</code> ( $\uparrow$ )	78	<code>\upintsl</code> ( $\int$ )	50	<code>\upsilon</code> ( $\upsilon$ )	96
<code>\uparrow</code> ( $\uparrow$ )	89	<code>\upintup</code> ( $\int$ )	50	<code>\upsilon</code> ( $\upsilon$ )	96
<code>\uparrow</code> ( $\uparrow$ )	86	<code>\upiota</code> ( $\iota$ )	97	<code>\upsilon</code> ( $\upsilon$ )	97
<code>\uparrow</code> ( $\uparrow$ )	83	<code>\upkappa</code> ( $\kappa$ )	97	<code>\upslice</code> ( $\Delta$ )	38
		<code>\uplambda</code> ( $\Lambda$ )	97	<code>\upspoon</code> ( $\uparrow$ )	93
				<code>\upspoon</code> ( $\uparrow$ )	91
				<code>\upt</code> ( $\perp$ )	25
				<code>\uptau</code> ( $\tau$ )	97
				<code>\uptherefore</code> ( $\therefore$ )	118
				<code>\uptherefore</code> ( $\therefore$ )	33, 118
				<code>\Utheta</code> ( $\Theta$ )	97
				<code>\uptheta</code> ( $\theta$ )	97
				<code>\uptodownarrow</code> ( $\Downarrow$ )	76



<code>\varocircle</code> ( $\odot$ )	32	<code>\Varsampi</code> ( $\mathcal{P}$ )	156	<code>\vartriangleleft</code> ( $\triangleleft$ )	73
<code>\varodot</code> ( $\odot$ )	32	<code>\varsampi</code> ( $\mathcal{P}$ )	156	<code>\vartriangleleft</code> ( $\triangleleft$ )	72
<code>\varogreatherthan</code> ( $\odot$ )	32	<code>\varsigma</code> ( $\varsigma$ )	96	<code>\vartriangleleft</code> ( $\triangleleft$ )	74
<code>\varoiintclockwise</code> ( $\oint$ )	44	<code>\varsigma</code> ( $\varsigma$ )	98	<code>\vartriangleleft</code> ( $\triangleleft$ )	74
<code>\varoiintctrcklockwise</code> ( $\oint$ )	44	<code>\varsigma</code> ( $\varsigma$ )	98	<code>\vartriangleleft</code> ( $\triangleleft$ )	69, 73
	44	<code>\varsigmaup</code> ( $\varsigma$ )	97	<code>\vartriangleleft</code> ( $\triangleleft$ )	74, 146
<code>\varoiint</code> ( $\oint$ )	45	<code>\varspade</code> ( $\spadesuit$ )	148	<code>\vartriangleright</code> ( $\triangleright$ )	73
<code>\varoiintclockwise</code> ( $\oint$ )	44	<code>\varspadesuit</code> ( $\spadesuit$ )	148	<code>\vartriangleright</code> ( $\triangleright$ )	72
<code>\varoiintctrcklockwise</code> ( $\oint$ )	44	<code>\varspadesuit</code> ( $\spadesuit$ )	148	<code>\vartriangleright</code> ( $\triangleright$ )	74
<code>\varoint</code> ( $\oint$ )	42	<code>\varsqcap</code> ( $\sqcap$ )	35	<code>\vartriangleright</code> ( $\triangleright$ )	74
<code>\varointclockwise</code> ( $\oint$ )	44	<code>\varsqcup</code> ( $\sqcup$ )	35	<code>\vartriangleright</code> ( $\triangleright$ )	69, 73
<code>\varointclockwise</code> ( $\oint$ )	45	<code>\varsqsubsetneq</code> ( $\not\sqsubset$ )	65	<code>\vartriangleright</code> ( $\triangleright$ )	74, 146
<code>\varointclockwise</code> ( $\oint$ )	47	<code>\varsqsubsetneqq</code> ( $\not\sqsubset$ )	65	<code>\varupdownwavearrow</code> ( $\Updownarrow$ )	82
<code>\varointclockwise</code> ( $\oint$ )	48	<code>\varsqsupsetneq</code> ( $\not\sqsupset$ )	65	<code>\varupwavearrow</code> ( $\Uparrow$ )	82
<code>\varointclockwisel</code> ( $\oint$ )	49	<code>\varsqsupsetneqq</code> ( $\not\sqsupset$ )	65	<code>\varUranus</code> ( $\Upsilon$ )	131
<code>\varointclockwiseup</code> ( $\oint$ )	49	<code>\varstar</code> ( $\star$ )	33	<code>\varv</code> ( $v$ )	98
<code>\varointctrcklockwise</code> ( $\oint$ )	44	<code>\varstar</code> ( $\star$ )	146	<code>\varvarpi</code> ( $\varpi$ )	97
<code>\varointctrcklockwise</code> ( $\oint$ )	45	<code>\varstigma</code> ( $\xi$ )	156	<code>\varvarrho</code> ( $\varrho$ )	97
<code>\varointctrcklockwise</code> ( $\oint$ )	47	<code>\varsubsetneq</code> ( $\subsetneq$ )	65	<code>\varVdash</code> ( $\Vdash$ )	61
<code>\varointctrcklockwise</code> ( $\oint$ )	47	<code>\varsubsetneq</code> ( $\subsetneq$ )	64	<code>\varveebar</code> ( $\veebar$ )	36
<code>\varolessthan</code> ( $\ominus$ )	32	<code>\varsubsetneq</code> ( $\subsetneq$ )	66	<code>\varw</code> ( $w$ )	98
<code>\varomega</code> ( $\omega$ )	20	<code>\varsubsetneq</code> ( $\subsetneq$ )	66	<code>\vary</code> ( $y$ )	98
<code>\varominus</code> ( $\ominus$ )	32	<code>\varsubsetneq</code> ( $\subsetneq$ )	65	<code>\VBar</code> ( $\bar{\vee}$ )	147
<code>\varopeno</code> ( $\circ$ )	20	<code>\varsubsetneq</code> ( $\subsetneq$ )	67	<code>\Vbar</code> ( $\bar{\vee}$ )	57
<code>\varoplus</code> ( $\oplus$ )	32	<code>\varsubsetneqq</code> ( $\subsetneqq$ )	65	<code>\Vbar</code> ( $\bar{\vee}$ )	61
<code>\varoslash</code> ( $\oslash$ )	32	<code>\varsubsetneqq</code> ( $\subsetneqq$ )	64	<code>\vBar</code> ( $\bar{v}$ )	57
<code>\varosum</code> ( $\oslash$ )	47	<code>\varsubsetneqq</code> ( $\subsetneqq$ )	66	<code>\vBar</code> ( $\bar{v}$ )	61
<code>\varotimes</code> ( $\otimes$ )	32	<code>\varsubsetneqq</code> ( $\subsetneqq$ )	66	<code>\vBarv</code> ( $\bar{v}$ )	61
<code>\varovee</code> ( $\vee$ )	32	<code>\varsubsetneqq</code> ( $\subsetneqq$ )	65	<code>\vbipropto</code> ( $\propto$ )	33
<code>\varowedge</code> ( $\oslash$ )	32	<code>\varsubsetneqq</code> ( $\subsetneqq$ )	67	<code>\vbrtri</code> ( $\triangleright$ )	74
<code>\varparallel</code> ( $\parallel$ )	53	<code>\varsum</code> ( $\sum$ )	47	<code>\vcentcolon</code> ( $\vcentcolon$ )	62
<code>\varparallelinv</code> ( $\parallel$ )	53	<code>\varsumint</code> ( $\int$ )	47	<code>\vcenter</code>	227
<code>\varpartialdiff</code> ( $\partial$ )	101	<code>\VarSummit</code> ( $\Delta$ )	179	<code>\vcrossing</code> ( $\times$ )	55
<code>\varphi</code> ( $\varphi$ )	96	<code>\varsupsetneq</code> ( $\supsetneq$ )	65	<code>\VDash</code> ( $\Vdash$ )	53
<code>\varphi</code> ( $\varphi$ )	98	<code>\varsupsetneq</code> ( $\supsetneq$ )	64	<code>\VDash</code> ( $\Vdash$ )	59
<code>\varphi</code> ( $\varphi$ )	98	<code>\varsupsetneq</code> ( $\supsetneq$ )	66	<code>\VDash</code> ( $\Vdash$ )	57
<code>\varphiup</code> ( $\varphi$ )	97	<code>\varsupsetneq</code> ( $\supsetneq$ )	66	<code>\VDash</code> ( $\Vdash$ )	55
<code>\varphoton</code> ( $\varphi$ )	135	<code>\varsupsetneq</code> ( $\supsetneq$ )	65	<code>\VDash</code> ( $\Vdash$ )	61
<code>\varpi</code> ( $\varpi$ )	96	<code>\varsupsetneq</code> ( $\supsetneq$ )	67	<code>\Vdash</code> ( $\Vdash$ )	53
<code>\varpi</code> ( $\varpi$ )	98	<code>\varsupsetneqq</code> ( $\supsetneqq$ )	65	<code>\Vdash</code> ( $\Vdash$ )	52
<code>\varpi</code> ( $\varpi$ )	97	<code>\varsupsetneqq</code> ( $\supsetneqq$ )	64	<code>\Vdash</code> ( $\Vdash$ )	59
<code>\varpi</code> ( $\varpi$ )	98	<code>\varsupsetneqq</code> ( $\supsetneqq$ )	66	<code>\Vdash</code> ( $\Vdash$ )	58
<code>\varpiup</code> ( $\varpi$ )	97	<code>\varsupsetneqq</code> ( $\supsetneqq$ )	66	<code>\Vdash</code> ( $\Vdash$ )	55
<code>\varPluto</code> ( $\mathcal{P}$ )	131	<code>\varsupsetneqq</code> ( $\supsetneqq$ )	65	<code>\Vdash</code> ( $\Vdash$ )	61
<code>\varprod</code> ( $\times$ )	44	<code>\varsupsetneqq</code> ( $\supsetneqq$ )	67	<code>\vDash</code> ( $\vDash$ )	53
<code>\varprod</code> ( $\prod$ )	47	<code>\VarTaschenuhr</code> ( $\text{⌚}$ )	179	<code>\vDash</code> ( $\vDash$ )	52
<code>\varprojlim</code> ( $\varprojlim$ )	95	<code>\varTerra</code> ( $\text{♁}$ )	131	<code>\vDash</code> ( $\vDash$ )	59
<code>\varpropto</code> ( $\propto$ )	52	<code>\vartheta</code> ( $\vartheta$ )	96	<code>\vDash</code> ( $\vDash$ )	57
<code>\varpropto</code> ( $\propto$ )	59	<code>\vartheta</code> ( $\vartheta$ )	98	<code>\vDash</code> ( $\vDash$ )	55
<code>\varpropto</code> ( $\propto$ )	57	<code>\vartheta</code> ( $\vartheta$ )	98	<code>\vDash</code> ( $\vDash$ )	61
<code>\varpropto</code> ( $\propto$ )	55	<code>\varthetaup</code> ( $\vartheta$ )	97	<code>\vdash</code> ( $\vdash$ )	51
<code>\varpropto</code> ( $\propto$ )	61	<code>\vartimes</code> ( $\times$ )	32	<code>\vdash</code> ( $\vdash$ )	58
<code>\varrho</code> ( $\varrho$ )	96	<code>\vartimes</code> ( $\times$ )	35	<code>\vdash</code> ( $\vdash$ )	55
<code>\varrho</code> ( $\varrho$ )	98	<code>\vartriangle</code> ( $\triangle$ )	122	<code>\vdash</code> ( $\vdash$ )	61
<code>\varrho</code> ( $\varrho$ )	97	<code>\vartriangle</code> ( $\triangle$ )	74	<code>\vDdash</code> ( $\Vdash$ )	57
<code>\varrho</code> ( $\varrho$ )	98	<code>\vartriangle</code> ( $\triangle$ )	39, 74	<code>\vDdash</code> ( $\Vdash$ )	61
<code>\varrhoup</code> ( $\varrho$ )	97	<code>\vartriangle</code> ( $\triangle$ )	73	<code>\vdotdot</code> ( $\ddot{\cdot}$ )	34, 118
<code>\varrrightwavearrow</code> ( $\rightsquigarrow$ )	82	<code>\vartriangle</code> ( $\triangle$ )	74	<code>\vdotdot</code> ( $\ddot{\cdot}$ )	33, 118



































































































$\vdots$  (·) ..... 118  
 $\dot{\vdots}$  (·) ..... 117  
 $\ddots$  (·) ..... 34  
 $\vdots$  (·) ..... 118  
 $\vdots$  (·) ..... 61  
 $\vec{\quad}$  (→) ..... 110  
 $\vec{\quad}$  (→) ..... 110  
 $\vec{\quad}$  (→) ..... 110  
 $\vec{\quad}$  (→) ..... 110  
 $\vec{\quad}$  (→) ..... 109  
 $\vectimes$  (×) ..... 36  
 $\Vee$  (∇) ..... 35  
 $\Vee$  (∇) ..... 36  
 $\vee$  (∨) ..... 33  
 $\vee$  (∨) ..... 31  
 $\vee$  (∨) ..... 35  
 $\vee$  (∨) ..... 34, 35  
 $\vee$  (∨) ..... 33  
 $\vee$  (∨) ..... 36  
 $\veebar$  (⊕) ..... 33  
 $\veebar$  (⊕) ..... 31  
 $\veebar$  (⊕) ..... 35  
 $\veebar$  (⊕) ..... 34  
 $\veebar$  (⊕) ..... 36  
 $\veedot$  (∇) ..... 34  
 $\veedot$  (∇) ..... 33  
 $\veedot$  (∇) ..... 36  
 $\veedoublebar$  (≍) ..... 33  
 $\veedoublebar$  (≍) ..... 34  
 $\veedoublebar$  (≍) ..... 36  
 $\veeeq$  (≍) ..... 59  
 $\veeeq$  (≍) ..... 57  
 $\veeeq$  (≍) ..... 61  
 $\veemidvert$  (∇) ..... 36  
 $\veeodot$  (∇) ..... 36  
 $\veeonvee$  (∇) ..... 35  
 $\veeonvee$  (∇) ..... 35  
 $\veeonvee$  (∇) ..... 36  
 $\veeonwedge$  (∇) ..... 61  
 $\Venus$  (♀) ..... 130  
 $\Venus$  (♀) ..... 131  
 $\Venus$  (♀) ..... 129  
 $\venus$  (♀) ..... 129  
 $\vernal$  (♈) ..... 129  
 $versicle$  (V) ..... 241, 242  
 $\VERT$  (||) ..... 108  
 $\Vert$  (||) ..... 102–104  
 $\Vert$  (||) ..... 105  
 $\Vert$  (||) ..... 106  
 $\Vert$  (||) ..... 107  
 $\vert$  (|) ..... 102–104  
 $\vert$  (|) ..... 105  
 $\vert$  (|) ..... 106

$\vert$  (|) ..... 107  
 $\vert$  (|) ..... 34  
 $\vert$  (|) ..... 34  
 $\Vertex$  (V) ..... 131  
 $\vert$  (|) ..... 61  
 $\Vesta$  (♁) ..... 131  
 $\VHF$  (≈) ..... 128  
 $\Vier$  (♩) ..... 161  
 $\vietnam$  (package) ..... 243  
 $\viewdata$  (≡) ..... 124  
 $\Village$  (⊠) ..... 179  
 $\vin$  (∩) ..... 102  
 $\vinculum$  ..... *see*  $\overline{\quad}$   
 $\ViPa$  (♯) ..... 161  
 $virga$  ..... *see*  $\musixgre$   
 $\Virgo$  (♍) ..... 131  
 $\Virgo$  (♍) ..... 129  
 $\virgo$  (♍) ..... 129  
 $\vlongdash$  (—) ..... 58  
 $\vlongdash$  (—) ..... 61  
 $\VM$  (>) ..... 161  
 $\vntex$  (package) ..... 16, 21  
 $\vod$  (v) ..... 20  
 $\voicedh$  (h) ..... 20  
 $\Vomey$  (♁) ..... 192  
 $\vppm$  (i) ..... 184  
 $\vpppm$  (i) ..... 184  
 $\vrectangle$  (□) ..... 146  
 $\vrectangleblack$  (■) ..... 146  
 $\vrule$  ..... 186  
 $\VT$  (σ) ..... 133  
 $\Vulkanus$  (♁) ..... 131  
 $\vv$  (→) ..... 114  
 $\VvDash$  (≡) ..... 53  
 $\Vvdash$  (≡) ..... 53  
 $\Vvdash$  (≡) ..... 52  
 $\Vvdash$  (≡) ..... 59  
 $\Vvdash$  (≡) ..... 57  
 $\Vvdash$  (≡) ..... 55  
 $\Vvdash$  (≡) ..... 61  
 $\Vvert$  (||) ..... 106  
 $\Vvert$  (||) ..... 107  
 $\vvvert$  (||) ..... 103  
 $\vysmbkcircle$  (●) ..... 40  
 $\vysmbksquare$  (◼) ..... 146  
 $\vysmwhtcircle$  (◉) ..... 40  
 $\vysmwhtsquare$  (◻) ..... 146  
 $\vzigzag$  (∞) ..... 124  

### W

 $\Walley$  (♁) ..... 192  
 $\warning$  (Δ) ..... 192  
 $\WashCotton$  (☞) ..... 178  
 $\WashSynthetics$  (☞) ..... 178  
 $\WashWool$  (☞) ..... 178

$\wasylozenge$  (◊) ..... 177  
 $\wasyppto$  (∞) ..... 52  
 $wasysym$  (package) .. 20, 26, 28, 32, 42, 52, 65, 67, 117, 122, 128, 129, 131, 134, 140, 141, 143, 159, 177, 223, 243  
 $\wasytherefore$  (∴) ..... 117  
 $\Water$  (∇) ..... 131  
 $\water$  (♁) ..... 135  
 $wavy-line$  delimiters .. 103–107  
 $\wbetter$  (±) ..... 182  
 $\wdecisive$  (+-) ..... 182  
 $\weakpt$  (×) ..... 182  
 $\WeakRain$  (☔) ..... 179  
 $\WeakRainCloud$  (☔) ..... 179  
 $weather$  symbols . 179, 193–194  
 $Web$  symbols ..... 195–198  
 $webomints$  (package) . 205, 206, 243  
 $\Wecker$  (🕒) ..... 179  
 $\Wedge$  (⋈) ..... 35  
 $\Wedge$  (⋈) ..... 36  
 $\wedge$  (∧) ..... 33  
 $\wedge$  (∧) ..... 31  
 $\wedge$  (∧) ..... 35  
 $\wedge$  (∧) ..... 34, 35  
 $\wedge$  (∧) ..... 34  
 $\wedge$  (∧) ..... 36  
 $\wedgebar$  (Δ) ..... 36  
 $\wedgedot$  (∧) ..... 34  
 $\wedgedot$  (∧) ..... 34  
 $\wedgedot$  (∧) ..... 36  
 $\wedgedoublebar$  (Δ) ..... 36  
 $\wedgemidvert$  (∧) ..... 36  
 $\wedgedot$  (∧) ..... 36  
 $\wedgeonwedge$  (⋈) ..... 35  
 $\wedgeonwedge$  (⋈) ..... 36  
 $\wedgeeq$  (≍) ..... 57  
 $\wedgeeq$  (≍) ..... 61  
 $Weierstrass$   $\varphi$  function . *see*  $\wp$   
 $\westcross$  (✠) ..... 140  
 $\wfermion$  (↘) ..... 135  
 $\Wheelchair$  (♿) ..... 178  
 $\whfermion$  (↙) ..... 135  
 $\whistle$  (♫) ..... 23  
 $white$  ..... 184  
 $\whitearrowupfrombar$  (⤴) . 87  
 $\whitearrowupfrombar$  (⤴) 89  
 $\whitearrowuppedestal$  (⤴) 87  
 $\whitearrowuppedestalhbar$  (⤴) ..... 87  
 $\whitearrowuppedestalvbar$  (⤴) ..... 87  
 $\WhiteBishopOnBlack$  (♚♞) .. 183

<code>\WhiteBishopOnWhite</code> (  ) ..	<code>\wideparen</code> (  ) .....	112	<code>XqTeX</code> .....	24
..... 183	<code>\wideparen</code> (  ) .....	114	<code>\Xey</code> (  ) .....	192
<code>\whiteblackspoon</code> (  ) ...	<code>\wideparen</code> (  ) .....	112	<code>xfrac</code> (package) .....	124
93	<code>\widening</code> (  ) .....	113	<code>\xhookleftarrow</code> (  ) ...	115
<code>\WhiteEmptySquare</code> (  ) ..	<code>\widening</code> (  ) .....	114	<code>\xhookrightarrow</code> (  ) ...	115
183	<code>\widening</code> (  ) .....	112	<code>\Xi</code> (  ) .....	96
<code>\whiteinwhitetriangle</code> (  ) ..	<code>\widetilde</code> (  ) .....	112	<code>\xi</code> (  ) .....	96
..... 146	<code>\widetilde</code> (  ) .....	113	<code>\xiup</code> (  ) .....	97
<code>\WhiteKingOnBlack</code> (  ) ..	<code>\widetilde</code> (  ) .....	112	<code>\xLeftarrow</code> (  ) .....	115
183	<code>\widetilde</code> (  ) .....	112	<code>\xleftarrow</code> (  ) .....	115
<code>\WhiteKingOnWhite</code> (  ) ..	<code>\widetilde</code> (  ) .....	113	<code>\xleftarpoondown</code> (  ) ..	115
183	<code>\widetilde</code> (  ) .....	112	<code>\xleftarpoonup</code> (  ) .....	115
<code>\WhiteKnightOnBlack</code> (  ) ..	<code>\widetilde</code> (  ) .....	112	<code>\xLeftrightarrow</code> (  ) ..	116
..... 183	<code>\widetilde</code> (  ) .....	111, 114	<code>\xLeftrightarrow</code> (  ) ..	115
<code>\WhiteKnightOnWhite</code> (  ) ..	<code>\widetriangle</code> (  ) .....	112	<code>\xleftrightharpoons</code> (  ) ..	115
..... 183	<code>\wind</code> .....	179	<code>\xlefrightharpoons</code> (  ) ..	116
<code>\WhitePawnOnBlack</code> (  ) ..	Windows <sup>®</sup> .....	240	<code>\xlefrightharpoons</code> (  ) ..	116
183	<code>\Winkey</code> (  ) .....	192	<code>\xlefrightharpoons</code> (  ) ..	115
<code>\WhitePawnOnWhite</code> (  ) ..	<code>\Winnoccy</code> (  ) .....	192	<code>\xlefrightharpoons</code> (  ) ..	115
146	<code>\Wintertree</code> (  ) .....	193	<code>\xlefrightharpoons</code> (  ) ..	115
<code>\whitepointerright</code> (  ) ..	<code>\with</code> (&) .....	37	<code>\xlongequal</code> (  ) .....	116
146	<code>\with</code> (⊥) .....	182	<code>\xlongequal</code> (  ) .....	116
<code>\WhiteQueenOnBlack</code> (  ) ..	<code>\withattack</code> (→) .....	182	<code>\xLongleftarrow</code> (  ) ...	116
183	<code>\withidea</code> (Δ) .....	182	<code>\xLongleftarrow</code> (  ) ...	116
<code>\WhiteQueenOnWhite</code> (  ) ..	<code>\within</code> (↑) .....	182	<code>\xLongleftarrow</code> (  ) ...	116
183	<code>\without</code> (⊥) .....	182	<code>\xLongleftarrow</code> (  ) ...	116
<code>\WhiteRookOnBlack</code> (  ) ..	Wizards of the Coast .....	220	<code>\xLongleftarrow</code> (  ) ...	116
183	<code>\wn</code> (?) .....	30	<code>\xLongleftarrow</code> (  ) ...	116
<code>\WhiteRookOnWhite</code> (  ) ..	woman .....	150, 178	<code>\xLongleftarrow</code> (  ) ...	116
183	<code>\WomanFace</code> (  ) .....	178	<code>\xLongleftarrow</code> (  ) ...	116
<code>\whitesquaretickleft</code> (  ) ..	won .....	<i>see</i> <code>\textwon</code>	<code>\xLongleftarrow</code> (  ) ...	116
40	world .....	178	<code>\xLongrightarrow</code> (  ) ..	116
<code>\whitesquaretickright</code> (  ) ..	<code>\WorstTree</code> (  ) .....	193	<code>\xlongrightarrow</code> (  ) ..	116
40	<code>\wp</code> (φ) .....	99	<code>\xmapsto</code> (  ) .....	115
<code>\whitestone</code> .....	<code>\wp</code> (ρ) .....	100	<code>\xmapsto</code> (  ) .....	116
183	<code>\wp</code> (ρ) .....	100	<code>\XML</code> .....	240
whole note <i>see</i> musical symbols	<code>\wp</code> (φ) .....	99	<code>\XQ</code> (  ) .....	132
<code>\wholeNote</code> (♩) .....	<code>\wp</code> (φ) .....	100	<code>\xrightarrow</code> (  ) .....	115
162	<code>\wp</code> (φ) .....	100	<code>\xrightarrow</code> (  ) .....	115
<code>\wholeNoteDotted</code> (♩̣) .....	<code>\wq</code> (  ) .....	160	<code>\xrightarrow</code> (  ) ..	115
162	<code>\wqq</code> (  ) .....	160	<code>\xrightarrow</code> (  ) ..	115
<code>\wholeNoteRest</code> (—) .....	<code>\wr</code> (ι) .....	31	<code>\xrightarrow</code> (  ) ..	115
164	<code>\wr</code> (ι) .....	35	<code>\xrightarrow</code> (  ) ..	115
<code>\wholeNoteRestDotted</code> (—̣) .....	<code>\wr</code> (ι) .....	34	<code>\xrightarrow</code> (  ) ..	115
164	<code>\wr</code> (ι) .....	36	<code>\xrightarrow</code> (  ) ..	115
<code>\wholeof</code> (ε) .....	<code>\wreath</code> (ι) .....	34, 35	<code>\xrightarrow</code> (  ) ..	115
225	<code>\wreath</code> (ι) .....	34	<code>\xrightarrow</code> (  ) ..	115
<code>\whthorzoval</code> (○) .....	wreath product .....	<i>see</i> <code>\wr</code>	<code>\xrightarrow</code> (  ) ..	115
146	<code>\WritingHand</code> (  ) .....	178	<code>\xrightarrow</code> (  ) ..	115
<code>\whtvertoval</code> (○) .....	<code>\wsuipa</code> (package) 19, 23, 25, 223,		<code>\xrightarrow</code> (  ) ..	115
146	225, 230, 243		<code>\xrightarrow</code> (  ) ..	115
Wick contractions .....	<code>\wupperhand</code> (±) .....	182	<code>\xrightarrow</code> (  ) ..	115
232			<code>\xrightarrow</code> (  ) ..	115
<code>\wideangledown</code> (∟) .....			<code>\xrightarrow</code> (  ) ..	115
121			<code>\xrightarrow</code> (  ) ..	115
<code>\wideangleup</code> (∟) .....			<code>\xrightarrow</code> (  ) ..	115
121			<code>\xrightarrow</code> (  ) ..	115
<code>\widearc</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
114			<code>\xrightarrow</code> (  ) ..	115
<code>\widearrow</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
113			<code>\xrightarrow</code> (  ) ..	115
<code>\widebar</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
113			<code>\xrightarrow</code> (  ) ..	115
<code>\widebridgeabove</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
110			<code>\xrightarrow</code> (  ) ..	115
<code>\widecheck</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
113			<code>\xrightarrow</code> (  ) ..	115
<code>\widecheck</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
113			<code>\xrightarrow</code> (  ) ..	115
<code>\widehat</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
112			<code>\xrightarrow</code> (  ) ..	115
<code>\widehat</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
112			<code>\xrightarrow</code> (  ) ..	115
<code>\widehat</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
113			<code>\xrightarrow</code> (  ) ..	115
<code>\widehat</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
112			<code>\xrightarrow</code> (  ) ..	115
<code>\widehat</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
111			<code>\xrightarrow</code> (  ) ..	115
<code>\wideOarc</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
114			<code>\xrightarrow</code> (  ) ..	115
<code>\wideparen</code> (  ) .....			<code>\xrightarrow</code> (  ) ..	115
113			<code>\xrightarrow</code> (  ) ..	115

## X

<code>\x</code> (̄) .....	120
<code>\x</code> (::) .....	184
<code>\XBox</code> (⊠) .....	140
<code>\xbsol</code> (∖) .....	48
<code>\Xdvi</code> .....	91, 225
<code>XqLATEX</code> .....	96, 159, 241

